

FACT SHEET - STATE FINDINGS

State	Percent illiterate (females age 6+)	Percent attending school (females age 6-14)	Percent of households with drinking water from pump/pipe	Percent of households with no toilet facility	Percent of women 20-24 married before age 18	Crude birth rate ¹	Total fertility rate ²	Percent of women ² using		Unmet need for family planning ⁴	Infant mortality rate ⁵	Under-five mortality ⁵
								Any contraceptive method ³	Sterilization ³			
India	56.7	58.9	68.2	69.7	54.2	28.7	3.39	40.6	30.8	19.5	78.5	109.3
North												
Delhi	29.2	86.3	99.5	15.9	28.7	26.6	3.02	60.3	23.3	15.4	65.4	83.1
Haryana	54.1	74.7	73.0	73.1	57.3	32.9	3.99	49.7	34.8	16.4	73.3	98.7
Himachal Pradesh	42.6	87.6	57.6	87.4	24.2	28.2	2.97	58.4	45.8	14.9	55.8	69.1
Jammu Region of J & K	48.2	79.6	57.3	80.9	20.5	27.9	3.13	49.4	29.7	17.5	45.4	59.1
Punjab	48.0	77.8	98.6	63.3	14.9	25.0	2.92	58.7	34.0	13.0	53.7	68.0
Rajasthan	74.6	40.6	57.3	80.2	69.5	27.0	3.63	31.8	27.7	19.8	72.6	102.6
Central												
Madhya Pradesh	65.7	54.8	55.8	78.7	73.3	31.6	3.90	36.5	31.5	20.5	85.2	130.3
Uttar Pradesh	68.5	48.2	74.3	77.1	63.9	35.9	4.82	19.8	13.1	30.1	99.9	141.3
East												
Bihar	71.4	38.3	63.6	83.5	69.1	32.1	4.00	23.1	18.6	25.1	89.2	127.5
Orissa	58.6	62.0	50.9	87.8	45.5	26.5	2.92	36.3	31.6	22.4	112.1	131.0
West Bengal	44.8	62.9	84.9	59.6	56.4	25.5	2.92	57.4	30.6	17.4	75.3	99.3
Northeast												
Arunachal Pradesh	57.9	65.3	75.8	26.4	43.9	34.6	4.25	23.6	10.7	20.4	40.0	72.0
Assam	49.3	66.0	43.2	50.4	44.4	30.4	3.53	42.8	14.4	21.7	88.7	142.2
Manipur	37.0	86.8	47.0	16.9	14.3	24.4	2.76	34.9	13.8	21.7	42.4	61.7
Meghalaya	39.8	75.7	47.6	45.7	28.1	31.9	3.73	20.7	10.0	25.1	64.2	86.9
Mizoram	11.1	88.5	40.1	1.7	13.3	20.8	2.30	53.8	44.6	11.9	14.6	29.3
Nagaland	28.2	89.0	72.1	20.7	16.4	31.3	3.26	13.0	6.4	26.7	17.2	20.7
Tripura	35.6	76.7	44.1	20.6	41.1	23.1	2.67	56.1	19.1	13.5	75.8	104.6
West												
Goa	26.9	92.5	56.5	52.0	7.2	17.2	1.90	47.8	30.5	15.7	31.9	38.9
Gujarat	48.7	68.4	75.1	64.2	33.4	27.2	2.99	49.3	41.0	13.1	68.7	104.0
Maharashtra	44.1	76.6	78.5	59.2	53.9	26.3	2.86	53.7	46.1	14.1	50.5	70.3
South												
Andhra Pradesh	61.5	54.8	63.4	75.6	68.6	24.2	2.59	47.0	44.8	10.4	70.4	91.2
Karnataka	53.5	64.4	75.6	68.8	51.2	25.9	2.85	49.1	42.5	18.2	65.4	87.3
Kerala	17.6	94.8	21.0	29.1	19.3	19.6	2.00	63.3	48.3	11.7	23.8	32.0
Tamil Nadu	43.9	78.7	74.6	70.6	36.1	23.5	2.48	49.8	39.5	14.6	67.7	86.5

¹Based on births to women age 15-49 during the three years preceding the survey

²Currently married women age 13-49

³Female or male sterilization

⁴Percent of currently married women who are not using family planning, even though they either do not want any more children or want to wait at least two years before having another child

⁵Per 1,000 live births for the five years preceding the survey

FACT SHEET - STATE FINDINGS (Contd.)

State	For births in the last four years, percent of:										Percent of children	
	Mothers receiving antenatal care	Mothers receiving two doses of tetanus toxoid vaccine	Births delivered in a health facility	Deliveries assisted by health professional ⁶	Children who received either ORS or RNS for diarrhoea ⁷	Fully immunized (age 12-23 months) ⁸	Exclusively breast-feeding (age 0-3 months)	Receiving breast milk and solid/mushy food (age 6-9 months)	Underweight	Stunted	Wasted	Percent of living children ⁹ under four years of age
India	62.3	53.8	25.5	34.2	30.6	35.4	51.0	31.4	53.4	52.0	17.5	
North												
Delhi	82.4	72.5	44.3	53.0	39.4	57.8	20.0	25.1	41.6	43.2	11.9	
Haryana	72.7	63.3	16.7	30.3	19.5	53.5	37.5	38.5	37.9	46.7	5.9	
Himachal Pradesh	76.0	47.4	16.0	25.6	44.9	62.9	36.4	39.9	47.0	U	U	
Jammu Region of J & K	79.5	68.9	21.9	31.2	44.4	65.7	16.9	44.8	44.5	40.8	14.8	
Punjab	87.9	82.7	24.8	48.3	32.7	61.9	3.3	37.3	45.9	40.0	19.9	
Rajasthan	31.2	28.3	11.6	21.8	22.7	21.1	65.9	9.4	41.6	43.1	19.5	
Central												
Madhya Pradesh	52.1	42.8	15.9	30.0	33.0	29.2	31.4	27.7	57.4	U	U	
Uttar Pradesh	44.7	37.4	11.2	17.2	22.7	19.8	60.3	19.4	59.0	59.5	16.1	
East												
Bihar	36.8	30.7	12.1	19.0	23.0	10.7	51.6	18.1	62.6	60.9	21.8	
Orissa	61.6	53.8	14.1	20.5	41.1	36.1	45.7	30.2	53.3	48.2	21.3	
West Bengal	75.3	70.4	31.5	33.0	74.7	34.2	40.0	53.6	56.8	U	U	
Northeast												
Arunachal Pradesh	48.9	31.9	19.9	21.3	33.3	22.5	73.9	35.8	39.7	53.9	11.2	
Assam	49.3	34.9	11.1	17.9	35.2	19.4	65.0	39.2	50.4	52.2	10.8	
Manipur	63.4	48.0	23.0	40.4	63.1	29.1	70.4	50.0	30.1	33.6	8.8	
Meghalaya	51.8	30.0	29.6	36.9	40.7	9.7	18.0	56.3	45.5	50.8	18.9	
Mizoram	88.9	42.5	48.9	61.5	24.5	56.4	45.5	28.1	28.1	41.3	2.2	
Nagaland	39.3	33.0	6.0	22.2	24.6	3.8	61.1	43.5	28.7	32.4	12.7	
Tripura	64.9	58.7	30.7	33.5	*	19.0	47.9	65.0	48.8	46.0	17.5	
West												
Goa	95.4	83.4	86.8	88.4	41.4	74.9	10.8	33.9	35.0	32.5	15.3	
Gujarat	75.7	62.7	35.6	42.5	20.7	49.8	36.3	22.9	50.1	48.2	18.9	
Maharashtra	82.7	71.0	43.9	53.2	41.7	64.1	37.1	25.0	54.2	48.5	20.2	
South												
Andhra Pradesh	86.3	74.8	32.8	49.3	32.5	45.0	70.5	47.8	49.1	U	U	
Karnataka	83.5	69.8	37.5	50.9	34.0	52.2	65.6	38.2	54.3	47.6	17.4	
Kerala	97.3	89.8	87.8	89.7	37.8	54.4	59.2	69.3	28.5	27.4	11.6	
Tamil Nadu	94.2	90.1	63.4	71.2	27.1	64.9	55.8	56.5	48.2	U	U	

U: Not available
⁶Allopathic doctor or nurse/midwife
⁷For children who had diarrhoea in the past two weeks, percent receiving a solution made from an Oral Rehydration Salt (ORS) packet or a Recommended Home Solution (RHS) made from sugar, salt and water
⁸Percent who have received BCG, measles and three doses of DPT and polio vaccines
⁹Underweight assessed by weight-for-age, stunting assessed by height-for-age, wasting assessed by weight-for-height; undernourished children are those more than 2 standard deviations below the median of the International Reference Population, recommended by the World Health Organization