



---

# **SAMPLE REGISTRATION SYSTEM STATISTICAL REPORT 2020**



**OFFICE OF THE REGISTRAR GENERAL &  
CENSUS COMMISSIONER, INDIA  
MINISTRY OF HOME AFFAIRS  
GOVERNMENT OF INDIA  
NEW DELHI**

---



## **P R E F A C E**

The Sample Registration System (SRS) Statistical Report 2020 contains estimates of various demographic, fertility and mortality indicators based on the data collected through the SRS sample survey. SRS in India is one of the largest demographic surveys in the world covering about 8.4 million sample population. It is carried out by the Office of Registrar General & Census Commissioner, India with an objective of providing reliable annual estimates of birth rate, death rate, infant mortality rate and various other fertility and mortality indicators. SRS has been serving as the main source of information on fertility and mortality both at the State and National levels, from 1971 onwards.

2. The SRS Statistical Report includes data on population composition by broad age groups, sex and marital status. Various fertility indicators like Crude Birth Rate, Total Fertility Rate, Age-specific fertility rate, General fertility rate, mean age of fertility and many more are also estimated under SRS. All these indicators have been included in this report. Further, this report also contains estimates of indicators like crude death rate, infant mortality rate, under-five mortality rate, age-specific death rates, neo-natal mortality rate etc. which provide significant information on mortality. Certain other indicators of demographic interest such as mean age at effective marriage for females, interval between current and previous live birth and also distribution of live births by birth order have continued to form part of the SRS report. The sex ratio at birth has also been estimated in this Report as in the past. The indicators in this report are brought out for India and bigger States/UTs (with population 10 million and above) separately for rural and urban areas.

3. The SRS has been a joint effort of the Central and State Governments. This study has been made possible with the active involvement of staff and officers of the Directorates of Census Operations, SRS Wing of the Vital Statistics Division, Data Processing Division and Map Division at the headquarters. I am thankful to all of them for their efforts and support.

New Delhi

September, 2022

**(VIVEK JOSHI)**

Registrar General & Census Commissioner of India

## C O N T E N T S

	<b>Page</b>
List of statements	vi-ix
List of charts	x-xvi
Definitions	xvii-xviii
Figures at a glance, India – 2020	xix-xxi
National level trends for few core indicators 2014-20	xxii
Executive Summary	xxiii-xxiv
Map - Birth rate by NSS Natural Division, 2020	xxv
Map - Death rate by NSS Natural Division, 2020	xxvi
Map - Infant mortality rate by NSS Natural Division, 2020	xxvii
Chapter 1- Introduction	1-9
Chapter 2 - Population Composition	10-48
Chapter 3 - Estimates of Fertility Indicators	49-116
Chapter 4 - Estimates of Mortality Indicators	117-178

## **Detailed Tables**

1. Percentage distribution of estimated population by age-group, sex and residence, 2020	180-191
2. Percentage distribution of population by sex, marital status and age-group, 2020	192-214
3. Fertility Indicators, 2020	215-221
4. Fertility indicators by level of education of women, 2020	222-244
5. Percentage distribution of live births by order of birth, 2020	245-251
6. Percentage distribution of current live births by birth interval, 2020	252-253
7. Percentage distribution of current live births by birth interval and birth order, 2020	254-260
8. Age-specific death rate by sex and residence, 2020	261-283
9. Child (Aged 0-4 years) and infant mortality indicators, 2020	261-283
10. Percentage distribution of deaths to total deaths by residence, sex and age-group, 2020	284-295
11. Birth rate, death rate and infant mortality rate by NSSO natural division, 2020	296-298

## **Tables on Trend**

12.	Annual estimates of Birth rate by residence, India and bigger States/UTs, 2014-20	300
13.	Annual estimates of Death rate by sex, India and bigger States/UTs, 2014-20	301
14.	Annual estimates of Infant mortality rate by sex, India and bigger States/UTs, 2014-20	302
15.	Annual estimates of Total Fertility rate by residence, India and bigger States/UTs, 2014-20	303
16.	Sex ratio at birth (female per 1000 male) by residence, India and bigger States/UTs, 2013-15 to 2018-20	304
17.	Percent of live births where the mothers received medical attention at delivery either at Government hospitals or at Private hospitals, India and bigger States/UTs, 2015-20	305
18.	Percent of deaths where medical attention received before death was either at Government hospitals or at Private hospitals, India and bigger States/UTs, 2015-20	306

## LIST OF STATEMENTS

		<b>Page</b>
<b>General</b>		
1	Number of sample units at different replacement period	2
2	Number of sample units and population covered, India, States and union territories, 2020	5
<b>Population Composition</b>		
3	Percentage distribution of population by broad age groups to total population by sex and residence, India, 2020	11
4	Percentage of population in the age group 0-4 years to total population by sex and residence, India and bigger States/UTs, 2020	14
5	Percentage of population in the age group 0-14 years to total population by sex and residence, India and bigger States/UTs, 2020	17
6	Percentage of population in the age group 15-59 years to total population by sex and residence, India and bigger States/UTs, 2020	20
7	Percentage of population in the age group 60 years and above to total population by sex and residence, India and bigger States/UTs, 2020	23
8	Percentage distribution of population by marital status and sex, India and bigger States/UTs, 2020	26
9	Percentage distribution of population age 10+ by marital status and sex, India and bigger States/UTs, 2020	30
10	Percentage distribution of female age 10+ by marital status and residence, India and bigger States/UTs, 2020	34
11	Percentage distribution of female age 15+ by marital status and residence, India and bigger States/UTs, 2020	37
12	Percentage of females by age at effective marriage and by residence, India and bigger States/UTs, 2020	41
13	Mean age at effective marriage of female by residence, India and bigger States/UTs, 2020	45

	<b>Page</b>
<b>Fertility Indicators</b>	
14 CBR (Crude birth rate) by residence, India and bigger States/UTs, 2020	50
15 Percent change in average crude birth rate between 2008-10 and 2018-20 by residence, India and bigger States/UTs	53
16 Sex ratio (female per 1000 male) at birth by residence, India and bigger States/UTs 2018-20	58
17 GFR (General fertility rate) by residence, India and bigger States/UTs, 2020	60
18 Percentage change in average GFR (General fertility rate) between 2008-10 and 2018-20, by residence, India and bigger States/UTs	63
19 ASFRs (Age specific fertility rates) by residence, 2020	68
20 Percentage change in age specific fertility rates by residence between 2008-10 and 2018-20, India	69
21 ASFRs (Age specific fertility rates), India and bigger States/UTs, 2020	72
22 Percentage distribution of cumulative fertility by age group, India and bigger States/UTs, 2020	73
23 Mean age of fertility and associated standard deviation, India and bigger States/UTs, 2020	75
24 TFR (Total fertility rate) by residence, India and bigger States/UTs, 2020	77
25 Percentage change in average TFR (Total fertility rate) between 2008-10 and 2018-20 by residence, India and bigger States/UTs	80
26 GRR (Gross reproduction rate) by residence, India and bigger States/UTs, 2020	85
27 ASMFRs (Age specific marital fertility rates) by residence, India 2020	87
28 ASMFRs (Age specific marital fertility rates) India and bigger States/UTs, 2020	88
29 TMFRs (Total marital fertility rates) by residence, India and bigger States/UTs, 2020	89

	Page	
30	Percentage change in average Total Marital Fertility rate (TMFR) between 2008-10 and 2018-20 by residence, India and bigger States/UTs	91
31	Percentage female population in the age group 15-49 by level of education, India and bigger States/UTs, 2020	95
32	GFR (General fertility rate) by level of education of women, India and bigger States/UTs, 2020	96
33	ASFR (Age specific fertility rate) by level of education of women and residence, India, 2020	97
34	TFR (Total fertility rate) by level of education of women, India and bigger States/UTs, 2020	101
35	Percentage distribution of current live births by birth order, India and bigger States/UTs, 2020	103
36	Percentage distribution of current live births by birth order and residence, India and bigger States/UTs, 2020	105
37	Percentage distribution of second and higher order live births by interval, India and bigger States/UTs, 2020	108
38	Percentage distribution of second and higher order live births by interval and residence, India and bigger States/UTs, 2020	110
39	Percentage distribution of live births by type of medical attention received by the mother at delivery by residence, India and bigger States/UTs, 2020	113

## **Mortality Indicators**

40	CDR (Crude death rate) by residence, India and bigger States/UTs, 2020	118
41	Percentage change in average crude death rate between 2008-10 and 2018-20, by residence, India and bigger States/UTs	121
42	CDR (Crude death rate) by sex and residence, India, 2020	126
43	CDR (Crude death rate) by sex, India and bigger States/UTs, 2020	127
44	Percentage distribution of deaths by broad age groups, India and bigger States/UTs, 2020	129
45	Percentage of infant deaths to total deaths by residence, India and bigger States/UTs, 2020	131

46	IMR (Infant mortality rate) by sex and residence, India and bigger States/UTs, 2020	133
47	Percentage change in average IMR (Infant mortality rate) between 2008-10 and 2018-20 by residence, India and bigger States/UTs	138
48	Neo-natal mortality rate and percentage share of neo-natal deaths to infant deaths by residence, India and bigger States/UTs, 2020	142
49	Early neo-natal mortality rate and percentage share of early neo-natal deaths to infant deaths by residence, India and bigger States/UTs, 2020	156
50	Peri-natal mortality rate and Still birth rates by residence, India and bigger States/UTs, 2020	150
51	Percentage of deaths in the age group 0-4 years to total deaths by residence, India and bigger States/UTs, 2020	153
52	Estimated death rate for children age 0-4 years by sex and residence, India and bigger States/UTs, 2020	155
53	Under-five Mortality Rate by sex and residence, India and bigger States/UTs, 2020	159
54	Death rates for children age 5-14 years by sex and residence, India and bigger States/UTs, 2020	163
55	Death rate for persons age 15-59 years by sex and residence, India and bigger States/UTs, 2020	167
56	Death rate for persons age 60 years and above by sex and residence, India and bigger States/UTs, 2020	171
57	Percentage distribution of deaths by type of medical attention received before death by residence, India and bigger States/UTs, 2020	175

## LIST OF CHARTS

	<b>Page</b>
1. Flow chart	9
2. Percentage distribution of population by broad age-groups and residence, India, 2020	12
3. Population Pyramid, India, 2020	13
4. Percentage of child population (0-4 years) to total population by residence, India and bigger States/UTs, 2020	15
5. Percentage of child population (0-4 years) to total population by Sex, India and bigger States/UTs, 2020	16
6. Percentage of population aged 0-14 years to total population by residence, India and bigger States/UTs, 2020	18
7. Percentage of population aged 0-14 years to total population by Sex, India and bigger States/UTs, 2020	19
8. Percentage of population aged 15-59 years to total population by residence, India and bigger States/UTs, 2020	21
9. Percentage of population aged 15-59 years to total population by Sex, India and bigger States/UTs, 2020	22
10. Percentage of population aged 60+ years to total population by residence, India and bigger States/UTs, 2020	24
11. Percentage of population aged 60+ years to total population by Sex, India and bigger States/UTs, 2020	25
12. Percentage distribution of population by marital status, India and bigger states/UTs, 2020	27
13. Percentage distribution of MALE population by marital status, India and bigger states/UTs, 2020	28
14. Percentage distribution of FEMALE population by marital status, India and bigger states/UTs, 2020	29
15. Percentage distribution of population aged 10+ years by marital status, India and bigger states/UTs, 2020	31
16. Percentage distribution of MALE population aged 10+ years by marital status, India and bigger states/UTs, 2020	32
17. Percentage distribution of FEMALE population aged 10+ years by marital status, India and bigger states/UTs, 2020	33

18.	Percentage distribution of female population aged 10+ years by marital status India and bigger states/UTs, 2020 –RURAL	35
19.	Percentage distribution of female population aged 10+ years by marital status India and bigger states/UTs, 2020 – URBAN	36
20.	Percentage distribution of female population aged 15+ years by marital status India and bigger states/UTs, 2020	38
21.	Percentage distribution of female population aged 15+ years by marital status India and bigger states/UTs, 2020 –RURAL	39
22.	Percentage distribution of female population aged 15+ years by marital status India and bigger states/UTs, 2020- URBAN	40
23.	Percentage of Females by age at Effective Marriage, India and bigger States/UTs, 2020	42
24.	Percentage of Females by age at Effective Marriage, India and bigger States/UTs, 2020 – RURAL	43
25.	Percentage of Females by age at Effective Marriage, India and bigger States/UTs, 2020– URBAN	44
26.	Mean age at effective marriage of female, India and bigger States/UTs, 2020	46
27.	Mean Age at Effective Marriage of Female, India and bigger States/UTs, 2020 – RURAL	47
28.	Mean Age at Effective Marriage of Female, India and bigger States/UTs, 2020 – URBAN	48
29.	CBR (Crude birth rate) by residence, India and States/UTs, 2020	51
30.	Distribution of States/UTs by values of birth rate for rural and urban areas, 2020	52
31.	Average birth rate and percentage change between 2008-10 and 2018-20, India and bigger states/UTs	54
32.	Average birth rate and percentage change between 2008-10 and 2018-20, India and bigger states/UTs -RURAL	55
33.	Average birth rate and percentage change between 2008-10 and 2018-20, India and bigger states/UTs – URBAN	56
34.	Birth Rate 1985-2020 by Residence, India	57
35.	Sex ratio at birth by residence, India and bigger States, 2018-2020	59

36.	GFR (General fertility rate) by residence, India and bigger States/UTs, 2020	61
37.	Distribution of bigger States/UTs by values of GFR (General fertility rate) for rural and urban areas, 2020	62
38.	Average GFR (General Fertility Rate) and percentage change between 2008-10 and 2018-20, India and bigger States/UTs	64
39.	Average GFR (General Fertility Rate) and percentage change between 2008-10 and 2018-20, India and bigger States/UTs –RURAL	65
40.	Average GFR (General Fertility Rate) and percentage change between 2008-10 and 2018-20, India and bigger States/UTs - URBAN	66
41.	Trends in General Fertility Rate, 1985-2020 by Residence, India	67
42.	ASFRs (Age-specific fertility rates) by residence, India, 2020	68
43.	Age specific fertility rates, India: 2008-10 and 2018-20	70
44.	Age specific fertility rates, India - RURAL: 2008-10 and 2018-20	70
45.	Age specific fertility rates, India - URBAN: 2008-10 and 2018-20	71
46.	Per cent change in age specific fertility rates by residence between 2008-10 and 2018-20, India	71
47.	Per cent distribution of cumulative fertility by residence, 2020	74
48.	Mean age of fertility, India and bigger states/UTs, 2020	76
49.	TFR (Total fertility rate) by residence, India and bigger States/UTs, 2020	78
50.	Distribution of bigger States/UTs by values of TFR (Total fertility rate) for rural and urban areas, 2020	79
51.	Average Total fertility rate (TFR) and percentage change between 2008-10 and 2018-20, India and bigger States/UTs	81
52.	Average Total fertility rate (TFR) and percentage change between 2008-10 and 2018-20, India and bigger States/UTs – RURAL	82
53.	Average Total fertility rate (TFR) and percentage change between 2008-10 and 2018-20, India and bigger States/UTs - URBAN	83
54.	Trend in Total Fertility Rate, 1985-2020 by Residence, India	84

55.	Gross reproduction rate (GRR) by residence, India and bigger states/UTs, 2020	86
56.	Age specific marital fertility rates (ASMFs) by residence, India, 2020	87
57.	Total marital fertility rate (TMFRs) by residence, India and bigger states/UTs, 2020	90
58.	Average Total Marital fertility rate (TMFR) and percentage change between 2008-10 and 2018-20, India and bigger States/UTs	92
59.	Average Total Marital fertility rate (TMFR) and percentage change between 2008-10 and 2018-20, India and bigger States/UTs -RURAL	93
60.	Average Total Marital fertility rate (TMFR) and percentage change between 2008-10 and 2018-20, India and bigger States/UTs – URBAN	94
61.	Age specific fertility rate by level of education of women, India, 2020	98
62.	Age specific fertility rate by level of education of women, India, 2020 –RURAL	99
63.	Age specific fertility rate by level of education of women, India, 2020 –URBAN	100
64.	Total fertility rate by level of education of women, India, 2020	102
65.	Percentage distribution of current live births by birth order, 2020	104
66.	Percentage distribution of current live births by birth order - RURAL	106
67.	Percentage distribution of current live births by birth order - URBAN	107
68.	Percentage distribution of second and higher order live births by interval, 2020	109
69.	Percentage distribution of second and higher order live births by interval- RURAL	111
70.	Percentage distribution of second and higher order live births by interval-URBAN	112
71.	Distribution of live births by type of Medical Attention received by the mother at delivery	114
72.	Distribution of live births by type of Medical Attention received by	115

	the mother at delivery - RURAL	
73.	Distribution of live births by type of Medical Attention received by the mother at delivery – URBAN	116
74.	CDR (Crude death rate) by residence, India and States/UTs, 2020	119
75.	Distribution of bigger States/UTs by values of death rate for rural and urban areas, 2020	120
76.	Average Death rate between 2008-10 and 2018-20 and percentage change, India and bigger States/UTs	122
77.	Average Death rate between 2008-10 and 2018-20 and percentage change, India and bigger States/UTs –RURAL	123
78.	Average Death rate between 2008-10 and 2018-20 and percentage change, India and bigger States/UTs – URBAN	124
79.	Death Rate 1985-2020 by Residence, India	125
80.	Crude death rates by sex and residence, India, 2020	126
81.	Crude death rates by sex, India and bigger States/UTs, 2020	128
82.	Distribution of deaths by broad age groups India and bigger States/UTs, 2020	130
83.	Percentage of Infant deaths to total deaths by residence, 2020	132
84.	Infant mortality rates by sex, India and major states, 2020	134
85.	Infant mortality rates by sex, India and major states, 2020 –RURAL	135
86.	Infant mortality rates by sex, India and major states, 2020 –URBAN	136
87.	Distribution of bigger States/UTs by IMR (Infant mortality rate) for rural and urban areas, 2020	137
88.	Average Infant mortality rate between 2008-10 and 2018-20 and percentage change, India and bigger States/UTs, 2020	139
89.	Average Infant mortality rate between 2008-10 and 2018-20 and percentage change, India and bigger States/UTs -RURAL	140
90.	Average Infant mortality rate between 2008-10 and 2018-20 and percentage change, India and bigger States/UTs – URBAN	141
91.	Neo-natal mortality rates and percentage share of neo-natal deaths to infant deaths, India and bigger States/UTs, 2020	143

92.	Neo-natal mortality rates and percentage share of neo-natal deaths to infant deaths, India and bigger States/UTs, 2020 - RURAL	144
93.	Neo-natal mortality rates and percentage share of neo-natal deaths to infant deaths by residence, India and bigger States/UTs, 2020 – URBAN	145
94.	Early neo-natal mortality rates and percentage share of early neo-natal deaths to infant deaths, India and bigger States/UTs, 2020	147
95.	Early neo-natal mortality rates and percentage share of early neo-natal deaths to infant deaths, India and bigger States/UTs, 2020 – RURAL	148
96.	Early neo-natal mortality rates and percentage share of early neo-natal deaths to infant deaths, India and bigger States/UTs, 2020 - - URBAN	149
97.	Perinatal mortality rates, India & bigger States/UTs, 2020	151
98.	Still birth rates, India & bigger States/UTs, 2020	152
99.	Percentage of deaths in the age group 0-4 years to total deaths, India and bigger States/UTs	154
100.	Estimated death rate for children age 0-4 years by sex, 2020	156
101.	Estimated death rate for children age0-4 years by sex, 2020 – RURAL	157
102.	Estimated death rate for children age0-4 years by sex, 2020 – URBAN	158
103.	Under-five Mortality Rates (U5MR) by sex, India & bigger States/UTs, 2020	160
104.	Under-five Mortality Rates (U5MR) by sex, India & bigger States/UTs, 2020- RURAL	161
105.	Under-five Mortality Rates (U5MR) by sex, India & bigger States/UTs, 2020-URBAN	162
106.	Death rates for children aged 5-14 years by sex, India and bigger States/UTs, 2020	164
107.	Death rates for children aged 5-14 years by sex, India and bigger States/UTs, 2020 – RURAL	165
108.	Death rates for children aged 5-14 years by sex, India and bigger States/UTs, 2020 - URBAN	166

109.	Death rates for Persons aged 15-59 years by sex, India and bigger States/UTs, 2020	168
110.	Death rates for Persons aged 15-59 years by sex, India and bigger States/UTs, 2020 – RURAL	169
111.	Death rates for Persons aged 15-59 years by sex, India and bigger States/UTs, 2020 – URBAN	170
112.	Death rates for Persons aged 60 years and above by sex, India and bigger States/UTs, 2020	172
113.	Death rates for Persons aged 60 years and above by sex, India and bigger States/UTs, 2020 – RURAL	173
114.	Death rates for Persons aged 60 years and above by sex, India and bigger States/UTs, 2020 – URBAN	174
115.	Distribution of deaths by Type of Medical Attention received before death, India & bigger States/UTs, 2020	176
116.	Distribution of deaths by Type of Medical Attention received before death, India & bigger States/UTs, 2020 – RURAL	177
117.	Distribution of deaths by Type of Medical Attention received before death, India & bigger States/UTs, 2020 - URBAN	178

## DEFINITIONS

Crude birth rate (CBR)	=	Number of live births during the year ----- x 1000 Mid-year population
Age-specific fertility rate (ASFR)	=	Number of live births in a particular age-group ----- x 1000 Mid-year female population of the same age-group
General fertility rate (GFR)	=	Number of live births in a year ----- x 1000 Mid-year female population in the age-group (15-49) years
Total fertility rate (TFR)	=	45-49 $5 \times \sum_{15-19}$ ASFR ----- 1000
Gross reproduction rate (GRR)	=	45-49 $5 \times \sum_{15-19}$ ASFR for female live births ----- 1000
Age-specific marital fertility rate (ASMFR)	=	Number of live births in a particular age-group ----- x 1000 Mid-year married female population of the same age-group
General marital fertility rate (GMFR)	=	Number of live births in a year ----- x 1000 Mid-year married female population in the age-group (15-49) year
Total marital fertility rate (TMFR)	=	45-49 $5 \times \sum_{15-19}$ ASMFR ----- 1000
Crude death rate (CDR)	=	Number of deaths during the year ----- x 1000 Mid-year population

Age-specific mortality rate (ASMR)	$\frac{\text{Number of deaths in a particular age-group}}{\text{Mid-year population of the same age-group}} \times 1000$
Under-five Mortality Rate =	The under-five mortality is the probability ( ${}_5^q_0$ ) that a child born in a specific year or time period will die before reaching the age of five, subject to current age specific mortality rates. It is expressed as a rate per 1,000 live births.
Infant mortality rate (IMR)	$\frac{\text{Number of infant deaths during the year}}{\text{Number of live births during the year}} \times 1000$
Infant mortality rate comprises of two parts viz. Neo-natal mortality rate and Post neo-natal mortality rate. The neo-natal mortality rate also comprises of two parts viz. Early neo-natal mortality rate and late neo-natal mortality rate. These are defined as:	
Neo-natal mortality rate (NMR)	$\frac{\text{Number of infant deaths of < than 29 days during the year}}{\text{Number of live births during the year}} \times 1000$
Early neo-natal mortality rate	$\frac{\text{Number of infant deaths of < than 7 days during the year}}{\text{Number of live births during the year}} \times 1000$
Late neo-natal mortality rate	$\frac{\text{Number of infant deaths of 7 days to < than 29 days during the year}}{\text{Number of live births during the year}} \times 1000$
Post neo-natal mortality rate (PNMR)	$\frac{\text{Number of infant deaths of 29 days to < than one year during the year}}{\text{Number of live births during the year}} \times 1000$
Peri-natal mortality rate (PMR)	$\frac{\text{Number of still births and infant deaths of < than 7 days during the year}}{\text{Number of live births and still births during the year}} \times 1000$
Still birth rate (SBR)	$\frac{\text{Number of still births during the year}}{\text{Number of live births and still births during the year}} \times 1000$

## FIGURES AT A GLANCE, INDIA - 2020


Item	Total	Rural	Urban
<b>I. Percentage distribution of population by broad age groups</b>			
0-14	24.8	26.5	21.5
15-59	67.1	65.6	70.1
60+	8.1	8.0	8.4
<b>II. Fertility Indicators</b>			
Crude Birth Rate	19.5	21.1	16.1
General Fertility Rate	67.0	73.7	53.7
Age-specific Fertility Rate			
15-19	11.3	13.2	6.6
20-24	113.6	128.1	81.8
25-29	139.6	152.5	115.2
30-34	84.4	89.4	75.5
35-39	35.6	38.9	29.5
40-44	11.7	13.5	8.5
45-49	4.7	5.2	3.9
Total Fertility Rate	2.0	2.2	1.6
Gross Reproduction Rate	0.9	1.0	0.8
General Marital Fertility Rate	108.3	118.0	88.5
Total Marital Fertility Rate	5.2	5.4	4.7
Mean age at effective marriage for females	22.7	22.2	23.9
<b>III. Total Fertility Rate by level of education of the mother</b>			
Illiterate	3.1	3.3	2.5
Literate	1.9	2.1	1.6
Without any formal education	2.4	2.6	2.0
Below primary	2.5	2.7	1.8
Primary	2.3	2.4	1.7
Middle	2.0	2.1	1.7
Class X	1.9	2.0	1.7
Class XII	1.7	1.8	1.5
Graduate and above	1.6	1.7	1.5
<b>IV. Percentage distribution of live births by birth order</b>			
1	59.2	56.9	65.4
2	25.5	25.6	25.1
3	9.9	11.0	6.9
4+	5.5	6.6	2.7

FIGURES AT A GLANCE, INDIA - 2020			
Item	Total	Rural	Urban
<b>V. Percentage distribution of Current live births by birth interval (in months)</b>			
10-12	1.5	1.6	1.2
12-18	6.9	6.9	6.8
18-24	12.7	13.5	9.7
24-30	13.4	14.0	11.7
30-36	13.1	13.6	11.5
36+	52.3	50.3	59.1
<b>VI. Mortality Indicators</b>			
Crude Death Rate	6.0	6.4	5.1
Percentage of infant deaths to total deaths	9.1	10.3	6.0
Percentage of deaths of less than one week to total infant deaths	53.3	54.7	46.8
Under-five Mortality Rate	32	36	21
Infant Mortality Rate	28	31	19
Neo-natal mortality rate	20	23	12
Early neo-natal mortality rate	15	17	9
Late neo-natal mortality rate	5	6	3
Post neo-natal mortality rate	8	8	7
Peri-natal Mortality Rate	18	21	12
Still Birth Rate	3	4	3
<b>VII. Percentage distribution of births by type of medical attention at delivery</b>			
Government Hospital	54.6	54.0	56.3
Private Hospital	28.0	24.2	38.7
Qualified Professional	9.7	11.6	4.4
Untrained Functionary and Others	7.8	10.3	0.7
<b>VIII. Percentage distribution of deaths by type of medical attention before death</b>			
Government Hospital	29.9	27.9	35.9
Private Hospital	18.9	16.7	25.6
Qualified Professional	33.2	33.9	31.1
Untrained Functionary and Others	18.0	21.5	7.5

## FIGURES AT A GLANCE, NATURAL DIVISIONS - 2020

Indicators	State	Natural Division	Max./Min.	Values
<b>Birth rate</b>				
	Uttar Pradesh	Eastern	Maximum	28.5
	Kerala	Southern	Minimum	11.4
<b>Death rate</b>				
	Chhattisgarh	Southern	Maximum	8.5
	Jammu & Kashmir	Chhattisgarh Outer Hills	Minimum	4.4
<b>Infant mortality rate</b>				
	Madhya Pradesh	Vindhya	Maximum	48
	Kerala	Northern	Minimum	6

**Trend of Birth rate, Death rate, Infant Mortality rate, Total Fertility rate,  
Sex ratio at Birth and Sex ratio of children (0-4 age group), India**



## **EXECUTIVE SUMMARY**


The Sample Registration System (SRS) is the largest demographic survey in the country mandated to provide annual estimates of fertility as well as mortality indicators at the State and National level. The present Report contains data on fertility and mortality indicators for the year 2020 for India and bigger States/UTs. The estimates are segregated by residence and also by gender, wherever required.


2. The salient features of the report are as summarized below.


- ❖ The Crude Birth Rate (CBR) at the National level during 2020 stands at 19.5 exhibiting a decline of 0.2 points over 2019. Among the bigger States/UTs, the maximum CBR has been reported in Bihar (25.5) and the minimum in Kerala (13.2).
- ❖ There has been a decline of 1.3 points in the CBR for the country from 2015 to 2020. The corresponding decline in rural CBR is 1.0 points and in urban CBR 0.9 points.
- ❖ The Crude Death Rate (CDR) for the country is 6.0 in 2020. The maximum CDR has been reported for Chhattisgarh (7.9) and the minimum for Delhi (3.6).
- ❖ During the last five years, the decline in National CDR has been to the tune of 0.5 points. The corresponding decline in female CDR is 0.7 points whereas in male CDR it is 0.3 points.
- ❖ The Infant Mortality Rate (IMR) has also registered 2-point decline to 28 in 2020 from 30 in 2019 at the National level. The maximum IMR has been observed in Madhya Pradesh (43) and the minimum in Kerala (6).
- ❖ IMR for the country has come down to 28 in 2020 from 37 in 2015, a decline of 9 points over last 5 years and an annual average decline of about 1.8 points. The corresponding decline in rural IMR has been to the tune of 10 points (41 in 2015 to 31 in 2020) against a decline of 6 points in urban IMR (25 in 2015 to 19 in 2020). Both the gender have shown decline in the period 2015-20.
- ❖ Despite this decline, one in every 35 infants at the National level, one in every 32 infants in rural areas and one in every 52 infants in urban areas still die within one year of life.
- ❖ In 2020, U5MR for the country has shown a decline of 3 points from 2019 (32 in 2020 against 35 in 2019). There has been a decline of 4 points in male U5MR and 3 points in female U5MR during the corresponding period.
- ❖ Sex Ratio at Birth for the country has gone up by 3 points to 907 in 2018-20 from 904 in 2017-19. Kerala has reported the highest Sex Ratio at Birth (974) while Uttarakhand, the lowest (844).
- ❖ Total Fertility Rate (TFR) for the country has come down to 2.0 in 2020 from 2.1 in 2019. During 2020, Bihar has reported the highest TFR (3.0) while Delhi,

Tamil Nadu and West Bengal have reported the lowest TFR (1.4). It is noteworthy that the replacement level TFR, viz. 2.1, has been attained at the national level, along with Delhi (1.4), Tamil Nadu (1.4), West Bengal (1.4), Andhra Pradesh (1.5), Himachal Pradesh (1.5), Jammu & Kashmir (1.5), Kerala (1.5), Maharashtra (1.5), Punjab (1.5), Telangana (1.5), Karnataka (1.6), Odisha (1.8), Uttarakhand (1.8), Gujarat (2.0), Haryana (2.0) and Assam (2.1).

- ❖ At present, the TFR of a rural woman is 2.2 at the National level, which is higher than that of an urban woman (having a TFR of 1.6).
- ❖ During 2015-2020, there has been a decline of 0.3 point in TFR at the National level. There has been decline of 0.3 point in rural and 0.2 point in urban during the corresponding period.
- ❖ In case of about 82.6 percent live births, the mothers have received the medical attention at delivery either at Government hospital or at Private hospital in 2020 against the 82.8 percent in 2019.
- ❖ There has been an increase of 0.3 percentage points in 2020 (48.8) over 2019 (48.5) in case of deaths where the deceased have received medical attention before death, either at Government hospital or at Private hospital. There has been an increase of about 4.4 percentage points in deaths where the deceased had received medical attention before death in hospitals during 2015-2020 (last 5 years).







## **CHAPTER - 1**

### **INTRODUCTION**

Registration of births and deaths is an important source for demographic data for socio-economic development and population control in developing countries. The data on population growth, fertility and mortality serves as the prime constituent for population projections. Apart from these vital indicators, an adequate evaluation of a number of programs in the health sector, including family planning, maternal and reproductive health, immunization programs, is dependent upon the availability of accurate, up-to-date fertility and mortality data. In India, the need for dependable demographic data was felt soon after independence heralding the era of five year planning. The registration of births and deaths started on voluntary basis and there was no uniformity in statistical returns resulting in both under-registration and incomplete coverage. In order to unify the Civil Registration activities, the Registration of Births & Deaths Act, 1969 was enacted. Despite having the registration of birth & death compulsory under the statute, the level of registration of births and deaths under the Act has continued to be far from satisfactory in several States/UTs. With a view to generate reliable and continuous data on these indicators, the Office of Registrar General, India, initiated the scheme of sample registration of births and deaths in India popularly known as Sample Registration System (SRS) in 1964-65 on a pilot basis and on full scale from 1969-70. The SRS since then has been providing data on a regular basis.

1.2 The demographic scenario in the country has been undergoing a change since the inception of SRS; however, the profile and rate of change is not uniform across all the States/UTs. Overall, the crude birth rate in the country has come down from 36.9 per one thousand population in 1971 to 19.5 in 2020, whereas the crude death rate has declined from 14.9 to a low of 6.0 in the same period. The infant mortality rate, which is an important indicator of the health status of the country, has registered a significant decline from 129 per one thousand live births in 1971 to 28 in 2020. During the period, the total fertility rate of the country has declined from 5.2 to 2.0. To fulfill its objective of monitoring the changes in vital indicators, the SRS sampling units are retained for about ten years, making it a panel household survey.

1.3 Various methods based on the application of sampling techniques have been tried and tested in many developing countries. Such methods include single and multi-round retrospective surveys and the dual record system. The SRS in India is based on a dual record system. The field investigation under Sample Registration System consists of continuous enumeration of births and deaths in a sample of villages/urban blocks by a resident part-time enumerator, and an independent six monthly retrospective survey by a full-time supervisor. The data obtained through these two sources are matched. The unmatched and partially matched events are re-verified in the field to get an unduplicated count of correct events. The advantage of this procedure, in addition to elimination of errors of duplication, is that it leads to a quantitative assessment of the sources of distortion in the two sets of records making it a self-evaluating technique.

1.4 The revision of SRS sampling frame is undertaken every ten years based on the results of latest census. While changing the sample, modifications in the sampling design; wider representation of population; overcoming the limitations in the existing scheme; meeting the additional requirements etc. are taken into account. The first replacement was carried out in 1977-78 and the last being in 2014. Whereas the replacement of samples in earlier years was undertaken in phases spread over 2-3 years, the replacements in 2004 and 2014 were done in one go within a year. The following table provides the sample size in different replacement period.

**Statement 1**  
**Number of sample units at different replacement period**

Residence	1969-70	1977-78	1983-85	1993-95	2004	2014
Rural	2432	3684	4176	4436	4433	4961
Urban	1290	1738	1846	2235	3164	3892
Total	3722	5422	6022	6671	7597	8853

1.5 The earlier sample was based on the reliability of birth rate at the State level, whereas the 2004 and 2014 sample is estimated using IMR reliability at natural division level. The present report ‘SRS Statistical Report, 2020’ is based on the latest sample from Census 2011 frame.

1.6 The main objective of SRS is to provide reliable estimates of birth rate, death rate and infant mortality rate at the natural division level for major States and at the State level for smaller States. Natural divisions are National Sample Survey (NSS) classified group of contiguous administrative districts with distinct geographical and other natural characteristics. It also provides data for other measures of fertility and mortality including total fertility, infant and child mortality rate at higher geographical levels.

### **Structure of the Sample Registration System**

1.8 The main components of SRS are:

- (i) Base-line survey of the sample units to obtain demographic details of the usual resident population of the sample areas;
- (ii) Continuous (longitudinal) enumeration of vital events pertaining to usual resident population by the enumerator;
- (iii) Independent retrospective half-yearly surveys for recording births and deaths which occurred during the half-year under reference and up-dating the Houselist, Household schedule and the list of women in the reproductive age group along with their pregnancy status by the Supervisor;
- (iv) Matching of events recorded during continuous enumeration and those listed in course of half- yearly survey;
- (v) Field verification of unmatched and partially matched events; and
- (vi) Filling of Verbal Autopsy Forms for finalized deaths.

1.9 **Baseline Survey:** The base-line survey is carried out prior to the start of continuous enumeration. This involves preparation of a notional map of the area to be surveyed, house numbering and house listing and filling of a household schedule. The supervisor prepares a notional map with the help of the enumerator showing important landmarks and location of the houses to be covered in the sample unit. Subsequently, a list of houses/households to be covered by the sample in the House List (Form-1) is prepared and the Household Schedule (Form-2) is filled in. In the Household Schedule (Form-2), the residential status and other demographic particulars of each individual residing in the household viz. identification code, name, sex, date of birth, age, educational/marital status and relation to head of household, etc. are recorded. The inmates of public institutions like hotels, inns, schools and hospitals are excluded, but households living permanently within the compound of such institutions are covered. A list of all women in the reproductive span along with their pregnancy status is also prepared in Form 3 at the time of the base line survey.

**1.10 Continuous enumeration:** The enumerator maintains a Birth Record (Form 4) and a Death Record (Form 5) in respect of his/her area. The enumerator is expected to record all births and deaths occurring within the sample unit, as well as those of the usual residents occurring outside the sample unit. The events in respect of visitors occurring within the sample unit are also listed, but these are not taken into account while calculating rates. Thus, the events to be netted by the enumerator are those pertaining to: (i) usual residents inside the sample unit; (ii) usual residents outside the sample unit; (iii) in-migrants present; (iv) in-migrants absent; and (v) visitors inside the sample unit.

**1.11** For ensuring complete netting, the enumerator uses different sources to get information of the occurrence of vital events in the sample unit. These include the help of the village priest, barber, village headman, midwife and such other functionaries. The enumerators maintain contact with these informants at frequent intervals and collects information about the occurrence of births and deaths. On being informed about the occurrence of an event, the enumerator visits the concerned household and records the prescribed particulars. The enumerator also keeps in touch with other socially important persons and visits local or nearby hospitals, nursing homes, cremation or burial grounds, at frequent intervals to keep updated about the occurrence of events. Besides, enumerator maintains and updates a list of all women in the reproductive span along with their pregnancy status, which helps in better netting of all the births. Despite all these efforts, the enumerator may miss information about some of the events and is, therefore, required to visit all the households once a month in urban area and once in a quarter in rural areas so as to ensure that all the events have been recorded.

**1.12 Half-yearly survey:** Half-yearly survey is carried out independently in each sample unit by a full-time supervisor. The supervisor belonging to the statistical cadre of the State Census Directorates (either a Compiler or a Sr. Compiler or a Statistical Investigator or any suitable official) visits each household in the sample unit and records the particulars of births and deaths in Forms 9 & 10 respectively in respect of all the usual residents and visitors (only those occurring within the sample unit) which had occurred during the half-yearly period (January-June or July-December) under reference. Simultaneously, the house-list, the household schedule and the pregnancy status of women are updated by making entries of changes, if any. While carrying out this survey the supervisor does not have access to the birth and death records of the enumerator for the same periods which are withdrawn from the field before the supervisor's visit for the half yearly survey. The Half Yearly Surveys are retrospective in nature and therefore the first HYS for reference period January-June of a year takes place in July- November period of that year and the Second HYS pertaining to July-December of a year takes place in January-May of the subsequent Year.

**1.13 Matching:** On completion of the half-yearly survey, the events captured in the Forms 9 & 10 (filled-in by the supervisors) are compared with those in the Forms 4 & 5 (filled-in by the enumerators). This was done at the office of Directorate of Census Operations for all States except for rural areas of Kerala and Maharashtra, where it was done at the Directorate of Economics and Statistics of the respective States. Selected important entries in the enumerator's and supervisor's record are matched item by item and events are classified as fully matched, partially matched and unmatched. The items generally considered for matching for birth events are: Identification code of the head of Household and mother, Relationship of the mother to head, date of live birth, month in case of still birth/abortion, sex in case of live birth /still birth and the items considered for death events are: identification code of the head of household and mother in infant death, relationship of the deceased to head, date of death and sex of the deceased.

**1.14 Field verification of unmatched and partially matched events:** Every unmatched or partially matched event is verified by a visit to the concerned household. This is done either by a third person or jointly by the supervisor and the enumerator, depending upon the availability of staff.

### **Sample design**

**1.15** The Sample design adopted for SRS is a uni-stage stratified simple random sample without replacement except in stratum II (larger villages) of rural areas, where two stage stratification has been applied. In rural areas of bigger States/UTs (population with ten million or more as per Census 2011), the NSS natural division is the first level of geographical stratification. The overall stratification in rural areas has been done on size of villages with villages having population less than 2,000 forming Stratum I and villages with population 2,000 or more forming Stratum II. Smaller villages with population less than 200 were excluded from the sampling frame in such a manner that the total population of villages so excluded did not exceed 2 per cent of the total population of the State. The number of sample villages in each State was allocated to the substrata proportionally to their size (population). The villages within each size stratum were ordered by the female literacy rate based on the Census 2011 data, and three equal size substrata were established. The sample villages within each substratum were selected at random with equal probability. In the case of villages of Stratum II, each sample village with a population of 2,000 or more was subdivided into two or more segments in a way that none of the segments cut across the Census Enumeration Blocks (CEBs) and the population of each segment formed by grouping the contiguous CEBs was approximately equal and did not exceed 2000. A frame of segments was then prepared and the selection of segments was done at random at the second sampling stage for the SRS enumeration.

**1.16** In urban areas, the categories of towns/cities have been divided into four strata based on the size classes in contrast to the six strata in the earlier sampling frame. Towns with population less than one lakh have been placed under stratum I, towns/cities with population one lakh or more but less than 5 lakhs under stratum II, towns/cities with population 5 lakh or more under stratum III and four metro cities of Delhi, Mumbai, Chennai and Kolkata as separate strata viz. stratum IV. The sampling unit in urban area is a Census Enumeration Block. The Census Enumeration Blocks within each size stratum were ordered by the female literacy rate based on the Census 2011 data, and three equal size substrata were established. The sample Census Enumeration Block within each substratum was selected at random with equal probability. A simple random sample of these enumeration blocks has been selected within each sub-strata without replacement from each of the size classes of towns/cities in each State/Union Territory.

### **Sample size**

**1.17** The Infant Mortality is the decisive indicator for estimation of sample size. The permissible level of error has been taken as within 15prse (percentage relative standard error) at Natural Division level in respect of major States having population more than 10 million as per Census 2011. For minor States, 15 prse has been fixed at the total State level. By and large the above criteria have been followed. However, there have been a few exceptions on account of operational constraints. Half Yearly survey 2020 was conducted in 8841 sample units, covering about 8.3 million sample population.

**Statement 2**  
**Number of sample units and population covered**  
**India, States and Union Territories, 2020**

India/States/ Union Territories	Number of sample units			Population covered (in'000)		
	Total	Rural	Urban	Total	Rural	Urban
<b>India</b>	<b>8841</b>	<b>4958</b>	<b>3883</b>	<b>8310</b>	<b>6081</b>	<b>2229</b>
<b>Bigger States/UTs</b>						
1. Andhra Pradesh	325	198	127	357	284	73
2. Assam	299	89	210	232	114	118
3. Bihar	330	200	130	391	310	81
4. Chhattisgarh	158	73	85	122	75	47
5. Delhi	197	10	187	146	16	130
6. Gujarat	478	231	247	446	309	138
7. Haryana	255	144	111	266	201	65
8. Jammu & Kashmir	277	175	102	237	192	45
9. Jharkhand	210	91	119	163	98	64
10. Karnataka	511	361	150	493	412	81
11. Kerala	280	175	105	366	312	53
12. Madhya Pradesh	448	285	163	421	323	98
13. Maharashtra	661	306	355	539	359	180
14. Odisha	405	290	115	370	303	68
15. Punjab	249	130	119	224	154	70
16. Rajasthan	350	236	114	340	280	60
17. Tamil Nadu	545	235	310	531	342	189
18. Telangana	224	121	103	214	158	56
19. Uttar Pradesh	500	328	172	542	436	106
20. Uttarakhand	374	195	179	308	196	113
21. West Bengal	555	304	251	574	437	137
<b>Smaller States</b>						
1. Arunachal Pradesh	65	50	15	47	35	12
2. Goa	95	45	50	92	68	24
3. Himachal Pradesh	210	155	55	122	95	27
4. Manipur	165	120	45	152	126	26
5. Meghalaya	130	95	35	87	67	20
6. Mizoram	45	25	20	37	26	11
7. Nagaland	50	35	15	31	24	7
8. Sikkim	65	50	15	64	52	13
9. Tripura	90	65	25	114	99	16
<b>Union Territories</b>						
1. Andaman & Nicobar Islands	55	37	18	52	40	11
2. Chandigarh	40	5	35	36	11	24
3. Dadra and Nagar Haveli and Daman and Diu	60	30	30	74	52	13
4. Ladakh	71	49	22	53	45	7
5. Lakshadweep	14	2	12	14	4	9
6. Puducherry	55	18	37	53	29	25

Note: 'Total' population may not add up to 'Rural' and 'Urban' population due to rounding.

## **Estimation procedure**

1.18 For major States, estimates of population, births, deaths and infant deaths are generated for rural/urban areas separately at the natural division level. For smaller States, these estimates are generated for rural/urban areas separately at the State level. The estimates of birth, death and infant death rates are obtained as the ratios of the ‘estimated births to estimated population’, ‘estimated deaths to estimated population’ and ‘estimated infant deaths to estimated births’ respectively expressed in terms of per thousand.

## **Organization**

1.19 From 1995, the SRS is being implemented mainly through the Directorates of Census Operations in both rural and urban areas. However, in the States of Kerala and Maharashtra the implementation of field work and their monitoring for rural units has been entrusted to the Directorate of Economics & Statistics of the respective State Government and the urban units to the Directorate of Census Operations.

1.20 For continuous enumeration, there is a resident part-time enumerator for each of the sample unit, who is usually an anganwadi worker/teacher and is paid honorarium for this work. The independent retrospective half-yearly surveys are carried out by the full-time supervisors who are the regular staff of the State Directorate of Census Operations. One supervisor is usually assigned a set of 10 to 12 sample units for conducting half-yearly surveys. Each State headquarters has a complement of staff necessary for planning and organizing various field operations, imparting training to the field staff, effecting proper supervision and control, ensuring regular flow of returns from the field, forwarding of various returns to the Office of the Registrar General, India and for undertaking certain minimum tabulations.

1.21 At the National level, the Vital Statistics Division of the office of the Registrar General, India coordinates the implementation work, formulates and prescribes necessary standards, provides necessary instructions and guidance, undertakes tabulation, analysis and dissemination of data.

## **Training and Supervision**

1.22 Before the commencement of work, requisite training is imparted to the enumerators to make them understand their role and responsibility. This is followed by trainings at periodic intervals to clarify the doubts and also to keep the enumerators update with the improvements introduced in the system from time to time. Besides, they are also provided with a manual of instructions for day-to-day consultation to remove the difficulties in course of work. Supervisors are also given necessary training with a view to enabling them to carry out the half-yearly surveys properly and efficiently. They are also provided with a manual of instructions named “Instruction cum operating Manual” for this purpose. In addition to these, various State officials associated with the implementation of the SRS are also given necessary training. The detailed instructions and guidance, with regard to the various stages of work, to these officials have also been explained in the Instruction cum operating Manual.

1.23 Supervision of the field work is an important component of SRS. The supervisory level officials such as the Investigator, Assistant Director, Deputy Director, Joint Director and Director undertake this. Officers at the State headquarters undertake visits to sample units and inspect the work at the field level. Officers of Vital Statistics Division in the headquarters also undertake surprise checks and visits in SRS units for control of the quality of work.

## **Data collection**

1.24 In the baseline survey, which is conducted jointly by both the enumerator and the supervisor, the data is being collected in Forms 1, 2 and 3 and Form 0 is also filled at the end of survey in a unit. The baseline survey is a decennial exercise which takes place after availability of new frame through latest census. The data collection in the field is carried out by the enumerators for continuous enumeration and supervisors for retrospective survey. Half Yearly Survey is conducted by the full-time supervisor. In Half Yearly Survey, besides updating the Forms 1, 2 and 3, the details of births and deaths occurred in the sample units in the reference period are also collected in Forms 9 and 10 respectively.

## **Introduction of Automation in SRS**

1.25 The quality of data collection is of paramount importance in any survey especially in Sample Registration System considering its focus on data of births, deaths, infant deaths, details of pregnancy etc which are to be collected with utmost care. Towards fulfilling this objective, dual record system has been in practice in SRS apart from other quality measures in the field. To take the credibility and efficiency of the field survey to greatest heights, it was the endeavor of the Office of the Registrar, India, to implement full automation in Sample Registration System. Accordingly from Baseline 2014 onwards the entire process of data collection and processing has been automated. This pioneering step of a paper-less survey, for the first time in the history of SRS, can be viewed as greatly contributed to the recent Digital India initiatives of the Government of India.

1.26 As a step ahead, the handheld devices have now been replaced by mobile app. Office of Registrar General of India has developed and launched android based mobile app for carrying out SRS survey work in July, 2021. This enables survey supervisor as well as Part Time Enumerator to directly collect and upload data on the SRS portal without any manual intervention, saving time and cost of survey with efficiency. The Directorate of Census Operation after finalizing the data directly uploads it on the central server which makes the system paper less as there is no need to send finalized results in paper format. At the Head Quarters validations are undertaken before preparing the vital rates.

## **SRS Forms and their flow**

1.27 For collecting information on population and vital events various forms/schedules have been prescribed under the SRS. Depending upon various operations under the system, the following 17 types of forms are in use:

### **A. Baseline Survey Forms**

Form 1: House List

Form 2: Household Schedule

Form 3: Pregnancy Status of women

### **B. Continuous Enumeration Forms**

Form 4: Outcome of Pregnancy recorded by Enumerator  
(January-June/July-December)

Form 5: Deaths recorded by Enumerator (January-June/July-December)

Form 6: Monthly report of Outcome of Pregnancy

Form 7: Monthly report of Deaths

### **C. Half yearly Survey Forms**

Form 9: Outcome of Pregnancy recorded by Supervisor  
(January-June/July-December)

Form 10: Deaths recorded by Supervisor (January-June/July-December)

Form 15: Distribution of usual resident population by age, sex and marital status  
(as on 1st July/1st January)

Form 16: Distribution of Female population by broad age groups and levels of  
education (as on 1st July/1st January)

Form 17: Number of females who got married  
by age at effective marriage (January-June/July-December)

### **D. Compilation/Tabulation Forms**

Form 8: Consolidated monthly report on births and deaths

Form 11: Finalised list of Outcome of Pregnancy (January-June/July-December)


Form 12: Finalised list of Deaths (January-June/July-December)

Form 13: Results of the HYS for Outcome of Pregnancy  
(January-June/July-December)

Form 14: Results of the HYS for Deaths (January-June/July-December)

1.28 The enumerator records the details of each birth and death event occurred during the reference period in Forms 4 and 5 respectively on a continuous basis. A monthly report on births and deaths (Forms 6 and 7) is required to be uploaded by the enumerators on the app in the first week of the following month. The relevant entries of birth and death records in monthly report are copied from six monthly records and uploaded on the app. On the basis of the monthly reports received from the sample units, a consolidated monthly report (Form 8) is prepared at the State headquarters on the SRS portal. The supervisor records the details of each birth and death event occurring during the six-month reference period in Forms 9 and 10 respectively. After matching of each birth and death event recorded in Forms 4 and 5 with those in Forms 9 and 10 and verification of partially and unmatched events in the field, finalized Forms 11 and 12 are prepared after necessary corrections and inclusion of additional events recorded during the survey. These forms along with the half-yearly survey results in Forms 13, 14, 15, 16 and 17 are prepared on the SRS portal. The processes of matching, re verification, generation of Forms 11 to 17 are automated leading to less time consumption for data processing and more time for data collection in the field leading to improvement in quality of data. Flow chart of SRS returns is shown in Chart 1. Due to automation most of the errors in terms of wrong classification of sex or invalid coding, not legible details are taken care of. We do not get birth and death without sex classification or without essential details as the application does not allow for such omission /commission.

**Chart 1: Flow Chart**



## **CHAPTER - 2**

### **POPULATION COMPOSITION**

The data on population by age and sex is vital for demographers, health administrators etc. for planning and evaluation of various developmental and health programs. The classification of rural/urban, sex and marital status by age unveils the characteristics of population composition and provides disaggregated data for target-oriented projects. Being one of the most important demographic characteristics, data on age is collected and updated in both half-yearly surveys of SRS for all the members of the household covered in the sample units.

**2.2** As per available data from SRS, there has been a gradual decline in the share of population in the age group 0-14 from 41.2 to 38.1 per cent during 1971 to 1981 and 36.3 to 24.8 percent during 1991 to 2020, whereas, the proportion of economically active population (15-59 years) has increased from 53.4 to 56.3 percent during 1971 to 1981 and 57.7 to 67.1 percent during 1991 to 2020. On account of better education, health facilities and increase in life expectancy, the percentage of elderly population (60+) has gone up from 5.3 to 5.7 percent and 6.0 to 8.1 percent respectively during the periods under reference. Marital status and Female mean age at marriage are essential constituents to monitor fertility and population growth. The data on marital status has been included in SRS from 1991, whereas on Female mean age at marriage from 1990. There is a marginal increase in the proportion of married Females from 45.7 in 1991 to 48.8 in 2020, whereas the proportion of widowed/divorced/separated females has decreased from 8.1 in 1991 to 5.0 in 2020. The mean age at effective marriage for Females has increased from 19.3 years in 1990 to 22.7 years in 2020.

**2.3** This chapter provides data on percentage distribution of population by age, sex and residence for all broad age groups from 0-4, 0-14, 15-59 and 60+ for India and bigger States/UTs. It also includes data on percentage distribution of population by marital status for total population, 10+ and 15+ ages by sex and residence. The State-wise variations in Female age at effective marriage and their corresponding proportions have also been presented in this chapter.

## **Age composition**

**2.4** Age composition by residence and broad age groups 0-14, 15-59 and 60+ for the year 2020 at the National level is shown below in Statement 3. The age group 0-14 is further sub-categorized into the age groups 0-4, 5-9 and 10-14. The distribution of population in the given age-groups is similar for both males and females. In the age-group 0-14, Male population is about one percent more than Female, whereas in the older age-groups 15-59, 60+, 15-64 and 65+, percentage of Females are more than that of Males by 0.5, 0.6, 0.6 and 0.5 percentage points. The proportion of young children in the age group 0-4 and also the proportion of population in the age group 0-14 are higher in rural areas than in urban areas both for Males and Females. A higher proportion of Males and Females in the working age group 15-59 live in urban areas as compared to rural areas. Chart 2 gives pictorial presentation of data shown in Statement 3. Table 1 gives percentage distribution of estimated population by quinquennial age groups, sex and residence for India and bigger States/UTs. The population pyramid of India is presented in Chart 3.


### **Statement 3**

**Percentage distribution of Population by broad age groups to Total Population by Sex and Residence, India, 2020**


Residence	Sex	Broad age groups (years)						
		0-4	5-9	10-14	0-14	15-59	60+	15-64
India								
Total	Total	7.5	8.3	9.0	24.8	67.1	8.1	70.0
	Male	7.7	8.4	9.2	25.4	66.8	7.8	69.7
	Female	7.4	8.1	8.9	24.3	67.3	8.4	70.3
Rural	Total	8.1	8.8	9.6	26.5	65.6	8.0	68.4
	Male	8.3	8.9	9.7	27.0	65.4	7.6	68.1
	Female	7.9	8.6	9.4	25.9	65.8	8.3	68.7
Urban	Total	6.3	7.3	8.0	21.5	70.1	8.4	73.3
	Male	6.4	7.4	8.1	22.0	69.7	8.3	72.9
	Female	6.1	7.0	7.8	21.0	70.5	8.5	73.7

Note : Total percentage do not add to 100 on account of rounding in broad age groups

**Chart 2: Percentage distribution of population by broad age groups and residence, India, 2020**



### Chart 3: Population Pyramid, India, 2020




**2.5** Percentage share of population in the selected age groups for bigger States/UTs by residence and sex are given in Statements 4 to 7. Statement 4 gives state-wise the percentage of child population (below 5 years of age). At the National level, 6.3 percent population in urban areas constitutes below 5 years of age as against 8.1 percent for rural areas. Sex differences in the share of child population at the national level are negligible both in rural and urban areas. Among the bigger States/UTs, the percentage of child population in rural areas varies from 4.9 in Telangana to 11.3 in Bihar. In urban areas, such variation is from 5.0 in Andhra Pradesh to 10.2 in Uttarakhand. Percentage of child population among female varies from 5.3 percent in Andhra Pradesh to 10.6 percent in Bihar. In case of male, percent child population varies from 5.2 percent in Andhra Pradesh to 11.3 percent in Bihar. Chart 4 and 5 shows the pictorial presentation of percentage of child population for bigger States/UTs by residence and sex respectively.

#### **Statement 4**


##### **Percentage of Population in the age group 0-4 years to Total Population by Sex and Residence, India and Bigger States/UTs, 2020**

India and Bigger States/UTs	Total			Rural			Urban		
	Total	Male	Female	Total	Male	Female	Total	Male	Female
<b>India</b>	<b>7.5</b>	<b>7.7</b>	<b>7.4</b>	<b>8.1</b>	<b>8.3</b>	<b>7.9</b>	<b>6.3</b>	<b>6.4</b>	<b>6.1</b>
Andhra Pradesh	5.3	5.2	5.3	5.4	5.4	5.4	5.0	4.9	5.1
Assam	8.3	8.5	8.1	8.7	8.9	8.5	6.4	6.5	6.2
Bihar	11.0	11.3	10.6	11.3	11.6	11.0	8.6	8.9	8.3
Chhattisgarh	8.6	8.6	8.5	9.0	9.0	9.0	7.1	7.3	7.0
Delhi	6.0	6.0	6.1	6.0	5.6	6.5	6.0	6.0	6.1
Gujarat	7.0	7.2	6.8	7.4	7.6	7.2	6.6	6.7	6.4
Haryana	7.8	8.0	7.5	8.1	8.5	7.7	7.2	7.3	7.1
Himachal Pradesh	5.8	6.0	5.5	5.8	6.1	5.6	5.1	5.0	5.2
Jammu & Kashmir	6.0	6.2	5.9	6.3	6.5	6.2	5.4	5.6	5.1
Jharkhand	8.5	8.6	8.4	9.3	9.4	9.2	6.3	6.4	6.2
Karnataka	6.9	7.0	6.7	7.0	7.2	6.8	6.6	6.8	6.5
Kerala	6.2	6.5	5.9	6.4	6.6	6.2	6.0	6.4	5.6
Madhya Pradesh	8.8	8.8	8.8	9.3	9.3	9.3	7.5	7.6	7.4
Maharashtra	7.2	7.4	7.0	7.8	8.2	7.4	6.4	6.5	6.4
Odisha	6.8	6.8	6.7	6.9	6.9	6.8	6.4	6.5	6.3
Punjab	5.7	5.7	5.6	5.8	5.9	5.8	5.5	5.5	5.4
Rajasthan	8.7	9.0	8.4	9.2	9.6	8.8	7.2	7.3	7.0
Tamil Nadu	5.6	5.8	5.5	6.2	6.5	6.0	5.1	5.2	5.0
Telangana	5.5	5.6	5.4	4.9	4.9	4.9	6.4	6.6	6.1
Uttar Pradesh	7.9	8.2	7.6	8.4	8.7	8.2	6.3	6.6	5.9
Uttarakhand	10.1	10.4	9.7	10.0	10.6	9.5	10.2	10.1	10.2
West Bengal	6.6	6.6	6.5	7.1	7.2	7.0	5.3	5.3	5.4

**Chart 4: Percentage of population in the age group 0-4 years by Residence, India and bigger States/UTs, 2020**



**Chart 5: Percentage of population in the age group 0-4 years by Sex, India and bigger States/UTs, 2020**




**2.6** Percentage of population of age less than 15 years for India and bigger States/UTs by Sex and Residence is given below in Statement 5. At the National level, 26.5 percent of rural population in the year 2020 is below 15 years of age against 21.5 percent for urban areas. Percentage of population below 15 years of age in rural areas varies from 19.0 in Telangana and Andhra Pradesh to 33.6 percent in Bihar. In urban areas, it varies from 17.2 in Jammu & Kashmir to 28.5 percent in Bihar. Percentage of population below 15 years of age among female varies from 18.5 percent in Tamil Nadu to 32.4 percent in Bihar. In case of male, percentage of population below 15 years of age varies from 19.0 percent in Andhra Pradesh to 33.5 percent in Bihar. Chart 6 and 7 gives the pictorial presentation of percentage of persons below 15 years of age for bigger States/UTs by Residence and Sex respectively.

### **Statement 5**


#### **Percentage of Population in the working age group 0-14 years by Sex and Residence, India and bigger States/UTs, 2020**

<b>India and bigger States/UTs</b>	<b>Total</b>			<b>Rural</b>			<b>Urban</b>		
	<b>Total</b>	<b>Male</b>	<b>Female</b>	<b>Total</b>	<b>Male</b>	<b>Female</b>	<b>Total</b>	<b>Male</b>	<b>Female</b>
<b>India</b>	<b>24.8</b>	<b>25.4</b>	<b>24.3</b>	<b>26.5</b>	<b>27.0</b>	<b>25.9</b>	<b>21.5</b>	<b>22.0</b>	<b>21.0</b>
Andhra Pradesh	19.0	19.0	19.0	19.0	19.1	18.9	18.9	18.7	19.0
Assam	26.7	27.2	26.2	27.9	28.5	27.4	19.5	20.0	19.1
Bihar	33.0	33.5	32.4	33.6	34.3	33.0	28.5	28.7	28.2
Chhattisgarh	27.4	27.6	27.1	28.3	28.4	28.3	24.2	25.0	23.4
Delhi	22.6	22.5	22.7	22.1	21.9	22.5	22.6	22.5	22.7
Gujarat	23.9	24.6	23.2	25.4	25.9	24.8	22.2	23.1	21.3
Haryana	25.2	26.2	24.0	26.0	26.9	24.9	23.8	25.0	22.4
Himachal Pradesh	20.9	22.0	19.8	21.0	22.3	19.8	19.3	19.3	19.3
Jammu & Kashmir	20.2	20.9	19.6	21.6	22.2	21.0	17.2	17.9	16.4
Jharkhand	28.6	29.2	27.9	30.2	31.0	29.3	23.6	23.8	23.5
Karnataka	22.4	22.8	22.0	22.7	23.1	22.2	22.0	22.3	21.7
Kerala	20.3	21.7	19.1	20.7	22.0	19.4	20.0	21.4	18.7
Madhya Pradesh	28.5	28.8	28.3	29.8	29.9	29.7	24.9	25.6	24.1
Maharashtra	23.0	23.6	22.3	24.9	25.8	23.9	20.7	21.0	20.4
Odisha	22.1	22.2	21.9	22.3	22.4	22.2	20.9	21.3	20.5
Punjab	19.7	20.3	19.1	20.0	20.7	19.3	19.4	19.8	18.9
Rajasthan	27.9	28.9	26.8	29.2	30.2	28.1	24.2	25.1	23.3
Tamil Nadu	19.1	19.6	18.5	20.6	21.4	19.8	17.7	17.9	17.4
Telangana	19.9	20.2	19.6	19.0	19.3	18.7	21.3	21.5	21.1
Uttar Pradesh	27.6	28.1	27.0	28.8	29.2	28.4	23.7	24.7	22.6
Uttarakhand	27.9	29.0	26.7	28.5	30.0	27.0	26.1	26.3	25.9
West Bengal	21.7	21.7	21.7	23.5	23.5	23.4	17.6	17.5	17.7

**Chart 6: Percentage of population in the age group 0-14 years by Residence, India and bigger States/UTs, 2020**



**Chart 7: Percentage of population in the age group 0-14 years by Sex, India and bigger States/UTs, 2020**




**2.7** Statement 6 given below provides percentage of population in the working age group 15-59 years for India and bigger States/UTs by sex and residence. At the National level, the age group 15-59 contributes 65.6 percent in rural areas and 70.1 percent population in urban areas. In rural areas, the percentage varies from 60.4 in Bihar to 71.9 in Delhi. In urban areas, the same varies from 63.6 in Bihar to 73.4 percent in Andhra Pradesh. In case of females, working population (15-59 years) varies from 61.5 percent in Bihar to 72.3 percent in Telangana. The same varies from 60.2 percent in Bihar to 71.7 percent in Telangana for Males. Chart 8 and 9 gives the pictorial presentation of percentage of population in the age group 15-59 years for bigger States/UTs by Residence and Sex respectively.

### **Statement 6**


#### **Percentage of Population in the working age group 15-59 years by Sex and Residence, India and bigger States/UTs, 2020**

<b>India and bigger States/UTs</b>	<b>Total</b>			<b>Rural</b>			<b>Urban</b>		
	<b>Total</b>	<b>Male</b>	<b>Female</b>	<b>Total</b>	<b>Male</b>	<b>Female</b>	<b>Total</b>	<b>Male</b>	<b>Female</b>
<b>India</b>	<b>67.1</b>	<b>66.8</b>	<b>67.3</b>	<b>65.6</b>	<b>65.4</b>	<b>65.8</b>	<b>70.1</b>	<b>69.7</b>	<b>70.5</b>
Andhra Pradesh	71.6	71.4	71.9	70.8	70.5	71.2	73.4	73.4	73.4
Assam	67.0	66.2	67.9	66.1	65.3	66.9	72.3	71.2	73.4
Bihar	60.8	60.2	61.5	60.4	59.8	61.1	63.6	63.0	64.2
Chhattisgarh	65.8	66.0	65.5	64.6	65.0	64.2	69.7	69.3	70.2
Delhi	71.0	71.4	70.6	71.9	72.8	70.9	71.0	71.4	70.6
Gujarat	67.8	67.9	67.6	66.0	66.3	65.6	70.0	69.8	70.2
Haryana	67.7	67.2	68.3	66.7	66.3	67.2	69.4	68.6	70.1
Himachal Pradesh	68.2	67.3	69.1	67.9	66.8	68.8	72.0	72.0	72.0
Jammu & Kashmir	70.8	70.2	71.5	69.9	69.3	70.5	72.9	72.2	73.6
Jharkhand	65.1	64.8	65.5	63.8	63.3	64.3	69.3	69.4	69.2
Karnataka	69.5	69.6	69.5	68.8	69.0	68.7	70.6	70.4	70.8
Kerala	66.8	66.1	67.4	66.1	65.5	66.7	67.4	66.8	68.0
Madhya Pradesh	64.4	64.5	64.2	63.2	63.5	62.8	67.9	67.5	68.3
Maharashtra	68.1	67.8	68.4	65.3	65.0	65.5	71.6	71.3	71.9
Odisha	67.5	67.2	67.9	66.8	66.5	67.0	70.9	70.3	71.6
Punjab	70.3	70.1	70.6	69.2	69.0	69.5	71.8	71.6	72.0
Rajasthan	65.0	64.9	65.1	63.8	63.8	63.8	68.6	68.3	69.0
Tamil Nadu	69.2	68.8	69.7	69.0	68.5	69.5	69.5	69.1	69.9
Telangana	72.0	71.7	72.3	71.5	71.1	71.8	72.9	72.6	73.2
Uttar Pradesh	65.6	65.5	65.8	64.4	64.4	64.3	69.5	68.7	70.4
Uttarakhand	63.8	63.4	64.2	62.6	61.9	63.2	67.1	67.3	66.8
West Bengal	69.9	69.9	69.8	69.1	69.5	68.7	71.6	70.9	72.3

**Chart 8: Percentage of population in the age group 15-59 years by Residence, India and bigger States/UTs, 2020**



**Chart 9: Percentage of population in the age group 15-59 years by Sex, India and bigger States/UTs, 2020**




**2.8** Percentage of aged persons (60 years and above) for India and bigger States/UTs by Sex and Residence is given below in Statement 7. At the National level, percentage of aged (60+) population is 8.1 percent. Composition of 60+ aged female population is higher than males in all of the bigger States/UTs except Andhra Pradesh, Assam, Bihar, Jammu & Kashmir, Odisha and Telangana. In rural areas, population in the age group 60+ constitutes 8.0 percent of the total population and variation in aged population ranges from 5.9 percent in Bihar and Delhi to 13.2 percent in Kerala. The proportion of aged population in urban areas is 8.4 percent ranging from 5.9 percent in Telangana to 12.8 percent in Tamil Nadu. In case of females, aged population (60 years and above) varies from 6.0 percent in Assam to 13.6 percent in Kerala. The same varies from 6.1 percent in Delhi to 12.2 percent in Kerala for Males. The pictorial presentation of percentage of old age population by Residence and Sex for bigger States/UTs is given in Chart 10 and 11 respectively.

### **Statement 7**

#### **Percentage of Population in the age group 60 years and above to Total Population by Sex and Residence, India and bigger States/UTs, 2020**


India and bigger States/UTs	Total			Rural			Urban		
	Total	Male	Female	Total	Male	Female	Total	Male	Female
<b>India</b>	<b>8.1</b>	<b>7.8</b>	<b>8.4</b>	<b>8.0</b>	<b>7.6</b>	<b>8.3</b>	<b>8.4</b>	<b>8.3</b>	<b>8.5</b>
Andhra Pradesh	9.4	9.6	9.2	10.1	10.4	9.9	7.7	8.0	7.5
Assam	6.3	6.6	6.0	6.0	6.3	5.7	8.2	8.9	7.5
Bihar	6.2	6.2	6.1	5.9	5.9	5.9	8.0	8.3	7.7
Chhattisgarh	6.9	6.4	7.3	7.1	6.6	7.6	6.1	5.7	6.5
Delhi	6.4	6.1	6.7	5.9	5.4	6.6	6.4	6.1	6.7
Gujarat	8.3	7.5	9.1	8.7	7.8	9.6	7.8	7.1	8.5
Haryana	7.1	6.6	7.7	7.3	6.8	7.8	6.9	6.4	7.4
Himachal Pradesh	10.9	10.7	11.2	11.1	10.9	11.4	8.7	8.7	8.7
Jammu & Kashmir	8.9	8.9	8.9	8.5	8.4	8.5	10.0	10.0	9.9
Jharkhand	6.3	6.0	6.6	6.0	5.7	6.4	7.1	6.8	7.3
Karnataka	8.1	7.6	8.5	8.5	7.9	9.2	7.4	7.3	7.5
Kerala	12.9	12.2	13.6	13.2	12.5	13.9	12.6	11.8	13.3
Madhya Pradesh	7.1	6.7	7.5	7.0	6.6	7.5	7.2	6.9	7.6
Maharashtra	8.9	8.5	9.3	9.9	9.2	10.6	7.7	7.7	7.7
Odisha	10.4	10.6	10.2	10.9	11.1	10.7	8.2	8.4	7.9
Punjab	9.9	9.5	10.3	10.8	10.3	11.3	8.8	8.5	9.2
Rajasthan	7.1	6.2	8.1	7.1	6.0	8.2	7.2	6.6	7.7
Tamil Nadu	11.7	11.6	11.8	10.4	10.1	10.7	12.8	13.0	12.7
Telangana	8.1	8.1	8.1	9.6	9.6	9.5	5.9	5.9	5.8
Uttar Pradesh	6.8	6.4	7.2	6.8	6.4	7.3	6.8	6.6	7.0
Uttarakhand	8.3	7.6	9.1	8.9	8.0	9.8	6.8	6.4	7.3
West Bengal	8.5	8.4	8.5	7.4	7.0	7.9	10.8	11.6	10.0

**Chart 10: Percentage of population in the age group 60 years and above by Residence, India and bigger States/UTs, 2020**



**India and bigger States/UTs**

**Chart 11: Percentage of population in the age group 60 years and above by Sex, India and bigger States/UTs, 2020**



## Marital Status

**2.9** Besides age, the other important demographic characteristic collected and subsequently updated during each half yearly survey of the SRS is the marital status. Distribution of the population by marital status is thus available from SRS.

**2.10** Statement 8 given below provides percentage distribution of population by sex and marital status for India and bigger States/UTs for the year 2020. During this year, 51.6 percent of the population at the National level is reported as never married. Married population constitutes 45.2 percent of the total population, whereas widowed/divorced/separated constitutes 3.2 percent. The proportion of W/D/S female population is higher than males at the National level as well as in all the bigger States/UTs. The gap is significantly wide (around 7.6 percentage points) in respect of Kerala. Andhra Pradesh (52.4%) recorded the highest percentage of married population whereas the lowest was recorded for Bihar (39.1%). Married Females recorded a higher percentage as compared to Males at the National level and similarly for all of the bigger States/UTs. The percentage distribution of population by sex, marital status and age-group for urban and rural areas of India and bigger States/UTs is detailed in Table-2. Charts 12, 13 and 14 show the distribution of population by marital status of India and bigger States/UTs for Person, Male and Female respectively.

### Statement 8


#### Percentage distribution of Population by Marital Status and Sex, India and bigger States/UTs, 2020

India and bigger States/UTs	Never married			Married			W/D/S		
	Total	Male	Female	Total	Male	Female	Total	Male	Female
<b>India</b>	<b>51.6</b>	<b>56.7</b>	<b>46.2</b>	<b>45.2</b>	<b>41.8</b>	<b>48.8</b>	<b>3.2</b>	<b>1.4</b>	<b>5.0</b>
Andhra Pradesh	42.9	48.3	37.5	52.4	49.6	55.3	4.7	2.1	7.2
Assam	54.5	58.7	50.1	42.8	40.1	45.7	2.7	1.2	4.2
Bihar	59.3	63.5	54.8	39.1	35.5	43.0	1.6	1.0	2.2
Chhattisgarh	51.4	55.4	47.5	44.5	42.7	46.4	4.0	1.9	6.1
Delhi	54.5	58.2	50.3	43.4	40.8	46.2	2.2	1.0	3.4
Gujarat	48.9	53.4	44.2	47.7	44.9	50.7	3.4	1.7	5.2
Haryana	51.2	56.6	45.0	46.9	42.3	52.0	2.0	1.1	3.0
Himachal Pradesh	45.6	51.9	39.5	50.6	46.8	54.4	3.8	1.3	6.1
Jammu & Kashmir	58.0	61.4	54.5	40.3	37.7	43.0	1.7	0.9	2.5
Jharkhand	57.3	62.5	51.7	40.7	36.6	45.0	2.0	0.9	3.3
Karnataka	49.4	56.4	42.2	46.1	42.3	50.0	4.5	1.3	7.8
Kerala	43.6	51.9	35.8	51.3	46.9	55.3	5.2	1.2	8.8
Madhya Pradesh	51.8	56.4	46.8	44.8	41.6	48.2	3.4	2.0	4.9
Maharashtra	51.2	57.2	44.8	45.7	41.6	50.1	3.1	1.2	5.1
Odisha	47.3	51.9	42.4	48.6	46.4	51.0	4.1	1.7	6.6
Punjab	49.3	54.5	43.6	47.8	43.8	52.2	2.9	1.7	4.2
Rajasthan	51.7	56.6	46.5	45.9	42.3	49.6	2.4	1.1	3.8
Tamil Nadu	43.9	49.8	38.0	50.6	48.1	53.1	5.5	2.2	8.8
Telangana	47.4	53.1	41.4	48.6	45.3	52.0	4.1	1.6	6.6
Uttar Pradesh	57.2	61.7	52.3	40.7	36.9	44.7	2.2	1.4	3.0
Uttarakhand	56.2	62.8	49.4	40.7	36.0	45.6	3.0	1.2	5.0
West Bengal	47.8	53.0	42.5	48.8	45.9	51.8	3.4	1.2	5.7


Note: Total may not add to 100 due to rounding off.

W/D/S- Widowed/Divorced/Separated


**Chart 12: Percentage distribution of population by Marital Status, India and bigger States/UTs, 2020**



**Chart 13: Percentage distribution of Male population by Marital Status, India and bigger States/UTs, 2020**



**Chart 14: Percentage distribution of Female population by Marital Status, India and bigger States/UTs, 2020**



**2.11** Statement 9 given below provides percentage distribution of population for age 10 years and above by Marital Status and Sex for India and bigger States/UTs. At the National level, the percentage share of married population is 53.7. Among the bigger States/UTs Jammu & Kashmir (46.2) recorded the lowest percentage of married population whereas the highest percentage was recorded for Andhra Pradesh (59.5) in the year 2020. Among females, percentage of Married is 57.7 percent compared to 49.9 percent in case of Males. Charts 15, 16 and 17 show the distribution of population aged 10 years and above by marital status of India and bigger States/UTs for Person, Male and Female respectively.


**Statement 9**  
**Percentage distribution of Population aged 10+ by Marital Status and sex**  
**India and bigger States/UTs, 2020**

India and bigger States/UTs	Never married			Married			W/D/S		
	Total	Male	Female	Total	Male	Female	Total	Male	Female
<b>India</b>	<b>42.5</b>	<b>48.4</b>	<b>36.4</b>	<b>53.7</b>	<b>49.9</b>	<b>57.7</b>	<b>3.8</b>	<b>1.7</b>	<b>5.9</b>
Andhra Pradesh	35.2	41.4	29.0	59.5	56.2	62.8	5.3	2.4	8.2
Assam	45.1	50.1	40.0	51.6	48.5	54.9	3.2	1.4	5.1
Bihar	48.1	53.2	42.6	49.9	45.5	54.6	2.0	1.3	2.8
Chhattisgarh	40.8	45.6	36.2	54.3	52.1	56.4	4.9	2.4	7.4
Delhi	47.2	51.5	42.3	50.3	47.4	53.7	2.5	1.2	4.0
Gujarat	40.0	45.0	34.7	56.1	53.1	59.2	3.9	2.0	6.0
Haryana	41.6	47.7	34.8	56.0	51.0	61.7	2.4	1.3	3.6
Himachal Pradesh	37.5	44.2	31.2	58.2	54.3	61.9	4.3	1.6	6.9
Jammu & Kashmir	51.8	55.4	48.1	46.2	43.5	49.0	1.9	1.1	2.8
Jharkhand	48.0	54.0	41.5	49.6	44.9	54.6	2.5	1.1	3.9
Karnataka	40.9	48.9	32.7	53.9	49.6	58.2	5.3	1.5	9.1
Kerala	35.3	44.4	26.9	58.8	54.2	63.0	5.9	1.4	10.0
Madhya Pradesh	41.2	46.7	35.2	54.6	50.8	58.7	4.2	2.5	6.0
Maharashtra	42.9	49.6	35.7	53.5	49.0	58.4	3.6	1.4	5.9
Odisha	38.7	44.0	33.2	56.5	54.0	59.1	4.8	2.0	7.6
Punjab	42.2	48.0	35.8	54.5	50.1	59.4	3.3	1.9	4.8
Rajasthan	41.0	46.6	35.2	56.0	52.0	60.2	2.9	1.3	4.6
Tamil Nadu	36.3	42.7	29.9	57.4	54.8	60.1	6.2	2.5	10.0
Telangana	39.9	46.3	33.3	55.4	51.9	59.1	4.6	1.8	7.5
Uttar Pradesh	48.2	53.5	42.5	49.2	44.8	53.9	2.6	1.7	3.6
Uttarakhand	46.1	53.7	38.4	50.1	44.8	55.5	3.7	1.5	6.1
West Bengal	39.5	45.5	33.5	56.6	53.2	60.0	3.9	1.3	6.6


Note: Total may not add to 100 due to rounding off.

W/D/S- Widowed/Divorced/Separated


**Chart 15: Percentage distribution of population aged more than 10 years by Marital Status, India and bigger States/UTs, 2020**



**Chart 16: Percentage distribution of Male population aged more than 10 years by Marital Status, India and bigger States/UTs, 2020**



**Chart 17: Percentage distribution of Female population aged more than 10 years by Marital Status, India and bigger States/UTs, 2020**



**2.12** Statement 10 placed below shows the percentage distribution of Females aged 10 years and more by marital status and residence. At the National level, 57.7 percent of such females are married. Among the bigger States/UTs the lowest percentage of married females is found to be in Jammu & Kashmir (49.0) and the highest in Kerala (63.0). Percentage of never married Females in the bigger States/UTs varies from 26.9 in Kerala to 48.1 in Jammu & Kashmir. The percentage of females in the category "Widowed/Divorced/Separated" varies from 2.8 in Bihar and Jammu & Kashmir to 10.0 in Kerala and Tamil Nadu. Charts 18 and 19 show the distribution of female population aged 10 years and above by marital status of India and bigger States/UTs for Rural and Urban areas respectively.


**Statement 10**  
**Percentage distribution of Females aged 10+ by Marital Status and residence**  
**India and bigger States/UTs, 2020**

India and bigger States/UTs	Never married			Married			W/D/S		
	Total	Rural	Urban	Total	Rural	Urban	Total	Rural	Urban
<b>India</b>	<b>36.4</b>	<b>36.6</b>	<b>36.0</b>	<b>57.7</b>	<b>57.7</b>	<b>57.8</b>	<b>5.9</b>	<b>5.7</b>	<b>6.3</b>
Andhra Pradesh	29.0	27.8	31.4	62.8	63.6	61.0	8.2	8.5	7.6
Assam	40.0	40.7	36.3	54.9	54.4	57.4	5.1	4.9	6.2
Bihar	42.6	42.9	41.2	54.6	54.5	54.8	2.8	2.6	4.0
Chhattisgarh	36.2	35.9	37.1	56.4	56.4	56.3	7.4	7.7	6.6
Delhi	42.3	38.4	42.4	53.7	57.7	53.6	4.0	3.9	4.0
Gujarat	34.7	34.8	34.6	59.2	58.9	59.7	6.0	6.3	5.7
Haryana	34.8	35.4	33.7	61.7	61.1	62.6	3.6	3.5	3.7
Himachal Pradesh	31.2	30.5	38.5	61.9	62.3	56.9	6.9	7.1	4.6
Jammu & Kashmir	48.1	49.4	45.3	49.0	47.9	51.5	2.8	2.7	3.2
Jharkhand	41.5	41.4	41.7	54.6	54.8	54.1	3.9	3.8	4.2
Karnataka	32.7	31.1	35.1	58.2	58.9	57.1	9.1	9.9	7.8
Kerala	26.9	27.1	26.8	63.0	63.1	62.9	10.0	9.8	10.3
Madhya Pradesh	35.2	34.9	36.3	58.7	59.2	57.5	6.0	6.0	6.2
Maharashtra	35.7	35.1	36.4	58.4	58.9	57.7	5.9	6.0	5.9
Odisha	33.2	32.7	35.6	59.1	59.5	57.5	7.6	7.8	6.9
Punjab	35.8	35.7	36.0	59.4	59.3	59.5	4.8	5.0	4.5
Rajasthan	35.2	35.4	34.7	60.2	60.1	60.5	4.6	4.5	4.9
Tamil Nadu	29.9	31.7	28.3	60.1	58.7	61.3	10.0	9.5	10.4
Telangana	33.3	31.1	36.9	59.1	60.1	57.7	7.5	8.9	5.4
Uttar Pradesh	42.5	41.9	44.3	53.9	54.5	52.0	3.6	3.5	3.7
Uttarakhand	38.4	37.5	40.8	55.5	56.0	54.2	6.1	6.5	5.0
West Bengal	33.5	33.9	32.5	60.0	60.0	60.0	6.6	6.2	7.5


Note: Total may not add to 100 due to rounding off.

W/D/S- Widowed/Divorced/Separated

**Chart 18: Percentage distribution of Rural Female population aged more than 10 years by Marital Status, India and bigger States/UTs, 2020**



**Chart 19: Percentage distribution of Urban Female population aged more than 10 years by Marital Status, India and bigger States/UTs, 2020**



**India and bigger States/UTs**

**2.13** Statement 11 given below presents the marital distribution of female population aged 15 years and above by residence. At the National level, 64.5 percent of females aged 15+ are married, the proportion being 65.0 percent in rural and 63.4 percent in urban areas. Among the bigger States/UTs, percentage of such married females varies from 53.5 in Jammu & Kashmir to 68.4 in Haryana and Kerala. The percentage of never married females varies from 20.7 in Kerala to 43.4 in Jammu & Kashmir. The maximum percentage of Widowed/Divorced/Separated females is 10.9 in Kerala and the minimum is 3.2 in Bihar. Charts 20, 21 and 22 show the distribution of female population aged 15 years and above by marital status of India and bigger States/UTs for Total, Rural and Urban areas respectively.


**Statement 11**  
**Percentage distribution of Females aged 15+ by Marital Status and residence**  
**India and bigger States/UTs, 2020**

India and bigger States/UTs	Never married			Married			W/D/S		
	Total	Rural	Urban	Total	Rural	Urban	Total	Rural	Urban
<b>India</b>	<b>28.9</b>	<b>28.6</b>	<b>29.7</b>	<b>64.5</b>	<b>65.0</b>	<b>63.4</b>	<b>6.6</b>	<b>6.4</b>	<b>6.9</b>
Andhra Pradesh	22.8	21.7	25.3	68.2	69.0	66.5	8.9	9.3	8.3
Assam	32.4	32.7	31.1	61.8	61.8	62.1	5.7	5.6	6.8
Bihar	33.1	33.2	32.5	63.6	63.8	62.9	3.2	3.0	4.5
Chhattisgarh	28.0	27.2	30.3	63.6	64.1	62.4	8.4	8.7	7.3
Delhi	35.8	32.2	35.8	59.8	63.5	59.7	4.5	4.3	4.5
Gujarat	27.3	26.7	27.9	66.0	66.2	65.8	6.7	7.1	6.3
Haryana	27.7	27.9	27.2	68.4	68.1	68.7	4.0	3.9	4.1
Himachal Pradesh	24.6	23.9	32.8	67.8	68.2	62.1	7.6	7.8	5.0
Jammu & Kashmir	43.4	44.4	41.4	53.5	52.6	55.2	3.1	2.9	3.4
Jharkhand	33.1	32.6	34.5	62.4	63.0	60.7	4.5	4.4	4.8
Karnataka	25.9	24.0	28.7	64.1	65.1	62.7	10.0	10.9	8.5
Kerala	20.7	20.9	20.5	68.4	68.4	68.3	10.9	10.7	11.1
Madhya Pradesh	25.9	24.8	28.9	67.2	68.3	64.2	6.9	6.9	6.9
Maharashtra	29.0	27.6	30.6	64.4	65.7	63.0	6.6	6.7	6.4
Odisha	26.3	25.5	29.6	65.3	65.9	62.9	8.4	8.6	7.5
Punjab	30.3	30.0	30.6	64.5	64.5	64.5	5.2	5.5	4.9
Rajasthan	26.9	26.7	27.6	67.9	68.2	67.0	5.2	5.1	5.4
Tamil Nadu	23.9	25.4	22.6	65.3	64.2	66.2	10.8	10.4	11.2
Telangana	27.2	24.9	30.7	64.6	65.5	63.3	8.2	9.7	5.9
Uttar Pradesh	34.6	33.5	37.9	61.3	62.4	58.0	4.1	4.1	4.1
Uttarakhand	31.0	29.8	34.3	62.2	62.9	60.2	6.8	7.3	5.5
West Bengal	26.6	26.3	27.3	66.1	66.8	64.7	7.3	6.9	8.1


Note: Total may not add to 100 due to rounding off.

W/D/S- Widowed/Divorced/Separated


**Chart 20: Percentage distribution of Female population aged more than 15 years by Marital Status, India and bigger States/UTs, 2020**



**Chart 21: Percentage distribution of Rural Female population aged more than 15 years by Marital Status, India and bigger States/UTs, 2020**



**Chart 22: Percentage distribution of Urban Female population aged more than 15 years by Marital Status, India and bigger States/UTs, 2020**




**2.14** In addition to the marital status of males and females, information on the number of females who got effectively married during the reference period of six months of each half yearly survey is also being collected in the SRS from 1990. Based on the information on the number of females who got effectively married during the last one year, mean age at effective marriage for females has been worked out. Statement 12 given below presents percentage distribution of such females by age at effective marriage separately for rural and urban areas. The percentage of females who got effectively married before reaching 18 years of age is 1.9 at the National level and varies from 0.0 in Kerala to 5.8 in Jharkhand. Percentage of females marrying at age 21 years and above is 72.6 at the National level and varies from 45.1 in West Bengal to 90.7 in Jammu & Kashmir. About 32.2 percent of the rural females, at the National level, marry between 18 and 20 years of age compared to about 18.6 percent in urban areas. Charts 23, 24 and 25 show the distribution of females, who got effectively married during the last one year, by age at effective marriage of India and bigger States/UTs for Total, Rural and Urban areas respectively.

### **Statement 12**


#### **Percentage of Females by age at Effective Marriage and by residence India and bigger States/UTs, 2020**

India and bigger States/UTs	Total				Rural				Urban			
	<18	18-20	21+	All ages	<18	18-20	21+	All ages	<18	18-20	21+	All ages
<b>India</b>	<b>1.9</b>	<b>27.6</b>	<b>70.5</b>	<b>100.0</b>	<b>2.2</b>	<b>32.2</b>	<b>65.6</b>	<b>100.0</b>	<b>1.2</b>	<b>18.6</b>	<b>80.2</b>	<b>100.0</b>
Andhra Pradesh	2.7	27.9	69.3	100.0	3.2	28.6	68.2	100.0	0.0	24.1	75.9	100.0
Assam	2.6	28.0	69.4	100.0	2.9	35.3	61.8	100.0	2.0	11.5	86.5	100.0
Bihar	3.4	24.0	72.6	100.0	3.5	26.1	70.4	100.0	2.9	10.9	86.1	100.0
Chhattisgarh	0.8	41.5	57.8	100.0	0.5	48.0	51.6	100.0	1.8	18.0	80.2	100.0
Delhi	1.9	15.5	82.6	100.0	0.0	0.0	100.	100.0	1.9	15.6	82.5	100.0
Gujarat	0.4	14.4	85.2	100.0	0.5	19.6	79.8	100.0	0.2	7.8	91.9	100.0
Haryana	0.3	17.1	82.6	100.0	1.1	14.2	84.8	100.0	0.0	18.3	81.7	100.0
Himachal Pradesh	0.4	18.0	81.6	100.0	0.4	18.1	81.4	100.0	0.0	12.9	87.1	100.0
Jammu & Kashmir	1.1	8.2	90.7	100.0	1.2	8.7	90.1	100.0	0.0	5.5	94.5	100.0
Jharkhand	5.8	48.8	45.4	100.0	7.3	58.9	33.8	100.0	3.0	29.5	67.5	100.0
Karnataka	1.7	28.1	70.2	100.0	1.7	34.4	63.9	100.0	1.7	17.3	81.1	100.0
Kerala	0.0	27.4	72.6	100.0	0.1	28.9	71.0	100.0	0.0	26.3	73.7	100.0
Madhya Pradesh	2.1	41.7	56.2	100.0	2.5	45.3	52.1	100.0	0.5	29.6	69.8	100.0
Maharashtra	0.9	16.4	82.7	100.0	1.4	19.3	79.3	100.0	0.2	12.7	87.1	100.0
Odisha	3.7	38.3	58.0	100.0	3.8	38.6	57.6	100.0	2.7	35.7	61.6	100.0
Punjab	0.6	16.4	83.0	100.0	1.0	16.1	83.0	100.0	0.0	17.0	83.0	100.0
Rajasthan	2.4	23.6	74.0	100.0	2.8	30.1	67.1	100.0	1.6	10.5	87.9	100.0
Tamil Nadu	0.5	17.4	82.0	100.0	0.6	18.8	80.6	100.0	0.5	16.1	83.5	100.0
Telangana	1.1	18.4	80.5	100.0	1.3	18.7	80.0	100.0	0.0	16.4	83.6	100.0
Uttar Pradesh	3.3	24.7	72.0	100.0	3.2	26.5	70.3	100.0	3.6	18.8	77.6	100.0
Uttarakhand	0.7	15.3	84.0	100.0	0.8	17.6	81.6	100.0	0.5	9.6	90.0	100.0
West Bengal	4.7	50.2	45.1	100.0	4.8	55.8	39.4	100.0	4.4	27.7	67.8	100.0


**Chart 23: Percentage of Females by age at Effective Marriage,  
India and bigger States/UTs, 2020**



**Chart 24: Percentage of Females by age at Effective Marriage,  
India and bigger States/UTs, 2020 - RURAL**



**Chart 25: Percentage of Females by age at Effective Marriage,  
India and bigger States/UTs, 2020 - URBAN**




**2.15** Statement 13 given below provides the mean age at effective marriage of these females by residence for India and bigger States/UTs. At the National level, the mean age at effective marriage for females in the year 2020 is 22.7 years and varies from 22.2 years in rural areas to 23.9 years in urban areas. Among the bigger States/UTs, the mean age varies from 21.0 years in West Bengal to 26.0 years in Jammu & Kashmir. Charts 26, 27 and 28 show the distribution of females, who got married in the last one year, by age at effective marriage of India and bigger States/UTs for Total, Rural and Urban areas respectively.

### **Statement 13**


#### **Mean Age at Effective Marriage of Females by residence, India and bigger States/UTs, 2020**

India and bigger States/UTs	Age at effective marriage											
	Total				Rural				Urban			
	< 18	18-20	21+	All Ages	< 18	18-20	21+	All Ages	< 18	18-20	21+	All Ages
<b>India</b>	<b>16.5</b>	<b>19.3</b>	<b>24.2</b>	<b>22.7</b>	<b>16.4</b>	<b>19.3</b>	<b>23.8</b>	<b>22.2</b>	<b>16.6</b>	<b>19.3</b>	<b>25.0</b>	<b>23.9</b>
Andhra Pradesh	16.6	19.4	23.9	22.5	16.6	19.6	23.8	22.4	-	18.5	24.3	22.9
Assam	16.5	19.1	24.6	22.9	16.5	19.1	23.8	21.9	16.5	19.2	26.0	25.0
Bihar	16.5	19.6	23.3	22.2	16.9	19.7	23.1	22.0	14.0	18.8	24.2	23.3
Chhattisgarh	16.5	19.2	23.4	21.6	17.0	19.2	22.9	21.1	16.1	19.4	24.4	23.3
Delhi	17.0	19.2	25.5	24.4	-	-	23.3	23.3	17.0	19.2	25.5	24.4
Gujarat	16.8	19.4	24.4	23.6	16.7	19.4	23.9	23.0	17.0	19.5	24.9	24.4
Haryana	17.0	19.3	24.2	23.3	17.0	19.5	23.8	23.1	-	19.2	24.3	23.4
Himachal Pradesh	17.0	19.1	25.3	24.1	17.0	19.1	25.2	24.1	-	19.2	26.8	25.8
Jammu & Kashmir	16.5	19.0	26.8	26.0	16.5	19.0	26.8	26.0	-	19.0	26.8	26.3
Jharkhand	17.0	18.9	23.9	21.0	17.0	18.9	23.1	20.2	17.0	18.9	24.5	22.6
Karnataka	16.4	19.3	24.3	22.8	16.0	19.4	23.6	22.0	17.0	19.2	25.4	24.2
Kerala	17.0	19.2	25.0	23.4	17.0	19.2	24.8	23.2	-	19.3	25.1	23.6
Madhya Pradesh	16.7	19.5	23.7	21.8	16.7	19.4	23.2	21.3	17.0	19.6	24.9	23.3
Maharashtra	17.0	19.5	24.6	23.7	17.0	19.6	23.8	22.9	17.0	19.2	25.6	24.8
Odisha	16.5	19.2	24.2	22.0	16.5	19.2	24.1	21.9	16.7	19.2	25.3	22.9
Punjab	17.0	19.2	25.5	24.4	17.0	19.2	25.2	24.1	-	19.3	26.0	24.9
Rajasthan	15.4	19.2	24.3	22.9	16.2	19.2	23.5	22.0	12.4	19.3	25.4	24.5
Tamil Nadu	16.9	19.3	24.4	23.5	16.8	19.4	24.2	23.2	17.0	19.3	24.7	23.8
Telangana	15.0	19.5	23.9	23.0	15.0	19.5	23.7	22.8	-	19.7	25.1	24.3
Uttar Pradesh	16.3	19.4	23.8	22.5	16.0	19.4	23.5	22.2	17.0	19.5	24.6	23.4
Uttarakhand	16.9	19.5	24.2	23.4	16.8	19.5	24.0	23.1	17.0	19.5	24.7	24.1
West Bengal	16.8	19.1	23.6	21.0	16.8	19.1	23.0	20.5	16.9	19.3	24.8	22.9


**Chart 26: Mean Age at Effective Marriage of Female, India and bigger States/UTs, 2020**



**Chart 27: Mean Age at Effective Marriage of Female, India and bigger States/UTs, 2020 - RURAL**



**Chart 28: Mean Age at Effective Marriage of Female, India and bigger States/UTs, 2020 - URBAN**



## **CHAPTER - 3**

### **ESTIMATES OF FERTILITY INDICATORS**

SRS has been providing data for estimating various fertility measures since its inception. The fertility indicators considered in this chapter are Crude Birth Rate, General Fertility Rate, Age Specific/Marital Fertility Rates, Total /Marital Fertility Rates and Gross Reproduction Rate. Apart from this, the chapter includes Sex Ratio at birth. To examine the changes in the levels of fertility during the last decade, the average values of these fertility indicators for the years 2018-20 are compared with that for 2008-10.

**3.2** The Crude Birth Rate (CBR) at all India level had declined from 36.9 in 1971 to 33.9 in 1981, registering a fall of about 8 per cent. During 1991-2020, the decline has been about 34 percent, from 29.5 to 19.5. The rural-urban differential has also narrowed over these years. However, the CBR has continued to be higher in rural areas compared to urban areas in the last three decades. The total fertility rate (TFR) has declined from 5.2 to 4.5 during 1971 to 1981 and from 3.6 to 2.0 during 1991 to 2020. The TFR in rural areas has declined from 5.4 to 2.2 from 1971 to 2020 whereas the corresponding decline in urban areas has been from 4.1 to 1.6 during the same period. In 2020, around 82.6 percent of the deliveries were institutional which includes Government as well as private hospitals. The percentage of institutional deliveries in urban areas is 95.0 as against about 78.2 percent recorded in rural areas.

**3.3** The data on most of the fertility indicators has been presented by age, sex and residence for all bigger States/UTs and India. This chapter also includes data on fertility by level of education, order of birth, birth interval and medical attention at birth.

**3.4** Apart from the fertility indicators at State and National levels, the SRS report 2020 also provides estimates of birth rates at sub-State, viz. NSS Natural Division Level. NSS natural divisions have been formed taking into consideration the geography of the State and by grouping contiguous districts having similar topography, population density, cropping pattern and rainfall etc. The Table 11 of this report contains data on birth rate besides death and infant mortality rate for 71 Natural Divisions of 22 bigger States/UTs.


**3.5** The following Statement 14 provides the Crude Birth Rate (CBR) by residence for India and States/UTs for the year 2020. Although the birth rate has been estimated for all the states/UTs of India, the other fertility indicators are presented only for Bigger States/UTs in the report. The CBR at national level is 19.5 varying from 21.1 in rural to 16.1 in urban areas. Bihar has the highest birth rate in rural areas (26.2) followed by Uttar Pradesh (26.1) and Madhya Pradesh (26.0); whereas Uttar Pradesh has the highest birth rate in urban areas (22.1) followed by Dadra and Nagar Haveli and Daman and Diu (21.4) and Bihar (21.0). The lowest CBR was recorded in rural areas of A& N Islands (11.5) and in urban areas of A & N Islands (9.9). Based on the figures in the Statement 14 given below, the graphical representation of birth rate of States/UTs by residence is depicted in Chart 29. Chart 30 gives the distribution of States/UTs by values of birth rate for rural and urban areas.

### Statement 14


#### CBR (Crude Birth Rate) by Residence, India and States/UTs, 2020

<b>India and States/UTs</b>	<b>Total</b>	<b>Rural</b>	<b>Urban</b>
<b>India</b>	<b>19.5</b>	<b>21.1</b>	<b>16.1</b>
<b>Bigger States/UTs</b>			
Andhra Pradesh	15.7	16.0	15.0
Assam	20.8	21.9	14.3
Bihar	25.5	26.2	21.0
Chhattisgarh	22.0	23.4	17.3
Delhi	14.2	15.5	14.1
Gujarat	19.3	21.1	17.1
Haryana	19.9	21.2	17.7
Jammu & Kashmir	14.6	16.1	11.1
Jharkhand	22.0	23.4	17.6
Karnataka	16.5	17.5	15.0
Kerala	13.2	13.1	13.3
Madhya Pradesh	24.1	26.0	18.8
Maharashtra	15.0	15.3	14.6
Odisha	17.7	18.7	13.1
Punjab	14.3	14.9	13.6
Rajasthan	23.5	24.4	20.8
Tamil Nadu	13.8	14.0	13.6
Telangana	16.4	16.8	15.9
Uttar Pradesh	25.1	26.1	22.1
Uttarakhand	16.6	17.0	15.6
West Bengal	14.6	16.1	11.2
<b>Smaller States</b>			
Arunachal Pradesh	17.3	17.8	15.0
Goa	12.1	11.7	12.4
Himachal Pradesh	15.3	15.7	10.0
Manipur	13.3	13.5	12.8
Meghalaya	22.9	25.1	12.9
Mizoram	14.4	16.8	11.7
Nagaland	12.5	12.9	11.8
Sikkim	15.6	14.0	18.2
Tripura	12.6	13.4	10.7
<b>Smaller UTs</b>			
A & N Islands	10.8	11.5	9.9
Chandigarh	12.9	18.1	12.8
Dadra and Nagar Haveli and Daman and	20.3	18.0	21.4
Ladakh	14.3	15.2	10.8
Puducherry	13.1	13.1	13.1
Lakshadweep	14.6	20.1	13.1

**Chart 29: CBR (Crude Birth Rate) by Residence, India and States/UTs, 2020**



**Chart 30: Distribution States/UTs by Birth Rate for Rural and Urban, 2020**



**3.6** Statement 15 below provides the percentage change in average crude birth rate between the periods 2008-10 and 2018-20 for India and bigger States/UTs separately for rural and urban areas. At the national level, the rate of decline in birth rate is 12.4 percent. The rate of decline in average birth rate varies from 19.9 percent in Delhi to 7.5 percent in Kerala. Such decline in rural areas is from 20.6 percent in Delhi to 5.3 percent in Andhra Pradesh and 19.1 percent in Delhi to 1.8 percent in Uttarakhand for Urban areas. The 3-year average crude birth rate has declined in both rural and urban areas of all bigger States/UTs. Charts 31, 32 and 33 depict the average birth rate between 2008-10 and 2018-20 of India and bigger States/UTs for Total, Rural and Urban areas respectively along with respective rate of change. Chart 34 shows the year-wise birth rate from 1985 to 2020 by Residence for India.

### **Statement 15**


#### **Percentage change in average Crude Birth Rate between 2008-10 and 2018-20 by Residence, India and bigger States/UTs**

<b>India and bigger States/UTs</b>	<b>Total</b>			<b>Rural</b>			<b>Urban</b>		
	<b>2008- 10</b>	<b>2018- 20</b>	<b>% Change</b>	<b>2008- 10</b>	<b>2018- 20</b>	<b>% Change</b>	<b>2008- 10</b>	<b>2018- 20</b>	<b>% Change</b>
<b>India</b>	<b>22.5</b>	<b>19.7</b>	<b>-12.4</b>	<b>24.1</b>	<b>21.3</b>	<b>-11.6</b>	<b>18.3</b>	<b>16.4</b>	<b>-10.4</b>
Andhra Pradesh*	18.2	16.2	-11.0	18.8	17.8	-5.3	16.9	15.7	-7.1
Assam	23.6	20.9	-11.4	24.9	22.1	-11.2	15.8	14.5	-8.2
Bihar	28.5	25.8	-9.5	29.3	26.5	-9.6	22.2	21.3	-4.1
Chhattisgarh	25.7	22.2	-13.6	27.2	23.7	-12.9	19.0	17.6	-7.4
Delhi	18.1	14.5	-19.9	19.9	15.8	-20.6	17.8	14.4	-19.1
Gujarat	22.2	19.5	-12.2	23.7	21.3	-10.1	19.9	17.2	-13.6
Haryana	22.7	20.1	-11.5	23.8	21.4	-10.1	20.1	17.9	-10.9
Himachal Pradesh	17.3	15.4	-11.0	17.8	15.9	-10.7	11.7	10.1	-13.7
Jammu & Kashmir#	18.6	15.0	-19.4	19.9	16.6	-16.6	13.7	11.4	-16.8
Jharkhand	25.6	22.3	-12.9	27.1	23.7	-12.5	19.1	17.8	-6.8
Karnataka	19.5	16.9	-13.3	20.6	17.8	-13.6	17.7	15.4	-13.0
Kerala	14.7	13.6	-7.5	14.7	13.4	-8.8	14.7	13.7	-6.8
Madhya Pradesh	27.7	24.4	-11.9	29.6	26.3	-11.1	20.8	19.0	-8.7
Maharashtra	17.5	15.3	-12.6	18.1	15.6	-13.8	16.8	14.9	-11.3
Odisha	21.0	18.0	-14.3	21.8	19.0	-12.8	15.6	13.2	-15.4
Punjab	17.0	14.5	-14.7	17.6	15.1	-14.2	15.9	13.8	-13.2
Rajasthan	27.1	23.7	-12.5	28.3	24.7	-12.7	23.2	21.1	-9.1
Tamil Nadu	16.1	14.3	-11.2	16.3	14.4	-11.7	15.8	14.1	-10.8
Uttar Pradesh	28.7	25.2	-12.2	29.6	26.2	-11.5	24.7	22.2	-10.1
Uttarakhand	19.7	16.8	-14.7	20.6	17.1	-17.0	16.3	16.0	-1.8
West Bengal	17.1	14.8	-13.5	19.0	16.3	-14.2	12.1	11.4	-5.8


\* Andhra Pradesh includes Telangana.

# Jammu & Kashmir includes Ladakh


**Chart 31: Average birth rate and percentage change between 2008-10 & 2018-20,  
India and bigger States/UTs**




**Chart 32: Average birth rate and percentage change between 2008-10 & 2018-20,  
India and bigger States/UTs -RURAL**



**Chart 33: Average birth rate and percentage change between 2008-10 & 2018-20,  
India and bigger States/UTs - URBAN**



**Chart 34: Birth Rate 1985 - 2020 by Residence, India**




**3.7** The Statement 16 below presents sex ratio at birth during the period 2018-20. The sex ratio at birth for the country for the period 2018-20 (3-years average) has been estimated at 907. At National level, it is 907 in rural areas and 910 in urban areas. Among the bigger States/UTs, the sex ratio at birth varies from 974 in Kerala to 844 in Uttarakhand. In the rural areas, the highest and the lowest sex ratio at birth are in the States of Kerala (973) and Uttarakhand (853) respectively. The sex ratio at birth in urban areas varies from 975 in Kerala to 821 in Uttarakhand. Chart 35 depicts the variation in Sex Ratio at birth by residence among bigger States/UTs in the country.

### **Statement 16**

#### **Sex Ratio (female per 1000 male) at birth by Residence, India and bigger States/UTs, 2018-2020**

India and bigger States/UTs	Total	Rural	Urban
<b>India</b>	<b>907</b>	<b>907</b>	<b>910</b>
Andhra Pradesh	926	930	919
Assam	923	923	930
Bihar	895	894	897
Chhattisgarh	958	970	910
Delhi	860	972	857
Gujarat	877	882	869
Haryana	870	868	874
Himachal Pradesh	950	952	920
Jammu & Kashmir	921	918	930
Jharkhand	914	915	910
Karnataka	916	942	871
Kerala	974	973	975
Madhya Pradesh	919	908	960
Maharashtra	876	881	870
Orissa	925	928	907
Punjab	897	874	932
Rajasthan	911	914	901
Tamil Nadu	917	902	930
Telangana	892	903	875
Uttar Pradesh	905	890	960
Uttaranchal	844	853	821
West Bengal	936	941	920

**Chart 35: Sex Ratio at birth by Residence, India and bigger States/UTs, 2018-2020**




**3.9** Estimates of General Fertility Rate (GFR), a refined measure of fertility, being defined as the number of live births per thousand women in the reproductive age group 15-49 years, is a useful tool for measuring fertility. The GFR for all-India and bigger States/UTs are given below in Statement 17 separately for rural and urban areas. At the national level, 67 children were born to every thousand women aged 15-49 years. This number varies from 53.7 in urban areas to 73.7 in rural areas. Among the bigger States/UTs, GFR varies from 45.3 in Kerala to 93.9 in Bihar. Chart 36 gives a pictorial comparison of bigger States/UTs by level of GFR. It can be seen that there is a negligible difference in the GFR of rural and urban areas of Kerala. Chart 36 gives the distribution of bigger States/UTs by values of GFR for rural and urban areas.

### **Statement 17**


#### **GFR (General Fertility Rate) by residence, India and bigger States/UTs, 2020**

<b>India and bigger states</b>	<b>Total</b>	<b>Rural</b>	<b>Urban</b>
<b>India</b>	<b>67.0</b>	<b>73.7</b>	<b>53.7</b>
Andhra Pradesh	50.7	52.4	47.2
Assam	69.8	73.9	46.9
Bihar	93.9	96.4	76.7
Chhattisgarh	74.7	80.9	55.7
Delhi	47.0	52.9	46.9
Gujarat	66.8	74.6	57.7
Haryana	69.3	74.8	60.6
Himachal Pradesh	51.1	52.7	33.2
Jammu & Kashmir	46.8	52.1	35.2
Jharkhand	77.2	83.3	59.5
Karnataka	54.6	58.5	48.8
Kerala	45.3	45.1	45.4
Madhya Pradesh	87.4	96.1	64.4
Maharashtra	51.8	55.5	47.8
Odisha	60.7	65.0	42.1
Punjab	49.5	52.1	46.3
Rajasthan	82.1	86.5	70.0
Tamil Nadu	47.5	47.7	47.4
Telangana	52.6	54.5	49.8
Uttar Pradesh	87.3	92.4	72.8
Uttarakhand	59.7	61.4	55.1
West Bengal	47.5	52.3	36.6

**Chart 36: General Fertility Rate (GFR) by Residence, India and bigger States/UTs, 2020**



**Chart 37: Distribution of bigger States/UTs by General Fertility Rate(GFR) for Rural and Urban areas, 2020**




**3.10** Changes in the average level of General Fertility Rate (GFR) between 2008-10 and 2018-20 for India and bigger States/UTs are shown below in Statement 18. At the all India level, a decline of 20.2 percent in GFR has been registered during the decade and it varies from 20.2 percent in rural to 15.6 percent in urban areas. Among the bigger States/UTs, the percentage decline in GFR varies from 29.2 in Jammu & Kashmir to 12.3 in Kerala. Charts 38, 39 and 40 depict the average GFR between 2008-10 and 2018-20 and percent change for India and bigger States/UTs for Total, Rural and Urban areas respectively. Chart 40 shows the year-wise general fertility rate from 1985 to 2020 by Residence for India.

**Statement 18**  
**Percent change in average GFR (General Fertility Rate) between  
 2008-10 and 2018-20 by residence, India and bigger States/UTs**


India and bigger States/UTs	Total			Rural			Urban		
	2008- 10	2018- 20	% Change	2008- 10	2018- 20	% Change	2008- 10	2018- 20	% Change
<b>India</b>	<b>86.1</b>	<b>68.7</b>	<b>-20.2</b>	<b>94.6</b>	<b>75.5</b>	<b>-20.2</b>	<b>65.4</b>	<b>55.2</b>	<b>-15.6</b>
Andhra Pradesh	63.8	52.9	-17.1	66.9	54.7	-18.2	56.8	49.6	-12.7
Assam	87.3	71.7	-17.9	93.8	75.9	-19.1	53.0	48.1	-9.2
Bihar	117.5	96.8	-17.6	123.1	99.4	-19.3	82.2	79.6	-3.2
Chhattisgarh	97.9	76.5	-21.9	105.6	82.9	-21.5	66.4	57.3	-13.7
Delhi	68.0	48.6	-28.5	75.7	54.8	-27.6	66.7	48.4	-27.4
Gujarat	84.5	68.5	-18.9	92.0	76.6	-16.7	73.3	59.0	-19.5
Haryana	85.6	70.9	-17.2	91.2	76.6	-16.0	73.6	61.8	-16.0
Himachal Pradesh	60.7	52.3	-13.8	63.0	54.0	-14.3	40.1	33.9	-15.5
Jammu & Kashmir	68.6	48.6	-29.2	75.1	54.3	-27.7	46.9	36.2	-22.8
Jharkhand	104.1	79.1	-24.0	112.7	85.1	-24.5	71.8	61.4	-14.5
Karnataka	70.4	57.9	-17.8	76.4	61.6	-19.4	60.4	52.4	-13.2
Kerala	53.5	46.9	-12.3	54.1	46.8	-13.5	51.9	46.9	-9.6
Madhya Pradesh	106.1	89.4	-15.7	115.7	98.4	-15.0	73.7	65.8	-10.7
Maharashtra	65.7	53.5	-18.6	70.8	57.5	-18.8	59.5	49.2	-17.3
Odisha	77.6	61.5	-20.7	81.7	65.8	-19.5	54.0	43.0	-20.4
Punjab	63.0	50.8	-19.4	66.2	53.3	-19.5	58.0	47.7	-17.8
Rajasthan	109.5	84.1	-23.2	117.5	88.5	-24.7	86.5	72.0	-16.8
Tamil Nadu	57.2	49.4	-13.6	59.3	51.8	-12.6	54.6	50.3	-7.9
Uttar Pradesh	116.3	88.4	-24.0	122.8	93.5	-23.9	91.5	73.9	-19.2
West Bengal	62.9	48.9	-22.3	70.8	53.8	-24.0	42.9	37.7	-12.1

Note: Andhra Pradesh, Jammu & Kashmir and Uttar Pradesh include Telangana, Ladakh and Uttarakhand respectively


**Chart 38:Average GFR (General Fertility Rate) and percentage change between 2008-10 & 2018-20, India and bigger States/UTs**




**Chart 39: Average GFR (General Fertility Rate) and percentage change between 2008-10 & 2018-20,  
India and bigger States/UTs -RURAL**



**Chart 40: Average GFR (General Fertility Rate) and percentage change between 2008-10 & 2018-20,  
India and bigger States/UTs - URBAN**



**Chart 41: Trends in General Fertility Rate, 1985 - 2020 by Residence, India**



## Fertility by age of women

**3.11** Age of women is an important factor affecting the fertility levels. On the basis of data on births to women by specific age groups in the reproductive span 15-49 years as available from SRS, age specific fertility rates have been calculated. Statement 19 below presents the age specific fertility rates for India by residence for the year 2020.


**3.12** The data reveals that fertility in all the age groups is higher in rural areas than in urban areas. This distribution of age-specific fertility by residence is presented in chart 42. The fertility reaches the peak in the age group 25-29 and declines thereafter, irrespective of the place of residence. ASFR curve for urban areas falls under the ASFR curve of rural areas. Both Rural and Urban ASFR curves have declined very steeply after attaining peak for age 25-29.

### Statement 19

#### ASFRs (Age Specific Fertility Rates) by residence, India, 2020

Age Groups	Total	Rural	Urban
15-19	11.3	13.2	6.6
20-24	113.6	128.1	81.8
25-29	139.6	152.5	115.2
30-34	84.4	89.4	75.5
35-39	35.6	38.9	29.5
40-44	11.7	13.5	8.5
45-49	4.7	5.2	3.9

**Chart 42: Age Specific Fertility Rates by Residence, India, 2020**



**3.13** The percentage change in age specific fertility rate during the last decade is presented below in Statement 20 separately for rural and urban areas. The data pertains to changes in the age specific fertility rates for the quinquennial age groups based on average value for three years period viz. 2008-10 and 2018-20 for all-India.


**3.14** At the national level, there is a shift in trend of fertility with an increase in fertility in the later ages 30-44, while a decrease in fertility in the lower age-groups 15-29. Charts 43, 44 and 45 depict the average Age-Specific Fertility Rates of India between 2008-10 and 2018-20 for Total, Rural and Urban areas respectively. Chart 46 shows the percentage change in average Age-Specific Fertility Rates between 2008-10 and 2018-20 by residence.

### **Statement 20**


**Percent change in Age Specific Fertility Rates by residence between  
2008-10 and 2018-20, India**

Age group	Total			Rural			Urban		
	2008-10	2018-20	% Change	2008-10	2018-20	% Change	2008-10	2018-20	% Change
15-19	39.1	11.4	-70.8	45.1	13.0	-71.2	21.9	7.2	-67.1
20-24	201.7	117.1	-41.9	221.6	131.0	-40.9	151.8	86.0	-43.3
25-29	164.3	142.6	-13.2	167.7	156.2	-6.9	133.7	116.6	-12.8
30-34	71.5	90.1	26.0	77.8	96.0	23.4	56.0	79.1	41.3
35-39	30.8	37.4	21.4	36.2	40.7	12.4	18.0	31.0	72.2
40-44	11.0	12.6	14.5	13.8	14.6	5.8	4.5	9.2	104.4
45-49	4.5	4.6	2.2	6.0	5.4	-10.0	1.4	3.1	121.4


**Chart 43: Age Specific Fertility Rates, India : 2008-10 and 2018-20**




**Chart 44: Age Specific Fertility Rates, India-Rural: 2008-10 and 2018-20**



**Chart 45: Age Specific Fertility Rates, India-Urban:  
2008-10 and 2018-20**



**Chart 46: Percent change in Age Specific Fertility Rate  
by Residence between 2008-10 and 2018-20**



**3.15** The fertility pattern by age groups in different States is presented below in Statement 21. Except for Andhra Pradesh and West Bengal where fertility reached its peak in the age group 20-24 and Jammu & Kashmir where fertility reached its peak in the age group 30-34, the highest fertility in all the other bigger States/UTs has been attained in the age group 25-29. Fertility, however, declines from age 30 in all the bigger States/UTs, except Jammu & Kashmir where it declines from age 35. The ASFR in the younger age group 15-19 varies from 2.6 in Delhi to 22.3 in West Bengal. In the age group 30-34, the variation in the level of ASFR is from 41.9 in West Bengal to 147.0 in Bihar. The rural-urban levels in ASFR for bigger States/UTs are shown in Table 3.

### **Statement 21**

#### **ASFRs (Age Specific Fertility Rates), India and bigger States/UTs, 2020**

<b>India and bigger States/UTs</b>	<b>15-19</b>	<b>20-24</b>	<b>25-29</b>	<b>30-34</b>	<b>35-39</b>	<b>40-44</b>	<b>45-49</b>
<b>India</b>	<b>11.3</b>	<b>113.6</b>	<b>139.6</b>	<b>84.4</b>	<b>35.6</b>	<b>11.7</b>	<b>4.7</b>
Andhra Pradesh	10.9	111.3	109.0	44.4	13.4	4.2	2.9
Assam	20.0	102.3	127.7	98.7	51.4	15.3	5.7
Bihar	12.6	136.9	185.1	147.0	72.2	27.8	10.6
Chhattisgarh	13.2	144.4	158.2	82.8	33.8	12.5	0.9
Delhi	2.6	64.8	99.0	69.8	23.9	11.2	1.8
Gujarat	10.3	121.8	146.5	83.6	26.4	5.5	3.3
Haryana	4.9	122.2	162.4	76.6	24.2	7.7	3.3
Himachal Pradesh	8.0	73.7	118.6	68.6	22.3	7.3	0.4
Jammu & Kashmir	3.2	40.3	78.8	87.2	46.6	26.8	11.9
Jharkhand	14.8	130.1	153.3	83.2	51.9	23.2	17.0
Karnataka	9.7	89.7	116.6	68.6	22.9	4.4	3.7
Kerala	5.1	87.3	109.6	72.3	23.0	4.6	0.6
Madhya Pradesh	15.6	153.2	196.4	89.6	38.8	13.5	3.1
Maharashtra	6.8	108.2	112.7	53.2	18.0	4.0	1.8
Odisha	7.8	100.8	131.1	74.0	31.7	7.7	3.9
Punjab	4.1	57.8	115.7	75.0	30.9	8.4	3.7
Rajasthan	10.5	146.6	175.4	91.1	32.5	11.7	6.0
Tamil Nadu	5.6	86.0	123.7	54.3	15.0	3.5	0.5
Telangana	7.5	95.9	114.5	60.2	17.5	6.4	7.0
Uttar Pradesh	11.2	120.2	171.6	137.3	68.6	26.6	8.7
Uttarakhand	5.2	65.6	121.7	97.8	46.6	18.2	4.5
West Bengal	22.3	112.2	84.2	41.9	13.5	3.0	2.3


**3.16** The percentage distribution of cumulative fertility by woman's age is shown below in Statement 22 for India and bigger States/UTs for the year 2020. The percentage share of fertility by women in the age group 15-19 varies from 0.9 in Delhi to 7.3 in West Bengal. By the age 34, the percentage share of cumulative fertility varies from 79.6 in Jammu & Kashmir to 95.1 in West Bengal. The percentage share in cumulative fertility for women by the age 39 years varies from 92.2 in Jammu & Kashmir to 99.0 in Tamil Nadu. Chart 47 gives percentage cumulative age specific fertility rate for India by residence. Chart 47 B gives contribution of various age-groups in Total Fertility by Residence for India for the year 2020.

### **Statement 22**


#### **Percentage distribution of cumulative fertility by age group, India and bigger States/UTs, 2020**

<b>India and bigger States/UTs</b>	<b>15-19</b>	<b>15-24</b>	<b>15-29</b>	<b>15-34</b>	<b>15-39</b>	<b>15-44</b>	<b>15-49</b>
India	2.8	35.2	72.5	90.9	97.6	99.4	100.0
Andhra Pradesh	2.8	41.3	81.2	94.7	98.5	99.5	100.0
Assam	4.9	33.7	66.5	88.1	97.2	99.4	100.0
Bihar	2.9	32.6	67.6	88.2	96.7	99.1	100.0
Chhattisgarh	3.0	40.1	77.2	92.4	98.2	99.9	100.0
Delhi	0.9	26.3	66.4	90.8	97.3	99.7	100.0
Gujarat	2.5	36.0	74.7	93.8	98.7	99.5	100.0
Haryana	1.1	36.5	78.4	94.0	98.4	99.6	100.0
Himachal Pradesh	2.0	28.9	71.4	92.2	98.2	99.9	100.0
Jammu & Kashmir	1.0	17.2	51.4	79.6	92.2	97.9	100.0
Jharkhand	3.5	36.2	71.6	87.1	95.3	98.2	100.0
Karnataka	2.5	33.9	74.2	93.3	98.5	99.4	100.0
Kerala	1.6	29.7	67.4	91.2	98.4	99.8	100.0
Madhya Pradesh	3.2	38.7	78.3	92.9	98.2	99.7	100.0
Maharashtra	2.0	39.7	78.5	94.3	98.8	99.7	100.0
Odisha	2.1	32.4	71.9	91.3	98.2	99.4	100.0
Punjab	1.2	22.2	66.4	89.6	97.4	99.2	100.0
Rajasthan	2.2	39.2	77.5	93.2	98.0	99.4	100.0
Tamil Nadu	1.6	32.1	77.3	94.6	99.0	99.9	100.0
Telangana	2.2	35.6	75.8	93.1	97.5	98.9	100.0
Uttar Pradesh	2.5	31.2	66.3	87.3	96.4	99.2	100.0
Uttaranchal	1.5	24.2	62.3	87.4	96.8	99.5	100.0
West Bengal	7.3	51.4	82.2	95.1	98.8	99.5	100.0

**Chart 47: Percentage Distribution of Cummulative Fertility by Residence, India, 2020**



**Chart 47 B: Contribution of various Age-Groups in Total Fertility by Residence, India, 2020**




**3.17** The difference in the pattern of child bearing can be measured in terms of the mean age of fertility, which describes the age pattern of fertility of synthetic cohort of hypothetical group of women viewed as having, in their lifetime, similar fertility experience recorded in a calendar year. The mean age of fertility has been calculated from the age specific fertility rates. The associated standard deviations are also shown. The States having lower values of standard deviation recorded higher concentration of fertility about the mean age as compared to those with higher values. Statement 23 below shows the mean age of fertility for India and bigger States/UTs. At the National level, the mean age of fertility is 28.4 years and varies from 26.3 years in West Bengal to 31.9 years in Jammu & Kashmir with standard deviation 5.9, 5.5 and 6.7 respectively. Chart 48 shows the mean age of fertility of India and bigger States/UTs by residence.

### **Statement 23**

#### **Mean age of Fertility and associated Standard Deviation, India and bigger States/UTs, 2020**

<b>India and bigger States/UTs</b>	<b>Mean age of fertility</b>			<b>Standard deviation</b>		
	<b>Total</b>	<b>Rural</b>	<b>Urban</b>	<b>Total</b>	<b>Rural</b>	<b>Urban</b>
<b>India</b>	<b>28.4</b>	<b>28.3</b>	<b>28.8</b>	<b>5.9</b>	<b>5.9</b>	<b>5.7</b>
Andhra Pradesh	26.9	26.6	27.5	5.3	5.2	5.5
Assam	29.0	29.2	28.1	6.3	6.4	6.0
Bihar	29.7	29.8	28.5	6.3	6.3	5.9
Chhattisgarh	27.7	27.7	27.9	5.5	5.5	5.4
Delhi	29.1	27.9	29.1	5.6	6.0	5.6
Gujarat	27.8	27.5	28.4	5.3	5.3	5.3
Haryana	27.9	28.0	27.8	5.2	5.4	4.7
Himachal Pradesh	28.3	28.2	29.4	5.2	5.2	5.7
Jammu & Kashmir	31.9	31.8	32.6	6.7	6.7	6.6
Jharkhand	29.2	29.2	29.5	6.9	7.0	6.5
Karnataka	28.0	27.3	29.3	5.5	5.2	5.8
Kerala	28.1	27.8	28.4	5.1	5.2	5.1
Madhya Pradesh	27.8	27.5	29.2	5.5	5.4	5.8
Maharashtra	27.3	26.7	28.0	5.2	4.9	5.4
Odisha	28.3	28.3	28.9	5.6	5.7	5.6
Punjab	29.4	29.3	29.5	5.6	5.6	5.5
Rajasthan	28.0	27.9	28.4	5.7	5.7	5.5
Tamil Nadu	27.5	27.2	27.7	4.8	4.6	4.9
Telangana	28.0	27.7	28.6	5.9	5.8	5.9
Uttar Pradesh	29.8	29.5	30.6	6.2	6.2	6.2
Uttarakhand	30.1	29.4	31.9	5.9	5.7	6.1
West Bengal	26.3	26.0	27.3	5.5	5.4	5.8

**Chart 48: Mean age of Fertility by Residence, India and bigger States/UTs, 2020**



**3.18** The cumulative value of the age specific fertility rates at the end of the child bearing ages gives a measure of fertility known as Total Fertility Rate (TFR). TFR indicates the average number of children expected to be born per woman during her entire span of reproductive period assuming that the age specific fertility rates, to which she is exposed to, continue to be the same and that there is no mortality. The TFRs worked out on the basis of the ASFRs for the year 2020 are given below in Statement 24 for India and bigger States/UTs separately for rural and urban areas. The TFR for India in the year 2020 was 2.0 per woman and varies from 2.2 in rural areas to 1.6 in urban areas. Among the bigger States/UTs, it varies from 1.4 in Delhi, Tamil Nadu and West Bengal to 3.0 in Bihar. For rural areas, it varies from 1.4 in Delhi and Tamil Nadu to 3.1 in Bihar. For urban areas, such variation is from 1.1 in Himachal Pradesh, Jammu & Kashmir and West Bengal to 2.3 in Bihar and Uttar Pradesh. The replacement level TFR, viz. 2.1, has been attained by Delhi (1.4), Tamil Nadu (1.4), West Bengal (1.4), Andhra Pradesh (1.5), Jammu & Kashmir (1.5), Himachal Pradesh (1.5), Kerala (1.5), Maharashtra (1.5), Punjab (1.5), Telangana (1.5), Karnataka (1.6), Odisha (1.8), Uttarakhand (1.8), Gujarat (2.0), Haryana (2.0) and Assam (2.1). Chart 49 presents levels of TFR by residence for India and bigger States/UTs. Distribution of bigger States/UTs by values of TFR in rural and urban areas is shown in Chart 50.


#### **Statement 24**

#### **TFR (Total Fertility Rate) by residence, India and bigger States/UTs, 2020**


<b>India and bigger States/UTs</b>	<b>Total</b>	<b>Rural</b>	<b>Urban</b>
<b>India</b>	<b>2.0</b>	<b>2.2</b>	<b>1.6</b>
Andhra Pradesh	1.5	1.5	1.4
Assam	2.1	2.2	1.4
Bihar	3.0	3.1	2.3
Chhattisgarh	2.2	2.4	1.7
Delhi	1.4	1.4	1.4
Gujarat	2.0	2.2	1.7
Haryana	2.0	2.2	1.7
Himachal Pradesh	1.5	1.5	1.1
Jammu & Kashmir	1.5	1.6	1.1
Jharkhand	2.4	2.6	1.8
Karnataka	1.6	1.7	1.4
Kerala	1.5	1.5	1.5
Madhya Pradesh	2.6	2.8	1.9
Maharashtra	1.5	1.6	1.4
Odisha	1.8	1.9	1.2
Punjab	1.5	1.6	1.4
Rajasthan	2.4	2.5	2.0
Tamil Nadu	1.4	1.4	1.5
Telangana	1.5	1.6	1.5
Uttar Pradesh	2.7	2.9	2.3
Uttarakhand	1.8	1.8	1.7
<b>West Bengal</b>	<b>1.4</b>	<b>1.5</b>	<b>1.1</b>

Note: Rounded off to one decimal point.

**Chart 49: Total Fertility Rate (TFR) by Residence, India and bigger States/UTs**



**Chart 50: Distribution of bigger States/UTs by values of TFR for rural and urban areas, 2020**



3.19 Statement 25 below presents the percentage change in the average level of TFR between the periods 2008-10 and 2018-20 in India and bigger States/UTs. During the period TFR has declined by 19.2 percent at the National level. Such decline was 17.9 percent in Rural areas and 10.5 percent in Urban areas. Among the bigger States/UTs, the decline in TFR varies from 31.8 percent in Jammu & Kashmir to 5.9 percent in Kerala. All bigger States/UTs have shown decline in both rural and urban areas.

3.20 Charts 51, 52 and 53 depict the average TFR and corresponding percent change between 2008-10 and 2018-20 of India and bigger States/UTs for Total, Rural and Urban areas respectively. Chart 54 shows the trend in year-wise TFR from 1985 to 2020 by Residence for India.


#### **Statement 25**

#### **Percent change in average TFR (Total Fertility Rate) between 2008-10 and 2018-20 by Residence, India and bigger States/UTs**


India and bigger States/UTs	Total			Rural			Urban		
	2008-10	2018-20	% Change	2008-10	2018-20	% Change	2008-10	2018-20	% Change
<b>India</b>	<b>2.6</b>	<b>2.1</b>	<b>-19.2</b>	<b>2.8</b>	<b>2.3</b>	<b>-17.9</b>	<b>1.9</b>	<b>1.7</b>	<b>-10.5</b>
Andhra Pradesh	1.8	1.6	-11.1	2.0	1.6	-20.0	1.6	1.4	-12.5
Assam	2.6	2.2	-15.4	2.8	2.3	-17.9	1.6	1.5	-6.3
Bihar	3.6	3.1	-13.9	3.8	3.2	-15.8	2.5	2.4	-4.0
Chhattisgarh	3.0	2.3	-23.3	3.2	2.5	-21.9	2.0	1.8	-10.0
Delhi	2.0	1.4	-30.0	2.1	1.5	-28.6	1.9	1.4	-26.3
Gujarat	2.5	2.1	-16.0	2.8	2.3	-17.9	2.1	1.8	-14.3
Haryana	2.4	2.1	-12.5	2.6	2.3	-11.5	2.1	1.8	-14.3
Himachal Pradesh	1.9	1.6	-15.8	1.9	1.6	-15.8	1.3	1.1	-15.4
Jammu & Kashmir	2.2	1.5	-31.8	2.4	1.7	-29.2	1.4	1.1	-21.4
Jharkhand	3.2	2.4	-25.0	3.5	2.6	-25.7	2.1	1.8	-14.3
Karnataka	2.0	1.6	-20.0	2.2	1.7	-22.7	1.7	1.5	-11.8
Kerala	1.7	1.6	-5.9	1.7	1.6	-5.9	1.8	1.6	-11.1
Madhya Pradesh	3.2	2.6	-18.8	3.4	2.9	-14.7	2.2	2.0	-9.1
Maharashtra	1.9	1.6	-15.8	2.1	1.7	-19.0	1.7	1.5	-11.8
Odisha	2.3	1.8	-21.7	2.5	1.9	-24.0	1.6	1.3	-18.8
Punjab	1.8	1.5	-16.7	1.9	1.6	-15.8	1.7	1.4	-17.6
Rajasthan	3.2	2.5	-21.9	3.5	2.6	-25.7	2.5	2.1	-16.0
Tamil Nadu	1.7	1.5	-11.8	1.8	1.5	-16.7	1.6	1.5	-6.3
Uttar Pradesh	3.6	2.8	-22.2	3.8	3.0	-21.1	2.8	2.3	-17.9
West Bengal	1.9	1.5	-21.1	2.0	1.6	-20.0	1.3	1.2	-7.7

Note: Andhra Pradesh, Jammu & Kashmir and Uttar Pradesh include Telangana, Ladakh and Uttarakhand respectively.


**Chart 51: Average Total fertility rate (TFR) and percentage change between 2008-10 and 2018-20,  
India and bigger States/UTs**




**Chart 52: Average Total fertility rate (TFR) and percentage change between 2008-10 and 2018-20,  
India and bigger States/UTs -RURAL**



**Chart 53: Average Total fertility rate (TFR) and percentage change between 2008-10 and 2018-20,  
India and bigger States/UTs-URBAN**



**Chart 54: Trend in Total Fertility Rate, 1985 - 2020 by Residence, India**




**3.21** Another refined measure of fertility which accounts for future mothers is the Gross Reproduction Rate (GRR). It measures the average number of female children a woman is expected to give birth during her entire reproductive span conforming to the age specific fertility rates (ASFRs) for a given year, if there is no mortality. The estimated value of GRR for India in the year 2020 is 0.9 and varies from 0.8 in urban areas to 1.0 in rural areas. Values of GRR by residence for India and bigger States/UTs for the year 2020 are presented below in Statement 26. Chart 55 presents levels of GRR by residence for India and bigger States/UTs.

**Statement 26**  
**GRR (Gross Reproduction Rate) by residence, India and bigger States/UTs,**  
**2020**

<b>India and bigger States/UTs</b>	<b>Total</b>	<b>Rural</b>	<b>Urban</b>
<b>India</b>	<b>0.9</b>	<b>1.0</b>	<b>0.8</b>
Andhra Pradesh	0.7	0.7	0.7
Assam	1.0	1.1	0.7
Bihar	1.4	1.4	1.1
Chhattisgarh	1.1	1.2	0.9
Delhi	0.6	0.8	0.6
Gujarat	0.9	1.0	0.8
Haryana	0.9	1.0	0.8
Himachal Pradesh	0.7	0.7	0.5
Jammu & Kashmir	0.7	0.8	0.5
Jharkhand	1.1	1.1	0.8
Karnataka	0.8	0.8	0.7
Kerala	0.8	0.7	0.8
Madhya Pradesh	1.2	1.3	0.9
Maharashtra	0.7	0.8	0.6
Odisha	0.8	0.9	0.6
Punjab	0.7	0.7	0.7
Rajasthan	1.2	1.2	1.0
Tamil Nadu	0.7	0.7	0.7
Telangana	0.7	0.7	0.6
Uttar Pradesh	1.3	1.4	1.1
Uttarakhand	0.8	0.8	0.8
West Bengal	0.7	0.7	0.5

**Chart 55: Gross Reproduction Rate (GRR) by Residence, India and bigger States/UTs, 2020**



## Marital Fertility

**3.22** Marriage is an important event in the social life of any population. In India, population censuses and large-scale demographic sample surveys invariably collect data on the marital status of population separately for males and females. Age at effective marriage of females is a key factor that influences fertility. Marital distribution of the population enumerated through SRS and the age at effective marriage of females has been discussed in Chapter 2. Based on the distribution of live births by age of married females, age specific marital fertility rates (ASMFRs) are calculated. Statement 27 below provides the estimates of the ASMFRs for India separately for rural and urban areas for the year 2020. Marital fertility is higher in rural areas than in urban areas in all the age groups. A perceptible decline in marital fertility is seen for females aged 30 years and above both in rural and urban areas. Chart 56 depicts ASMFRs by residence for India in 2020.


### Statement 27

#### ASMFRs (Age Specific Marital Fertility Rates) by residence, India, 2020

(Per thousand)

Age group	Total	Rural	Urban
15-19	353.0	361.2	318.2
20-24	339.1	350.0	306.5
25-29	199.3	206.2	183.9
30-34	95.1	98.4	88.8
35-39	38.1	41.2	32.1
40-44	12.6	14.5	9.2
45-49	5.2	5.6	4.4

**Chart 56: Age specific Marital Fertility Rates (ASMFRs) by Residence, India, 2020**



**3.23** Values of the Age Specific Marital Fertility Rates (ASMFR) for the year 2020 in bigger States/UTs are given below in Statement 28. There is significant decline in marital fertility for women aged 30 years onwards, for all major States/UTs.

### **Statement 28**

#### **ASMFRs (Age Specific Marital Fertility Rates), India and bigger States/UTs, 2020**

<b>India and bigger States/UTs</b>	<b>15-19</b>	<b>20-24</b>	<b>25-29</b>	<b>30-34</b>	<b>35-39</b>	<b>40-44</b>	<b>45-49</b>
<b>India</b>	<b>353.0</b>	<b>339.1</b>	<b>199.3</b>	<b>95.1</b>	<b>38.1</b>	<b>12.6</b>	<b>5.2</b>
Andhra Pradesh	276.9	289.4	142.8	49.5	14.4	4.6	3.2
Assam	554.9	289.7	185.4	116.6	57.3	17.1	6.4
Bihar	402.1	397.1	250.7	155.0	73.9	28.7	11.1
Chhattisgarh	316.6	372.4	219.7	92.8	37.1	13.8	1.1
Delhi	326.9	306.6	185.2	86.1	25.9	11.9	1.9
Gujarat	421.2	355.3	203.5	92.3	27.7	5.8	3.6
Haryana	247.0	339.4	210.7	82.5	25.0	8.0	3.4
Himachal Pradesh	311.7	235.1	173.7	76.4	23.4	7.6	0.5
Jammu & Kashmir	423.6	292.6	244.7	147.3	58.9	29.8	12.7
Jharkhand	480.5	429.1	228.7	95.7	55.6	24.8	18.3
Karnataka	217.6	237.7	157.1	78.3	25.0	5.0	4.2
Kerala	420.2	249.6	143.0	77.6	24.3	5.0	0.6
Madhya Pradesh	333.7	338.3	243.5	95.9	40.8	14.4	3.3
Maharashtra	250.3	350.0	171.9	62.7	19.6	4.4	2.0
Odisha	210.1	268.3	178.8	83.3	34.6	8.5	4.5
Punjab	274.4	267.8	194.8	90.0	33.2	8.9	4.0
Rajasthan	256.0	377.6	217.2	95.4	33.4	12.3	6.4
Tamil Nadu	255.0	290.9	176.8	61.5	16.2	3.8	0.6
Telangana	214.7	281.6	162.2	67.2	18.9	7.1	8.0
Uttar Pradesh	450.5	450.6	268.1	153.9	71.6	27.8	9.1
Uttarakhand	68.4	236.8	189.7	109.7	49.0	19.3	4.8
West Bengal	467.2	275.2	114.8	47.5	14.6	3.2	2.6


**3.24** Like TFR, Total Marital Fertility Rate (TMFR) is the cumulative value of age specific marital fertility rates at the end of the reproductive period. It indicates the average number of children expected to be born per married woman during the entire span of her reproductive period, if the ASMFs continue to be the same and if there is no mortality. The TMFRs worked out on the basis of ASMFs for the year 2020 are given below in Statement 29 for India and bigger States/UTs separately for rural and urban areas. The TMFR for India is found to be 5.2 and varies from 4.7 in urban areas to 5.4 in rural areas. Chart 57 presents the TMFRs by residence for India and bigger States/UTs.

### **Statement 29**

#### **TMFRs (Total Marital Fertility Rates) by residence, India and bigger States/UTs, 2020**

India and bigger States/UTs	Total	Rural	Urban
<b>India</b>	<b>5.2</b>	<b>5.4</b>	<b>4.7</b>
Andhra Pradesh	3.9	4.0	3.5
Assam	6.1	6.3	5.4
Bihar	6.6	6.7	6.2
Chhattisgarh	5.3	5.4	4.6
Delhi	4.7	4.8	4.7
Gujarat	5.5	5.7	5.2
Haryana	4.6	4.6	5.3
Himachal Pradesh	4.1	4.1	5.1
Jammu & Kashmir	6.0	6.5	3.7
Jharkhand	6.7	6.7	6.9
Karnataka	3.6	3.7	3.4
Kerala	4.6	4.6	4.6
Madhya Pradesh	5.3	5.6	4.3
Maharashtra	4.3	4.2	4.5
Odisha	3.9	4.0	3.6
Punjab	4.4	4.4	4.3
Rajasthan	5.0	5.0	4.8
Tamil Nadu	4.0	4.2	3.9
Telangana	3.8	3.8	3.9
Uttar Pradesh	7.2	7.1	7.6
Uttarakhand	3.4	3.3	4.6
West Bengal	4.6	4.8	4.1

**Chart 57: Total Marital Fertility Rate (TMFRs) by residence, India and bigger States/UTs, 2020**



**3.25** Statement 30 below presents the percentage change in the average level of TMFR between the period 2008-10 and 2018-20 in India and bigger States/UTs. Among the bigger States/UTs, Himachal Pradesh, Karnataka and Odisha have witnessed a decline of about 8.9%, 7.9% and 9.3% respectively. Charts 58, 59 and 60 depict the average TMFR and corresponding rate of change between 2008-10 and 2018-20 of India and bigger States/UTs for Total, Rural and Urban areas respectively.


### **Statement 30**

#### **Percentage change in average Total Marital Fertility Rate (TMFR) between 2008-10 and 2018-20, by residence, India and bigger States/UTs**


India and bigger States/UTs	Total			Rural			Urban		
	2008-10	2018-20	% Change	2008-10	2018-20	% Change	2008-10	2018-20	% Change
<b>India</b>	<b>4.3</b>	<b>5.1</b>	<b>18.6</b>	<b>4.5</b>	<b>5.2</b>	<b>15.6</b>	<b>3.8</b>	<b>4.6</b>	<b>21.1</b>
Andhra Pradesh	3.4	3.7	8.8	3.4	3.8	11.8	3.2	3.4	6.2
Assam	5.1	6.2	21.6	5.3	6.3	18.9	4.0	5.4	35.0
Bihar	5.2	6.5	25.0	5.3	6.5	22.6	4.5	6.3	40.0
Chhattisgarh	4.6	5.4	17.4	4.8	5.6	16.7	3.9	4.5	15.4
Delhi	4.0	4.6	15.0	4.1	4.9	19.5	4.0	4.6	15.0
Gujarat	4.0	5.5	37.5	4.2	5.6	33.3	3.6	5.2	44.4
Haryana	4.3	4.5	4.7	4.4	4.3	-2.3	4.0	5.4	35.0
Himachal Pradesh	4.5	4.1	-8.9	4.5	4.1	-8.9	4.0	3.4	-15.0
Jammu & Kashmir	5.2	5.8	11.5	5.5	6.4	16.4	4.3	3.8	-11.6
Jharkhand	4.9	6.5	32.7	5.1	6.5	27.5	4.2	7.1	69.0
Karnataka	3.8	3.5	-7.9	4.0	3.6	-10.0	3.5	3.3	-5.7
Kerala	3.7	4.8	29.7	3.7	4.6	24.3	3.6	5.0	38.9
Madhya Pradesh	4.8	5.2	8.3	4.9	5.4	10.2	4.0	4.2	5.0
Maharashtra	3.3	4.0	21.2	3.2	4.0	25.0	3.3	4.1	24.2
Odisha	4.3	3.9	-9.3	4.4	4.0	-9.1	3.7	3.6	-2.7
Punjab	4.1	4.4	7.3	4.1	4.5	9.8	4.1	4.3	4.9
Rajasthan	4.4	4.8	9.1	4.6	4.9	6.5	4.1	4.6	12.2
Tamil Nadu	3.9	3.9	0.0	4.0	4.1	2.5	3.8	3.8	0.0
Uttar Pradesh	5.6	6.7	19.6	5.6	6.6	17.9	5.5	7.5	36.4
West Bengal	3.4	4.8	41.2	3.5	5.0	42.9	3.1	4.1	32.3

Note: Andhra Pradesh, Jammu & Kashmir and Uttar Pradesh include Telangana, Ladakh and Uttarakhand respectively


**Chart 58: Average Total Marital fertility rate (TMFR) and percentage change between 2008-10 & 2018-20, India and bigger States/UTs**



**Chart 59: Average Total Marital fertility rate (TMFR) and percentage change between 2008-10 & 2018-20, India and bigger States/UTs - RURAL**



**Chart 60: Average Total Marital fertility rate (TMFR) and percentage change between 2008-10 & 2018-20, India and bigger States/UTs - URBAN**



### **Fertility by level of education of the women**

**3.26** Education, more precisely the female education, has a direct impact on fertility. To ascertain levels of fertility by educational status of the women, three indicators viz. general fertility rate, age-specific fertility rate and total fertility rate by educational status of the women have been worked out separately for rural and urban areas. These are discussed in the subsequent paragraphs.

**3.27** Statement 31 below indicates the percentage of female population in the age group 15-49 by level of education, at the National level and for the bigger States/UTs. At the National level, 10.8 percent of the female population is reported 'Illiterate' as against 89.2 percent in the 'Literate' category. About 19.4 percent have education up to Class X, 13.0 percent women have education level of Class XII, and only 9.9 percent have reported education level of Graduate and above. Among the illiterates, Kerala 0.4 has the lowest and Bihar 20.7 has the highest percentage of illiterate women in the age group 15-49.

### **Statement 31**

#### **Percentage of female population in the age group 15-49 by level of education, India and bigger States/UTs, 2020**

India and bigger States/UTs	Educational level of women								
	Illiterate	Literate							
		Total literate	Without any formal education	Below primary	Primary	Middle	Class X	Class XII	Graduate and above
<b>India</b>	<b>10.8</b>	<b>89.2</b>	<b>4.2</b>	<b>7.4</b>	<b>14.7</b>	<b>20.6</b>	<b>19.4</b>	<b>13.0</b>	<b>9.9</b>
Andhra Pradesh	11.3	88.7	4.5	7.6	14.9	17.4	23.5	12.8	8.1
Assam	8.3	91.7	4.5	10.8	19.4	27.3	19.5	6.9	3.4
Bihar	20.7	79.3	9.1	10.5	17.2	18.7	14.3	6.0	3.5
Chhattisgarh	12.3	87.7	3.5	6.6	15.5	24.5	18.1	12.2	7.2
Delhi	6.9	93.1	2.5	5.3	15.2	17.2	17.3	16.6	19.0
Gujarat	10.8	89.2	2.0	8.2	19.1	20.5	18.5	12.7	8.2
Haryana	8.6	91.4	4.7	10.3	13.6	17.6	20.2	15.0	10.1
Himachal Pradesh	1.2	98.8	1.0	1.9	7.2	12.1	23.4	34.9	18.3
Jammu & Kashmir	10.6	89.4	3.8	3.6	9.0	18.4	27.5	18.0	9.1
Jharkhand	18.8	81.2	6.5	7.9	16.0	21.5	16.1	8.0	5.3
Karnataka	3.9	96.1	2.0	5.2	12.2	21.6	29.7	14.7	10.7
Kerala	0.4	99.6	0.2	1.1	3.1	14.1	24.2	27.8	29.1
Madhya Pradesh	14.5	85.5	4.2	7.3	17.7	26.9	14.6	8.0	6.7
Maharashtra	3.0	97.0	2.5	5.3	12.1	20.8	26.6	17.8	12.1
Odisha	8.7	91.3	4.3	9.0	15.5	24.2	19.8	10.8	7.7
Punjab	6.0	94.0	2.1	4.7	10.3	15.3	25.6	21.6	14.4
Rajasthan	17.1	82.9	7.2	6.7	14.7	18.1	15.0	11.2	10.0
Tamil Nadu	2.4	97.6	1.3	4.9	9.7	16.2	23.9	21.0	20.5
Telangana	12.4	87.6	5.9	4.2	11.1	16.2	21.8	15.4	13.0
Uttar Pradesh	16.8	83.2	4.2	8.5	16.2	20.5	14.3	11.5	8.0
Uttarakhand	7.5	92.5	3.6	3.1	11.2	19.8	20.0	19.7	15.2
West Bengal	8.0	92.0	5.6	10.5	18.4	25.6	17.5	8.2	6.2

**3.28** Statement 32 below presents the estimates of General Fertility Rate (GFR) by educational status of the women for India and bigger States/UTs. It is apparent from the Statement that there is a difference between the GFRs of the Illiterate and Literate women with the latter depicting lower levels of GFR at the national level.

**Statement 32**  
**General Fertility Rate by level of education of women, India and bigger States/UTs, 2020**

India and bigger States/UTs	Educational level of women								
	Illiterate		Literate						
	Total literate	Without any formal education	Below primary	Primary	Middle	Class X	Class XII	Graduate and above	
<b>India</b>	<b>69.2</b>	<b>67.0</b>	<b>63.6</b>	<b>66.1</b>	<b>65.5</b>	<b>63.9</b>	<b>69.7</b>	<b>70.9</b>	<b>67.1</b>
Andhra Pradesh	24.6	54.1	30.3	44.2	42.9	42.7	71.9	60.8	58.9
Assam	54.8	71.4	41.7	68.0	75.0	74.5	73.9	74.8	54.4
Bihar	110.2	89.7	114.8	103.8	81.2	79.8	90.1	89.0	75.6
Chhattisgarh	39.3	80.2	36.2	87.0	80.1	75.4	85.3	93.9	76.1
Delhi	49.1	46.8	37.6	34.9	31.2	38.9	60.4	50.5	55.7
Gujarat	48.4	69.3	67.9	86.1	69.5	76.9	64.1	65.7	51.2
Haryana	52.6	71.6	71.0	64.2	57.6	55.9	82.9	89.4	76.5
Himachal Pradesh	36.1	51.4	28.3	26.1	25.4	28.2	40.5	59.1	80.0
Jammu & Kashmir	72.8	43.9	63.4	62.3	48.1	39.4	41.1	45.4	39.0
Jharkhand	74.8	77.9	69.2	74.6	65.3	80.2	95.2	83.9	60.1
Karnataka	31.3	55.8	39.9	49.6	55.9	60.8	53.8	53.3	60.3
Kerala	3.8	45.6	3.5	18.0	11.3	22.1	38.1	54.7	59.7
Madhya Pradesh	55.6	93.3	66.4	109.6	113.6	93.2	73.4	89.7	87.0
Maharashtra	36.1	52.4	38.7	29.8	40.0	42.4	67.3	61.4	48.8
Odisha	45.1	62.8	54.1	66.5	62.5	60.7	67.3	62.3	60.0
Punjab	32.1	50.8	39.4	44.2	53.8	50.8	46.2	49.3	63.0
Rajasthan	68.7	85.3	61.9	108.3	99.6	95.3	75.7	70.7	78.8
Tamil Nadu	12.7	48.5	17.7	17.8	23.5	27.2	48.1	58.7	76.6
Telangana	29.5	56.0	34.6	30.0	35.2	40.4	68.7	72.2	71.0
Uttar Pradesh	87.0	87.8	82.3	66.1	74.0	78.0	105.8	115.2	95.2
Uttarakhand	74.2	58.8	74.2	86.0	65.0	44.1	51.7	57.9	75.0
West Bengal	23.1	49.8	27.8	42.4	50.5	51.6	61.5	52.2	37.0


**3.29** Statement 33 below presents, at the National level, age specific fertility rates by level of education of women separately for rural and urban areas. Fertility attains the peak in the age-group 25-29 years both in the rural and urban areas for literate female population, whereas it attains peak in the age-group 20-24 years for illiterate female population in both rural and urban areas. On average, 'Illiterate' women have higher levels of age-specific fertility rates than the 'Literate'. Within the 'Literate' group, there is a general decline in the fertility rates with the increase in the educational status both in the rural and urban areas, barring a few exceptions. Charts 61, 62 and 63 depict the Age Specific Fertility Rate by level of education of women for Total, Rural and Urban areas respectively.

### **Statement 33**


#### **Age Specific Fertility Rate by level of education of women and residence, India, 2020**

Age group	Illiterate	Educational level of women							
		Literate							
		Total literate	Without any formal education	Below primary	Primary	Middle	Class X	Class XII	Graduate and above
<b>Total</b>									
15-19	33.9	11.0	20.0	10.5	10.6	9.6	11.3	15.6	0.0
20-24	213.4	110.9	169.0	179.2	154.7	118.1	101.1	79.5	92.2
25-29	190.3	136.3	158.4	162.0	160.2	152.8	145.8	114.7	101.4
30-34	109.5	81.2	84.5	86.8	80.2	79.7	82.7	82.3	77.4
35-39	53.1	31.9	38.8	39.3	30.5	28.5	30.2	33.3	30.5
40-44	17.7	10.0	11.9	13.3	11.4	9.5	8.3	8.9	7.8
45-49	7.4	3.8	4.0	5.0	3.2	5.0	2.0	2.2	4.8
<b>Rural</b>									
15-19	33.7	12.9	17.7	12.1	12.7	11.5	13.0	20.1	0.0
20-24	222.9	125.1	178.0	190.6	166.9	129.5	111.9	90.8	103.8
25-29	195.2	149.0	167.6	173.7	170.1	158.4	153.4	123.3	112.8
30-34	116.1	84.7	90.4	90.7	85.4	81.3	86.7	83.2	78.9
35-39	56.4	33.7	40.5	43.4	34.3	29.4	28.9	32.5	32.5
40-44	18.7	11.6	12.8	15.5	12.3	10.5	9.0	6.6	14.0
45-49	7.8	3.9	4.1	5.7	3.7	3.8	3.0	1.6	2.7
<b>Urban</b>									
15-19	34.8	6.4	29.8	5.5	4.9	4.6	7.7	9.1	0.0
20-24	174.3	80.3	134.1	133.8	112.6	83.6	77.1	63.0	82.0
25-29	167.4	113.6	121.4	121.7	131.0	137.1	130.1	102.2	93.5
30-34	77.0	75.5	61.0	74.3	65.9	76.1	76.5	81.0	76.7
35-39	36.0	29.0	32.0	25.5	20.9	26.7	32.1	34.1	29.7
40-44	13.4	7.9	8.7	6.3	9.4	7.8	7.5	10.6	5.9
45-49	5.6	3.6	3.9	2.7	2.0	7.0	1.1	2.6	5.3


**Chart 61: Age Specific Fertility Rate by Level of Education, India, 2020**



**Chart 62: Age Specific Fertility Rate by Level of Education, India, 2020 - RURAL**



**Chart 63: Age Specific Fertility Rate by Level of Education, India, 2020 - URBAN**




**3.30** Total fertility rates by education levels of the women for India and bigger States/UTs are presented below in Statement 34. At the National level, total fertility rate for the women having educational status 'Illiterate' for 2020 is 3.1. This is much higher than the 'Literate' group of women. Among the 'Literate' (1.9); there is, in general, a gradual decline of TFR with the increase in the level of education. Chart 64 presents, at the National level, total fertility rate by level of education of women separately for rural and urban areas for the year 2020. The TFR by levels of education of the women for India and bigger States/UTs by place of residence are given in Table-4.

#### **Statement 34**

##### **Total Fertility Rate by level of education of women, India and bigger States/UTs, 2020**

India and Bigger States/UTs	Educational level of women								
	Illiterate		Literate						
	Total literate	Without any formal education	Below primary	Primary	Middle	Class X	Class XII	Graduate and above	
<b>India</b>	<b>3.1</b>	<b>1.9</b>	<b>2.4</b>	<b>2.5</b>	<b>2.3</b>	<b>2.0</b>	<b>1.9</b>	<b>1.7</b>	<b>1.6</b>
Andhra Pradesh	1.7	1.5	2.3	2.5	1.9	1.4	1.7	1.2	1.2
Assam	2.2	2.1	1.3	2.5	2.3	2.2	2.1	1.9	1.5
Bihar	3.8	2.8	3.7	3.8	3.1	2.7	2.3	2.3	2.0
Chhattisgarh	2.3	2.2	3.0	3.4	2.7	2.2	2.4	2.1	2.0
Delhi	2.1	1.3	1.4	1.6	1.3	1.3	1.8	1.2	1.5
Gujarat	2.9	2.0	2.3	2.9	2.2	2.3	1.9	1.7	1.4
Haryana	2.7	2.0	2.1	2.6	2.4	2.0	2.1	1.9	1.9
Himachal Pradesh	1.7	1.5	1.4	1.5	1.6	1.4	1.5	1.5	1.7
Jammu & Kashmir	2.8	1.4	2.6	2.5	2.1	1.4	1.3	1.3	1.0
Jharkhand	3.0	2.3	2.5	3.7	2.7	2.3	2.0	2.5	1.8
Karnataka	2.0	1.6	2.4	2.5	2.2	2.0	1.5	1.3	1.4
Kerala	0.2	1.5	0.6	4.2	1.7	1.9	2.0	1.4	1.4
Madhya Pradesh	2.9	2.6	4.1	3.6	3.2	2.7	2.2	2.2	2.1
Maharashtra	2.2	1.5	1.6	1.5	1.8	1.5	1.8	1.4	1.3
Odisha	2.1	1.8	2.7	2.4	2.0	1.8	1.9	1.7	1.4
Punjab	1.8	1.5	1.5	1.8	2.1	1.8	1.6	1.3	1.4
Rajasthan	3.2	2.3	2.7	3.2	2.9	3.0	2.2	2.0	1.7
Tamil Nadu	1.6	1.4	1.8	1.6	1.5	1.3	1.6	1.5	1.5
Telangana	2.3	1.6	1.8	1.6	1.7	1.5	1.8	1.7	1.7
Uttar Pradesh	3.6	2.6	2.8	2.9	2.7	2.5	2.9	2.7	2.4
Uttarakhand	3.6	1.7	3.3	2.8	2.2	1.6	1.7	1.5	1.8
West Bengal	1.3	1.4	1.7	1.7	1.6	1.4	1.5	1.3	1.1

**Chart 64: Total Fertility Rate by Level of Education of Women by Residence, India, 2020**



## **Birth order**


**3.31** Information on order of the live birth and interval between current and previous live births are also collected in SRS from 1990 onwards. These provide useful information on spacing of children and level of fertility. The estimated percentages on order of live birth and birth interval for India and bigger States/UTs are given in Tables 5, 6 and 7. Based on these tables, State-wise comparative Statements are presented below.

**3.32** The percentage distribution of live births by birth order for India and bigger States/UTs for the year 2020 is presented below in Statement 35. It is observed 59.2 percent of the current live births in India are first order births, and 25.5 percent of total births are second order births. The fourth and higher order births account for 5.5 percent of the total births. Among the bigger States/UTs, the percentage share of first order birth varies from 40.3 percent in Bihar to 86.7 percent in Delhi. On the other hand, the percentage share of fourth and higher order births varies from 0.4 percent in Telangana to 14.8 percent in Bihar. Chart 65 shows the percentage distribution of current live births by birth order for India and bigger States/UTs.

**Statement 35**  
**Percentage distribution of current live births by Birth Order,  
India and bigger States/UTs, 2020**

<b>India and bigger States/UTs</b>	<b>Birth order</b>			
	<b>1<sup>st</sup></b>	<b>2<sup>nd</sup></b>	<b>3<sup>rd</sup></b>	<b>4<sup>th</sup> &amp; above</b>
<b>India</b>	<b>59.2</b>	<b>25.5</b>	<b>9.9</b>	<b>5.5</b>
Andhra Pradesh	59.4	35.0	4.8	0.8
Assam	60.2	25.4	10.1	4.3
Bihar	40.3	26.5	18.4	14.8
Chhattisgarh	47.7	31.4	14.5	6.4
Delhi	86.7	10.4	2.0	0.9
Gujarat	67.9	22.6	6.9	2.6
Haryana	54.9	27.1	11.2	6.9
Himachal Pradesh	60.2	32.1	5.8	1.8
Jammu & Kashmir	78.1	15.9	4.2	1.8
Jharkhand	60.4	19.9	13.2	6.5
Karnataka	54.7	34.3	8.7	2.4
Kerala	48.5	35.3	12.7	3.5
Madhya Pradesh	45.1	33.4	13.6	7.9
Maharashtra	69.2	23.3	5.8	1.7
Odisha	55.7	30.2	10.1	4.0
Punjab	69.7	22.9	5.8	1.6
Rajasthan	64.4	22.4	7.6	5.6
Tamil Nadu	58.9	33.4	6.8	0.9
Telangana	70.7	25.2	3.7	0.4
Uttar Pradesh	62.9	21.2	9.8	6.1
Uttarakhand	45.5	30.6	15.5	8.4
West Bengal	74.9	18.5	5.3	1.4

**Chart 65: Percentage distribution of current live births by Birth Order, India and bigger States/UTs, 2020**




**3.33** Statement 36 below presents the percentage distribution of current live births by birth order and residence for India and bigger States/UTs. It may be observed that the percentage of current live births for ‘first’ and ‘second’ order taken together is generally higher for urban areas if compared to the rural areas for bigger States/UTs except Jammu & Kashmir, Maharashtra and Uttarakhand. For ‘third’, ‘fourth & above’ order live births, the percentage contribution at National level is significantly higher in rural areas (17.6) compared to urban areas (9.6). Charts 66 and 67 depict the percentage distribution of current live births by birth order for rural and urban areas respectively.


**Statement 36**  
**Percentage distribution of current live births by Birth Order and residence,**  
**India and bigger States/UTs, 2020**

India and bigger states	Birth order							
	Rural				Urban			
	1st	2nd	3rd	4th & above	1st	2nd	3rd	4th & above
<b>India</b>	<b>56.9</b>	<b>25.6</b>	<b>11.0</b>	<b>6.6</b>	<b>65.4</b>	<b>25.1</b>	<b>6.9</b>	<b>2.7</b>
Andhra Pradesh	59.1	34.7	5.3	0.9	60.1	35.8	3.5	0.6
Assam	59.4	25.5	10.5	4.6	67.7	24.6	6.1	1.6
Bihar	39.3	26.5	18.7	15.5	48.6	27.2	15.2	9.0
Chhattisgarh	45.7	31.9	15.1	7.3	56.7	29.2	11.8	2.3
Delhi	73.7	20.3	6.0	0.0	87.1	10.2	1.9	0.9
Gujarat	66.0	23.1	7.3	3.6	70.9	21.8	6.1	1.2
Haryana	53.6	26.8	10.9	8.7	57.4	27.7	11.7	3.2
Himachal Pradesh	60.0	32.1	6.0	1.9	64.7	33.0	2.2	0.0
Jammu & Kashmir	79.7	14.7	3.5	2.1	73.1	19.6	6.7	0.6
Jharkhand	60.9	18.3	13.7	7.1	58.3	26.3	11.2	4.2
Karnataka	55.3	32.9	9.4	2.4	53.5	36.8	7.4	2.3
Kerala	48.2	34.9	13.5	3.3	48.8	35.7	11.9	3.6
Madhya Pradesh	43.8	32.8	14.6	8.8	50.2	35.5	9.8	4.5
Maharashtra	68.7	23.9	5.8	1.6	69.7	22.5	5.9	1.9
Odisha	55.0	29.9	10.8	4.2	60.0	32.1	5.5	2.5
Punjab	68.6	23.8	6.0	1.6	71.3	21.8	5.4	1.5
Rajasthan	62.0	23.6	8.2	6.2	72.2	18.4	5.7	3.7
Tamil Nadu	56.6	34.2	8.2	0.9	61.1	32.6	5.4	0.9
Telangana	71.9	23.5	4.0	0.5	68.8	27.9	3.1	0.3
Uttar Pradesh	60.7	21.7	10.7	6.9	70.8	19.4	6.6	3.3
Uttarakhand	46.4	29.9	15.5	8.2	43.0	32.8	15.4	8.8
West Bengal	74.1	19.0	5.6	1.2	77.2	16.7	4.2	1.9

**Chart 66: Percentage distribution of current live births by Birth Order, India and bigger States/UTs, 2020- RURAL**



**Chart 67: Percentage distribution of current live births by Birth Order, India and bigger States/UTs, 2020- URBAN**



## **Birth interval**


**3.34** The percentage distribution of second and higher order live births by interval between current and previous live birth is shown below in Statement 37 for India and bigger States/UTs for the year 2020. At the National level, 1.5 percent of the live births occur within one year from the previous live birth. Such percentage varies from almost 0 percent in Delhi to 3.2 percent in Haryana. The percentage of births beyond three years of birth interval from the previous live birth for India is 52.3. It varies from 43.0 percent in Bihar to 81.1 percent in West Bengal. Chart 68 presents the percentage distribution of second and higher order live births by interval for India and bigger States/UTs.

### **Statement 37**

#### **Percentage distribution of second and higher order live births by interval, India and bigger States/UTs, 2020**

<b>India and bigger States/UTs</b>	<b>Interval between current and previous live birth (in months)</b>			
	<b>10-12</b>	<b>12-24</b>	<b>24-36</b>	<b>36+</b>
<b>India</b>	<b>1.5</b>	<b>19.5</b>	<b>26.6</b>	<b>52.3</b>
Andhra Pradesh	1.0	20.7	28.6	49.7
Assam	0.4	9.8	17.1	72.7
Bihar	1.6	24.0	31.4	43.0
Chhattisgarh	0.1	18.3	27.9	53.7
Delhi	0.0	18.5	24.2	57.3
Gujarat	1.4	17.8	25.5	55.2
Haryana	3.2	23.4	26.0	47.4
Himachal Pradesh	1.1	14.5	23.8	60.6
Jammu & Kashmir	0.4	14.3	22.3	63.1
Jharkhand	1.3	14.3	30.8	53.6
Karnataka	1.0	23.1	32.1	43.8
Kerala	0.5	12.2	19.5	67.8
Madhya Pradesh	2.1	27.1	31.4	39.3
Maharashtra	0.5	16.2	23.8	59.4
Odisha	0.8	9.1	19.3	70.9
Punjab	2.1	14.2	22.1	61.5
Rajasthan	1.4	21.7	28.8	48.2
Tamil Nadu	1.4	19.9	27.4	51.3
Telangana	1.7	29.5	24.8	44.0
Uttar Pradesh	2.3	19.0	25.1	53.6
Uttarakhand	0.4	14.6	24.6	60.4
West Bengal	1.9	4.6	12.5	81.1

**Chart 68: Percentage distribution of second and higher order live births by interval, India and bigger States/UTs, 2020**




**3.35** Statement 38 below presents the percentage distribution of second and higher order live births by interval between current and previous live birth separately for rural and urban areas. At the National level, 1.6 percent of live births have been reported within an interval of one year for rural areas and 1.2 percent in urban areas. More than 75 percent of births have birth interval of 24 and more months both in rural and urban areas. Charts 69 and 70 give the percentage distribution of second and higher order live births by interval for rural and urban areas respectively.

### **Statement 38**


#### **Percentage distribution of second and higher order live births by interval and residence, India and bigger States/UTs, 2020**

India and bigger States/UTs	Interval between current and previous live birth (in months)							
	Rural				Urban			
	10-12	12-24	24-36	36+	10-12	12-24	24-36	36+
<b>India</b>	<b>1.6</b>	<b>20.4</b>	<b>27.6</b>	<b>50.3</b>	<b>1.2</b>	<b>16.5</b>	<b>23.2</b>	<b>59.1</b>
Andhra Pradesh	1.2	20.2	28.7	49.8	0.3	21.8	28.3	49.6
Assam	0.3	9.9	18.0	71.8	0.9	8.7	7.5	82.9
Bihar	1.6	23.9	31.8	42.8	1.9	25.1	28.1	44.9
Chhattisgarh	0.1	18.7	27.0	54.2	0.0	16.2	32.6	51.1
Delhi	0.0	7.7	61.5	30.8	0.0	19.1	22.1	58.8
Gujarat	1.6	18.4	29.3	50.7	1.1	16.8	18.8	63.2
Haryana	3.9	27.2	26.1	42.9	1.9	15.2	25.9	57.1
Himachal Pradesh	1.1	14.7	24.7	59.4	0.0	10.4	6.3	83.3
Jammu & Kashmir	0.5	18.2	24.3	57.0	0.0	4.6	17.3	78.2
Jharkhand	1.1	14.4	32.0	52.5	2.1	14.0	26.1	57.8
Karnataka	1.3	23.7	34.6	40.4	0.4	22.1	27.7	49.8
Kerala	0.2	12.8	18.4	68.6	0.8	11.5	20.7	67.0
Madhya Pradesh	2.2	29.9	32.8	35.2	1.9	15.2	25.5	57.5
Maharashtra	0.3	18.7	25.4	55.6	0.8	13.0	21.8	64.4
Odisha	0.7	8.1	19.7	71.4	0.8	16.7	16.0	66.4
Punjab	2.2	15.6	22.1	60.1	2.0	12.1	22.1	63.8
Rajasthan	1.0	22.3	31.0	45.7	3.0	18.6	18.6	59.8
Tamil Nadu	1.2	25.7	28.8	44.3	1.6	14.0	25.9	58.5
Telangana	1.4	32.6	25.5	40.5	2.1	25.1	23.8	48.9
Uttar Pradesh	2.6	19.4	25.6	52.4	0.7	16.9	22.8	59.7
Uttarakhand	0.5	14.3	27.5	57.7	0.2	15.5	16.5	67.8
West Bengal	2.3	4.1	12.2	81.5	0.6	6.3	13.6	79.5

**Chart 69: Percentage distribution of second and higher order live births by interval, India and bigger States/UTs, 2020- RURAL**



**Chart 70: Percentage distribution of second and higher order live births by interval, India and bigger States/UTs, 2020- URBAN**



## Medical attention at delivery


**3.36** While recording details of every outcome of pregnancy during continuous enumeration and half yearly survey, the enumerators and supervisors are required to enquire about the type of medical attention received by the mother at the time of delivery/abortion of the new born. Statement 39 below gives the percentage distribution of live births recorded in the year 2020 by type of medical attention received by the mother at the time of delivery for India and bigger States/UTs separately by rural and urban areas. At the National level, 54.6 percent births were attended by Government Hospitals and vary from 54.0 percent in rural areas to 56.3 percent in urban areas. Among the bigger States/UTs, it varies from 40.2 percent in Punjab to 70.9 percent in Rajasthan. About 28.0 percent of births occurred at Private Hospital. Medical attention by qualified professionals constitutes 9.7 percent of total deliveries whereas untrained and others constitute 7.8 percent. More than three fourth of deliveries are occurring in institutions. Charts 71, 72 and 73 depict the percentage distribution of live births by type of Medical Attention received by the mother for Total, Rural and Urban areas respectively.

### Statement 39


#### Percentage distribution of live births by type of Medical Attention received by the mother at delivery by residence, India and bigger States/UTs, 2020

India and bigger States/UTs	Govt. Hospital			Private Hospital			Qualified Professional			Untrained functionary and others		
	Total	Rural	Urban	Total	Rural	Urban	Total	Rural	Urban	Total	Rural	Urban
India	54.6	54.0	56.3	28.0	24.2	38.7	9.7	11.6	4.4	7.8	10.3	0.7
Andhra Pradesh	53.8	56.8	46.1	43.8	40.0	53.8	2.2	3.0	0.1	0.1	0.2	0.0
Assam	55.3	54.2	64.1	28.0	27.5	32.5	12.1	13.1	3.3	4.6	5.1	0.2
Bihar	46.5	45.7	52.6	24.3	22.5	39.1	10.7	11.2	6.5	18.5	20.6	1.7
Chhattisgarh	50.0	47.2	61.5	27.3	26.9	28.9	17.1	19.1	8.6	5.6	6.7	1.0
Delhi	64.1	66.4	64.1	31.8	30.8	31.8	4.0	2.6	4.0	0.1	0.2	0.1
Gujarat	47.3	49.5	44.0	47.6	42.5	55.6	4.5	7.2	0.3	0.5	0.9	0.0
Haryana	44.4	46.3	40.6	41.5	37.8	48.7	13.0	14.5	9.9	1.1	1.3	0.8
Himachal Pradesh	61.1	60.0	80.3	18.2	18.3	16.4	17.1	17.9	3.0	3.5	3.7	0.3
Jammu & Kashmir	70.3	66.8	81.4	19.1	20.2	15.9	6.4	7.6	2.5	4.2	5.5	0.2
Jharkhand	40.3	38.4	53.2	22.0	19.5	39.0	16.7	18.7	3.6	21.0	23.5	4.1
Karnataka	66.3	70.2	60.3	31.4	26.2	39.3	2.0	3.1	0.2	0.4	0.5	0.2
Kerala	44.7	50.0	39.4	55.2	49.8	60.4	0.1	0.1	0.1	0.1	0.0	0.1
Madhya Pradesh	57.4	53.9	70.3	26.1	25.7	27.5	9.5	11.6	1.9	7.0	8.8	0.4
Maharashtra	55.9	55.0	57.1	41.4	40.6	42.6	2.4	3.9	0.2	0.4	0.5	0.1
Orissa	63.3	62.1	70.9	18.0	17.1	23.3	9.1	9.6	5.3	9.7	11.1	0.5
Punjab	40.2	40.6	39.6	49.8	45.7	55.7	9.5	12.9	4.5	0.5	0.8	0.2
Rajasthan	70.9	70.4	72.7	17.8	16.8	21.6	9.6	10.8	5.4	1.7	2.0	0.3
Tamil Nadu	61.6	65.8	57.3	34.6	26.8	42.6	3.6	7.0	0.1	0.2	0.4	0.0
Telangana	50.2	53.1	45.4	44.4	39.8	52.2	3.1	4.5	0.8	2.3	2.6	1.6
Uttar Pradesh	48.5	47.9	51.0	19.2	16.0	31.8	18.4	19.1	15.8	13.9	17.0	1.3
Uttarakhand	52.1	53.7	47.4	21.4	17.2	33.1	18.0	19.0	15.0	8.5	10.0	4.4
West Bengal	68.0	68.1	67.7	18.2	15.0	27.5	6.2	7.2	3.3	7.6	9.7	1.5


**Chart 71: Distribution of Live births by type of Medical Attention received by Mother at delivery, India and bigger States/UTs, 2020**



**Chart 72: Distribution of Live births by type of Medical Attention received by Mother at delivery, India and bigger States/UTs, 2020 - RURAL**



**Chart 73: Distribution of Live births by type of Medical Attention received by Mother at delivery, India and bigger States/UTs, 2020 - URBAN**



## **CHAPTER – 4**

### **ESTIMATES OF MORTALITY INDICATORS**

Mortality is one of the basic components of population change and the related data is essential for demographic studies and public health administration. It is the principal ingredient for population projections and life tables. Information on death events recorded in SRS is used to estimate mortality indicators. The various measures of mortality published under SRS are Crude Death Rate (CDR), Under-five Mortality Rate (U5MR), Infant Mortality Rate (IMR) and its components, Age Specific Mortality Rates (ASMR), Still Birth Rate (SBR) and Peri-Natal Mortality Rate (PMR).

**4.2** SRS has continued to provide data for estimating various mortality measures since its inception. The crude death rate at all India level has declined significantly from 14.9 to 12.5 during 1971 to 1981 and thereafter from 9.8 to 6.0 during 1991 to 2020. The decline has been steeper in rural areas as compared to urban areas. The infant mortality rate, which plays an important role in health planning, has shown a considerable decline from 129 per 1000 live births in 1971 to 110 in 1981 and from 80 in 1991 to 28 in 2020. The child mortality rate has depicted a perceptible decline from 51.9 in 1971 to 41.2 in 1981 and from 26.5 in 1991 to 8.0 in 2020. In 2020, about 48.8 percent of the deaths were institutional.

**4.3** Apart from the all India scenario, this chapter presents data on mortality indicators for bigger States/UTs by sex, residence and broad age-groups. Besides Under-five mortality rate, it includes data on infant mortality and its components viz., neo-natal mortality and post neo-natal, peri-natal mortality and changes in mortality over the last decade. It also includes data on medical attention before death.

**4.4** Apart from the mortality indicators at State and National levels, this report also includes estimates of death rates at sub-State, viz. NSS Natural Division Level. The Table 11 in the annexure to this report contains data on death rate and infant mortality rate besides birth rate for 71 Natural Divisions of 22 bigger States/UTs.


**4.5** The following Statement 40 below provides the Crude Death Rate (CDR) by residence for India and States/UTs for the year 2020. Although the death rate has been estimated for all the States/UTs of India, the other mortality indicators are presented only for Bigger States/UTs in the report. The CDR at national level is 6.0 varying from 6.4 in rural to 5.1 in urban areas. Chhattisgarh has the highest death rate in rural areas (8.4) followed by Punjab (8.3); whereas Kerala has the highest death rate in urban areas (7.1). The lowest CBR was recorded in rural areas of Mizoram (3.8) and in urban areas of Dadra and Nagar Haveli and Daman and Diu (3.3). Based on the figures in the Statement 14 given below, the graphical representation of birth rate of States/UTs by residence is depicted in Chart 74. The estimated age-specific death rate by sex and residence for India and bigger States/UTs has been detailed in Table 8.

### Statement 40


#### CDR (Crude Death Rates) by residence, India and bigger States/UTs, 2020

India and bigger States/UTs	Total	Rural	Urban
<b>India</b>	<b>6.0</b>	<b>6.4</b>	<b>5.1</b>
Andhra Pradesh	6.3	7.0	4.9
Assam	6.2	6.4	5.4
Bihar	5.4	5.5	5.2
Chhattisgarh	7.9	8.4	6.3
Delhi	3.6	4.1	3.5
Gujarat	5.6	6.0	5.0
Haryana	6.1	6.5	5.5
Jammu & Kashmir	4.6	4.9	4.1
Jharkhand	5.2	5.5	4.5
Karnataka	6.2	7.1	4.8
Kerala	7.0	7.0	7.1
Madhya Pradesh	6.5	6.8	5.6
Maharashtra	5.5	6.2	4.6
Odisha	7.3	7.5	6.5
Punjab	7.2	8.3	5.7
Rajasthan	5.6	5.8	5.1
Tamil Nadu	6.1	7.2	5.1
Telangana	6.0	7.2	4.2
Uttar Pradesh	6.5	6.8	5.4
Uttarakhand	6.3	6.7	5.1
West Bengal	5.5	5.3	5.8
<b>Smaller States</b>			
Arunachal Pradesh	5.7	5.9	4.4
Goa	5.9	6.3	5.5
Himachal Pradesh	6.8	7.0	4.4
Manipur	4.3	4.0	4.8
Meghalaya	5.3	5.5	4.4
Mizoram	4.2	3.8	4.6
Nagaland	3.7	3.9	3.5
Sikkim	4.1	4.3	3.7
Tripura	5.7	5.4	6.5
<b>Smaller UTs</b>			
A & N Islands	5.8	6.8	4.5
Chandigarh	3.9	4.0	3.8
Dadra and Nagar Haveli and	3.7	4.7	3.3
Ladakh	5.0	5.2	4.4
Puducherry	5.4	7.2	5.0
Lakshadweep	6.5	7.5	6.1

**Chart 74: CDR (Crude Death Rate) by Residence, India and States/UTs, 2020**



**Chart 75: Distribution of bigger States/UTs  
by values of death rate for rural and urban areas, 2020**



**4.6** Statement 41 given below shows the percentage change in the level of Crude Death Rate between the period 2008-10 and 2018-20 for India and bigger States/UTs. During this period CDR in India has declined by 16.4 percent. In Kerala, average CDR have shown marginal increase during 2008-10 to 2018-20 period, which could possibly be due to the changes in age structure of the population. . Charts 76, 77 and 78 depict the average birth rate between 2008-10 and 2018-20 of India and bigger States/UTs for Total, Rural and Urban areas respectively along with respective rate of change. Chart 79 shows the year-wise birth rate from 1985 to 2020 by Residence for India.

### **Statement 41**


#### **Percentage change in average Crude Death Rate between 2008-10 and 2018-20, by residence, India and bigger States/UTs**

India and bigger States/UTs	Total			Rural			Urban		
	2008-10	2018-20	% Change	2008-10	2018-20	% Change	2008-10	2018-20	% Change
<b>India</b>	<b>7.3</b>	<b>6.1</b>	<b>-16.4</b>	<b>7.8</b>	<b>6.5</b>	<b>-16.7</b>	<b>5.8</b>	<b>5.1</b>	<b>-12.1</b>
Andhra Pradesh*	7.6	6.3	-17.1	8.5	7.2	-15.3	5.6	4.6	-17.9
Assam	8.4	6.3	-25.0	8.8	6.5	-26.1	5.7	5.2	-8.8
Bihar	7.0	5.6	-20.0	7.2	5.7	-20.8	5.8	5.2	-10.3
Chhattisgarh	8.1	7.7	-4.9	8.4	8.2	-2.4	6.4	6.3	-1.6
Delhi	4.5	3.4	-24.4	4.9	3.9	-20.4	4.4	3.4	-22.7
Gujarat	6.8	5.7	-16.2	7.7	6.1	-20.8	5.5	5.2	-5.5
Haryana	6.7	6.0	-10.4	7.1	6.5	-8.5	5.7	5.0	-12.3
Himachal Pradesh	7.2	6.8	-5.6	7.4	7.1	-4.1	4.6	4.4	-4.3
Jammu & Kashmir <sup>#</sup>	5.7	4.7	-17.5	6.0	5.0	-16.7	4.8	4.1	-14.6
Jharkhand	7.0	5.3	-24.3	7.5	5.6	-25.3	5.3	4.5	-15.1
Karnataka	7.3	6.2	-15.1	8.3	7.1	-14.5	5.4	4.8	-11.1
Kerala	6.8	7.0	2.9	6.9	7.0	1.4	6.5	7.0	7.7
Madhya Pradesh	8.5	6.6	-22.4	9.2	6.9	-25.0	6.0	5.6	-6.7
Maharashtra	6.6	5.4	-18.2	7.5	6.2	-17.3	5.4	4.5	-16.7
Odisha	8.8	7.3	-17.0	9.2	7.5	-18.5	6.8	6.1	-10.3
Punjab	7.1	6.8	-4.2	7.8	8.0	2.6	5.9	5.2	-11.9
Rajasthan	6.7	5.7	-14.9	6.9	6.0	-13.0	6.1	5.0	-18.0
Tamil Nadu	7.6	6.2	-18.4	8.3	7.4	-10.8	6.6	5.1	-22.7
Uttar Pradesh	8.2	6.5	-20.7	8.6	6.9	-19.8	6.5	5.3	-18.5
Uttarakhand	6.4	6.1	-4.7	6.7	6.5	-3.0	5.3	5.2	-1.9
West Bengal	6.2	5.5	-11.3	6.1	5.4	-11.5	6.4	5.7	-10.9


\* Andhra Pradesh includes Telangana.

# Jammu & Kashmir includes Ladakh


**Chart 76: Average Death rate between 2008-10 & 2018-20 and percentage change,  
India and bigger States/UTs**




**Chart 77: Average Death rate between 2008-10 & 2018-20 and percentage change,  
India and bigger States/UTs -RURAL**



**Chart 78: Average Death rate between 2008-10 & 2018-20 and percentage change,  
India and bigger States/UTs - URBAN**



**Chart 79: Death Rate 1985 - 2020 by Residence, India**




**4.7** Statement 42 given below presents the estimated Crude Death Rate for India by residence separately for males and females. It is observed that female death rate is lower than male death rate both in rural and urban areas. Chart 80 represents the crude death rate by sex and residence for India.

#### **Statement 42**

##### **Crude Death Rate by sex and residence, India, 2020**

Residence	Total	Males	Females
Total	6.0	6.6	5.4
Rural	6.4	7.0	5.8
Urban	5.1	5.7	4.5




**4.8** Crude death rates for males and females in the bigger States/UTs are shown below in Statement 43. It is observed that male death rate exceeds female death rate in all bigger States/UTs except Jharkhand. The death rate by sex for all the States/UTs for the year 2020 has been brought out in the ‘SRS Bulletin 2020’.

### **Statement 43**

#### **Crude Death Rate by sex, India and bigger States/UTs, 2020**

India and bigger States/UTs	Total	Males	Females
<b>India</b>	<b>6.0</b>	<b>6.6</b>	<b>5.4</b>
Andhra Pradesh	6.3	7.1	5.6
Assam	6.2	6.7	5.8
Bihar	5.4	5.4	5.4
Chhattisgarh	7.9	8.6	7.2
Delhi	3.6	4.0	3.1
Gujarat	5.6	6.2	4.9
Haryana	6.1	7.1	5.0
Himachal Pradesh	6.8	8.1	5.5
Jammu & Kashmir	4.6	5.5	3.7
Jharkhand	5.2	5.0	5.5
Karnataka	6.2	7.1	5.3
Kerala	7.0	8.3	5.9
Madhya Pradesh	6.5	7.2	5.8
Maharashtra	5.5	6.1	4.8
Odisha	7.3	7.9	6.8
Punjab	7.2	7.9	6.3
Rajasthan	5.6	6.3	4.9
Tamil Nadu	6.1	7.1	5.1
Telangana	6.0	6.6	5.3
Uttar Pradesh	6.5	6.7	6.2
Uttarakhand	6.3	7.0	5.5
West Bengal	5.5	6.2	4.7

**Chart 81: Crude Death Rates by sex, India and bigger States/UTs, 2020**



**4.9** Statement 44 given below provides the percentage distribution of deaths by broad age groups for India and bigger States/UTs. At the National level, 9.1 percent of the deaths are of infant deaths (<1 year) whereas 57.0 percent of the deaths pertain to persons aged 60 years and above. Toddlers (1-4 years) account for 0.9 percent of the deaths. The percentage of infant deaths to total deaths varies from a low 1.2 percent in Kerala to a high of 16.0 percent in Madhya Pradesh. Percentage contribution of deaths from persons aged 60 years and above varies from 47.1 in Assam to 71.5 in Kerala. The percentage distribution of deaths to total deaths, by residence, sex and age-group at the National level and for the bigger States/UTs are given in Table 10.


#### **Statement 44**

##### **Percentage distribution of deaths by broad age groups, India and bigger States/UTs, 2020**

India and bigger States/UTs	Broad age-groups					
	<1	1-4	0-4	5-14	15-59	60+
<b>India</b>	<b>9.1</b>	<b>0.9</b>	<b>10.0</b>	<b>1.2</b>	<b>31.8</b>	<b>57.0</b>
Andhra Pradesh	5.9	0.4	6.3	0.8	34.0	58.9
Assam	12.1	1.0	13.1	0.6	39.2	47.1
Bihar	12.7	1.2	14.0	2.0	25.0	59.1
Chhattisgarh	10.6	0.6	11.3	1.2	36.1	51.3
Delhi	4.8	0.8	5.6	0.5	36.1	57.8
Gujarat	7.8	0.3	8.2	1.0	32.4	58.4
Haryana	9.2	1.2	10.4	1.5	32.6	55.5
Himachal Pradesh	3.9	1.2	5.1	0.8	24.0	70.2
Jammu & Kashmir	5.2	0.2	5.5	0.9	34.7	59.0
Jharkhand	10.4	0.6	11.0	2.2	35.5	51.3
Karnataka	5.1	0.5	5.6	1.3	35.0	58.1
Kerala	1.2	0.4	1.6	0.9	26.0	71.5
Madhya Pradesh	16.0	2.1	18.1	1.7	29.6	50.5
Maharashtra	4.3	0.7	5.0	1.1	31.9	62.0
Odisha	8.6	0.6	9.2	1.0	29.7	60.1
Punjab	3.6	0.5	4.2	0.7	33.1	62.1
Rajasthan	13.4	2.3	15.8	1.0	29.9	53.3
Tamil Nadu	2.9	0.2	3.0	0.7	31.6	64.7
Telangana	5.9	0.3	6.2	1.0	37.1	55.8
Uttar Pradesh	14.6	1.4	16.0	1.3	32.9	49.8
Uttarakhand	6.5	0.5	6.9	0.6	34.3	58.2
West Bengal	5.0	0.7	5.8	1.0	29.3	63.9

Note: Total may not add up to 100 due to rounding off.

**Chart 82: Distribution of deaths by broad age groups India and bigger States/UTs, 2020**




**4.10** The percentage share of infant deaths to total deaths by residence is shown below in Statement 45 for India and bigger States/UTs. At the National level, such share in the year 2020 is 9.1 percent and varies from 10.3 percent in rural areas to 6.0 percent in urban areas. In rural areas, Kerala registered 0.8 percent, the lowest percentage share of infant deaths as compared to 17.9 in Madhya Pradesh. In urban areas, the variation is from 1.6 percent in Kerala to 11.5 percent in Uttar Pradesh.

### **Statement 45**

#### **Percentage of Infant Deaths to total deaths by residence India and bigger States/UTs, 2020**

India and bigger States/UTs	Total	Rural	Urban
<b>India</b>	<b>9.1</b>	<b>10.3</b>	<b>6.0</b>
Andhra Pradesh	5.9	6.0	5.5
Assam	12.1	13.2	4.4
Bihar	12.7	13.1	10.0
Chhattisgarh	10.6	11.1	8.5
Delhi	4.8	7.6	4.7
Gujarat	7.8	9.3	5.7
Haryana	9.2	10.1	7.5
Himachal Pradesh	3.9	4.0	2.6
Jammu & Kashmir	5.2	5.8	3.6
Jharkhand	10.4	11.0	8.1
Karnataka	5.1	5.1	4.9
Kerala	1.2	0.8	1.6
Madhya Pradesh	16.0	17.9	9.8
Maharashtra	4.3	4.8	3.4
Odisha	8.6	9.1	5.6
Punjab	3.6	3.4	4.0
Rajasthan	13.4	14.7	9.4
Tamil Nadu	2.9	2.9	2.8
Telangana	5.9	5.7	6.3
Uttar Pradesh	14.6	15.5	11.5
Uttarakhand	6.5	6.2	7.3
West Bengal	5.0	5.8	3.4

**Chart 83: Percentage of Infant deaths to total deaths by residence,  
India and bigger States/UTs, 2020**




**4.11** Statement 46 given below presents Infant Mortality Rate (IMR) by sex and residence for the year 2020 for India and States/UTs.

**Statement 46**  
**Infant Mortality Rates by sex and residence, India and bigger States/UTs, 2020**


India and bigger States/UTs	Total			Rural			Urban		
	Total	Males	Females	Total	Males	Females	Total	Males	Females
<b>India</b>	<b>28</b>	<b>28</b>	<b>28</b>	<b>31</b>	<b>31</b>	<b>32</b>	<b>19</b>	<b>19</b>	<b>18</b>
Andhra Pradesh	24	24	24	26	27	26	18	18	18
Assam	36	35	37	39	37	40	17	17	17
Bihar	27	26	29	27	26	29	25	23	27
Chhattisgarh	38	35	41	40	35	44	31	34	28
Delhi	12	12	12	20	26	15	12	12	12
Gujarat	23	24	21	27	28	25	17	18	15
Haryana	28	29	27	31	32	29	23	23	23
Himachal Pradesh*	17	23	12	18	23	12	15	12	18
Jammu & Kashmir	17	16	18	18	17	19	13	12	14
Jharkhand	25	24	26	26	25	27	21	19	23
Karnataka	19	18	20	21	20	22	16	15	17
Kerala	6	10	3	4	6	2	9	15	3
Madhya Pradesh	43	44	43	47	47	46	30	30	29
Maharashtra	16	15	15	20	19	20	11	11	10
Odisha	36	35	36	37	36	37	28	29	26
Punjab	18	18	19	19	19	20	17	17	17
Rajasthan	32	31	33	35	33	37	23	26	20
Tamil Nadu	13	13	13	15	15	16	10	11	10
Telangana	21	21	22	24	25	24	17	16	18
Uttar Pradesh	38	37	38	40	39	41	28	29	27
Uttarakhand	24	24	24	25	25	24	24	23	25
West Bengal	19	20	18	19	20	18	17	17	18
<b>Smaller States*</b>									
Arunachal Pradesh	21	19	22	22			13		
Goa	5	7	3	7			3		
Manipur	6	5	6	6			5		
Meghalaya	29	27	30	30			16		
Mizoram	3	1	4	3			3		
Nagaland	4	3	5	7			NA		
Sikkim	5	5	5	8			1		
Tripura	18	18	17	18			17		
<b>Smaller UTs*</b>									
A & N Islands	7	3	10	7			6		
Chandigarh	8	2	15	9			8		
DNH and D&D	16	16	16	15			11		
Ladakh	16	16	16	17			12		
Puducherry	9	7	11	19			5		
Lakshadweep	6	8	4	8			5		

\*Based on three-year period 2018-20


**Chart 84: Infant mortality rates by sex, India and States/UTs, 2020**




**Chart 85: Infant mortality rates by sex, India and bigger States/UTs, 2020 - RURAL**



**Chart 86: Infant mortality rates by sex, , India and bigger States/UTs, 2020, -URBAN**



**Chart 87: Distribution of bigger States/UTs by Infant mortality rate for rural and urban areas, 2020**



**4.12** The percentage change in the average level of infant mortality between 2008-10 and 2018-20 is given below in Statement 47. During this period, IMR, at the National level, declined by 40.2 percent. Among the bigger States/UTs, the decline varies from 63.2 percent in Delhi to 26.5 percent in Chhattisgarh. In the rural areas, decline in IMR varies from 76.0 percent in Delhi to 25.4 percent in Chhattisgarh. In urban areas, the highest decline in IMR during the period has been 61.8 percent in Delhi.

#### **Statement 47**


##### **Percent change in average Infant Mortality Rates between 2008-10 and 2018-20 by residence, India and bigger States/UTs**

India and Bigger States/UTs	Total			Rural			Urban		
	2008- 10	2018- 20	% Change	2008- 10	2018- 20	% Change	2008- 10	2018- 20	% Change
<b>India</b>	<b>50.3</b>	<b>30.1</b>	<b>-40.2</b>	<b>55.0</b>	<b>33.6</b>	<b>-38.9</b>	<b>33.6</b>	<b>20.7</b>	<b>-38.4</b>
Andhra Pradesh*	48.9	25.3	-48.3	54.3	28.4	-47.7	34.7	19.0	-45.2
Assam	60.9	39.1	-35.8	63.4	41.5	-34.5	37.3	18.6	-50.1
Bihar	51.7	29.4	-43.1	52.7	29.7	-43.6	40.0	27.2	-32.0
Chhattisgarh	53.9	39.6	-26.5	55.1	41.1	-25.4	46.0	33.1	-28.0
Delhi	32.6	12.0	-63.2	38.8	9.3	-76.0	31.4	12.0	-61.8
Gujarat	47.1	25.1	-46.7	55.0	29.6	-46.2	32.6	18.2	-44.2
Haryana	50.6	28.4	-43.9	54.4	31.0	-43.0	40.4	23.5	-41.8
Himachal Pradesh	43.0	18.7	-56.5	44.0	18.9	-57.0	28.3	14.4	-49.1
Jammu & Kashmir <sup>#</sup>	45.8	19.6	-57.2	48.0	20.5	-57.3	34.3	16.6	-51.6
Jharkhand	44.1	27.3	-38.1	46.3	28.3	-38.9	30.7	23.0	-25.1
Karnataka	41.4	21.0	-49.3	46.6	22.7	-51.3	30.7	18.0	-41.4
Kerala	12.2	6.5	-46.7	12.8	6.7	-47.7	10.3	6.3	-38.8
Madhya Pradesh	66.5	45.9	-31.0	70.9	49.4	-30.3	44.7	32.6	-27.1
Maharashtra	30.6	17.5	-42.8	36.7	21.6	-41.1	21.7	12.2	-43.8
Odisha	65.0	37.6	-42.2	67.2	38.8	-42.3	45.7	29.5	-35.4
Punjab	37.6	19.2	-48.9	41.5	20.0	-51.8	30.5	18.0	-41.0
Rajasthan	58.9	34.8	-40.9	65.1	37.8	-41.9	34.6	24.7	-28.6
Tamil Nadu	27.7	14.1	-49.1	29.5	16.7	-43.4	25.3	11.7	-53.8
Uttar Pradesh	63.6	40.6	-36.2	66.9	43.1	-35.6	46.6	31.4	-32.6
Uttarakhand	41.1	27.4	-33.3	44.4	27.8	-37.4	25.5	26.4	3.5
West Bengal	33.0	20.2	-38.8	34.4	20.7	-39.8	26.9	18.4	-31.6


\* Andhra Pradesh includes Telangana.

# Jammu & Kashmir includes Ladakh


**Chart 88: Average Infant Mortality Rate between 2008-10 & 2018-20 and percent change,  
India and bigger States/UTs**



**Chart 89: Average Infant Mortality Rate between 2008-10 & 2018-20 and percent change,  
India and bigger States/UTs -RURAL**



**Chart 90: Average Infant Mortality Rate between 2008-10 & 2018-20 and percent change,  
India and bigger States/UTs - URBAN**



**4.13** Statement 48 given below presents the neo-natal (less than 29 days) mortality rate and the percentage of neo-natal deaths to infant deaths for the year 2020 both at the National and State levels. At the National level, the neo-natal mortality rate is 20 and ranges from 12 in urban areas to 23 in rural areas. Among the bigger States/UTs, neo-natal mortality ranges from 4 in Kerala to 31 in Madhya Pradesh. The percentage of neo-natal deaths to total infant deaths is 71.9 percent at the National level and varies from 62.4 percent in urban areas to 74.1 percent in rural areas. Among the bigger States/UTs, Odisha (77.7 percent) registered the highest percentage of neo-natal deaths to infant deaths and the lowest in Assam (53.0 percent).


### **Statement 48**

#### **Neo-Natal Mortality Rates and percentage share of Neo-Natal Deaths to Infant Deaths by residence, India and bigger States, 2020**


India and Bigger States/UTs	Neo-natal mortality rate			Percentage of Neo-natal deaths to Infant deaths		
	Total	Rural	Urban	Total	Rural	Urban
<b>India</b>	<b>20</b>	<b>23</b>	<b>12</b>	<b>71.9</b>	<b>74.1</b>	<b>62.4</b>
Andhra Pradesh	17	21	8	70.3	77.7	45.4
Assam	19	20	10	53.0	52.6	61.7
Bihar	21	22	17	77.7	79.0	66.6
Chhattisgarh	26	28	20	68.8	69.3	65.9
Delhi	9	12	9	71.3	60.0	71.8
Gujarat	16	20	9	68.7	73.6	56.8
Haryana	19	22	15	68.6	70.3	64.2
Himachal Pradesh*	13	13	10	72.7	73.0	66.5
Jammu & Kashmir	12	12	10	71.1	70.5	73.9
Jharkhand	17	19	11	68.8	71.8	53.2
Karnataka	14	18	8	74.7	85.0	50.5
Kerala	4	3	6	66.4	66.0	66.7
Madhya Pradesh	31	34	19	70.8	71.8	64.8
Maharashtra	11	15	6	70.2	75.3	58.3
Odisha	28	29	20	77.6	78.2	72.1
Punjab	12	12	12	65.7	63.7	69.0
Rajasthan	23	26	14	71.5	73.6	60.7
Tamil Nadu	9	12	6	70.5	78.6	59.6
Telangana	15	17	13	71.8	68.7	79.0
Uttar Pradesh	28	31	18	74.1	76.1	63.8
Uttarakhand	17	17	18	71.0	70.1	73.8
West Bengal	14	15	11	72.9	76.1	61.5

\*Based on three-year period 2018-20


**Chart 91: Neo-natal mortality rates and percentage share of neo-natal deaths to infant deaths, India and bigger States/UTs, 2020**



**Chart 92: Neo-natal mortality rates and percentage share of neo-natal deaths to infant deaths, India and bigger States/UTs, 2020 - RURAL**



**Chart 93: Neo-natal mortality rates and percentage share of neo-natal deaths to infant deaths by residence, India and bigger States/UTs, 2020 - URBAN**



**4.14** Early neo-natal mortality rate, i.e. number of infant deaths less than seven days of life per thousand live births, forms an important component of infant mortality rate and more specifically of the neo-natal mortality rate. Statement 49 given below presents the early neo-natal mortality rate along with the percentage of early neo-natal deaths to the total infant deaths. At the National level, the early neo-natal mortality rate for the year 2020 has been estimated at 15 and ranges from 17 in rural areas to 9 in urban areas. Among the bigger States/UTs, early neonatal mortality rate ranges from 4 in Kerala to 23 in Madhya Pradesh. The percentage of early neo-natal deaths to the total infant deaths during the year 2020, at the National level, has been 53.3 and it varies from 54.7 in rural areas to 46.8 in urban areas. In this indicator, in most of the States, rural proportion is relatively higher than the urban proportion except for Chhattisgarh, Delhi, Kerala, Madhya Pradesh, Punjab and Uttarakhand. Among the bigger States/UTs, the percentage for total varies from 39.6 in Assam to 60.7 in Delhi.


#### **Statement 49**

##### **Early Neo-Natal Mortality rates and percentage share of Early Neo-Natal Deaths to Infant Deaths by residence, India and bigger States/UTs, 2020**


India and Bigger States/UTs	Early neo-natal mortality rate			Percentage of Early neo-natal deaths to Infant deaths		
	Total	Rural	Urban	Total	Rural	Urban
<b>India</b>	<b>15</b>	<b>17</b>	<b>9</b>	<b>53.3</b>	<b>54.7</b>	<b>46.8</b>
Andhra Pradesh	13	15	6	52.6	57.9	35.1
Assam	14	15	6	39.6	39.6	38.1
Bihar	16	17	12	59.5	60.9	47.4
Chhattisgarh	20	20	18	51.9	50.5	59.5
Delhi	6	8	6	49.0	40.0	49.4
Gujarat	11	14	8	50.5	51.5	48.1
Haryana	14	17	10	51.4	54.4	43.7
Himachal Pradesh*	10	10	6	54.9	55.6	41.3
Jammu & Kashmir	8	8	6	47.3	48.3	42.9
Jharkhand	13	15	8	53.6	56.4	39.3
Karnataka	11	13	6	55.5	61.8	40.8
Kerala	4	2	6	60.7	48.9	66.7
Madhya Pradesh	23	25	16	52.8	52.5	54.6
Maharashtra	8	11	5	50.8	54.1	43.1
Odisha	21	22	14	58.1	58.8	52.3
Punjab	9	9	9	46.8	44.6	50.3
Rajasthan	16	18	11	50.4	50.6	49.0
Tamil Nadu	6	9	4	50.0	56.6	41.1
Telangana	10	13	7	48.4	51.3	41.8
Uttar Pradesh	21	23	13	54.8	56.5	45.9
Uttarakhand	13	12	15	51.7	48.1	62.1
West Bengal	10	11	8	54.2	56.9	44.7

\*Based on three-year period 2018-20


**Chart 94: Early neo-natal mortality rates and percentage share of early neo-natal deaths to infant deaths, India and bigger States/UTs, 2020**



**Chart 95: Early neo-natal mortality rates and percentage share of early neo-natal deaths to infant deaths, India and bigger States/UTs, 2020 - RURAL**



**Chart 96: Early neo-natal mortality rates and percentage share of early neo-natal deaths to infant deaths, India and bigger States/UTs, 2020 - URBAN**



**4.15** Statement 50 given below presents the peri-natal mortality rate and still birth rate for the year 2020 by residence, for India and bigger States/UTs. Peri-natal mortality rate (PMR) is defined as the number of still births and infant deaths of less than 7 days per one thousand live births (LB) and still births (SB) taken together during the year. The still birth rate (SBR) is estimated as the ratio of the number of still births per one thousand live births (LB) and still births (SB) during the year. At the National level, peri-natal mortality rate has been estimated to be 18 and ranges from 21 in rural areas to 12 in urban areas. Among the bigger States/UTs, Delhi (6) and Odisha (30) are the extremes. The estimate of still birth rate for the year 2020, at the National level is 3. Among the bigger States/UTs, the highest level of still birth rate has been estimated for Odisha (10). Still births are extremely difficult to capture and there is a room for considerable improvement in netting the events.


### **Statement 50**

#### **Peri-Natal Mortality Rates and Still Birth Rates by residence, India and bigger States/UTs, 2020**


India and Bigger States/UTs	Peri-natal mortality rate			Still birth rate		
	Total	Rural	Urban	Total	Rural	Urban
<b>India</b>	<b>18</b>	<b>21</b>	<b>12</b>	<b>3</b>	<b>4</b>	<b>3</b>
Andhra Pradesh	14	16	9	1	1	3
Assam	17	18	8	3	3	2
Bihar	17	18	12	1	1	1
Chhattisgarh	26	26	24	6	6	6
Delhi	6	8	6	0	0	0
Gujarat	15	18	11	4	4	3
Haryana	21	23	17	7	6	7
Himachal Pradesh*	13	14	10	4	4	4
Jammu & Kashmir	11	11	10	3	2	4
Jharkhand	15	16	10	2	2	2
Karnataka	14	17	9	3	4	2
Kerala	8	6	10	4	4	4
Madhya Pradesh	28	30	20	5	6	4
Maharashtra	11	14	6	3	4	1
Odisha	30	32	20	10	10	6
Punjab	12	11	13	3	3	4
Rajasthan	20	21	16	4	4	5
Tamil Nadu	8	11	5	2	3	1
Telangana	13	14	11	2	1	4
Uttar Pradesh	24	27	15	4	4	2
Uttarakhand	18	17	20	6	6	6
West Bengal	15	15	11	4	5	4

\*Based on three-year period 2018-20

**Chart 97: Perinatal Mortality Rates, India & bigger States/UTs, 2020**



**Chart 98: Still Birth Rates , India & bigger States/UTs, 2020**




**4.16** Percentage share of deaths to children below age five to total deaths by residence for India and bigger States/UTs is shown below in Statement 51. At the National level, such percentage is 10.0 and it varies from 11.4 in rural areas to 6.5 in urban areas. Among the bigger States/UTs, the variation is from 1.6 in Kerala to 18.1 in Madhya Pradesh. In rural areas, it varies from 1.0 in Kerala to 20.3 in Madhya Pradesh, and in urban areas, it is 2.2 in Kerala to 12.5 in Uttar Pradesh.

### **Statement 51**

#### **Percentage of Deaths in the age group 0-4 years to total Deaths by residence, India and bigger States/UTs, 2020**

India and bigger States/UTs	Total	Rural	Urban
<b>India</b>	<b>10.0</b>	<b>11.4</b>	<b>6.5</b>
Andhra Pradesh	6.3	6.4	6.1
Assam	13.1	14.3	4.9
Bihar	14.0	14.4	10.7
Chhattisgarh	11.3	11.9	8.6
Delhi	5.6	7.6	5.6
Gujarat	8.2	9.7	5.9
Haryana	10.4	11.6	8.1
Himachal Pradesh	5.1	5.2	3.4
Jammu & Kashmir	5.5	6.0	3.9
Jharkhand	11.0	11.6	8.6
Karnataka	5.6	5.7	5.4
Kerala	1.6	1.0	2.2
Madhya Pradesh	18.1	20.3	10.8
Maharashtra	5.0	5.7	3.7
Odisha	9.2	9.8	6.1
Punjab	4.2	4.1	4.3
Rajasthan	15.8	17.3	10.6
Tamil Nadu	3.0	3.1	3.0
Telangana	6.2	5.8	7.0
Uttar Pradesh	16.0	16.9	12.5
Uttarakhand	6.9	6.6	8.2
West Bengal	5.8	6.7	3.9

**Chart 99: Percentage of deaths in the age group 0-4 years to total deaths,  
India and bigger States/UTs, 2020**




**4.17** The death rates for children below age 5 by residence are given below in Statement 52 separately for males and females. At the National level, child mortality rate is estimated at 8.0 and it varies from 9.0 in rural areas to 5.3 in urban areas. Among the bigger States/UTs, this varies from 1.8 in Kerala to 13.3 in Madhya Pradesh. Charts 100 to 102 depict the estimated death rate for children aged 0-4 years by sex for India and Bigger States/UTs, for total, rural and urban areas respectively.

### **Statement 52**


#### **Estimated Death Rates for Children aged 0-4 years by sex and residence India and bigger States/UTs, 2020**

India and bigger States/UTs	Total			Rural			Urban		
	Total	Male	Female	Total	Male	Female	Total	Male	Female
<b>India</b>	<b>8.0</b>	<b>7.9</b>	<b>8.1</b>	<b>9.0</b>	<b>8.8</b>	<b>9.2</b>	<b>5.3</b>	<b>5.5</b>	<b>5.2</b>
Andhra Pradesh	7.6	7.9	7.3	8.3	8.6	7.9	6.0	6.2	5.9
Assam	9.8	9.2	10.4	10.5	9.9	11.1	4.2	3.5	4.9
Bihar	6.9	6.4	7.5	7.0	6.5	7.5	6.5	5.7	7.4
Chhattisgarh	10.4	9.5	11.2	11.0	9.9	12.1	7.6	7.8	7.3
Delhi	3.3	3.6	2.9	5.1	6.1	4.2	3.3	3.6	2.9
Gujarat	6.5	6.9	6.1	7.9	8.4	7.5	4.5	4.9	4.1
Haryana	8.2	7.9	8.4	9.2	9.1	9.3	6.2	5.6	6.8
Himachal Pradesh	5.9	7.8	3.9	6.2	8.3	3.9	3.0	1.5	4.5
Jammu & Kashmir	4.2	3.9	4.5	4.7	4.5	4.9	3.0	2.6	3.4
Jharkhand	6.7	6.8	6.6	6.9	7.1	6.6	6.1	5.5	6.8
Karnataka	5.0	4.9	5.2	5.7	5.5	6.0	3.9	4.0	3.9
Kerala	1.8	2.6	0.9	1.1	1.6	0.6	2.5	3.7	1.3
Madhya Pradesh	13.3	13.9	12.7	14.8	15.5	14.1	8.2	8.4	7.9
Maharashtra	3.8	3.7	3.8	4.5	4.3	4.8	2.6	2.8	2.4
Odisha	10.0	10.0	9.9	10.7	10.6	10.8	6.2	7.2	5.2
Punjab	5.3	4.8	5.8	5.8	5.0	6.8	4.5	4.5	4.4
Rajasthan	10.2	9.2	11.3	10.9	9.4	12.6	7.5	8.3	6.6
Tamil Nadu	3.3	3.3	3.3	3.5	3.4	3.7	3.0	3.2	2.8
Telangana	6.8	7.1	6.4	8.5	9.2	7.9	4.7	4.9	4.5
Uttar Pradesh	13.1	12.7	13.5	13.6	13.2	14.1	10.8	10.5	11.3
Uttarakhand	4.3	4.3	4.3	4.4	4.4	4.3	4.1	4.0	4.2
West Bengal	4.8	4.9	4.7	5.0	5.2	4.8	4.2	4.2	4.3


**Chart 100: Death rate for children age 0-4 years by sex,  
India and bigger States/UTs, 2020**



**Chart 101: Death rate for children age0-4 years by sex,  
India and bigger States/UTs, 2020 - RURAL**



**Chart 102: Death rate for children age0-4 years by sex,  
India and bigger States/UTs, 2020 - URBAN**



**4.18** The Under-five mortality rates by residence are given below in Statement 53 separately for males and females. At the National level, under-five mortality rate is estimated at 32 and it varies from 36 in rural areas to 21 in urban areas. Among the bigger States/UTs, it varies from 8 in Kerala to 51 in Madhya Pradesh. On an average, the Under-five mortality rates of female are higher than that of male except in Delhi, Gujarat, Haryana, Himachal Pradesh, Kerala, Madhya Pradesh, Tamil Nadu and West Bengal.


### **Statement 53**

#### **Under-Five Mortality Rates (U5MR) by sex and residence, India and bigger States/UTs, 2020**


India & bigger States/UTs	Total			Rural			Urban		
	Total	Male	Female	Total	Male	Female	Total	Male	Female
<b>India</b>	<b>32</b>	<b>31</b>	<b>33</b>	<b>36</b>	<b>34</b>	<b>37</b>	<b>21</b>	<b>22</b>	<b>21</b>
Andhra Pradesh	27	26	27	29	28	30	21	21	22
Assam	40	38	43	42	40	45	19	17	22
Bihar	30	28	33	31	28	33	27	25	30
Chhattisgarh	41	37	45	43	38	49	31	34	29
Delhi	14	16	13	20	26	15	14	15	13
Gujarat	24	25	23	28	29	27	17	18	16
Haryana	33	33	33	37	38	36	25	23	28
Himachal Pradesh*	24	28	19	24	29	19	18	14	23
Jammu & Kashmir	17	16	19	18	17	20	14	12	16
Jharkhand	27	26	28	28	27	28	22	20	25
Karnataka	21	21	22	23	22	24	18	18	17
Kerala	8	12	4	5	8	3	12	18	6
Madhya Pradesh	51	51	50	56	56	55	33	33	34
Maharashtra	18	18	19	23	22	24	12	12	11
Odisha	39	38	40	40	39	42	31	35	26
Punjab	22	20	24	24	20	29	18	19	17
Rajasthan	40	37	43	43	39	48	27	31	23
Tamil Nadu	13	13	13	16	15	17	11	12	11
Telangana	23	23	24	25	25	26	19	19	20
Uttar Pradesh	43	43	44	46	45	47	32	35	30
Uttarakhand	26	25	26	26	26	25	26	24	28
West Bengal	22	22	22	22	23	22	20	19	22

\*Based on three-year period 2018-20


**Chart 103: Under-five Mortality Rates (U5MR) by Sex, India & bigger States/UTs, 2020**



**Chart 104: Under-five Mortality Rates (U5MR) by Sex, India & bigger States/UT, 2020-  
RURAL**



**Chart 105: Under-five Mortality Rates (U5MR) by Sex, India & bigger States/UT, 2020 - URBAN**




**4.19** Death rates for children in the age group 5-14 are given below in Statement 54. As revealed by the data, at the National level, the death rate in this age group is estimated to be 0.4. Rural-urban differentials are small at the national level and for many States/UTs. Among the bigger States/UTs, the lowest death rate of 0.1 in this age group is registered in Delhi; and the highest in Jharkhand and Madhya Pradesh at 0.6.

#### **Statement 54**


##### **Death Rates for Children aged 5-14 years by sex and residence India and bigger States/UTs, 2020**

India and bigger States/UTs	Total			Rural			Urban		
	Total	Male	Female	Total	Male	Female	Total	Male	Female
<b>India</b>	<b>0.4</b>	<b>0.4</b>	<b>0.5</b>	<b>0.5</b>	<b>0.4</b>	<b>0.5</b>	<b>0.3</b>	<b>0.3</b>	<b>0.3</b>
Andhra Pradesh	0.4	0.4	0.3	0.4	0.5	0.3	0.4	0.4	0.4
Assam	0.2	0.1	0.3	0.1	0.1	0.2	0.6	0.5	0.8
Bihar	0.5	0.4	0.6	0.5	0.4	0.6	0.4	0.2	0.5
Chhattisgarh	0.5	0.1	0.9	0.5	0.1	1.0	0.4	0.2	0.7
Delhi	0.1	0.0	0.2	0.4	0.7	0.0	0.1	0.0	0.2
Gujarat	0.3	0.5	0.2	0.4	0.6	0.2	0.2	0.2	0.1
Haryana	0.5	0.5	0.5	0.6	0.5	0.7	0.4	0.5	0.2
Himachal Pradesh	0.4	0.5	0.2	0.4	0.5	0.2	0.3	0.5	0.0
Jammu & Kashmir	0.3	0.3	0.2	0.3	0.2	0.3	0.4	0.7	0.0
Jharkhand	0.6	0.5	0.7	0.6	0.5	0.8	0.4	0.4	0.5
Karnataka	0.5	0.6	0.4	0.3	0.3	0.4	0.8	1.1	0.4
Kerala	0.5	0.5	0.4	0.4	0.5	0.2	0.6	0.5	0.6
Madhya Pradesh	0.6	0.5	0.7	0.6	0.5	0.8	0.3	0.2	0.4
Maharashtra	0.4	0.4	0.4	0.3	0.2	0.5	0.5	0.6	0.4
Odisha	0.5	0.5	0.5	0.5	0.5	0.5	0.3	0.2	0.5
Punjab	0.3	0.4	0.3	0.3	0.4	0.2	0.4	0.4	0.5
Rajasthan	0.3	0.2	0.4	0.4	0.3	0.5	0.0	0.0	0.0
Tamil Nadu	0.3	0.3	0.3	0.4	0.3	0.5	0.3	0.3	0.2
Telangana	0.4	0.3	0.5	0.3	0.2	0.4	0.5	0.6	0.5
Uttar Pradesh	0.4	0.4	0.5	0.5	0.5	0.5	0.2	0.1	0.2
Uttarakhand	0.2	0.1	0.4	0.3	0.1	0.4	0.1	0.0	0.2
West Bengal	0.4	0.5	0.2	0.4	0.6	0.3	0.2	0.2	0.2


**Chart 106: Death rates for children aged 5-14 years by sex,  
India and bigger States/UT, 2020**



**Chart 107: Death rates for children aged 5-14 years by sex,  
India and bigger States/UT, 2020 - RURAL**



**Chart 108: Death rates for children aged 5-14 years by sex,  
India and bigger States/UT, 2020 - URBAN**




**4.20** Death rates in the age group 15-59, by sex and residence, are given below in Statement 55. At the National level, death rate in this age group is estimated to be 2.9 and it varies from 3.1 in rural areas to 2.4 in urban areas. The female death rate is lower than that of males in all the bigger States/UTs, except Jharkhand, in 2020.

### **Statement 55**


#### **Death Rates for persons aged 15-59 years by sex and residence India and bigger States/UTs, 2020**

India and bigger States/UTs	Total			Rural			Urban		
	Total	Male	Female	Total	Male	Female	Total	Male	Female
<b>India</b>	<b>2.9</b>	<b>3.4</b>	<b>2.3</b>	<b>3.1</b>	<b>3.6</b>	<b>2.5</b>	<b>2.4</b>	<b>2.9</b>	<b>1.9</b>
Andhra Pradesh	3.0	3.6	2.4	3.5	4.2	2.7	2.1	2.3	1.8
Assam	3.6	3.9	3.4	3.8	4.0	3.6	2.7	3.1	2.3
Bihar	2.2	2.3	2.2	2.2	2.3	2.2	2.1	2.1	2.2
Chhattisgarh	4.3	5.0	3.7	4.7	5.3	4.0	3.4	3.8	2.9
Delhi	1.8	2.2	1.4	2.1	2.3	1.7	1.8	2.2	1.4
Gujarat	2.7	3.3	2.0	2.8	3.7	2.0	2.5	2.8	2.2
Haryana	2.9	4.1	1.6	3.0	4.3	1.6	2.8	3.9	1.6
Himachal Pradesh	2.4	2.9	1.9	2.5	3.0	2.0	1.3	1.4	1.3
Jammu & Kashmir	2.3	2.8	1.7	2.7	3.4	2.0	1.3	1.6	1.0
Jharkhand	2.9	2.8	2.9	3.0	2.9	3.2	2.4	2.7	2.1
Karnataka	3.1	4.1	2.1	3.4	4.4	2.3	2.7	3.6	1.7
Kerala	2.7	3.8	1.8	2.8	3.6	2.1	2.7	4.1	1.5
Madhya Pradesh	3.0	3.5	2.4	3.1	3.6	2.6	2.6	3.3	1.9
Maharashtra	2.6	3.3	1.8	2.8	3.7	1.9	2.3	2.8	1.7
Odisha	3.2	3.7	2.8	3.3	3.6	2.9	3.0	4.1	2.0
Punjab	3.4	4.3	2.3	3.9	5.2	2.5	2.7	3.3	2.0
Rajasthan	2.6	3.3	1.9	2.7	3.4	1.9	2.3	2.8	1.8
Tamil Nadu	2.8	3.8	1.8	3.3	4.5	2.1	2.3	3.2	1.5
Telangana	3.1	3.9	2.3	4.0	5.2	2.8	1.7	1.9	1.5
Uttar Pradesh	3.2	3.4	3.0	3.4	3.6	3.2	2.7	2.8	2.6
Uttarakhand	3.4	4.3	2.4	3.7	4.7	2.7	2.6	3.3	1.8
West Bengal	2.3	2.8	1.8	2.2	2.6	1.7	2.6	3.0	2.1


**Chart 109: Death rates for Persons aged 15-59 years by sex,  
India and bigger States/UT, 2020**



**Chart 110: Death rates for Persons aged 15-59 years by sex,  
India and bigger States/UT, 2020 - RURAL**



**Chart 111: Death rates for Persons aged 15-59 years by sex,  
India and bigger States/UT, 2020-URBAN**




**4.21** Death rates for persons aged 60 years and above by sex and residence are given below in Statement 56. At the National level, death rate in this age group is estimated to be 42.3 and males have higher mortality rate (46.6) than females (38.1). This difference exists in both rural and urban areas. The death rate for this age group, among the bigger States/UTs, varies from 30.6 in Jammu & Kashmir to 59.2 in Chhattisgarh.

### **Statement 56**


#### **Death Rates for persons aged 60 years and above by sex and residence, India and bigger States/UTs, 2020**

India and bigger States/UTs	Total			Rural			Urban		
	Total	Male	Female	Total	Male	Female	Total	Male	Female
<b>India</b>	<b>42.3</b>	<b>46.6</b>	<b>38.1</b>	<b>45.3</b>	<b>50.7</b>	<b>40.2</b>	<b>36.3</b>	<b>38.8</b>	<b>33.7</b>
Andhra Pradesh	39.8	42.6	36.8	40.1	42.1	37.8	39.0	43.9	33.8
Assam	46.5	49.8	42.6	48.4	52.5	43.8	38.3	38.9	37.4
Bihar	52.0	52.3	51.6	54.3	54.6	54.1	40.2	41.3	39.0
Chhattisgarh	59.2	69.9	49.9	60.3	70.6	51.5	54.9	67.2	43.9
Delhi	32.3	36.0	28.5	37.5	48.3	26.8	32.1	35.7	28.5
Gujarat	39.4	46.1	33.5	40.3	48.8	33.1	38.1	42.5	34.0
Haryana	47.4	53.9	41.0	49.2	57.8	40.8	44.2	47.1	41.4
Himachal Pradesh	43.5	52.7	35.0	43.9	53.2	35.4	37.3	45.9	28.2
Jammu & Kashmir	30.6	35.9	25.1	31.4	36.3	26.2	29.1	35.1	22.9
Jharkhand	42.7	41.5	43.9	46.4	45.0	47.8	33.1	32.8	33.5
Karnataka	44.5	49.4	40.0	50.0	59.0	42.2	34.7	33.5	36.0
Kerala	39.1	45.6	33.7	38.3	44.4	33.3	39.9	46.9	34.1
Madhya Pradesh	46.4	53.6	39.6	47.2	54.1	40.6	44.3	52.0	36.8
Maharashtra	38.0	41.7	34.5	40.0	44.1	36.2	35.0	38.2	31.6
Odisha	42.3	43.9	40.5	41.5	43.3	39.5	47.3	47.7	46.9
Punjab	44.8	47.7	41.8	48.3	49.4	47.1	39.3	45.0	33.3
Rajasthan	42.1	53.6	32.7	42.5	57.0	31.2	40.9	44.9	37.3
Tamil Nadu	33.8	36.6	31.0	44.8	49.6	40.1	25.7	27.4	24.0
Telangana	41.5	42.1	40.8	40.1	41.7	38.4	44.8	42.9	47.0
Uttar Pradesh	47.2	52.3	42.3	49.0	55.6	42.8	41.6	42.7	40.5
Uttarakhand	43.7	51.0	37.3	43.8	53.0	36.0	43.3	44.7	41.8
West Bengal	41.2	45.8	36.6	45.5	53.5	38.2	34.6	35.3	33.7


**Chart 112: Death rates for Persons aged 60 years and above by sex,  
India and bigger States/UT, 2020**



**Chart 113: Death rates for Persons aged 60 years and above by sex,  
India and bigger States/UT, 2020 - RURAL**



**Chart 114: Death rates for Persons aged 60 years and above by sex,  
India and bigger States/UT, 2020 - URBAN**



## Medical attention before death


**4.22** The type of medical attention received before death is also collected in the SRS. In the new samples from 2004 onwards, the options on types of medical attention received before death have been modified to capture the deaths occurred specifically at private hospital/nursing homes. The options include ‘Government Hospital’, ‘Private Hospital’, ‘Qualified professional’, ‘Untrained functionary’ and ‘others’. The options for the sample based on 1991 sample were ‘Institutional’; ‘Medical attention other than institution’; and ‘No medical attention’. Statement 57 given below presents the percentage distribution of deaths by type of medical attention received before death for India and bigger States/UTs separately for rural and urban areas for the year 2020. At the National level, 29.9 percent of the deaths occurred at Government Hospitals and varies from 27.9 percent in rural areas to 35.9 percent in urban areas. Among the bigger States/UTs, Himachal Pradesh 51.8 has the highest percentage of deaths in Government Hospitals and Punjab (20.9) has the lowest. Deaths in private hospitals account for 18.9 percent and it varies from 12.1 percent in Jammu & Kashmir and West Bengal to 37.4 percent in Kerala. About 18.0 percent deaths were attended by untrained functionaries and others.

### Statement 57


#### Percent distribution of deaths by Type of Medical Attention received before death by residence, India and bigger States/UTs, 2020

India and bigger States/UTs	Government Hospital			Private Hospital			Qualified professional			Untrained functionary & others		
	Total	Rural	Urban	Total	Rural	Urban	Total	Rural	Urban	Total	Rural	Urban
<b>India</b>	<b>29.9</b>	<b>27.9</b>	<b>35.9</b>	<b>18.9</b>	<b>16.7</b>	<b>25.6</b>	<b>33.2</b>	<b>33.9</b>	<b>31.1</b>	<b>18.0</b>	<b>21.5</b>	<b>7.5</b>
Andhra Pradesh	26.4	24.7	32.4	22.4	20.7	28.5	32.4	32.4	32.4	18.9	22.2	6.7
Assam	21.4	19.8	30.9	15.9	15.6	17.5	51.6	52.1	48.8	11.1	12.5	2.8
Bihar	21.0	19.9	28.4	13.0	11.4	23.8	40.9	41.0	40.0	25.2	27.7	7.8
Chhattisgarh	25.9	22.6	42.5	15.1	14.0	20.4	27.1	27.1	27.2	31.9	36.3	9.9
Delhi	50.5	26.6	51.5	17.8	17.1	17.8	23.7	43.7	22.9	8.0	12.6	7.8
Gujarat	26.2	22.4	34.4	19.6	17.0	25.4	45.2	47.9	39.3	9.0	12.7	0.9
Haryana	22.2	21.9	22.8	17.4	16.5	19.2	49.9	50.8	47.8	10.6	10.8	10.2
Himachal Pradesh	51.8	52.3	42.4	16.4	15.8	28.1	28.4	28.8	21.0	3.4	3.1	8.5
Jammu & Kashmir 175	43.2	38.7	62.2	12.1	11.6	14.2	32.4	34.5	23.2	12.3	15.1	0.3
Jharkhand	21.5	19.2	36.0	15.5	13.8	25.8	31.0	30.5	33.8	32.0	36.5	4.4
Karnataka	32.2	29.1	40.3	20.1	17.1	27.9	15.1	17.4	9.2	32.5	36.4	22.6
Kerala	43.3	47.0	40.3	37.4	40.8	34.6	16.0	6.9	23.3	3.4	5.3	1.8
Madhya Pradesh	38.3	35.4	47.7	19.5	17.2	26.8	25.7	25.8	25.2	16.5	21.6	0.3
Maharashtra	31.0	28.2	38.2	19.8	17.4	26.1	37.0	38.8	32.2	12.3	15.6	3.5
Odisha	30.7	29.8	37.4	18.6	18.4	20.4	15.0	14.6	17.8	35.6	37.2	24.4
Punjab	20.9	21.3	20.0	35.8	31.7	46.0	40.9	43.7	33.9	2.4	3.3	0.1
Rajasthan	35.8	35.2	38.2	14.4	13.2	18.8	34.8	34.3	36.8	14.9	17.3	6.2
Tamil Nadu	26.8	23.8	30.8	20.8	15.6	27.7	21.9	21.3	22.7	30.5	39.3	18.8
Telangana	24.3	22.4	29.9	21.2	18.7	28.4	34.9	35.3	33.7	19.7	23.6	8.0
Uttar Pradesh	30.0	30.2	29.3	20.7	18.9	28.6	39.3	39.0	40.9	9.9	11.9	1.2
Uttarakhand	32.8	33.1	31.5	23.5	22.6	27.0	36.7	36.3	38.0	7.1	8.0	3.5
West Bengal	34.0	30.7	42.3	12.1	9.8	17.8	40.4	40.7	39.8	13.4	18.8	0.1


**Chart 115: Distribution of deaths by Type of Medical Attention received before death,  
India & bigger States/UTs, 2020**



**Chart 116: Distribution of deaths by Type of Medical Attention received before death,  
India & bigger States/UTs, 2020 - RURAL**



**Chart 117: Distribution of deaths by Type of Medical Attention received before death,  
India & bigger States/UTs, 2020- URBAN**



## **DETAILED TABLES**

**Table 1****Percent distribution of estimated population by age-group, sex and residence, 2020**

Age group	Total			Rural			Urban		
	Total	Males	Females	Total	Males	Females	Total	Males	Females
<b>India</b>									
0-4	7.5	7.7	7.4	8.1	8.3	7.9	6.3	6.4	6.1
5-9	8.3	8.4	8.1	8.8	8.9	8.6	7.3	7.4	7.0
10-14	9.0	9.2	8.9	9.6	9.7	9.4	8.0	8.1	7.8
15-19	10.2	10.4	9.9	10.6	10.9	10.4	9.1	9.3	9.0
20-24	11.2	11.0	11.4	11.4	11.2	11.6	10.7	10.5	11.0
25-29	10.5	10.4	10.7	10.3	10.3	10.4	11.0	10.7	11.4
30-34	8.8	8.8	8.7	8.3	8.4	8.3	9.7	9.7	9.7
35-39	7.4	7.4	7.5	7.1	7.0	7.2	8.2	8.1	8.2
40-44	6.2	6.2	6.2	5.8	5.8	5.8	6.9	6.9	6.9
45-49	5.2	5.2	5.3	5.0	5.0	5.0	5.7	5.7	5.7
50-54	4.2	4.2	4.1	3.9	3.9	3.8	4.8	4.8	4.9
55-59	3.4	3.3	3.5	3.2	3.0	3.4	3.9	3.9	3.9
60-64	2.9	2.9	3.0	2.8	2.7	2.9	3.2	3.2	3.1
65-69	2.1	2.1	2.2	2.1	2.0	2.2	2.1	2.1	2.1
70-74	1.4	1.4	1.5	1.4	1.3	1.5	1.5	1.4	1.5
75-79	0.9	0.8	0.9	0.9	0.8	0.9	0.9	0.8	0.9
80-84	0.5	0.4	0.5	0.4	0.4	0.5	0.5	0.5	0.5
85+	0.3	0.2	0.3	0.3	0.3	0.3	0.3	0.2	0.4
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0

Note : Total may not add up to 100 due to rounding off.

**Table 1****Percent distribution of estimated population by age-group, sex and residence, 2020**

Age group	Total			Rural			Urban		
	Total	Males	Females	Total	Males	Females	Total	Males	Females
<b>Andhra Pradesh</b>									
0-4	5.3	5.2	5.3	5.4	5.4	5.4	5.0	4.9	5.1
5-9	6.6	6.6	6.7	6.6	6.6	6.7	6.6	6.6	6.7
10-14	7.1	7.2	7.0	7.0	7.2	6.9	7.2	7.2	7.2
15-19	8.4	8.7	8.1	8.4	8.8	8.1	8.4	8.5	8.2
20-24	10.7	10.6	10.9	10.8	10.8	10.7	10.7	10.0	11.3
25-29	11.2	10.8	11.5	10.9	10.6	11.3	11.6	11.3	11.9
30-34	9.4	9.3	9.5	9.1	9.0	9.3	10.1	10.1	10.1
35-39	8.9	8.8	9.0	8.6	8.5	8.8	9.5	9.5	9.5
40-44	7.3	7.4	7.1	7.1	7.2	7.1	7.5	7.8	7.2
45-49	6.1	6.4	5.9	6.1	6.3	6.0	6.0	6.4	5.6
50-54	5.3	5.1	5.5	5.3	5.1	5.4	5.4	5.3	5.6
55-59	4.3	4.3	4.3	4.3	4.3	4.4	4.2	4.4	4.1
60-64	3.5	3.4	3.5	3.6	3.5	3.8	3.1	3.1	3.0
65-69	2.6	2.8	2.4	2.8	3.0	2.6	2.1	2.3	2.0
70-74	1.7	1.8	1.6	1.9	2.0	1.8	1.3	1.3	1.2
75-79	0.9	0.9	0.8	0.9	1.0	0.9	0.7	0.8	0.7
80-84	0.5	0.4	0.5	0.5	0.5	0.6	0.3	0.3	0.4
85+	0.3	0.3	0.3	0.3	0.3	0.3	0.2	0.1	0.2
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0

<b>Assam</b>									
0-4	8.3	8.5	8.1	8.7	8.9	8.5	6.4	6.5	6.2
5-9	8.8	8.9	8.7	9.2	9.2	9.1	6.5	6.6	6.3
10-14	9.6	9.8	9.3	10.1	10.3	9.8	6.7	6.8	6.6
15-19	10.0	9.7	10.3	10.3	9.9	10.6	8.3	8.1	8.5
20-24	11.2	10.6	11.9	11.5	10.8	12.2	10.0	9.5	10.5
25-29	10.4	10.0	10.9	10.4	9.9	10.8	10.8	10.2	11.4
30-34	9.2	9.1	9.3	9.0	8.9	9.2	10.0	9.9	10.1
35-39	7.6	7.6	7.5	7.3	7.4	7.3	9.0	9.0	9.0
40-44	6.3	6.6	6.0	6.1	6.4	5.8	7.2	7.3	7.1
45-49	5.1	5.4	4.8	4.9	5.3	4.5	6.3	6.3	6.3
50-54	3.9	4.1	3.7	3.6	3.8	3.3	5.9	5.8	6.1
55-59	3.3	3.2	3.4	3.0	2.8	3.2	4.8	5.2	4.4
60-64	2.4	2.5	2.3	2.3	2.3	2.2	3.2	3.6	2.9
65-69	1.6	1.7	1.5	1.5	1.5	1.4	2.2	2.5	2.0
70-74	1.1	1.2	1.0	1.0	1.1	0.9	1.3	1.3	1.2
75-79	0.7	0.7	0.6	0.7	0.7	0.6	0.8	0.8	0.7
80-84	0.3	0.4	0.3	0.3	0.3	0.3	0.4	0.5	0.4
85+	0.2	0.2	0.2	0.2	0.2	0.2	0.3	0.3	0.3
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0

Note : Total may not add up to 100 due to rounding off.

**Table 1****Percent distribution of estimated population by age-group, sex and residence, 2020**

Age group	Total			Rural			Urban		
	Total	Males	Females	Total	Males	Females	Total	Males	Females
<b>Bihar</b>									
0-4	11.0	11.3	10.6	11.3	11.6	11.0	8.6	8.9	8.3
5-9	10.7	10.9	10.5	10.9	11.1	10.7	9.3	9.4	9.2
10-14	11.3	11.4	11.2	11.4	11.6	11.3	10.6	10.5	10.6
15-19	12.0	11.9	12.2	12.3	12.1	12.5	10.6	10.5	10.7
20-24	11.3	11.1	11.4	11.2	11.0	11.4	11.8	11.8	11.8
25-29	9.9	9.8	10.0	9.9	9.8	10.0	9.8	9.8	9.9
30-34	7.3	7.3	7.4	7.2	7.2	7.3	8.1	8.1	8.1
35-39	6.2	6.2	6.2	6.2	6.2	6.2	6.5	6.4	6.5
40-44	4.6	4.5	4.7	4.4	4.3	4.6	5.6	5.6	5.6
45-49	4.0	3.9	4.3	4.0	3.9	4.2	4.1	3.8	4.3
50-54	3.0	3.0	2.9	2.9	3.0	2.8	3.6	3.6	3.6
55-59	2.5	2.5	2.4	2.3	2.4	2.3	3.5	3.4	3.5
60-64	2.3	2.4	2.2	2.1	2.2	2.0	3.1	3.1	3.1
65-69	1.7	1.7	1.7	1.6	1.6	1.6	2.1	2.1	2.1
70-74	1.0	1.1	1.0	1.0	1.0	1.0	1.4	1.5	1.2
75-79	0.7	0.6	0.7	0.6	0.6	0.7	0.8	0.9	0.7
80-84	0.3	0.3	0.3	0.3	0.3	0.3	0.4	0.4	0.4
85+	0.2	0.2	0.2	0.2	0.2	0.2	0.3	0.3	0.3
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
<b>Chhattisgarh</b>									
0-4	8.6	8.6	8.6	9.0	9.0	9.0	7.1	7.3	7.0
5-9	9.3	9.4	9.2	9.6	9.6	9.6	8.5	9.0	8.1
10-14	9.5	9.6	9.3	9.7	9.8	9.7	8.5	8.7	8.3
15-19	9.9	9.9	9.9	10.0	10.1	9.9	9.6	9.3	9.9
20-24	11.3	11.2	11.3	11.3	11.3	11.3	11.1	11.1	11.2
25-29	10.2	10.3	10.2	10.1	10.1	10.0	10.8	10.6	10.9
30-34	8.4	8.6	8.1	8.1	8.5	7.7	9.0	8.9	9.2
35-39	7.6	7.6	7.5	7.3	7.4	7.3	8.3	8.3	8.4
40-44	6.0	5.9	6.1	5.7	5.5	5.8	6.9	7.1	6.8
45-49	5.5	5.5	5.6	5.3	5.3	5.4	6.1	6.0	6.2
50-54	3.9	4.1	3.8	3.7	3.9	3.6	4.6	4.8	4.4
55-59	3.1	3.0	3.1	3.0	2.9	3.1	3.2	3.2	3.1
60-64	2.5	2.6	2.4	2.5	2.7	2.4	2.4	2.3	2.5
65-69	2.1	2.0	2.2	2.2	2.1	2.3	1.8	1.7	1.9
70-74	1.2	0.9	1.5	1.3	0.9	1.6	1.1	1.1	1.1
75-79	0.6	0.6	0.7	0.7	0.6	0.8	0.5	0.4	0.5
80-84	0.2	0.2	0.3	0.2	0.2	0.3	0.3	0.2	0.3
85+	0.2	0.1	0.2	0.2	0.1	0.2	0.1	0.1	0.2
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0

Note : Total may not add up to 100 due to rounding off.

**Table 1**

**Percent distribution of estimated population by age-group, sex and residence, 2020**

Age group	Total			Rural			Urban		
	Total	Males	Females	Total	Males	Females	Total	Males	Females
<b>Delhi</b>									
0-4	6.0	6.0	6.1	6.0	5.6	6.5	6.0	6.0	6.1
5-9	7.8	7.8	7.8	8.1	8.0	8.2	7.8	7.8	7.8
10-14	8.7	8.7	8.8	8.1	8.3	7.8	8.8	8.7	8.8
15-19	9.6	9.4	9.9	9.6	10.4	8.8	9.6	9.4	9.9
20-24	11.6	11.4	11.8	13.0	13.6	12.3	11.6	11.4	11.8
25-29	11.9	11.7	12.2	14.4	14.4	14.5	11.8	11.6	12.1
30-34	10.6	10.7	10.5	10.2	9.7	10.9	10.6	10.7	10.5
35-39	8.4	8.5	8.2	8.1	8.4	7.7	8.4	8.5	8.2
40-44	6.6	6.7	6.4	5.7	5.6	5.9	6.6	6.8	6.4
45-49	5.2	5.5	5.0	4.5	4.3	4.8	5.3	5.5	5.0
50-54	3.9	4.1	3.7	3.3	3.4	3.1	3.9	4.1	3.7
55-59	3.2	3.4	3.0	3.0	3.1	2.9	3.2	3.4	3.0
60-64	2.5	2.5	2.6	2.4	2.2	2.5	2.5	2.5	2.6
65-69	1.7	1.8	1.7	1.5	1.3	1.6	1.7	1.8	1.7
70-74	1.0	0.9	1.1	0.9	0.9	1.0	1.0	0.9	1.1
75-79	0.6	0.6	0.7	0.6	0.4	0.7	0.6	0.6	0.7
80-84	0.3	0.3	0.4	0.4	0.4	0.4	0.3	0.3	0.4
85+	0.2	0.1	0.3	0.3	0.2	0.4	0.2	0.1	0.3
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0

<b>Gujarat</b>									
0-4	7.0	7.2	6.8	7.4	7.6	7.2	6.6	6.7	6.4
5-9	7.9	8.2	7.6	8.3	8.4	8.3	7.4	7.9	6.8
10-14	9.0	9.3	8.8	9.6	9.9	9.4	8.3	8.4	8.1
15-19	9.8	9.9	9.7	10.5	10.7	10.3	9.0	9.0	9.1
20-24	10.9	10.8	11.0	11.1	10.9	11.3	10.6	10.6	10.5
25-29	10.6	10.6	10.5	10.0	10.1	9.8	11.3	11.2	11.5
30-34	9.4	9.7	9.1	8.5	9.0	8.1	10.5	10.6	10.4
35-39	7.4	7.5	7.4	6.8	6.9	6.7	8.2	8.2	8.3
40-44	6.5	6.5	6.4	6.2	6.3	6.1	6.8	6.8	6.7
45-49	5.4	5.2	5.5	5.3	5.2	5.4	5.5	5.3	5.7
50-54	4.4	4.4	4.4	4.2	4.1	4.2	4.6	4.7	4.5
55-59	3.5	3.3	3.7	3.4	3.1	3.7	3.5	3.4	3.6
60-64	3.1	2.9	3.2	3.2	3.0	3.4	2.9	2.7	3.1
65-69	2.1	1.9	2.3	2.3	2.1	2.5	1.8	1.7	2.0
70-74	1.5	1.3	1.6	1.5	1.3	1.7	1.4	1.3	1.5
75-79	0.9	0.8	1.0	0.9	0.8	1.1	0.9	0.8	1.0
80-84	0.4	0.4	0.5	0.4	0.3	0.5	0.5	0.4	0.5
85+	0.3	0.2	0.4	0.3	0.2	0.4	0.3	0.1	0.4
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0

Note : Total may not add up to 100 due to rounding off.

**Table 1****Percent distribution of estimated population by age-group, sex and residence, 2020**

Age group	Total			Rural			Urban		
	Total	Males	Females	Total	Males	Females	Total	Males	Females
<b>Haryana</b>									
0-4	7.8	8.0	7.5	8.1	8.5	7.7	7.2	7.3	7.1
5-9	8.6	8.9	8.2	8.8	9.0	8.6	8.3	8.9	7.7
10-14	8.8	9.3	8.3	9.1	9.5	8.6	8.3	8.9	7.6
15-19	10.0	10.1	9.9	10.3	10.4	10.3	9.5	9.7	9.3
20-24	11.8	11.5	12.2	12.1	11.7	12.6	11.3	11.2	11.5
25-29	11.1	11.2	10.9	10.8	11.0	10.5	11.6	11.6	11.6
30-34	8.8	9.0	8.6	8.6	8.9	8.3	9.1	9.2	9.0
35-39	7.5	7.2	7.7	7.4	7.2	7.6	7.6	7.4	7.9
40-44	6.2	6.1	6.4	6.1	6.0	6.2	6.4	6.1	6.7
45-49	5.2	5.1	5.3	4.9	4.9	5.0	5.6	5.5	5.7
50-54	4.1	4.1	4.2	3.8	3.7	3.8	4.7	4.6	4.8
55-59	3.0	2.8	3.2	2.7	2.5	3.0	3.5	3.4	3.6
60-64	2.5	2.4	2.6	2.4	2.3	2.5	2.7	2.6	2.8
65-69	1.9	1.7	2.0	1.9	1.8	2.1	1.8	1.6	1.9
70-74	1.2	1.1	1.4	1.3	1.2	1.4	1.1	1.0	1.3
75-79	0.7	0.7	0.8	0.8	0.8	0.9	0.6	0.6	0.7
80-84	0.5	0.4	0.5	0.5	0.5	0.5	0.4	0.4	0.5
85+	0.3	0.2	0.3	0.3	0.3	0.4	0.2	0.1	0.3
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0

<b>Himachal Pradesh</b>									
0-4	5.8	6.0	5.5	5.8	6.1	5.6	5.1	5.0	5.2
5-9	7.2	7.8	6.6	7.3	7.9	6.6	6.6	6.5	6.7
10-14	7.9	8.2	7.6	7.9	8.2	7.6	7.6	7.8	7.4
15-19	8.0	8.5	7.4	7.9	8.5	7.3	8.7	8.3	9.1
20-24	10.2	9.4	11.0	10.3	9.4	11.1	9.6	9.6	9.7
25-29	10.4	10.0	10.8	10.5	10.1	10.9	9.8	9.4	10.2
30-34	9.0	8.8	9.1	8.9	8.8	9.0	9.6	9.4	9.9
35-39	7.9	7.8	8.0	7.8	7.7	7.9	8.5	8.1	8.9
40-44	6.9	6.7	7.0	6.7	6.6	6.8	8.2	8.2	8.3
45-49	5.7	5.8	5.5	5.6	5.7	5.5	6.8	7.5	6.1
50-54	5.5	5.5	5.5	5.5	5.4	5.5	6.1	6.7	5.6
55-59	4.7	4.7	4.7	4.8	4.7	4.8	4.6	4.9	4.2
60-64	3.7	3.8	3.6	3.8	3.9	3.7	3.0	3.2	2.8
65-69	2.6	2.6	2.6	2.6	2.6	2.6	2.3	2.3	2.3
70-74	1.9	1.9	1.9	1.9	1.9	2.0	1.4	1.4	1.4
75-79	1.2	1.1	1.3	1.2	1.1	1.3	1.0	1.0	1.0
80-84	0.9	0.8	1.0	0.9	0.8	1.0	0.6	0.5	0.7
85+	0.6	0.5	0.7	0.7	0.6	0.8	0.4	0.3	0.5
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0

Note : Total may not add up to 100 due to rounding off.

**Table 1****Percent distribution of estimated population by age-group, sex and residence, 2020**

Age group	Total			Rural			Urban		
	Total	Males	Females	Total	Males	Females	Total	Males	Females
<b>Jammu &amp; Kashmir</b>									
0-4	6.0	6.2	5.9	6.3	6.5	6.2	5.4	5.6	5.1
5-9	6.8	7.1	6.5	7.3	7.7	7.0	5.5	5.7	5.3
10-14	7.4	7.6	7.2	8.0	8.1	7.8	6.3	6.5	6.0
15-19	9.7	10.0	9.4	10.4	10.7	10.2	8.1	8.5	7.7
20-24	11.7	11.5	12.0	12.2	11.9	12.4	10.8	10.6	10.9
25-29	12.3	11.7	12.9	12.2	11.7	12.8	12.4	11.6	13.2
30-34	9.6	9.4	9.7	9.3	9.2	9.4	10.2	10.1	10.4
35-39	7.9	7.7	8.1	7.6	7.4	7.8	8.6	8.4	8.8
40-44	6.4	6.4	6.3	6.1	6.2	5.9	7.1	7.1	7.0
45-49	5.2	5.1	5.4	4.8	4.7	4.9	6.2	6.0	6.4
50-54	4.5	4.6	4.5	4.1	4.2	4.0	5.4	5.3	5.5
55-59	3.5	3.8	3.3	3.3	3.4	3.1	4.2	4.5	3.8
60-64	3.0	2.9	3.2	2.9	2.8	3.1	3.4	3.3	3.4
65-69	2.3	2.4	2.2	2.2	2.2	2.1	2.5	2.7	2.4
70-74	1.5	1.4	1.5	1.3	1.3	1.3	1.7	1.6	1.9
75-79	1.0	1.1	1.0	1.0	1.0	1.0	1.1	1.2	1.1
80-84	0.6	0.6	0.5	0.5	0.5	0.5	0.7	0.7	0.7
85+	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.4	0.5
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0

<b>Jharkhand</b>									
0-4	8.5	8.6	8.4	9.3	9.4	9.2	6.3	6.4	6.2
5-9	9.4	9.8	9.1	9.9	10.2	9.5	8.2	8.4	7.9
10-14	10.6	10.8	10.4	11.1	11.4	10.7	9.2	9.0	9.4
15-19	11.4	11.7	11.0	11.9	12.4	11.3	9.9	9.9	9.9
20-24	11.3	11.2	11.5	11.3	11.2	11.5	11.2	11.2	11.2
25-29	10.4	10.2	10.6	10.0	9.9	10.1	11.4	11.1	11.8
30-34	8.4	8.2	8.5	7.9	7.7	8.2	9.6	9.8	9.4
35-39	7.1	7.0	7.3	6.8	6.7	7.0	8.0	7.9	8.2
40-44	5.6	5.5	5.7	5.3	5.1	5.5	6.5	6.7	6.4
45-49	4.8	4.8	4.8	4.6	4.6	4.6	5.4	5.4	5.3
50-54	3.5	3.6	3.3	3.2	3.4	3.1	4.1	4.1	4.1
55-59	2.8	2.6	3.0	2.7	2.3	3.0	3.2	3.3	3.0
60-64	2.4	2.3	2.5	2.3	2.1	2.4	2.7	2.7	2.8
65-69	1.9	1.8	1.9	1.8	1.7	1.8	2.1	2.1	2.1
70-74	1.1	1.0	1.2	1.1	1.0	1.2	1.1	1.0	1.1
75-79	0.5	0.5	0.5	0.4	0.4	0.5	0.7	0.6	0.7
80-84	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.2	0.4
85+	0.1	0.1	0.2	0.1	0.1	0.1	0.2	0.1	0.2
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0

Note : Total may not add up to 100 due to rounding off.

**Table 1**

**Percent distribution of estimated population by age-group, sex and residence, 2020**

Age group	Total			Rural			Urban		
	Total	Males	Females	Total	Males	Females	Total	Males	Females
<b>Karnataka</b>									
0-4	6.9	7.0	6.7	7.0	7.2	6.8	6.6	6.8	6.5
5-9	7.5	7.7	7.4	7.6	7.9	7.3	7.4	7.3	7.5
10-14	8.0	8.1	7.9	8.0	8.0	8.1	7.9	8.2	7.7
15-19	8.9	9.1	8.7	9.1	9.3	8.9	8.6	8.7	8.5
20-24	11.3	10.9	11.7	11.6	11.6	11.7	10.8	9.9	11.7
25-29	11.4	11.3	11.6	11.3	11.3	11.3	11.6	11.2	12.0
30-34	9.5	9.6	9.4	9.0	9.0	9.0	10.2	10.4	10.0
35-39	7.8	7.9	7.7	7.5	7.4	7.5	8.3	8.6	7.9
40-44	6.8	6.8	6.7	6.6	6.5	6.6	7.1	7.2	7.0
45-49	5.7	5.7	5.7	5.6	5.5	5.7	5.8	5.9	5.6
50-54	4.6	4.9	4.4	4.5	4.8	4.2	4.8	4.9	4.7
55-59	3.6	3.5	3.6	3.6	3.5	3.7	3.5	3.5	3.4
60-64	3.0	3.0	3.1	3.1	3.0	3.3	2.9	3.1	2.8
65-69	2.3	2.2	2.3	2.4	2.2	2.5	2.1	2.1	2.1
70-74	1.2	1.1	1.4	1.4	1.2	1.6	1.0	0.9	1.1
75-79	0.9	0.8	1.0	1.0	0.9	1.1	0.7	0.7	0.7
80-84	0.4	0.4	0.5	0.5	0.4	0.5	0.4	0.3	0.4
85+	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.1	0.3
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0

<b>Kerala</b>									
0-4	6.2	6.5	5.9	6.4	6.6	6.2	6.0	6.4	5.6
5-9	6.6	7.1	6.2	6.8	7.2	6.4	6.5	6.9	6.1
10-14	7.5	8.1	6.9	7.5	8.2	6.8	7.5	8.1	7.0
15-19	8.2	8.5	7.8	8.1	8.4	7.9	8.2	8.7	7.7
20-24	8.3	8.5	8.2	8.3	8.5	8.2	8.3	8.4	8.2
25-29	8.5	8.2	8.7	8.5	8.0	9.0	8.4	8.3	8.5
30-34	8.2	8.1	8.4	8.1	7.9	8.3	8.4	8.3	8.4
35-39	7.8	7.5	8.0	7.6	7.4	7.8	7.9	7.6	8.2
40-44	7.4	7.0	7.7	7.2	6.9	7.4	7.6	7.2	7.9
45-49	7.2	6.9	7.4	7.1	7.0	7.3	7.2	6.8	7.5
50-54	6.1	6.2	6.1	6.0	6.1	5.9	6.3	6.3	6.2
55-59	5.2	5.2	5.2	5.1	5.2	5.0	5.2	5.1	5.3
60-64	4.5	4.6	4.5	4.6	4.6	4.6	4.5	4.7	4.3
65-69	3.2	3.1	3.2	3.2	3.3	3.2	3.1	2.9	3.3
70-74	2.2	2.1	2.4	2.2	2.0	2.4	2.3	2.2	2.3
75-79	1.5	1.3	1.8	1.6	1.4	1.8	1.5	1.2	1.7
80-84	0.9	0.7	1.0	0.9	0.8	1.1	0.8	0.6	0.9
85+	0.6	0.4	0.7	0.6	0.5	0.8	0.5	0.3	0.6
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0

Note : Total may not add up to 100 due to rounding off.

**Table 1****Percent distribution of estimated population by age-group, sex and residence, 2020**

Age group	Total			Rural			Urban		
	Total	Males	Females	Total	Males	Females	Total	Males	Females
<b>Madhya Pradesh</b>									
0-4	8.8	8.8	8.8	9.3	9.3	9.3	7.5	7.6	7.4
5-9	9.2	9.3	9.1	9.6	9.6	9.5	8.3	8.6	7.9
10-14	10.5	10.6	10.3	10.9	11.0	10.9	9.1	9.4	8.8
15-19	10.7	11.1	10.3	10.9	11.3	10.5	10.2	10.7	9.6
20-24	11.5	11.5	11.6	11.6	11.6	11.6	11.3	11.1	11.4
25-29	10.0	9.9	10.1	9.7	9.8	9.7	10.7	10.3	11.2
30-34	8.2	8.3	8.1	8.0	8.1	7.8	9.0	9.0	9.0
35-39	6.6	6.5	6.8	6.4	6.2	6.5	7.4	7.3	7.5
40-44	5.8	5.8	5.7	5.6	5.7	5.5	6.4	6.4	6.4
45-49	4.6	4.6	4.7	4.4	4.4	4.4	5.2	5.1	5.4
50-54	3.8	3.8	3.8	3.7	3.7	3.6	4.2	4.1	4.3
55-59	3.1	3.0	3.2	2.9	2.7	3.1	3.5	3.6	3.5
60-64	2.6	2.4	2.8	2.6	2.4	2.8	2.7	2.6	2.9
65-69	1.8	1.7	1.9	1.7	1.6	1.9	1.9	1.8	1.9
70-74	1.3	1.2	1.4	1.3	1.2	1.4	1.3	1.2	1.3
75-79	0.8	0.9	0.7	0.8	0.9	0.8	0.7	0.7	0.7
80-84	0.4	0.4	0.4	0.4	0.3	0.4	0.4	0.4	0.5
85+	0.2	0.2	0.3	0.2	0.2	0.2	0.2	0.2	0.3
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
<b>Maharashtra</b>									
0-4	7.2	7.4	7.0	7.8	8.2	7.4	6.4	6.5	6.4
5-9	7.5	7.7	7.2	8.0	8.3	7.7	6.8	7.0	6.7
10-14	8.3	8.5	8.1	9.1	9.4	8.8	7.4	7.5	7.3
15-19	9.5	9.8	9.2	10.0	10.3	9.6	8.9	9.1	8.7
20-24	10.7	10.5	10.8	10.8	10.6	11.0	10.5	10.4	10.7
25-29	10.6	10.5	10.7	9.8	10.0	9.5	11.6	11.1	12.1
30-34	9.2	9.2	9.3	8.1	8.0	8.2	10.6	10.6	10.6
35-39	7.8	7.8	7.9	7.2	7.1	7.3	8.6	8.8	8.5
40-44	6.6	6.5	6.7	6.1	6.0	6.1	7.2	7.1	7.3
45-49	5.5	5.5	5.6	5.4	5.4	5.5	5.7	5.7	5.8
50-54	4.5	4.6	4.5	4.3	4.3	4.4	4.8	4.9	4.6
55-59	3.7	3.5	3.8	3.6	3.4	3.9	3.7	3.7	3.7
60-64	3.1	3.1	3.2	3.2	3.0	3.3	3.1	3.1	3.1
65-69	2.3	2.2	2.4	2.6	2.4	2.9	2.0	2.1	1.8
70-74	1.7	1.5	1.9	2.0	1.7	2.2	1.3	1.2	1.4
75-79	1.0	1.0	1.0	1.2	1.2	1.2	0.7	0.8	0.7
80-84	0.5	0.5	0.5	0.6	0.6	0.6	0.4	0.4	0.4
85+	0.3	0.3	0.4	0.4	0.3	0.4	0.2	0.1	0.3
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0

Note : Total may not add up to 100 due to rounding off.

**Table 1****Percent distribution of estimated population by age-group, sex and residence, 2020**

Age group	Total			Rural			Urban		
	Total	Males	Females	Total	Males	Females	Total	Males	Females
<b>Odisha</b>									
0-4	6.8	6.8	6.7	6.9	6.9	6.8	6.4	6.5	6.3
5-9	7.2	7.3	7.1	7.3	7.4	7.1	6.9	7.1	6.7
10-14	8.1	8.1	8.1	8.2	8.1	8.3	7.6	7.7	7.5
15-19	9.4	9.5	9.3	9.4	9.5	9.3	9.3	9.5	9.1
20-24	10.4	9.9	10.9	10.3	9.7	10.8	10.8	10.6	11.1
25-29	10.3	9.8	10.9	10.2	9.7	10.7	10.9	10.0	11.8
30-34	9.2	8.9	9.5	9.1	8.8	9.4	9.7	9.3	10.2
35-39	7.9	8.0	7.8	7.7	7.9	7.6	8.5	8.4	8.6
40-44	6.2	6.5	5.9	6.0	6.3	5.8	7.0	7.3	6.8
45-49	5.5	5.8	5.2	5.4	5.7	5.2	5.9	6.4	5.5
50-54	4.5	4.9	4.1	4.4	4.8	4.0	4.9	5.1	4.8
55-59	4.1	4.1	4.2	4.2	4.1	4.3	3.8	3.9	3.6
60-64	3.5	3.7	3.2	3.6	3.8	3.3	3.1	3.3	2.8
65-69	2.4	2.5	2.4	2.6	2.6	2.5	1.7	1.8	1.5
70-74	1.9	1.9	1.9	2.0	1.9	2.0	1.5	1.5	1.6
75-79	1.1	1.1	1.2	1.2	1.2	1.3	0.8	0.8	0.7
80-84	0.9	0.9	0.9	0.9	1.0	0.9	0.8	0.7	0.8
85+	0.6	0.6	0.6	0.6	0.6	0.6	0.4	0.3	0.4
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
<b>Punjab</b>									
0-4	5.7	5.7	5.6	5.8	5.9	5.8	5.5	5.5	5.4
5-9	6.6	6.8	6.5	6.7	6.9	6.4	6.6	6.6	6.6
10-14	7.4	7.8	7.0	7.5	7.9	7.1	7.4	7.8	6.9
15-19	9.4	9.8	8.8	9.6	10.3	9.0	9.0	9.2	8.7
20-24	11.1	11.2	11.1	11.2	11.4	11.0	11.0	11.0	11.1
25-29	11.4	11.2	11.6	11.2	11.0	11.5	11.6	11.4	11.8
30-34	9.4	9.5	9.4	9.0	9.0	9.1	10.0	10.0	9.9
35-39	7.7	7.7	7.7	7.4	7.2	7.5	8.1	8.3	7.9
40-44	6.5	6.3	6.7	6.3	6.0	6.6	6.8	6.7	6.9
45-49	5.9	5.7	6.1	5.9	5.6	6.2	5.8	5.8	5.9
50-54	5.0	4.8	5.3	4.7	4.5	4.9	5.4	5.0	5.7
55-59	4.0	4.0	3.9	3.8	3.9	3.7	4.1	4.1	4.1
60-64	3.1	3.0	3.2	3.1	2.9	3.3	3.1	3.1	3.1
65-69	2.4	2.4	2.5	2.6	2.5	2.7	2.2	2.3	2.2
70-74	1.9	1.8	2.1	2.1	2.0	2.3	1.6	1.5	1.8
75-79	1.2	1.2	1.3	1.4	1.4	1.4	1.0	1.0	1.1
80-84	0.7	0.7	0.7	0.9	0.9	0.8	0.6	0.5	0.6
85+	0.5	0.4	0.6	0.6	0.6	0.7	0.3	0.2	0.3
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0

Note : Total may not add up to 100 due to rounding off.

**Table 1****Percent distribution of estimated population by age-group, sex and residence, 2020**

Age group	Total			Rural			Urban		
	Total	Males	Females	Total	Males	Females	Total	Males	Females
<b>Rajasthan</b>									
0-4	8.7	9.0	8.4	9.2	9.6	8.8	7.2	7.3	7.0
5-9	9.4	9.7	9.1	9.8	10.1	9.5	8.3	8.6	8.0
10-14	9.8	10.2	9.3	10.1	10.6	9.7	8.8	9.2	8.3
15-19	10.5	10.9	10.2	10.8	11.2	10.5	9.7	10.0	9.3
20-24	11.9	11.6	12.2	12.1	11.8	12.4	11.3	10.9	11.7
25-29	10.6	10.5	10.6	10.3	10.3	10.3	11.2	11.2	11.3
30-34	8.6	8.9	8.4	8.4	8.7	8.0	9.4	9.4	9.4
35-39	7.2	7.2	7.1	6.9	6.9	6.9	7.9	8.1	7.7
40-44	5.6	5.4	5.7	5.3	5.2	5.4	6.4	6.2	6.6
45-49	4.6	4.5	4.8	4.4	4.3	4.6	5.2	5.2	5.2
50-54	3.3	3.3	3.3	3.0	3.1	2.9	4.2	3.9	4.4
55-59	2.7	2.6	2.9	2.5	2.4	2.7	3.4	3.4	3.4
60-64	2.5	2.3	2.7	2.5	2.3	2.7	2.6	2.5	2.6
65-69	1.8	1.5	2.1	1.8	1.5	2.2	1.7	1.6	1.8
70-74	1.3	1.1	1.5	1.3	1.0	1.6	1.3	1.1	1.5
75-79	0.8	0.7	1.0	0.8	0.7	1.0	0.9	0.8	0.9
80-84	0.4	0.4	0.5	0.4	0.3	0.5	0.6	0.5	0.6
85+	0.2	0.2	0.3	0.2	0.2	0.3	0.2	0.1	0.3
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0

<b>Tamil Nadu</b>									
0-4	5.6	5.8	5.5	6.2	6.5	6.0	5.1	5.2	5.0
5-9	6.3	6.5	6.1	6.7	7.0	6.4	5.9	6.0	5.8
10-14	7.1	7.3	7.0	7.7	7.9	7.4	6.7	6.7	6.6
15-19	8.0	8.3	7.8	8.8	9.1	8.5	7.3	7.5	7.1
20-24	9.6	9.3	9.9	10.4	9.9	10.8	8.9	8.7	9.1
25-29	9.9	9.7	10.2	10.6	10.5	10.6	9.4	8.9	9.8
30-34	9.1	9.3	8.9	8.9	9.2	8.6	9.2	9.4	9.1
35-39	8.0	8.0	8.1	7.7	7.6	7.8	8.3	8.3	8.3
40-44	7.3	7.3	7.4	6.7	6.6	6.9	7.9	7.9	7.9
45-49	6.5	6.5	6.4	6.2	6.1	6.3	6.7	6.8	6.6
50-54	5.8	5.8	5.8	5.1	5.2	5.0	6.4	6.4	6.5
55-59	5.0	4.7	5.2	4.6	4.2	4.9	5.3	5.2	5.5
60-64	4.1	4.2	4.1	3.6	3.6	3.6	4.6	4.7	4.5
65-69	3.1	3.1	3.1	3.0	2.8	3.2	3.2	3.3	3.1
70-74	2.1	2.1	2.1	1.7	1.7	1.8	2.4	2.4	2.5
75-79	1.3	1.2	1.3	1.2	1.2	1.3	1.3	1.3	1.3
80-84	0.6	0.6	0.7	0.5	0.5	0.5	0.7	0.7	0.8
85+	0.4	0.4	0.5	0.4	0.3	0.4	0.5	0.5	0.5
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0

Note : Total may not add up to 100 due to rounding off.

**Table 1****Percent distribution of estimated population by age-group, sex and residence, 2020**

Age group	Total			Rural			Urban		
	Total	Males	Females	Total	Males	Females	Total	Males	Females
<b>Telengana</b>									
0-4	5.5	5.6	5.4	4.9	4.9	4.9	6.4	6.6	6.1
5-9	6.9	7.0	6.8	6.7	6.9	6.5	7.2	7.2	7.2
10-14	7.5	7.6	7.5	7.4	7.5	7.3	7.7	7.7	7.7
15-19	10.0	10.2	9.7	10.0	10.2	9.8	9.9	10.1	9.6
20-24	11.7	11.7	11.7	11.8	12.1	11.4	11.5	11.0	12.0
25-29	11.6	11.4	11.8	11.3	11.3	11.3	11.9	11.4	12.5
30-34	9.5	9.4	9.6	8.9	8.7	9.1	10.3	10.3	10.2
35-39	8.3	8.1	8.5	8.0	7.7	8.2	8.8	8.6	9.0
40-44	7.1	7.2	7.0	6.9	6.9	6.8	7.4	7.5	7.3
45-49	5.7	6.0	5.4	5.8	6.0	5.5	5.7	6.1	5.2
50-54	4.6	4.3	4.9	4.9	4.4	5.3	4.2	4.2	4.2
55-59	3.7	3.5	3.8	4.0	3.6	4.3	3.2	3.4	3.0
60-64	2.9	2.9	3.0	3.4	3.3	3.5	2.2	2.2	2.2
65-69	2.3	2.4	2.3	2.7	2.7	2.8	1.8	2.0	1.6
70-74	1.5	1.5	1.4	1.8	2.0	1.7	0.9	0.9	0.9
75-79	0.7	0.7	0.7	0.9	0.9	0.9	0.5	0.5	0.5
80-84	0.4	0.4	0.4	0.5	0.5	0.5	0.3	0.2	0.3
85+	0.2	0.2	0.3	0.3	0.2	0.3	0.1	0.1	0.2
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0

<b>Uttar Pradesh</b>									
0-4	7.9	8.2	7.6	8.4	8.7	8.2	6.3	6.6	5.9
5-9	9.4	9.5	9.3	9.8	9.9	9.8	8.2	8.5	7.9
10-14	10.2	10.4	10.0	10.5	10.7	10.4	9.3	9.6	8.8
15-19	11.9	12.2	11.6	12.2	12.5	11.9	10.9	11.1	10.7
20-24	12.3	12.2	12.4	12.2	12.1	12.3	12.4	12.2	12.7
25-29	10.7	10.8	10.7	10.4	10.6	10.2	11.8	11.4	12.2
30-34	8.2	8.3	8.0	7.9	8.1	7.6	9.0	9.0	8.9
35-39	6.7	6.6	6.9	6.5	6.3	6.7	7.5	7.4	7.6
40-44	5.4	5.4	5.5	5.3	5.2	5.3	5.9	5.9	5.9
45-49	4.5	4.4	4.6	4.4	4.2	4.5	4.9	4.8	5.0
50-54	3.3	3.3	3.3	3.1	3.1	3.1	3.9	3.8	4.1
55-59	2.6	2.4	2.9	2.5	2.2	2.7	3.2	3.1	3.2
60-64	2.5	2.3	2.7	2.4	2.3	2.6	2.6	2.6	2.7
65-69	1.8	1.7	1.9	1.8	1.7	1.9	1.7	1.6	1.8
70-74	1.2	1.1	1.2	1.2	1.1	1.3	1.2	1.3	1.1
75-79	0.8	0.7	0.9	0.8	0.7	0.9	0.7	0.7	0.8
80-84	0.3	0.3	0.3	0.3	0.3	0.4	0.3	0.3	0.3
85+	0.2	0.2	0.2	0.2	0.2	0.3	0.2	0.1	0.2
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0

Note : Total may not add up to 100 due to rounding off.

**Table 1****Percent distribution of estimated population by age-group, sex and residence, 2020**

Age group	Total			Rural			Urban		
	Total	Males	Females	Total	Males	Females	Total	Males	Females
<b>Uttarakhand</b>									
0-4	10.1	10.4	9.7	10.0	10.6	9.5	10.2	10.1	10.2
5-9	8.7	9.1	8.2	9.0	9.5	8.5	7.9	8.1	7.6
10-14	9.1	9.4	8.8	9.5	9.9	9.0	8.1	8.1	8.1
15-19	10.1	10.3	10.0	10.3	10.4	10.2	9.7	10.0	9.4
20-24	12.3	12.9	11.7	12.2	12.7	11.7	12.7	13.5	11.8
25-29	10.2	9.8	10.6	9.9	9.5	10.3	10.9	10.6	11.3
30-34	8.4	8.1	8.7	8.1	7.8	8.5	9.2	9.0	9.5
35-39	6.7	6.6	6.8	6.4	6.3	6.6	7.3	7.3	7.3
40-44	5.3	5.6	5.0	5.0	5.3	4.7	6.0	6.2	5.7
45-49	3.9	3.7	4.0	3.7	3.5	3.9	4.2	4.1	4.4
50-54	3.6	3.3	4.0	3.5	3.2	3.8	3.9	3.6	4.3
55-59	3.2	3.1	3.4	3.2	3.1	3.4	3.1	3.0	3.2
60-64	3.3	2.9	3.6	3.4	3.0	3.8	2.9	2.7	3.2
65-69	1.9	1.6	2.1	2.0	1.7	2.3	1.5	1.4	1.5
70-74	1.6	1.5	1.6	1.7	1.7	1.7	1.2	1.0	1.3
75-79	0.7	0.7	0.7	0.7	0.7	0.8	0.5	0.6	0.5
80-84	0.6	0.5	0.7	0.7	0.6	0.8	0.4	0.4	0.5
85+	0.4	0.3	0.4	0.4	0.4	0.4	0.3	0.2	0.3
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
<b>West Bengal</b>									
0-4	6.6	6.6	6.5	7.1	7.2	7.0	5.3	5.3	5.4
5-9	7.1	7.2	7.1	7.7	7.7	7.6	6.0	6.0	5.9
10-14	8.0	7.9	8.1	8.7	8.6	8.8	6.3	6.2	6.4
15-19	9.8	10.0	9.7	10.4	10.6	10.3	8.4	8.6	8.2
20-24	11.1	10.7	11.5	11.5	11.1	12.0	10.1	9.6	10.6
25-29	10.6	10.5	10.7	10.7	10.7	10.7	10.4	10.0	10.8
30-34	8.9	8.7	9.0	8.6	8.6	8.7	9.4	9.0	9.8
35-39	8.0	7.9	8.2	7.9	7.8	8.0	8.3	8.1	8.5
40-44	6.9	7.0	6.8	6.5	6.6	6.5	7.6	7.8	7.5
45-49	6.1	6.3	6.0	5.8	6.0	5.6	6.8	6.9	6.8
50-54	4.6	5.0	4.2	4.1	4.7	3.5	5.6	5.5	5.8
55-59	3.8	3.9	3.8	3.4	3.3	3.5	4.9	5.3	4.4
60-64	3.3	3.4	3.2	2.9	2.8	3.1	4.2	4.8	3.6
65-69	2.1	2.1	2.0	1.8	1.8	1.9	2.6	2.8	2.5
70-74	1.5	1.5	1.4	1.3	1.3	1.4	1.8	1.9	1.6
75-79	0.9	0.8	0.9	0.8	0.7	0.9	1.1	1.1	1.1
80-84	0.5	0.5	0.5	0.4	0.4	0.4	0.7	0.7	0.7
85+	0.3	0.3	0.3	0.2	0.2	0.3	0.4	0.4	0.5
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0

Note : Total may not add up to 100 due to rounding off.

**Table 2**  
**Percent distribution of population by sex, marital status and age-group, 2020**

Age group	Total				Males				Females				<b>India</b>
	Never Married	Married	W/D/S	Total	Never Married	Married	W/D/S	Total	Never Married	Married	W/D/S	Total	
					Total								
<10 yrs	15.8	0.0	0.0	15.8	16.2	0.0	0.0	16.2	15.4	0.0	0.0	15.4	
10-14	9.0	0.0	0.0	9.0	9.2	0.0	0.0	9.2	8.9	0.0	0.0	8.9	
15-19	10.0	0.2	0.0	10.2	10.3	0.0	0.0	10.4	9.6	0.3	0.0	9.9	
20-24	8.8	2.3	0.0	11.2	10.0	0.9	0.0	11.0	7.6	3.8	0.0	11.4	
25-29	4.9	5.6	0.0	10.5	6.6	3.7	0.0	10.4	3.1	7.5	0.1	10.7	
30-34	1.7	6.9	0.1	8.8	2.6	6.2	0.0	8.8	0.9	7.7	0.1	8.7	
35-39	0.6	6.7	0.1	7.4	0.9	6.4	0.1	7.4	0.3	7.0	0.2	7.5	
40-44	0.3	5.7	0.2	6.2	0.4	5.7	0.1	6.2	0.1	5.7	0.3	6.2	
45-49	0.1	4.9	0.2	5.2	0.2	4.9	0.1	5.2	0.1	4.8	0.4	5.3	
50-54	0.1	3.8	0.3	4.2	0.1	4.0	0.1	4.2	0.1	3.6	0.5	4.1	
55-59	0.1	3.0	0.3	3.4	0.1	3.1	0.2	3.3	0.0	3.0	0.5	3.5	
60-64	0.0	2.5	0.4	2.9	0.1	2.7	0.2	2.9	0.0	2.3	0.6	3.0	
65-69	0.0	1.7	0.4	2.1	0.0	1.8	0.2	2.1	0.0	1.5	0.7	2.2	
70-74	0.0	1.0	0.4	1.4	0.0	1.2	0.2	1.4	0.0	0.9	0.6	1.5	
75-79	0.0	0.5	0.3	0.9	0.0	0.7	0.1	0.8	0.0	0.4	0.5	0.9	
80-84	0.0	0.3	0.2	0.5	0.0	0.3	0.1	0.4	0.0	0.2	0.3	0.5	
85+	0.0	0.1	0.1	0.3	0.0	0.2	0.1	0.2	0.0	0.1	0.2	0.3	
All ages	51.6	45.2	3.2	100.0	56.7	41.8	1.4	100.0	46.2	48.8	5.0	100.0	
<b>Rural</b>													
<10 Yrs	16.9	0.0	0.0	16.9	17.3	0.0	0.0	17.3	16.5	0.0	0.0	16.5	
10-14	9.6	0.0	0.0	9.6	9.7	0.0	0.0	9.7	9.4	0.0	0.0	9.4	
15-19	10.4	0.2	0.0	10.6	10.8	0.1	0.0	10.9	10.0	0.4	0.0	10.4	
20-24	8.7	2.6	0.0	11.4	10.1	1.1	0.0	11.2	7.3	4.2	0.0	11.6	
25-29	4.4	5.9	0.0	10.3	6.1	4.1	0.0	10.3	2.6	7.7	0.1	10.4	
30-34	1.4	6.9	0.1	8.3	2.1	6.2	0.0	8.4	0.6	7.5	0.1	8.3	
35-39	0.4	6.5	0.1	7.1	0.7	6.2	0.1	7.0	0.2	6.8	0.2	7.2	
40-44	0.2	5.4	0.2	5.8	0.3	5.4	0.1	5.8	0.1	5.4	0.3	5.8	
45-49	0.1	4.7	0.2	5.0	0.2	4.7	0.1	5.0	0.1	4.6	0.4	5.0	
50-54	0.1	3.5	0.3	3.9	0.1	3.7	0.1	3.9	0.1	3.3	0.4	3.8	
55-59	0.0	2.8	0.3	3.2	0.1	2.8	0.2	3.0	0.0	2.9	0.5	3.4	
60-64	0.0	2.4	0.4	2.8	0.0	2.5	0.2	2.7	0.0	2.3	0.6	2.9	
65-69	0.0	1.7	0.4	2.1	0.0	1.8	0.2	2.0	0.0	1.5	0.6	2.2	
70-74	0.0	1.0	0.4	1.4	0.0	1.1	0.2	1.3	0.0	0.9	0.6	1.5	
75-79	0.0	0.6	0.3	0.9	0.0	0.7	0.1	0.8	0.0	0.4	0.5	0.9	
80-84	0.0	0.3	0.2	0.4	0.0	0.3	0.1	0.4	0.0	0.2	0.3	0.5	
85+	0.0	0.1	0.1	0.3	0.0	0.2	0.1	0.3	0.0	0.1	0.2	0.3	
All ages	52.4	44.5	3.1	100.0	57.5	41.0	1.5	100.0	47.1	48.2	4.8	100.0	
<b>Urban</b>													
<10 Yrs	13.5	0.0	0.0	13.5	13.9	0.0	0.0	13.9	13.2	0.0	0.0	13.2	
10-14	8.0	0.0	0.0	8.0	8.1	0.0	0.0	8.1	7.8	0.0	0.0	7.8	
15-19	9.0	0.1	0.0	9.1	9.3	0.0	0.0	9.3	8.8	0.2	0.0	9.0	
20-24	9.0	1.7	0.0	10.7	10.0	0.5	0.0	10.5	8.0	2.9	0.0	11.0	
25-29	6.0	5.0	0.0	11.0	7.7	2.9	0.0	10.7	4.2	7.1	0.1	11.4	
30-34	2.5	7.1	0.1	9.7	3.5	6.1	0.0	9.7	1.3	8.2	0.1	9.7	
35-39	0.9	7.2	0.1	8.2	1.2	6.9	0.1	8.1	0.5	7.5	0.2	8.2	
40-44	0.4	6.3	0.2	6.9	0.6	6.3	0.1	6.9	0.2	6.4	0.3	6.9	
45-49	0.2	5.3	0.3	5.7	0.3	5.3	0.1	5.7	0.1	5.2	0.4	5.7	
50-54	0.1	4.4	0.3	4.8	0.2	4.5	0.1	4.8	0.1	4.2	0.6	4.9	
55-59	0.1	3.4	0.4	3.9	0.1	3.6	0.2	3.9	0.1	3.2	0.6	3.9	
60-64	0.1	2.7	0.4	3.2	0.1	3.0	0.2	3.2	0.0	2.4	0.7	3.1	
65-69	0.0	1.7	0.4	2.1	0.0	1.9	0.2	2.1	0.0	1.4	0.7	2.1	
70-74	0.0	1.0	0.4	1.5	0.0	1.2	0.2	1.4	0.0	0.8	0.6	1.5	
75-79	0.0	0.5	0.3	0.9	0.0	0.7	0.1	0.8	0.0	0.4	0.5	0.9	
80-84	0.0	0.3	0.2	0.5	0.0	0.3	0.1	0.5	0.0	0.2	0.3	0.5	
85+	0.0	0.1	0.2	0.3	0.0	0.1	0.1	0.2	0.0	0.1	0.3	0.4	
All ages	49.9	46.7	3.3	100.0	55.1	43.5	1.4	100.0	44.4	50.1	5.4	100.0	

W/D/S - Widowed/Divorced/Separated.

**Table 2**  
**Percent distribution of population by sex, marital status and age-group, 2020**

Age group	Total				Males				Females				<b>Andhra Pradesh</b>
	Never Married	Married	W/D/S	Total	Never Married	Married	W/D/S	Total	Never Married	Married	W/D/S	Total	
	<b>Total</b>												
<10 yrs	11.9	0.0	0.0	11.9	11.8	0.0	0.0	11.8	12.0	0.0	0.0	12.0	
10-14	7.1	0.0	0.0	7.1	7.2	0.0	0.0	7.2	7.0	0.0	0.0	7.0	
15-19	8.2	0.2	0.0	8.4	8.6	0.1	0.0	8.7	7.8	0.3	0.0	8.1	
20-24	8.2	2.5	0.0	10.7	9.8	0.8	0.0	10.6	6.7	4.2	0.0	10.9	
25-29	4.9	6.2	0.1	11.2	7.1	3.7	0.0	10.8	2.6	8.8	0.1	11.5	
30-34	1.6	7.7	0.1	9.4	2.4	6.8	0.0	9.3	0.8	8.6	0.2	9.5	
35-39	0.5	8.2	0.2	8.9	0.7	8.0	0.1	8.8	0.3	8.4	0.4	9.0	
40-44	0.2	6.8	0.3	7.3	0.2	7.0	0.1	7.4	0.1	6.5	0.5	7.1	
45-49	0.1	5.6	0.4	6.1	0.1	6.1	0.2	6.4	0.1	5.2	0.6	5.9	
50-54	0.1	4.7	0.5	5.3	0.1	4.9	0.2	5.1	0.0	4.6	0.9	5.5	
55-59	0.0	3.7	0.6	4.3	0.0	4.0	0.3	4.3	0.0	3.4	0.9	4.3	
60-64	0.0	2.8	0.6	3.5	0.0	3.1	0.3	3.4	0.0	2.6	1.0	3.5	
65-69	0.0	2.0	0.6	2.6	0.0	2.5	0.3	2.8	0.0	1.5	0.9	2.4	
70-74	0.0	1.2	0.5	1.7	0.0	1.5	0.3	1.8	0.0	0.8	0.8	1.6	
75-79	0.0	0.5	0.3	0.9	0.0	0.7	0.2	0.9	0.0	0.3	0.5	0.8	
80-84	0.0	0.2	0.2	0.5	0.0	0.3	0.1	0.4	0.0	0.2	0.3	0.5	
85+	0.0	0.1	0.1	0.3	0.0	0.2	0.1	0.3	0.0	0.1	0.2	0.3	
All ages	42.9	52.4	4.7	100.0	48.3	49.6	2.1	100.0	37.5	55.3	7.2	100.0	
<b>Rural</b>													
<10 Yrs	12.0	0.0	0.0	12.0	12.0	0.0	0.0	12.0	12.1	0.0	0.0	12.1	
10-14	7.0	0.0	0.0	7.0	7.2	0.0	0.0	7.2	6.9	0.0	0.0	6.9	
15-19	8.2	0.2	0.0	8.4	8.7	0.1	0.0	8.8	7.8	0.4	0.0	8.1	
20-24	8.1	2.7	0.0	10.8	9.8	1.0	0.0	10.8	6.3	4.4	0.0	10.7	
25-29	4.6	6.3	0.1	10.9	6.8	3.8	0.0	10.6	2.4	8.8	0.1	11.3	
30-34	1.4	7.6	0.1	9.1	2.2	6.7	0.1	9.0	0.6	8.5	0.2	9.3	
35-39	0.4	8.0	0.2	8.6	0.6	7.8	0.1	8.5	0.2	8.2	0.4	8.8	
40-44	0.2	6.7	0.3	7.1	0.2	6.9	0.1	7.2	0.1	6.5	0.5	7.1	
45-49	0.1	5.7	0.4	6.1	0.1	6.1	0.2	6.3	0.1	5.2	0.7	6.0	
50-54	0.0	4.7	0.5	5.3	0.1	4.8	0.2	5.1	0.0	4.6	0.8	5.4	
55-59	0.0	3.7	0.6	4.3	0.0	4.0	0.3	4.3	0.0	3.5	0.9	4.4	
60-64	0.0	3.0	0.6	3.6	0.0	3.2	0.3	3.5	0.0	2.8	1.0	3.8	
65-69	0.0	2.2	0.7	2.8	0.0	2.7	0.4	3.0	0.0	1.6	1.0	2.6	
70-74	0.0	1.3	0.6	1.9	0.0	1.7	0.3	2.0	0.0	0.9	0.9	1.8	
75-79	0.0	0.5	0.4	0.9	0.0	0.8	0.2	1.0	0.0	0.3	0.5	0.9	
80-84	0.0	0.3	0.2	0.5	0.0	0.4	0.1	0.5	0.0	0.2	0.4	0.6	
85+	0.0	0.1	0.1	0.3	0.0	0.2	0.1	0.3	0.0	0.1	0.2	0.3	
All ages	42.2	52.9	4.9	100.0	47.8	49.9	2.3	100.0	36.5	56.0	7.5	100.0	
<b>Urban</b>													
<10 Yrs	11.6	0.0	0.0	11.6	11.5	0.0	0.0	11.5	11.8	0.0	0.0	11.8	
10-14	7.2	0.0	0.0	7.2	7.2	0.0	0.0	7.2	7.2	0.0	0.0	7.2	
15-19	8.2	0.1	0.0	8.4	8.5	0.1	0.0	8.5	8.0	0.2	0.0	8.2	
20-24	8.6	2.1	0.0	10.7	9.6	0.4	0.0	10.0	7.5	3.8	0.0	11.3	
25-29	5.4	6.1	0.0	11.6	7.8	3.4	0.0	11.3	3.1	8.8	0.0	11.9	
30-34	2.0	7.9	0.1	10.1	3.0	7.1	0.0	10.1	1.1	8.7	0.2	10.1	
35-39	0.7	8.6	0.2	9.5	1.0	8.4	0.1	9.5	0.4	8.7	0.3	9.5	
40-44	0.2	7.0	0.3	7.5	0.3	7.3	0.1	7.8	0.1	6.6	0.5	7.2	
45-49	0.1	5.5	0.4	6.0	0.2	6.1	0.1	6.4	0.1	5.0	0.6	5.6	
50-54	0.1	4.8	0.6	5.4	0.1	5.0	0.2	5.3	0.1	4.6	1.0	5.6	
55-59	0.0	3.6	0.6	4.2	0.1	4.0	0.3	4.4	0.0	3.2	0.9	4.1	
60-64	0.1	2.4	0.6	3.1	0.1	2.8	0.2	3.1	0.0	2.1	0.9	3.0	
65-69	0.0	1.6	0.5	2.1	0.0	2.0	0.2	2.3	0.0	1.2	0.8	2.0	
70-74	0.0	0.8	0.4	1.3	0.0	1.1	0.2	1.3	0.0	0.6	0.6	1.2	
75-79	0.0	0.5	0.3	0.7	0.0	0.7	0.2	0.8	0.0	0.3	0.4	0.7	
80-84	0.0	0.2	0.2	0.3	0.0	0.2	0.1	0.3	0.0	0.1	0.2	0.4	
85+	0.0	0.1	0.1	0.2	0.0	0.1	0.0	0.1	0.0	0.0	0.1	0.2	
All ages	44.5	51.3	4.2	100.0	49.4	48.8	1.8	100.0	39.5	53.8	6.7	100.0	

W/D/S - Widowed/Divorced/Separated.

**Table 2**  
**Percent distribution of population by sex, marital status and age-group, 2020**

Age group	Total				Males				Females				<b>Assam</b>
	Never Married	Married	W/D/S	Total	Never Married	Married	W/D/S	Total	Never Married	Married	W/D/S	Total	
	<b>Total</b>												
<10 yrs	17.1	0.0	0.0	17.1	17.4	0.0	0.0	17.4	16.8	0.0	0.0	0.0	16.8
10-14	9.6	0.0	0.0	9.6	9.8	0.0	0.0	9.8	9.3	0.0	0.0	0.0	9.3
15-19	9.8	0.2	0.0	10.0	9.6	0.0	0.0	9.7	9.9	0.4	0.0	0.0	10.3
20-24	8.7	2.6	0.0	11.2	9.6	1.0	0.0	10.6	7.7	4.2	0.0	0.0	11.9
25-29	4.9	5.5	0.0	10.4	6.4	3.6	0.0	10.0	3.3	7.5	0.1	0.0	10.9
30-34	2.2	6.9	0.1	9.2	3.1	5.9	0.0	9.1	1.3	7.9	0.1	0.0	9.3
35-39	1.0	6.5	0.1	7.6	1.4	6.2	0.0	7.6	0.6	6.8	0.2	0.0	7.5
40-44	0.5	5.6	0.2	6.3	0.6	5.8	0.1	6.6	0.4	5.4	0.3	0.0	6.0
45-49	0.3	4.6	0.2	5.1	0.3	5.0	0.1	5.4	0.2	4.2	0.4	0.0	4.8
50-54	0.2	3.5	0.3	3.9	0.2	3.8	0.1	4.1	0.2	3.1	0.4	0.0	3.7
55-59	0.1	2.9	0.3	3.3	0.1	2.9	0.2	3.2	0.1	2.8	0.5	0.0	3.4
60-64	0.1	1.9	0.4	2.4	0.1	2.2	0.2	2.5	0.1	1.6	0.6	0.0	2.3
65-69	0.0	1.2	0.3	1.6	0.0	1.5	0.1	1.7	0.0	0.9	0.6	0.0	1.5
70-74	0.0	0.7	0.3	1.1	0.0	1.0	0.1	1.2	0.0	0.5	0.5	0.0	1.0
75-79	0.0	0.4	0.2	0.7	0.0	0.6	0.1	0.7	0.0	0.2	0.3	0.0	0.6
80-84	0.0	0.2	0.1	0.3	0.0	0.3	0.1	0.4	0.0	0.1	0.2	0.0	0.3
85+	0.0	0.1	0.1	0.2	0.0	0.2	0.1	0.2	0.0	0.1	0.2	0.0	0.2
All ages	54.5	42.8	2.7	100.0	58.7	40.1	1.2	100.0	50.1	45.7	4.2	0.0	100.0
<b>Rural</b>													
<10 Yrs	17.8	0.0	0.0	17.8	18.1	0.0	0.0	18.1	17.6	0.0	0.0	0.0	17.6
10-14	10.1	0.0	0.0	10.1	10.3	0.0	0.0	10.3	9.8	0.0	0.0	0.0	9.8
15-19	10.0	0.2	0.0	10.3	9.9	0.0	0.0	9.9	10.2	0.4	0.0	0.0	10.6
20-24	8.8	2.6	0.0	11.5	9.7	1.0	0.0	10.8	7.9	4.3	0.0	0.0	12.2
25-29	4.6	5.7	0.0	10.4	6.1	3.8	0.0	9.9	3.0	7.7	0.1	0.0	10.8
30-34	2.0	7.0	0.1	9.0	2.8	6.1	0.0	8.9	1.2	7.9	0.1	0.0	9.2
35-39	0.9	6.4	0.1	7.3	1.2	6.1	0.0	7.4	0.5	6.6	0.2	0.0	7.3
40-44	0.4	5.5	0.2	6.1	0.6	5.8	0.1	6.4	0.3	5.2	0.3	0.0	5.8
45-49	0.2	4.4	0.2	4.9	0.3	4.9	0.1	5.3	0.2	4.0	0.3	0.0	4.5
50-54	0.2	3.2	0.2	3.6	0.2	3.5	0.1	3.8	0.2	2.8	0.3	0.0	3.3
55-59	0.1	2.6	0.3	3.0	0.1	2.6	0.2	2.8	0.1	2.7	0.5	0.0	3.2
60-64	0.1	1.8	0.4	2.3	0.1	2.1	0.2	2.3	0.1	1.6	0.6	0.0	2.2
65-69	0.0	1.1	0.3	1.5	0.0	1.4	0.1	1.5	0.0	0.8	0.6	0.0	1.4
70-74	0.0	0.7	0.3	1.0	0.0	1.0	0.1	1.1	0.0	0.4	0.4	0.0	0.9
75-79	0.0	0.4	0.2	0.7	0.0	0.6	0.1	0.7	0.0	0.2	0.3	0.0	0.6
80-84	0.0	0.2	0.1	0.3	0.0	0.3	0.1	0.3	0.0	0.1	0.2	0.0	0.3
85+	0.0	0.1	0.1	0.2	0.0	0.2	0.1	0.2	0.0	0.1	0.1	0.0	0.2
All ages	55.3	42.1	2.6	100.0	59.4	39.4	1.2	100.0	51.1	44.9	4.0	0.0	100.0
<b>Urban</b>													
<10 Yrs	12.8	0.0	0.0	12.8	13.2	0.0	0.0	13.2	12.5	0.0	0.0	0.0	12.5
10-14	6.7	0.0	0.0	6.7	6.8	0.0	0.0	6.8	6.6	0.0	0.0	0.0	6.6
15-19	8.2	0.1	0.0	8.3	8.0	0.0	0.0	8.1	8.3	0.2	0.0	0.0	8.5
20-24	7.9	2.1	0.0	10.0	8.9	0.6	0.0	9.5	6.8	3.7	0.0	0.0	10.5
25-29	6.5	4.2	0.0	10.8	8.0	2.2	0.0	10.2	4.9	6.4	0.0	0.0	11.4
30-34	3.7	6.2	0.1	10.0	5.0	4.9	0.0	9.9	2.3	7.6	0.1	0.0	10.1
35-39	1.8	7.1	0.1	9.0	2.5	6.4	0.0	9.0	1.0	7.8	0.2	0.0	9.0
40-44	0.9	6.1	0.2	7.2	1.2	6.1	0.1	7.3	0.6	6.2	0.4	0.0	7.1
45-49	0.5	5.5	0.3	6.3	0.5	5.7	0.1	6.3	0.4	5.4	0.5	0.0	6.3
50-54	0.4	5.1	0.4	5.9	0.3	5.3	0.1	5.8	0.4	4.9	0.8	0.0	6.1
55-59	0.2	4.2	0.4	4.8	0.2	4.8	0.2	5.2	0.1	3.6	0.7	0.0	4.4
60-64	0.1	2.7	0.4	3.2	0.1	3.3	0.1	3.6	0.1	2.1	0.7	0.0	2.9
65-69	0.1	1.7	0.4	2.2	0.1	2.3	0.1	2.5	0.1	1.2	0.7	0.0	2.0
70-74	0.0	0.9	0.3	1.3	0.0	1.1	0.1	1.3	0.1	0.6	0.6	0.0	1.2
75-79	0.0	0.5	0.2	0.8	0.0	0.7	0.1	0.8	0.0	0.3	0.4	0.0	0.7
80-84	0.0	0.3	0.1	0.4	0.0	0.4	0.1	0.5	0.0	0.1	0.2	0.0	0.4
85+	0.0	0.1	0.1	0.3	0.0	0.2	0.1	0.3	0.0	0.1	0.2	0.0	0.3
All ages	49.8	47.0	3.2	100.0	55.0	43.9	1.2	100.0	44.3	50.3	5.5	0.0	100.0

W/D/S - Widowed/Divorced/Separated.

**Table 2**  
**Percent distribution of population by sex, marital status and age-group, 2020**

Age group	Total				Males				Females				<b>Bihar</b>
	Never Married	Married	W/D/S	Total	Never Married	Married	W/D/S	Total	Never Married	Married	W/D/S	Total	
					Total								
<10 yrs	21.6	0.0	0.0	21.6	22.1	0.0	0.0	22.1	21.1	0.0	0.0	21.1	
10-14	11.3	0.0	0.0	11.3	11.4	0.0	0.0	11.4	11.2	0.0	0.0	11.2	
15-19	11.8	0.2	0.0	12.0	11.8	0.0	0.0	11.9	11.9	0.4	0.0	12.2	
20-24	8.9	2.4	0.0	11.3	10.3	0.9	0.0	11.1	7.5	3.9	0.0	11.4	
25-29	4.3	5.6	0.0	9.9	5.9	3.9	0.0	9.8	2.6	7.4	0.0	10.0	
30-34	0.9	6.4	0.0	7.3	1.4	5.9	0.0	7.3	0.3	7.0	0.1	7.4	
35-39	0.2	6.0	0.1	6.2	0.3	5.9	0.0	6.2	0.1	6.1	0.1	6.2	
40-44	0.1	4.4	0.1	4.6	0.1	4.3	0.0	4.5	0.0	4.5	0.1	4.7	
45-49	0.0	3.9	0.1	4.0	0.0	3.8	0.1	3.9	0.0	4.1	0.2	4.3	
50-54	0.0	2.8	0.1	3.0	0.0	2.9	0.1	3.0	0.0	2.7	0.2	2.9	
55-59	0.0	2.3	0.1	2.5	0.0	2.4	0.1	2.5	0.0	2.3	0.2	2.4	
60-64	0.0	2.1	0.2	2.3	0.0	2.2	0.1	2.4	0.0	1.9	0.2	2.2	
65-69	0.0	1.5	0.2	1.7	0.0	1.5	0.2	1.7	0.0	1.4	0.3	1.7	
70-74	0.0	0.8	0.2	1.0	0.0	0.9	0.1	1.1	0.0	0.7	0.3	1.0	
75-79	0.0	0.4	0.2	0.7	0.0	0.5	0.1	0.6	0.0	0.4	0.3	0.7	
80-84	0.0	0.2	0.1	0.3	0.0	0.2	0.1	0.3	0.0	0.2	0.1	0.3	
85+	0.0	0.1	0.1	0.2	0.0	0.1	0.1	0.2	0.0	0.1	0.1	0.2	
All ages	59.3	39.1	1.6	100.0	63.5	35.5	1.0	100.0	54.8	43.0	2.2	100.0	
<b>Rural</b>													
<10 Yrs	22.2	0.0	0.0	22.2	22.7	0.0	0.0	22.7	21.7	0.0	0.0	21.7	
10-14	11.4	0.0	0.0	11.4	11.6	0.0	0.0	11.6	11.3	0.0	0.0	11.3	
15-19	12.1	0.2	0.0	12.3	12.0	0.1	0.0	12.1	12.1	0.4	0.0	12.5	
20-24	8.8	2.4	0.0	11.2	10.1	0.9	0.0	11.0	7.4	4.0	0.0	11.4	
25-29	4.1	5.7	0.0	9.9	5.8	4.0	0.0	9.8	2.4	7.5	0.0	10.0	
30-34	0.7	6.5	0.0	7.2	1.2	6.0	0.0	7.2	0.3	6.9	0.1	7.3	
35-39	0.1	6.0	0.1	6.2	0.2	5.9	0.0	6.2	0.0	6.1	0.1	6.2	
40-44	0.1	4.3	0.1	4.4	0.1	4.2	0.0	4.3	0.0	4.4	0.1	4.6	
45-49	0.0	3.9	0.1	4.0	0.0	3.8	0.1	3.9	0.0	4.1	0.2	4.2	
50-54	0.0	2.8	0.1	2.9	0.0	2.9	0.1	3.0	0.0	2.6	0.2	2.8	
55-59	0.0	2.2	0.1	2.3	0.0	2.2	0.1	2.4	0.0	2.1	0.1	2.3	
60-64	0.0	2.0	0.1	2.1	0.0	2.1	0.1	2.2	0.0	1.8	0.2	2.0	
65-69	0.0	1.4	0.2	1.6	0.0	1.5	0.2	1.6	0.0	1.3	0.3	1.6	
70-74	0.0	0.8	0.2	1.0	0.0	0.9	0.1	1.0	0.0	0.7	0.3	1.0	
75-79	0.0	0.4	0.2	0.6	0.0	0.5	0.1	0.6	0.0	0.4	0.3	0.7	
80-84	0.0	0.2	0.1	0.3	0.0	0.2	0.1	0.3	0.0	0.2	0.1	0.3	
85+	0.0	0.1	0.1	0.2	0.0	0.1	0.1	0.2	0.0	0.1	0.1	0.2	
All ages	59.7	38.9	1.5	100.0	63.8	35.2	0.9	100.0	55.2	42.7	2.0	100.0	
<b>Urban</b>													
<10 Yrs	17.9	0.0	0.0	17.9	18.2	0.0	0.0	18.2	17.5	0.0	0.0	17.5	
10-14	10.6	0.0	0.0	10.6	10.5	0.0	0.0	10.5	10.6	0.0	0.0	10.6	
15-19	10.4	0.2	0.0	10.6	10.4	0.0	0.0	10.5	10.4	0.3	0.0	10.7	
20-24	9.7	2.1	0.0	11.8	11.1	0.6	0.0	11.8	8.1	3.7	0.0	11.8	
25-29	5.5	4.3	0.0	9.8	7.1	2.7	0.0	9.8	3.8	6.1	0.0	9.9	
30-34	1.9	6.2	0.0	8.1	2.8	5.2	0.0	8.1	0.9	7.2	0.0	8.1	
35-39	0.5	5.9	0.1	6.5	0.8	5.6	0.0	6.4	0.2	6.2	0.1	6.5	
40-44	0.2	5.3	0.1	5.6	0.3	5.3	0.1	5.6	0.1	5.3	0.2	5.6	
45-49	0.0	3.9	0.1	4.1	0.1	3.7	0.1	3.8	0.0	4.1	0.2	4.3	
50-54	0.0	3.4	0.2	3.6	0.1	3.4	0.1	3.6	0.0	3.3	0.3	3.6	
55-59	0.0	3.2	0.2	3.5	0.0	3.2	0.2	3.4	0.0	3.2	0.3	3.5	
60-64	0.0	2.8	0.3	3.1	0.0	2.9	0.2	3.1	0.0	2.6	0.5	3.1	
65-69	0.0	1.8	0.3	2.1	0.0	1.9	0.2	2.1	0.0	1.6	0.5	2.1	
70-74	0.0	1.1	0.3	1.4	0.0	1.3	0.2	1.5	0.0	0.8	0.4	1.2	
75-79	0.0	0.5	0.2	0.8	0.0	0.7	0.2	0.9	0.0	0.4	0.3	0.7	
80-84	0.0	0.2	0.1	0.4	0.0	0.3	0.1	0.4	0.0	0.2	0.2	0.4	
85+	0.0	0.1	0.1	0.3	0.0	0.2	0.1	0.3	0.0	0.1	0.2	0.3	
All ages	56.7	41.0	2.3	100.0	61.5	37.1	1.4	100.0	51.5	45.2	3.3	100.0	

W/D/S - Widowed/Divorced/Separated.

**Table 2**  
**Percent distribution of population by sex, marital status and age-group, 2020**

Age group	Total				Males				Females				<b>Chhattisgarh</b>
	Never Married	Married	W/D/S	Total	Never Married	Married	W/D/S	Total	Never Married	Married	W/D/S	Total	
					Total								
<10 yrs	17.9	0.0	0.0	17.9	18.0	0.0	0.0	18.0	17.8	0.0	0.0	17.8	
10-14	9.5	0.0	0.0	9.5	9.6	0.0	0.0	9.6	9.3	0.0	0.0	9.3	
15-19	9.7	0.2	0.0	9.9	9.8	0.1	0.0	9.9	9.5	0.4	0.0	9.9	
20-24	8.4	2.8	0.0	11.3	10.0	1.3	0.0	11.2	6.9	4.4	0.0	11.3	
25-29	4.1	6.1	0.1	10.2	5.4	4.8	0.1	10.3	2.7	7.4	0.1	10.2	
30-34	1.1	7.1	0.2	8.4	1.6	6.9	0.1	8.6	0.6	7.2	0.2	8.1	
35-39	0.4	6.9	0.2	7.6	0.5	7.0	0.1	7.6	0.3	6.9	0.4	7.5	
40-44	0.2	5.5	0.3	6.0	0.2	5.6	0.1	5.9	0.1	5.5	0.5	6.1	
45-49	0.1	5.0	0.4	5.5	0.1	5.2	0.2	5.5	0.1	4.9	0.6	5.6	
50-54	0.1	3.5	0.4	3.9	0.1	3.8	0.2	4.1	0.0	3.1	0.6	3.8	
55-59	0.0	2.6	0.4	3.1	0.0	2.7	0.2	3.0	0.0	2.6	0.6	3.1	
60-64	0.0	2.0	0.4	2.5	0.0	2.3	0.2	2.6	0.0	1.8	0.7	2.4	
65-69	0.0	1.5	0.5	2.1	0.0	1.7	0.3	2.0	0.0	1.3	0.8	2.2	
70-74	0.0	0.7	0.5	1.2	0.0	0.8	0.2	0.9	0.0	0.7	0.8	1.5	
75-79	0.0	0.3	0.3	0.6	0.0	0.4	0.2	0.6	0.0	0.2	0.5	0.7	
80-84	0.0	0.1	0.1	0.2	0.0	0.1	0.1	0.2	0.0	0.1	0.2	0.3	
85+	0.0	0.0	0.1	0.2	0.0	0.1	0.1	0.1	0.0	0.0	0.2	0.2	
All ages	51.4	44.5	4.0	100.0	55.4	42.7	1.9	100.0	47.5	46.4	6.1	100.0	
<b>Rural</b>													
<10 Yrs	18.6	0.0	0.0	18.6	18.6	0.0	0.0	18.6	18.6	0.0	0.0	18.6	
10-14	9.7	0.0	0.0	9.7	9.8	0.0	0.0	9.8	9.7	0.0	0.0	9.7	
15-19	9.7	0.3	0.0	10.0	10.0	0.1	0.0	10.1	9.5	0.4	0.0	9.9	
20-24	8.2	3.0	0.0	11.3	9.8	1.4	0.0	11.3	6.7	4.6	0.0	11.3	
25-29	3.7	6.3	0.1	10.1	5.0	5.1	0.1	10.1	2.4	7.5	0.1	10.0	
30-34	0.9	7.1	0.2	8.1	1.3	7.2	0.1	8.5	0.5	7.0	0.2	7.7	
35-39	0.3	6.8	0.2	7.3	0.4	6.9	0.1	7.4	0.2	6.7	0.4	7.3	
40-44	0.1	5.3	0.3	5.7	0.1	5.3	0.1	5.5	0.1	5.3	0.5	5.8	
45-49	0.1	4.9	0.4	5.3	0.1	5.0	0.2	5.3	0.1	4.8	0.6	5.4	
50-54	0.0	3.3	0.4	3.7	0.0	3.6	0.2	3.9	0.0	2.9	0.6	3.6	
55-59	0.0	2.6	0.4	3.0	0.0	2.6	0.2	2.9	0.0	2.6	0.5	3.1	
60-64	0.0	2.1	0.5	2.5	0.0	2.4	0.3	2.7	0.0	1.8	0.6	2.4	
65-69	0.0	1.6	0.6	2.2	0.0	1.8	0.3	2.1	0.0	1.4	0.9	2.3	
70-74	0.0	0.7	0.5	1.3	0.0	0.7	0.2	0.9	0.0	0.7	0.9	1.6	
75-79	0.0	0.3	0.4	0.7	0.0	0.4	0.2	0.6	0.0	0.2	0.6	0.8	
80-84	0.0	0.1	0.1	0.2	0.0	0.1	0.1	0.2	0.0	0.1	0.2	0.3	
85+	0.0	0.0	0.1	0.2	0.0	0.1	0.1	0.1	0.0	0.0	0.2	0.2	
All ages	51.5	44.3	4.2	100.0	55.3	42.6	2.1	100.0	47.8	46.0	6.2	100.0	
<b>Urban</b>													
<10 Yrs	15.7	0.0	0.0	15.7	16.3	0.0	0.0	16.3	15.1	0.0	0.0	15.1	
10-14	8.5	0.0	0.0	8.5	8.7	0.0	0.0	8.7	8.3	0.0	0.0	8.3	
15-19	9.4	0.2	0.0	9.6	9.3	0.0	0.0	9.3	9.6	0.3	0.0	9.9	
20-24	9.0	2.1	0.0	11.1	10.3	0.7	0.0	11.1	7.6	3.6	0.0	11.2	
25-29	5.3	5.4	0.1	10.8	6.7	3.9	0.0	10.6	3.9	6.9	0.1	10.9	
30-34	1.9	7.0	0.1	9.0	2.6	6.2	0.1	8.9	1.1	7.8	0.2	9.2	
35-39	0.7	7.4	0.3	8.3	1.0	7.2	0.1	8.3	0.4	7.5	0.4	8.4	
40-44	0.3	6.4	0.3	6.9	0.3	6.6	0.1	7.1	0.2	6.1	0.5	6.8	
45-49	0.2	5.6	0.3	6.1	0.2	5.7	0.1	6.0	0.2	5.5	0.6	6.2	
50-54	0.1	4.2	0.4	4.6	0.1	4.6	0.2	4.8	0.1	3.7	0.6	4.4	
55-59	0.0	2.7	0.4	3.2	0.0	3.0	0.2	3.2	0.0	2.5	0.6	3.1	
60-64	0.0	1.9	0.4	2.4	0.0	2.1	0.2	2.3	0.0	1.7	0.7	2.5	
65-69	0.0	1.3	0.4	1.8	0.0	1.4	0.3	1.7	0.0	1.2	0.6	1.9	
70-74	0.0	0.7	0.3	1.1	0.0	0.9	0.1	1.1	0.0	0.6	0.5	1.1	
75-79	0.0	0.3	0.2	0.5	0.0	0.4	0.1	0.4	0.0	0.2	0.3	0.5	
80-84	0.0	0.1	0.1	0.3	0.0	0.2	0.1	0.2	0.0	0.1	0.2	0.3	
85+	0.0	0.0	0.1	0.1	0.0	0.0	0.0	0.1	0.0	0.0	0.2	0.2	
All ages	51.1	45.3	3.6	100.0	55.6	42.8	1.6	100.0	46.6	47.8	5.6	100.0	

W/D/S - Widowed/Divorced/Separated.

**Table 2**  
**Percent distribution of population by sex, marital status and age-group, 2020**

Age group	Total				Males				Females				<b>Delhi</b>
	Never Married	Married	W/D/S	Total	Never Married	Married	W/D/S	Total	Never Married	Married	W/D/S	Total	
					Total								
<10 yrs	13.9	0.0	0.0	13.9	13.8	0.0	0.0	13.8	13.9	0.0	0.0	13.9	
10-14	8.7	0.0	0.0	8.7	8.7	0.0	0.0	8.7	8.8	0.0	0.0	8.8	
15-19	9.6	0.0	0.0	9.6	9.4	0.0	0.0	9.4	9.8	0.1	0.0	9.9	
20-24	10.2	1.4	0.0	11.6	11.0	0.4	0.0	11.4	9.3	2.5	0.0	11.8	
25-29	7.3	4.6	0.0	11.9	8.8	2.9	0.0	11.7	5.6	6.5	0.0	12.2	
30-34	3.1	7.4	0.1	10.6	4.2	6.5	0.0	10.7	1.9	8.5	0.1	10.5	
35-39	0.9	7.3	0.1	8.4	1.3	7.1	0.1	8.5	0.5	7.5	0.1	8.2	
40-44	0.3	6.1	0.1	6.6	0.4	6.2	0.1	6.7	0.2	6.0	0.2	6.4	
45-49	0.1	4.9	0.2	5.2	0.2	5.2	0.1	5.5	0.1	4.6	0.3	5.0	
50-54	0.1	3.6	0.2	3.9	0.1	3.9	0.1	4.1	0.1	3.3	0.3	3.7	
55-59	0.1	2.9	0.2	3.2	0.1	3.2	0.1	3.4	0.0	2.6	0.4	3.0	
60-64	0.0	2.2	0.3	2.5	0.1	2.3	0.1	2.5	0.0	2.0	0.5	2.6	
65-69	0.0	1.5	0.3	1.7	0.0	1.6	0.1	1.8	0.0	1.2	0.4	1.7	
70-74	0.0	0.7	0.2	1.0	0.0	0.8	0.1	0.9	0.0	0.7	0.4	1.1	
75-79	0.0	0.4	0.2	0.6	0.0	0.5	0.1	0.6	0.0	0.4	0.3	0.7	
80-84	0.0	0.2	0.1	0.3	0.0	0.2	0.1	0.3	0.0	0.2	0.3	0.4	
85+	0.0	0.0	0.1	0.2	0.0	0.0	0.0	0.1	0.1	0.1	0.1	0.3	
All ages	54.5	43.4	2.2	100.0	58.2	40.8	1.0	100.0	50.3	46.2	3.4	100.0	
<b>Rural</b>													
<10 Yrs	14.1	0.0	0.0	14.1	13.6	0.0	0.0	13.6	14.7	0.0	0.0	14.7	
10-14	8.1	0.0	0.0	8.1	8.3	0.0	0.0	8.3	7.8	0.0	0.0	7.8	
15-19	9.6	0.1	0.0	9.6	10.4	0.0	0.0	10.4	8.6	0.2	0.0	8.8	
20-24	11.1	1.9	0.0	13.0	12.9	0.7	0.0	13.6	9.0	3.3	0.0	12.3	
25-29	8.1	6.3	0.0	14.4	10.7	3.7	0.0	14.4	5.0	9.5	0.0	14.5	
30-34	3.0	7.2	0.1	10.2	4.1	5.6	0.0	9.7	1.7	9.1	0.1	10.9	
35-39	1.0	7.0	0.1	8.1	1.5	6.8	0.1	8.4	0.3	7.3	0.1	7.7	
40-44	0.2	5.3	0.1	5.7	0.3	5.2	0.0	5.6	0.1	5.5	0.2	5.9	
45-49	0.1	4.3	0.1	4.5	0.1	4.0	0.1	4.3	0.1	4.5	0.2	4.8	
50-54	0.1	2.9	0.3	3.3	0.1	3.1	0.1	3.4	0.1	2.6	0.5	3.1	
55-59	0.0	2.8	0.2	3.0	0.0	2.9	0.1	3.1	0.0	2.6	0.3	2.9	
60-64	0.0	2.1	0.2	2.4	0.0	2.1	0.1	2.2	0.0	2.1	0.4	2.5	
65-69	0.0	1.2	0.2	1.5	0.0	1.2	0.1	1.3	0.0	1.2	0.4	1.6	
70-74	0.0	0.7	0.2	0.9	0.0	0.8	0.1	0.9	0.0	0.7	0.3	1.0	
75-79	0.0	0.4	0.2	0.6	0.0	0.4	0.1	0.4	0.0	0.4	0.3	0.7	
80-84	0.0	0.2	0.2	0.4	0.0	0.3	0.1	0.4	0.0	0.1	0.3	0.4	
85+	0.0	0.1	0.1	0.3	0.0	0.1	0.1	0.2	0.0	0.1	0.2	0.4	
All ages	55.5	42.5	2.0	100.0	62.1	36.9	1.0	100.0	47.4	49.3	3.3	100.0	
<b>Urban</b>													
<10 Yrs	13.9	0.0	0.0	13.9	13.8	0.0	0.0	13.8	13.9	0.0	0.0	13.9	
10-14	8.8	0.0	0.0	8.8	8.7	0.0	0.0	8.7	8.8	0.0	0.0	8.8	
15-19	9.6	0.0	0.0	9.6	9.4	0.0	0.0	9.4	9.9	0.1	0.0	9.9	
20-24	10.2	1.4	0.0	11.6	11.0	0.4	0.0	11.4	9.3	2.5	0.0	11.8	
25-29	7.3	4.5	0.0	11.8	8.8	2.8	0.0	11.6	5.6	6.4	0.0	12.1	
30-34	3.1	7.5	0.1	10.6	4.2	6.5	0.0	10.7	1.9	8.5	0.1	10.5	
35-39	0.9	7.3	0.1	8.4	1.3	7.1	0.1	8.5	0.5	7.5	0.1	8.2	
40-44	0.3	6.1	0.1	6.6	0.4	6.3	0.1	6.8	0.2	6.0	0.2	6.4	
45-49	0.1	4.9	0.2	5.3	0.2	5.2	0.1	5.5	0.1	4.6	0.3	5.0	
50-54	0.1	3.6	0.2	3.9	0.1	3.9	0.1	4.1	0.1	3.3	0.3	3.7	
55-59	0.1	2.9	0.2	3.2	0.1	3.2	0.1	3.4	0.0	2.6	0.4	3.0	
60-64	0.0	2.2	0.3	2.5	0.1	2.3	0.1	2.5	0.0	2.0	0.5	2.6	
65-69	0.0	1.5	0.3	1.7	0.0	1.6	0.1	1.8	0.0	1.2	0.4	1.7	
70-74	0.0	0.7	0.2	1.0	0.0	0.8	0.1	0.9	0.0	0.7	0.4	1.1	
75-79	0.0	0.4	0.2	0.6	0.0	0.5	0.1	0.6	0.0	0.4	0.3	0.7	
80-84	0.0	0.2	0.1	0.3	0.0	0.2	0.1	0.3	0.0	0.2	0.3	0.4	
85+	0.0	0.0	0.1	0.2	0.0	0.0	0.0	0.1	0.1	0.1	0.1	0.3	
All ages	54.5	43.4	2.2	100.0	58.1	40.9	1.0	100.0	50.4	46.1	3.5	100.0	

W/D/S - Widowed/Divorced/Separated.

**Table 2**  
**Percent distribution of population by sex, marital status and age-group, 2020**

Age group	Total				Males				Females				<b>Gujarat</b>
	Never Married	Married	W/D/S	Total	Never Married	Married	W/D/S	Total	Never Married	Married	W/D/S	Total	
	Total												
<10 yrs	14.9	0.0	0.0	14.9	15.3	0.0	0.0	15.3	14.5	0.0	0.0	14.5	
10-14	9.0	0.0	0.0	9.0	9.3	0.0	0.0	9.3	8.8	0.0	0.0	8.8	
15-19	9.7	0.2	0.0	9.8	9.8	0.1	0.0	9.9	9.5	0.2	0.0	9.7	
20-24	8.3	2.6	0.0	10.9	9.4	1.4	0.0	10.8	7.2	3.8	0.0	11.0	
25-29	4.2	6.3	0.0	10.6	5.5	5.1	0.0	10.6	2.9	7.6	0.1	10.5	
30-34	1.5	7.8	0.1	9.4	2.2	7.4	0.1	9.7	0.8	8.2	0.1	9.1	
35-39	0.5	6.8	0.1	7.4	0.8	6.6	0.1	7.5	0.2	7.0	0.2	7.4	
40-44	0.3	6.0	0.2	6.5	0.4	6.0	0.1	6.5	0.1	6.0	0.3	6.4	
45-49	0.2	4.9	0.3	5.4	0.3	4.8	0.1	5.2	0.1	5.1	0.4	5.5	
50-54	0.1	3.9	0.3	4.4	0.2	4.0	0.2	4.4	0.1	3.8	0.5	4.4	
55-59	0.1	3.1	0.3	3.5	0.1	3.0	0.2	3.3	0.0	3.2	0.4	3.7	
60-64	0.0	2.6	0.4	3.1	0.0	2.7	0.2	2.9	0.0	2.6	0.7	3.2	
65-69	0.0	1.6	0.4	2.1	0.0	1.7	0.2	1.9	0.0	1.5	0.7	2.3	
70-74	0.0	1.0	0.4	1.5	0.0	1.1	0.2	1.3	0.0	1.0	0.7	1.6	
75-79	0.0	0.5	0.4	0.9	0.0	0.6	0.1	0.8	0.0	0.4	0.6	1.0	
80-84	0.0	0.2	0.2	0.4	0.0	0.3	0.1	0.4	0.0	0.2	0.3	0.5	
85+	0.0	0.1	0.2	0.3	0.0	0.1	0.1	0.2	0.0	0.1	0.3	0.4	
All ages	48.9	47.7	3.4	100.0	53.4	44.9	1.7	100.0	44.2	50.7	5.2	100.0	
<b>Rural</b>													
<10 Yrs	15.7	0.0	0.0	15.7	16.0	0.0	0.0	16.0	15.5	0.0	0.0	15.5	
10-14	9.6	0.0	0.0	9.6	9.9	0.0	0.0	9.9	9.4	0.0	0.0	9.4	
15-19	10.3	0.2	0.0	10.5	10.6	0.1	0.0	10.7	10.0	0.3	0.0	10.3	
20-24	7.9	3.2	0.0	11.1	9.0	2.0	0.0	10.9	6.8	4.5	0.0	11.3	
25-29	3.4	6.5	0.0	10.0	4.4	5.6	0.0	10.1	2.3	7.4	0.1	9.8	
30-34	1.1	7.3	0.1	8.5	1.7	7.2	0.1	9.0	0.5	7.5	0.1	8.1	
35-39	0.4	6.2	0.1	6.8	0.7	6.1	0.1	6.9	0.1	6.4	0.2	6.7	
40-44	0.3	5.8	0.2	6.2	0.4	5.8	0.1	6.3	0.1	5.7	0.3	6.1	
45-49	0.2	4.8	0.3	5.3	0.2	4.7	0.2	5.2	0.1	4.9	0.4	5.4	
50-54	0.1	3.7	0.4	4.2	0.2	3.7	0.2	4.1	0.1	3.7	0.5	4.2	
55-59	0.0	3.0	0.3	3.4	0.1	2.9	0.2	3.1	0.0	3.2	0.5	3.7	
60-64	0.0	2.7	0.4	3.2	0.1	2.8	0.2	3.0	0.0	2.7	0.7	3.4	
65-69	0.0	1.8	0.5	2.3	0.0	1.9	0.2	2.1	0.0	1.7	0.8	2.5	
70-74	0.0	1.1	0.4	1.5	0.0	1.1	0.2	1.3	0.0	1.0	0.7	1.7	
75-79	0.0	0.6	0.3	0.9	0.0	0.6	0.1	0.8	0.0	0.5	0.6	1.1	
80-84	0.0	0.2	0.2	0.4	0.0	0.3	0.1	0.3	0.0	0.2	0.3	0.5	
85+	0.0	0.1	0.2	0.3	0.0	0.1	0.1	0.2	0.0	0.1	0.3	0.4	
All ages	49.2	47.3	3.5	100.0	53.3	44.9	1.8	100.0	44.9	49.8	5.3	100.0	
<b>Urban</b>													
<10 Yrs	14.0	0.0	0.0	14.0	14.6	0.0	0.0	14.6	13.2	0.0	0.0	13.2	
10-14	8.3	0.0	0.0	8.3	8.4	0.0	0.0	8.4	8.1	0.0	0.0	8.1	
15-19	8.9	0.1	0.0	9.0	9.0	0.0	0.0	9.0	8.9	0.1	0.0	9.1	
20-24	8.8	1.8	0.0	10.6	9.8	0.8	0.0	10.6	7.6	2.9	0.0	10.5	
25-29	5.3	6.0	0.0	11.3	6.8	4.4	0.0	11.2	3.6	7.8	0.0	11.5	
30-34	2.0	8.4	0.1	10.5	2.8	7.7	0.0	10.6	1.1	9.2	0.1	10.4	
35-39	0.6	7.5	0.1	8.2	1.0	7.2	0.1	8.2	0.3	7.8	0.2	8.3	
40-44	0.3	6.3	0.2	6.8	0.5	6.2	0.1	6.8	0.1	6.3	0.2	6.7	
45-49	0.2	5.1	0.2	5.5	0.3	4.9	0.1	5.3	0.1	5.3	0.3	5.7	
50-54	0.1	4.2	0.3	4.6	0.2	4.4	0.1	4.7	0.1	4.0	0.5	4.5	
55-59	0.1	3.1	0.3	3.5	0.1	3.1	0.2	3.4	0.0	3.1	0.4	3.6	
60-64	0.0	2.5	0.4	2.9	0.0	2.5	0.2	2.7	0.0	2.4	0.6	3.1	
65-69	0.0	1.4	0.4	1.8	0.0	1.5	0.2	1.7	0.0	1.3	0.6	2.0	
70-74	0.0	1.0	0.4	1.4	0.0	1.1	0.2	1.3	0.0	0.9	0.6	1.5	
75-79	0.0	0.5	0.4	0.9	0.0	0.6	0.2	0.8	0.0	0.4	0.6	1.0	
80-84	0.0	0.2	0.2	0.5	0.0	0.3	0.1	0.4	0.0	0.2	0.4	0.5	
85+	0.0	0.1	0.2	0.3	0.0	0.1	0.0	0.1	0.0	0.1	0.4	0.4	
All ages	48.6	48.2	3.1	100.0	53.5	45.0	1.5	100.0	43.3	51.8	5.0	100.0	

W/D/S - Widowed/Divorced/Separated.

**Table 2**  
**Percent distribution of population by sex, marital status and age-group, 2020**

Age group	Total				Males				Females				<b>Haryana</b>
	Never Married	Married	W/D/S	Total	Never Married	Married	W/D/S	Total	Never Married	Married	W/D/S	Total	
	<b>Total</b>												
<10 yrs	16.4	0.0	0.0	16.4	16.9	0.0	0.0	16.9	15.7	0.0	0.0	0.0	15.7
10-14	8.8	0.0	0.0	8.8	9.3	0.0	0.0	9.3	8.3	0.0	0.0	0.0	8.3
15-19	9.9	0.1	0.0	10.0	10.1	0.0	0.0	10.1	9.7	0.2	0.0	0.0	9.9
20-24	9.2	2.6	0.0	11.8	10.5	1.0	0.0	11.5	7.8	4.4	0.0	0.0	12.2
25-29	4.5	6.6	0.0	11.1	6.2	5.0	0.0	11.2	2.5	8.4	0.0	0.0	10.9
30-34	1.3	7.5	0.0	8.8	1.9	7.0	0.0	9.0	0.6	8.0	0.1	0.1	8.6
35-39	0.4	7.0	0.1	7.5	0.6	6.6	0.0	7.2	0.1	7.5	0.1	0.1	7.7
40-44	0.2	5.9	0.1	6.2	0.3	5.7	0.1	6.1	0.1	6.1	0.2	0.2	6.4
45-49	0.1	4.9	0.2	5.2	0.2	4.8	0.1	5.1	0.0	5.0	0.2	0.2	5.3
50-54	0.1	3.8	0.2	4.1	0.1	3.8	0.1	4.1	0.0	3.8	0.3	0.3	4.2
55-59	0.1	2.7	0.2	3.0	0.1	2.6	0.1	2.8	0.0	2.9	0.3	0.3	3.2
60-64	0.1	2.2	0.2	2.5	0.1	2.2	0.1	2.4	0.0	2.2	0.4	0.4	2.6
65-69	0.1	1.6	0.2	1.9	0.1	1.5	0.1	1.7	0.0	1.6	0.4	0.4	2.0
70-74	0.0	1.0	0.2	1.2	0.0	1.0	0.1	1.1	0.0	1.0	0.4	0.4	1.4
75-79	0.0	0.5	0.2	0.7	0.0	0.6	0.1	0.7	0.0	0.5	0.3	0.3	0.8
80-84	0.0	0.3	0.1	0.5	0.0	0.4	0.1	0.4	0.0	0.3	0.2	0.2	0.5
85+	0.0	0.1	0.1	0.3	0.0	0.1	0.1	0.2	0.0	0.1	0.2	0.2	0.3
All ages	51.2	46.9	2.0	100.0	56.6	42.3	1.1	100.0	45.0	52.0	3.0	3.0	100.0
<b>Rural</b>													
<10 Yrs	16.9	0.0	0.0	16.9	17.4	0.0	0.0	17.4	16.3	0.0	0.0	0.0	16.3
10-14	9.1	0.0	0.0	9.1	9.5	0.0	0.0	9.5	8.6	0.0	0.0	0.0	8.6
15-19	10.2	0.2	0.0	10.3	10.3	0.1	0.0	10.4	10.0	0.3	0.0	0.0	10.3
20-24	9.3	2.9	0.0	12.1	10.6	1.2	0.0	11.7	7.8	4.8	0.0	0.0	12.6
25-29	4.2	6.6	0.0	10.8	5.8	5.2	0.0	11.0	2.3	8.2	0.0	0.0	10.5
30-34	1.2	7.4	0.0	8.6	1.8	7.0	0.0	8.9	0.4	7.8	0.1	0.1	8.3
35-39	0.4	6.9	0.1	7.4	0.6	6.5	0.0	7.2	0.1	7.4	0.1	0.1	7.6
40-44	0.2	5.8	0.1	6.1	0.3	5.6	0.1	6.0	0.1	5.9	0.2	0.2	6.2
45-49	0.1	4.6	0.1	4.9	0.2	4.5	0.1	4.9	0.0	4.8	0.2	0.2	5.0
50-54	0.1	3.4	0.2	3.8	0.2	3.5	0.1	3.7	0.0	3.4	0.3	0.3	3.8
55-59	0.1	2.5	0.2	2.7	0.1	2.3	0.1	2.5	0.0	2.7	0.3	0.3	3.0
60-64	0.1	2.1	0.2	2.4	0.2	2.0	0.1	2.3	0.0	2.2	0.3	0.3	2.5
65-69	0.1	1.6	0.2	1.9	0.1	1.5	0.1	1.8	0.0	1.7	0.4	0.4	2.1
70-74	0.0	1.0	0.2	1.3	0.1	1.1	0.1	1.2	0.0	1.0	0.4	0.4	1.4
75-79	0.0	0.6	0.2	0.8	0.0	0.6	0.1	0.8	0.0	0.5	0.3	0.3	0.9
80-84	0.0	0.3	0.1	0.5	0.0	0.4	0.1	0.5	0.0	0.3	0.2	0.2	0.5
85+	0.0	0.2	0.1	0.3	0.0	0.2	0.1	0.3	0.0	0.1	0.2	0.2	0.4
All ages	52.0	46.1	1.9	100.0	57.3	41.7	1.0	100.0	45.9	51.1	2.9	2.9	100.0
<b>Urban</b>													
<10 Yrs	15.5	0.0	0.0	15.5	16.1	0.0	0.0	16.1	14.8	0.0	0.0	0.0	14.8
10-14	8.3	0.0	0.0	8.3	8.9	0.0	0.0	8.9	7.6	0.0	0.0	0.0	7.6
15-19	9.5	0.0	0.0	9.5	9.7	0.0	0.0	9.7	9.2	0.1	0.0	0.0	9.3
20-24	9.1	2.2	0.0	11.3	10.3	0.9	0.0	11.2	7.8	3.7	0.0	0.0	11.5
25-29	4.9	6.7	0.0	11.6	6.8	4.7	0.0	11.6	2.8	8.8	0.0	0.0	11.6
30-34	1.5	7.6	0.0	9.1	2.1	7.0	0.0	9.2	0.8	8.2	0.0	0.0	9.0
35-39	0.4	7.1	0.1	7.6	0.6	6.7	0.0	7.4	0.2	7.6	0.1	0.1	7.9
40-44	0.2	6.1	0.1	6.4	0.3	5.8	0.1	6.1	0.1	6.5	0.2	0.2	6.7
45-49	0.1	5.3	0.2	5.6	0.2	5.2	0.1	5.5	0.1	5.4	0.3	0.3	5.7
50-54	0.1	4.4	0.2	4.7	0.1	4.4	0.1	4.6	0.0	4.3	0.4	0.4	4.8
55-59	0.0	3.2	0.2	3.5	0.0	3.2	0.1	3.4	0.0	3.2	0.4	0.4	3.6
60-64	0.0	2.4	0.3	2.7	0.0	2.5	0.1	2.6	0.0	2.3	0.4	0.4	2.8
65-69	0.0	1.5	0.2	1.8	0.0	1.5	0.1	1.6	0.0	1.5	0.4	0.4	1.9
70-74	0.0	0.9	0.2	1.1	0.0	0.8	0.1	1.0	0.0	0.9	0.4	0.4	1.3
75-79	0.0	0.4	0.2	0.6	0.0	0.5	0.1	0.6	0.0	0.4	0.3	0.3	0.7
80-84	0.0	0.3	0.1	0.4	0.0	0.3	0.1	0.4	0.0	0.3	0.2	0.2	0.5
85+	0.0	0.1	0.1	0.2	0.0	0.1	0.0	0.1	0.0	0.1	0.1	0.1	0.3
All ages	49.8	48.1	2.1	100.0	55.4	43.5	1.1	100.0	43.6	53.3	3.1	3.1	100.0

W/D/S - Widowed/Divorced/Separated.

**Table 2**

**Percent distribution of population by sex, marital status and age-group, 2020**

Age group	Total				Males				Females				<b>Himachal Pradesh</b>
	Never Married	Married	W/D/S	Total	Never Married	Married	W/D/S	Total	Never Married	Married	W/D/S	Total	
					Total								
<10 yrs	13.0	0.0	0.0	13.0	13.8	0.0	0.0	13.8	12.2	0.0	0.0	12.2	
10-14	7.9	0.0	0.0	7.9	8.2	0.0	0.0	8.2	7.6	0.0	0.0	7.6	
15-19	7.9	0.1	0.0	8.0	8.5	0.0	0.0	8.5	7.3	0.2	0.0	7.4	
20-24	8.3	2.0	0.0	10.2	9.0	0.4	0.0	9.4	7.5	3.4	0.0	11.0	
25-29	5.3	5.1	0.0	10.4	7.2	2.8	0.0	10.0	3.4	7.4	0.0	10.8	
30-34	1.9	7.0	0.0	9.0	3.1	5.8	0.0	8.8	0.9	8.2	0.1	9.1	
35-39	0.6	7.2	0.1	7.9	1.0	6.7	0.0	7.8	0.2	7.6	0.1	8.0	
40-44	0.3	6.5	0.1	6.9	0.4	6.3	0.0	6.7	0.1	6.6	0.2	7.0	
45-49	0.2	5.3	0.2	5.7	0.2	5.5	0.1	5.8	0.1	5.2	0.3	5.5	
50-54	0.1	5.1	0.3	5.5	0.2	5.2	0.1	5.5	0.1	4.9	0.5	5.5	
55-59	0.1	4.3	0.4	4.7	0.1	4.5	0.1	4.7	0.1	4.0	0.6	4.7	
60-64	0.0	3.2	0.5	3.7	0.0	3.6	0.1	3.8	0.0	2.8	0.8	3.6	
65-69	0.0	2.1	0.5	2.6	0.0	2.4	0.2	2.6	0.0	1.8	0.8	2.6	
70-74	0.0	1.4	0.5	1.9	0.0	1.7	0.2	1.9	0.0	1.1	0.8	1.9	
75-79	0.0	0.8	0.4	1.2	0.0	0.9	0.1	1.1	0.0	0.6	0.7	1.3	
80-84	0.0	0.5	0.4	0.9	0.0	0.6	0.2	0.8	0.0	0.4	0.6	1.0	
85+	0.1	0.2	0.4	0.6	0.1	0.3	0.2	0.5	0.0	0.2	0.6	0.7	
All ages	45.6	50.6	3.8	100.0	51.9	46.8	1.3	100.0	39.5	54.4	6.1	100.0	
<b>Rural</b>													
<10 Yrs	13.1	0.0	0.0	13.1	14.1	0.0	0.0	14.1	12.2	0.0	0.0	12.2	
10-14	7.9	0.0	0.0	7.9	8.2	0.0	0.0	8.2	7.6	0.0	0.0	7.6	
15-19	7.8	0.1	0.0	7.9	8.5	0.0	0.0	8.5	7.1	0.2	0.0	7.3	
20-24	8.2	2.1	0.0	10.3	9.0	0.4	0.0	9.4	7.5	3.6	0.0	11.1	
25-29	5.1	5.3	0.0	10.5	7.2	2.9	0.0	10.1	3.2	7.6	0.0	10.9	
30-34	1.8	7.0	0.0	8.9	2.9	5.9	0.0	8.8	0.8	8.2	0.1	9.0	
35-39	0.6	7.2	0.1	7.8	0.9	6.7	0.0	7.7	0.2	7.6	0.1	7.9	
40-44	0.2	6.4	0.1	6.7	0.3	6.2	0.0	6.6	0.1	6.5	0.2	6.8	
45-49	0.1	5.3	0.2	5.6	0.2	5.4	0.1	5.7	0.1	5.1	0.3	5.5	
50-54	0.1	5.0	0.3	5.5	0.2	5.1	0.1	5.4	0.1	4.9	0.6	5.5	
55-59	0.1	4.3	0.4	4.8	0.1	4.5	0.1	4.7	0.1	4.1	0.7	4.8	
60-64	0.0	3.3	0.5	3.8	0.0	3.7	0.1	3.9	0.0	2.9	0.8	3.7	
65-69	0.0	2.1	0.5	2.6	0.0	2.4	0.2	2.6	0.0	1.8	0.8	2.6	
70-74	0.0	1.4	0.5	1.9	0.0	1.7	0.2	1.9	0.0	1.1	0.8	2.0	
75-79	0.0	0.8	0.4	1.2	0.0	0.9	0.1	1.1	0.0	0.6	0.7	1.3	
80-84	0.0	0.5	0.4	0.9	0.0	0.6	0.2	0.8	0.0	0.4	0.6	1.0	
85+	0.1	0.2	0.4	0.7	0.1	0.3	0.2	0.6	0.0	0.2	0.6	0.8	
All ages	45.3	50.9	3.9	100.0	51.8	46.8	1.4	100.0	39.0	54.7	6.3	100.0	
<b>Urban</b>													
<10 Yrs	11.7	0.0	0.0	11.7	11.5	0.0	0.0	11.5	11.9	0.0	0.0	11.9	
10-14	7.6	0.0	0.0	7.6	7.8	0.0	0.0	7.8	7.4	0.0	0.0	7.4	
15-19	8.6	0.1	0.0	8.7	8.3	0.0	0.0	8.3	8.9	0.1	0.0	9.1	
20-24	8.9	0.7	0.0	9.6	9.5	0.1	0.0	9.6	8.3	1.4	0.0	9.7	
25-29	6.8	3.0	0.0	9.8	7.8	1.6	0.0	9.4	5.7	4.5	0.0	10.2	
30-34	3.4	6.2	0.0	9.6	4.6	4.8	0.0	9.4	2.1	7.8	0.1	9.9	
35-39	1.1	7.3	0.1	8.5	1.6	6.6	0.0	8.1	0.7	8.1	0.1	8.9	
40-44	0.6	7.6	0.1	8.2	0.8	7.3	0.0	8.2	0.3	7.9	0.2	8.3	
45-49	0.3	6.3	0.2	6.8	0.4	7.0	0.1	7.5	0.2	5.6	0.3	6.1	
50-54	0.2	5.7	0.2	6.1	0.2	6.4	0.1	6.7	0.1	5.1	0.4	5.6	
55-59	0.1	4.2	0.3	4.6	0.1	4.7	0.1	4.9	0.1	3.7	0.4	4.2	
60-64	0.1	2.7	0.3	3.0	0.1	3.0	0.1	3.2	0.0	2.3	0.5	2.8	
65-69	0.0	1.9	0.3	2.3	0.0	2.1	0.1	2.3	0.1	1.7	0.5	2.3	
70-74	0.0	1.1	0.3	1.4	0.0	1.3	0.1	1.4	0.0	0.9	0.4	1.4	
75-79	0.0	0.7	0.3	1.0	0.0	0.8	0.2	1.0	0.0	0.6	0.4	1.0	
80-84	0.0	0.4	0.2	0.6	0.0	0.4	0.1	0.5	0.0	0.4	0.4	0.7	
85+	0.1	0.1	0.2	0.4	0.1	0.1	0.0	0.3	0.0	0.1	0.3	0.5	
All ages	49.5	48.0	2.5	100.0	53.0	46.1	1.0	100.0	45.8	50.1	4.1	100.0	

W/D/S - Widowed/Divorced/Separated.

**Table 2**  
**Percent distribution of population by sex, marital status and age-group, 2020**

Age group	Total				Males				Females				<b>Jammu &amp; Kashmir</b>
	Never Married	Married	W/D/S	Total	Never Married	Married	W/D/S	Total	Never Married	Married	W/D/S	Total	
					Total								
<10 yrs	12.8	0.0	0.0	12.8	13.3	0.0	0.0	13.3	12.3	0.0	0.0	12.3	
10-14	7.4	0.0	0.0	7.4	7.6	0.0	0.0	7.6	7.2	0.0	0.0	7.2	
15-19	9.7	0.1	0.0	9.7	10.0	0.0	0.0	10.0	9.3	0.1	0.0	9.4	
20-24	10.7	1.1	0.0	11.7	11.0	0.5	0.0	11.5	10.3	1.6	0.0	12.0	
25-29	9.3	3.0	0.0	12.3	9.8	1.9	0.0	11.7	8.7	4.2	0.0	12.9	
30-34	4.7	4.8	0.0	9.6	5.4	4.0	0.0	9.4	3.9	5.7	0.0	9.7	
35-39	2.0	5.9	0.0	7.9	2.3	5.3	0.0	7.7	1.6	6.4	0.1	8.1	
40-44	0.7	5.6	0.1	6.4	0.9	5.5	0.0	6.4	0.5	5.6	0.1	6.3	
45-49	0.3	4.9	0.1	5.2	0.3	4.7	0.0	5.1	0.2	5.0	0.2	5.4	
50-54	0.2	4.2	0.1	4.5	0.2	4.3	0.1	4.6	0.1	4.2	0.2	4.5	
55-59	0.1	3.3	0.1	3.5	0.1	3.6	0.1	3.8	0.0	3.1	0.2	3.3	
60-64	0.1	2.7	0.2	3.0	0.1	2.7	0.1	2.9	0.0	2.8	0.4	3.2	
65-69	0.0	2.0	0.2	2.3	0.1	2.2	0.1	2.4	0.0	1.9	0.3	2.2	
70-74	0.0	1.2	0.2	1.5	0.0	1.3	0.1	1.4	0.0	1.2	0.3	1.5	
75-79	0.0	0.8	0.2	1.0	0.0	0.9	0.1	1.1	0.0	0.7	0.3	1.0	
80-84	0.0	0.4	0.2	0.6	0.0	0.5	0.1	0.6	0.0	0.3	0.2	0.5	
85+	0.0	0.3	0.2	0.5	0.0	0.4	0.1	0.5	0.0	0.3	0.2	0.5	
All ages	58.0	40.3	1.7	100.0	61.4	37.7	0.9	100.0	54.5	43.0	2.5	100.0	
<b>Rural</b>													
<10 Yrs	13.7	0.0	0.0	13.7	14.1	0.0	0.0	14.1	13.2	0.0	0.0	13.2	
10-14	8.0	0.0	0.0	8.0	8.1	0.0	0.0	8.1	7.8	0.0	0.0	7.8	
15-19	10.4	0.1	0.0	10.4	10.7	0.0	0.0	10.7	10.1	0.1	0.0	10.2	
20-24	11.0	1.1	0.0	12.2	11.3	0.5	0.0	11.9	10.7	1.7	0.0	12.4	
25-29	8.9	3.3	0.0	12.2	9.5	2.1	0.0	11.7	8.3	4.5	0.0	12.8	
30-34	4.3	5.0	0.0	9.3	5.0	4.2	0.0	9.2	3.5	5.8	0.0	9.4	
35-39	1.8	5.8	0.0	7.6	2.0	5.3	0.0	7.4	1.5	6.3	0.1	7.8	
40-44	0.7	5.3	0.1	6.1	0.8	5.3	0.0	6.2	0.5	5.3	0.1	5.9	
45-49	0.2	4.5	0.1	4.8	0.3	4.4	0.0	4.7	0.2	4.6	0.2	4.9	
50-54	0.1	3.9	0.1	4.1	0.2	4.0	0.1	4.2	0.1	3.7	0.2	4.0	
55-59	0.1	3.1	0.1	3.3	0.1	3.2	0.1	3.4	0.0	2.9	0.2	3.1	
60-64	0.1	2.6	0.2	2.9	0.1	2.6	0.1	2.8	0.0	2.7	0.3	3.1	
65-69	0.0	1.9	0.2	2.2	0.1	2.0	0.1	2.2	0.0	1.8	0.3	2.1	
70-74	0.0	1.1	0.2	1.3	0.0	1.2	0.1	1.3	0.0	1.0	0.3	1.3	
75-79	0.0	0.8	0.2	1.0	0.0	0.9	0.1	1.0	0.0	0.7	0.3	1.0	
80-84	0.0	0.4	0.1	0.5	0.0	0.4	0.1	0.5	0.0	0.3	0.2	0.5	
85+	0.0	0.3	0.2	0.5	0.0	0.4	0.1	0.5	0.0	0.2	0.2	0.5	
All ages	59.3	39.1	1.6	100.0	62.4	36.6	0.9	100.0	56.1	41.6	2.3	100.0	
<b>Urban</b>													
<10 Yrs	10.9	0.0	0.0	10.9	11.3	0.0	0.0	11.3	10.4	0.0	0.0	10.4	
10-14	6.3	0.0	0.0	6.3	6.5	0.0	0.0	6.5	6.0	0.0	0.0	6.0	
15-19	8.1	0.0	0.0	8.1	8.4	0.0	0.0	8.5	7.7	0.0	0.0	7.7	
20-24	9.8	1.0	0.0	10.8	10.2	0.4	0.0	10.6	9.4	1.5	0.0	10.9	
25-29	10.0	2.3	0.0	12.4	10.3	1.3	0.0	11.6	9.7	3.4	0.0	13.2	
30-34	5.6	4.6	0.0	10.2	6.5	3.6	0.0	10.1	4.8	5.6	0.0	10.4	
35-39	2.4	6.1	0.0	8.6	2.9	5.5	0.0	8.4	2.0	6.7	0.1	8.8	
40-44	0.9	6.1	0.1	7.1	1.2	5.9	0.0	7.1	0.6	6.3	0.1	7.0	
45-49	0.4	5.8	0.1	6.2	0.5	5.5	0.0	6.0	0.2	6.1	0.2	6.4	
50-54	0.3	5.0	0.2	5.4	0.4	4.8	0.1	5.3	0.1	5.2	0.2	5.5	
55-59	0.1	3.9	0.2	4.2	0.2	4.3	0.1	4.5	0.0	3.5	0.2	3.8	
60-64	0.1	3.0	0.3	3.4	0.1	3.1	0.1	3.3	0.0	2.9	0.4	3.4	
65-69	0.1	2.3	0.2	2.5	0.1	2.5	0.1	2.7	0.0	2.0	0.3	2.4	
70-74	0.0	1.4	0.3	1.7	0.0	1.5	0.1	1.6	0.0	1.4	0.4	1.9	
75-79	0.0	0.9	0.2	1.1	0.1	1.0	0.1	1.2	0.0	0.8	0.3	1.1	
80-84	0.0	0.5	0.2	0.7	0.0	0.6	0.1	0.7	0.0	0.4	0.3	0.7	
85+	0.0	0.3	0.2	0.5	0.1	0.3	0.1	0.4	0.0	0.3	0.2	0.5	
All ages	55.0	43.1	1.9	100.0	58.9	40.3	0.9	100.0	51.0	46.1	2.9	100.0	

W/D/S - Widowed/Divorced/Separated.

**Table 2**  
**Percent distribution of population by sex, marital status and age-group, 2020**

Age group	Total				Males				Females				<b>Jharkhand</b>
	Never Married	Married	W/D/S	Total	Never Married	Married	W/D/S	Total	Never Married	Married	W/D/S	Total	
					Total								
<10 yrs	18.0	0.0	0.0	18.0	18.4	0.0	0.0	18.4	17.5	0.0	0.0	17.5	
10-14	10.6	0.0	0.0	10.6	10.8	0.0	0.0	10.8	10.4	0.0	0.0	10.4	
15-19	11.2	0.2	0.0	11.4	11.7	0.0	0.0	11.7	10.6	0.3	0.0	11.0	
20-24	9.3	2.0	0.0	11.3	10.5	0.7	0.0	11.2	8.0	3.5	0.0	11.5	
25-29	5.3	5.1	0.0	10.4	7.0	3.2	0.0	10.2	3.4	7.1	0.0	10.6	
30-34	1.8	6.5	0.1	8.4	2.6	5.7	0.0	8.2	1.0	7.4	0.1	8.5	
35-39	0.6	6.4	0.1	7.1	0.8	6.1	0.0	7.0	0.3	6.8	0.2	7.3	
40-44	0.2	5.2	0.1	5.6	0.3	5.1	0.1	5.5	0.1	5.3	0.2	5.7	
45-49	0.1	4.5	0.2	4.8	0.2	4.6	0.1	4.8	0.1	4.4	0.2	4.8	
50-54	0.1	3.2	0.2	3.5	0.1	3.4	0.1	3.6	0.1	2.9	0.3	3.3	
55-59	0.0	2.5	0.2	2.8	0.1	2.4	0.1	2.6	0.0	2.6	0.3	3.0	
60-64	0.0	2.1	0.2	2.4	0.0	2.2	0.1	2.3	0.0	2.1	0.4	2.5	
65-69	0.0	1.5	0.3	1.9	0.0	1.6	0.1	1.8	0.0	1.4	0.5	1.9	
70-74	0.0	0.8	0.3	1.1	0.0	0.9	0.1	1.0	0.0	0.7	0.4	1.2	
75-79	0.0	0.3	0.2	0.5	0.0	0.4	0.1	0.5	0.0	0.3	0.3	0.5	
80-84	0.0	0.2	0.1	0.3	0.0	0.2	0.1	0.3	0.0	0.1	0.2	0.3	
85+	0.0	0.0	0.1	0.1	0.0	0.1	0.0	0.1	0.1	0.0	0.1	0.2	
All ages	57.3	40.7	2.0	100.0	62.5	36.6	0.9	100.0	51.7	45.0	3.3	100.0	
<b>Rural</b>													
<10 Yrs	19.1	0.0	0.0	19.1	19.6	0.0	0.0	19.6	18.6	0.0	0.0	18.6	
10-14	11.1	0.0	0.0	11.1	11.4	0.0	0.0	11.4	10.7	0.0	0.0	10.7	
15-19	11.6	0.2	0.0	11.9	12.3	0.1	0.0	12.4	10.9	0.4	0.0	11.3	
20-24	9.1	2.2	0.0	11.3	10.4	0.8	0.0	11.2	7.8	3.7	0.0	11.5	
25-29	4.7	5.3	0.0	10.0	6.4	3.6	0.0	9.9	2.9	7.2	0.0	10.1	
30-34	1.4	6.5	0.1	7.9	1.9	5.8	0.0	7.7	0.8	7.3	0.1	8.2	
35-39	0.4	6.3	0.1	6.8	0.6	6.0	0.0	6.7	0.2	6.6	0.2	7.0	
40-44	0.2	5.0	0.1	5.3	0.2	4.8	0.1	5.1	0.1	5.1	0.2	5.5	
45-49	0.1	4.4	0.1	4.6	0.1	4.4	0.1	4.6	0.1	4.3	0.2	4.6	
50-54	0.1	3.0	0.2	3.2	0.1	3.2	0.1	3.4	0.1	2.7	0.3	3.1	
55-59	0.0	2.4	0.2	2.7	0.0	2.2	0.1	2.3	0.0	2.7	0.3	3.0	
60-64	0.0	2.0	0.2	2.3	0.0	2.0	0.1	2.1	0.0	2.0	0.4	2.4	
65-69	0.0	1.5	0.3	1.8	0.0	1.6	0.1	1.7	0.0	1.3	0.5	1.8	
70-74	0.0	0.8	0.3	1.1	0.0	0.9	0.1	1.0	0.0	0.8	0.4	1.2	
75-79	0.0	0.3	0.2	0.4	0.0	0.3	0.0	0.4	0.0	0.2	0.3	0.5	
80-84	0.0	0.2	0.1	0.3	0.0	0.2	0.1	0.3	0.0	0.1	0.2	0.3	
85+	0.0	0.0	0.0	0.1	0.0	0.1	0.0	0.1	0.1	0.0	0.1	0.1	
All ages	57.9	40.1	1.9	100.0	63.2	36.0	0.8	100.0	52.3	44.5	3.1	100.0	
<b>Urban</b>													
<10 Yrs	14.5	0.0	0.0	14.5	14.8	0.0	0.0	14.8	14.1	0.0	0.0	14.1	
10-14	9.2	0.0	0.0	9.2	9.0	0.0	0.0	9.0	9.4	0.0	0.0	9.4	
15-19	9.8	0.1	0.0	9.9	9.8	0.0	0.0	9.9	9.7	0.1	0.0	9.9	
20-24	9.8	1.4	0.0	11.2	10.9	0.3	0.0	11.2	8.5	2.7	0.0	11.2	
25-29	7.1	4.3	0.0	11.4	8.8	2.3	0.0	11.1	5.2	6.6	0.0	11.8	
30-34	3.2	6.3	0.0	9.6	4.6	5.2	0.0	9.8	1.8	7.5	0.1	9.4	
35-39	1.1	6.8	0.1	8.0	1.5	6.3	0.0	7.9	0.6	7.4	0.2	8.2	
40-44	0.4	6.0	0.1	6.5	0.5	6.1	0.1	6.7	0.2	6.0	0.2	6.4	
45-49	0.2	4.9	0.2	5.4	0.3	5.0	0.1	5.4	0.1	4.8	0.3	5.3	
50-54	0.1	3.8	0.2	4.1	0.1	3.9	0.1	4.1	0.1	3.6	0.4	4.1	
55-59	0.1	2.8	0.3	3.2	0.1	3.1	0.1	3.3	0.0	2.5	0.4	3.0	
60-64	0.0	2.4	0.3	2.7	0.0	2.6	0.1	2.7	0.0	2.3	0.5	2.8	
65-69	0.0	1.7	0.4	2.1	0.0	1.9	0.2	2.1	0.0	1.5	0.6	2.1	
70-74	0.0	0.8	0.3	1.1	0.0	0.9	0.1	1.0	0.0	0.7	0.4	1.1	
75-79	0.0	0.5	0.2	0.7	0.0	0.5	0.1	0.6	0.0	0.4	0.3	0.7	
80-84	0.0	0.2	0.1	0.3	0.0	0.2	0.0	0.2	0.0	0.2	0.1	0.4	
85+	0.0	0.1	0.1	0.2	0.0	0.1	0.0	0.1	0.1	0.0	0.1	0.2	
All ages	55.5	42.2	2.3	100.0	60.5	38.4	1.1	100.0	49.9	46.4	3.6	100.0	

W/D/S - Widowed/Divorced/Separated.

**Table 2**  
**Percent distribution of population by sex, marital status and age-group, 2020**

Age group	Total				Males				Females				<b>Karnataka</b>
	Never Married	Married	W/D/S	Total	Never Married	Married	W/D/S	Total	Never Married	Married	W/D/S	Total	
					Total								
<10 yrs	14.4	0.0	0.0	14.4	14.7	0.0	0.0	14.7	14.0	0.0	0.0	14.0	
10-14	8.0	0.0	0.0	8.0	8.1	0.0	0.0	8.1	7.9	0.0	0.0	7.9	
15-19	8.7	0.2	0.0	8.9	9.0	0.0	0.0	9.1	8.3	0.4	0.0	8.7	
20-24	8.9	2.4	0.0	11.3	10.6	0.4	0.0	10.9	7.3	4.4	0.0	11.7	
25-29	5.8	5.6	0.1	11.4	8.5	2.7	0.0	11.3	2.9	8.6	0.1	11.6	
30-34	2.3	7.1	0.1	9.5	3.6	6.0	0.0	9.6	0.9	8.2	0.3	9.4	
35-39	0.7	6.9	0.2	7.8	1.0	6.8	0.1	7.9	0.3	7.0	0.4	7.7	
40-44	0.3	6.1	0.3	6.8	0.4	6.3	0.1	6.8	0.2	5.9	0.6	6.7	
45-49	0.1	5.2	0.4	5.7	0.2	5.4	0.1	5.7	0.1	4.9	0.7	5.7	
50-54	0.1	4.1	0.4	4.6	0.1	4.6	0.1	4.9	0.1	3.6	0.8	4.4	
55-59	0.1	3.0	0.5	3.6	0.1	3.3	0.2	3.5	0.0	2.7	0.8	3.6	
60-64	0.0	2.4	0.6	3.0	0.0	2.8	0.1	3.0	0.0	2.0	1.0	3.1	
65-69	0.0	1.6	0.6	2.3	0.0	2.0	0.2	2.2	0.0	1.3	1.0	2.3	
70-74	0.0	0.8	0.4	1.2	0.0	0.9	0.1	1.1	0.0	0.6	0.8	1.4	
75-79	0.0	0.5	0.4	0.9	0.0	0.7	0.1	0.8	0.0	0.2	0.7	1.0	
80-84	0.0	0.2	0.2	0.4	0.0	0.3	0.1	0.4	0.0	0.1	0.4	0.5	
85+	0.0	0.1	0.1	0.2	0.0	0.1	0.1	0.2	0.0	0.0	0.2	0.2	
All ages	49.4	46.1	4.5	100.0	56.4	42.3	1.3	100.0	42.2	50.0	7.8	100.0	
<b>Rural</b>													
<10 Yrs	14.6	0.0	0.0	14.6	15.1	0.0	0.0	15.1	14.1	0.0	0.0	14.1	
10-14	8.0	0.0	0.0	8.0	8.0	0.0	0.0	8.0	8.1	0.0	0.0	8.1	
15-19	8.9	0.2	0.0	9.1	9.3	0.0	0.0	9.3	8.4	0.4	0.0	8.9	
20-24	8.8	2.8	0.0	11.6	11.1	0.4	0.0	11.6	6.4	5.3	0.0	11.7	
25-29	5.5	5.8	0.1	11.3	8.4	2.9	0.0	11.3	2.5	8.7	0.1	11.3	
30-34	2.0	6.8	0.2	9.0	3.3	5.7	0.0	9.0	0.7	8.0	0.3	9.0	
35-39	0.6	6.6	0.3	7.5	0.9	6.4	0.1	7.4	0.3	6.8	0.5	7.5	
40-44	0.2	6.0	0.4	6.6	0.3	6.1	0.1	6.5	0.1	5.8	0.6	6.6	
45-49	0.1	5.1	0.4	5.6	0.1	5.3	0.1	5.5	0.1	4.9	0.7	5.7	
50-54	0.1	4.0	0.4	4.5	0.1	4.6	0.1	4.8	0.1	3.4	0.8	4.2	
55-59	0.0	3.1	0.5	3.6	0.0	3.3	0.2	3.5	0.0	2.8	0.9	3.7	
60-64	0.0	2.5	0.6	3.1	0.0	2.8	0.2	3.0	0.0	2.2	1.1	3.3	
65-69	0.0	1.6	0.7	2.4	0.0	2.0	0.2	2.2	0.0	1.3	1.2	2.5	
70-74	0.0	0.8	0.5	1.4	0.0	1.0	0.1	1.2	0.0	0.6	0.9	1.6	
75-79	0.0	0.5	0.5	1.0	0.0	0.7	0.2	0.9	0.0	0.3	0.8	1.1	
80-84	0.0	0.2	0.3	0.5	0.0	0.3	0.1	0.4	0.0	0.1	0.4	0.5	
85+	0.0	0.1	0.1	0.2	0.0	0.2	0.1	0.2	0.0	0.0	0.2	0.2	
All ages	48.9	46.1	5.0	100.0	56.8	41.7	1.5	100.0	40.8	50.6	8.5	100.0	
<b>Urban</b>													
<10 Yrs	14.1	0.0	0.0	14.1	14.1	0.0	0.0	14.1	14.0	0.0	0.0	14.0	
10-14	7.9	0.0	0.0	7.9	8.2	0.0	0.0	8.2	7.7	0.0	0.0	7.7	
15-19	8.4	0.2	0.0	8.6	8.7	0.0	0.0	8.7	8.1	0.3	0.0	8.5	
20-24	9.1	1.7	0.0	10.8	9.6	0.3	0.0	9.9	8.6	3.1	0.0	11.7	
25-29	6.2	5.4	0.0	11.6	8.8	2.4	0.0	11.2	3.5	8.4	0.1	12.0	
30-34	2.6	7.5	0.1	10.2	4.0	6.4	0.0	10.4	1.2	8.5	0.2	10.0	
35-39	0.8	7.3	0.2	8.3	1.2	7.4	0.1	8.6	0.3	7.3	0.2	7.9	
40-44	0.4	6.4	0.3	7.1	0.5	6.7	0.0	7.2	0.2	6.2	0.6	7.0	
45-49	0.2	5.3	0.3	5.8	0.2	5.6	0.1	5.9	0.1	4.9	0.6	5.6	
50-54	0.2	4.2	0.4	4.8	0.2	4.6	0.1	4.9	0.1	3.9	0.8	4.7	
55-59	0.1	2.9	0.4	3.5	0.1	3.2	0.1	3.5	0.1	2.6	0.8	3.4	
60-64	0.1	2.4	0.5	2.9	0.1	2.9	0.1	3.1	0.1	1.8	0.9	2.8	
65-69	0.0	1.6	0.5	2.1	0.0	2.0	0.1	2.1	0.0	1.3	0.8	2.1	
70-74	0.0	0.7	0.3	1.0	0.0	0.8	0.1	0.9	0.0	0.5	0.5	1.1	
75-79	0.0	0.4	0.3	0.7	0.0	0.6	0.1	0.7	0.0	0.2	0.5	0.7	
80-84	0.0	0.2	0.2	0.4	0.0	0.2	0.1	0.3	0.0	0.1	0.3	0.4	
85+	0.0	0.1	0.2	0.2	0.0	0.1	0.0	0.1	0.0	0.0	0.3	0.3	
All ages	50.1	46.1	3.8	100.0	55.9	43.1	1.0	100.0	44.2	49.1	6.7	100.0	

W/D/S - Widowed/Divorced/Separated.

**Table 2**  
**Percent distribution of population by sex, marital status and age-group, 2020**

Age group	Total				Males				Females				<b>Kerala</b>
	Never Married	Married	W/D/S	Total	Never Married	Married	W/D/S	Total	Never Married	Married	W/D/S	Total	
					Total								
<10 yrs	12.8	0.0	0.0	12.8	13.6	0.0	0.0	13.6	12.2	0.0	0.0	12.2	
10-14	7.5	0.0	0.0	7.5	8.1	0.0	0.0	8.1	6.9	0.0	0.0	6.9	
15-19	8.1	0.0	0.0	8.2	8.5	0.0	0.0	8.5	7.7	0.1	0.0	7.8	
20-24	6.8	1.5	0.0	8.3	8.4	0.1	0.0	8.5	5.3	2.9	0.0	8.2	
25-29	4.3	4.2	0.0	8.5	6.8	1.4	0.0	8.2	2.0	6.7	0.1	8.7	
30-34	1.8	6.3	0.1	8.2	3.3	4.7	0.0	8.1	0.4	7.8	0.1	8.4	
35-39	0.8	6.8	0.1	7.8	1.5	6.0	0.1	7.5	0.2	7.5	0.2	8.0	
40-44	0.5	6.6	0.3	7.4	0.8	6.2	0.1	7.0	0.2	7.1	0.4	7.7	
45-49	0.3	6.5	0.4	7.2	0.4	6.4	0.1	6.9	0.2	6.6	0.6	7.4	
50-54	0.2	5.5	0.4	6.1	0.2	5.9	0.1	6.2	0.2	5.2	0.7	6.1	
55-59	0.2	4.5	0.5	5.2	0.1	4.9	0.1	5.2	0.2	4.1	0.9	5.2	
60-64	0.1	3.8	0.7	4.5	0.1	4.4	0.1	4.6	0.1	3.2	1.1	4.5	
65-69	0.1	2.5	0.6	3.2	0.0	2.9	0.1	3.1	0.1	2.0	1.1	3.2	
70-74	0.1	1.5	0.7	2.2	0.0	1.9	0.1	2.1	0.1	1.1	1.2	2.4	
75-79	0.0	0.9	0.6	1.5	0.0	1.1	0.1	1.3	0.1	0.6	1.1	1.8	
80-84	0.0	0.4	0.4	0.9	0.0	0.6	0.1	0.7	0.0	0.3	0.7	1.0	
85+	0.0	0.2	0.3	0.6	0.0	0.3	0.1	0.4	0.0	0.1	0.6	0.7	
All ages	43.6	51.3	5.2	100.0	51.9	46.9	1.2	100.0	35.8	55.3	8.8	100.0	
<b>Rural</b>													
<10 Yrs	13.2	0.0	0.0	13.2	13.8	0.0	0.0	13.8	12.6	0.0	0.0	12.6	
10-14	7.5	0.0	0.0	7.5	8.2	0.0	0.0	8.2	6.8	0.0	0.0	6.8	
15-19	8.1	0.1	0.0	8.1	8.4	0.0	0.0	8.4	7.8	0.1	0.0	7.9	
20-24	6.7	1.6	0.0	8.3	8.4	0.1	0.0	8.5	5.1	3.0	0.0	8.2	
25-29	4.4	4.1	0.0	8.5	6.7	1.3	0.0	8.0	2.2	6.7	0.1	9.0	
30-34	1.9	6.1	0.1	8.1	3.5	4.4	0.0	7.9	0.4	7.7	0.1	8.3	
35-39	0.8	6.6	0.2	7.6	1.5	5.8	0.1	7.4	0.2	7.3	0.2	7.8	
40-44	0.4	6.5	0.2	7.2	0.7	6.2	0.1	6.9	0.2	6.8	0.4	7.4	
45-49	0.3	6.5	0.3	7.1	0.3	6.5	0.1	7.0	0.2	6.5	0.6	7.3	
50-54	0.2	5.4	0.4	6.0	0.2	5.8	0.1	6.1	0.2	5.1	0.7	5.9	
55-59	0.1	4.5	0.5	5.1	0.1	5.0	0.1	5.2	0.1	4.1	0.8	5.0	
60-64	0.1	3.8	0.6	4.6	0.1	4.4	0.1	4.6	0.1	3.3	1.1	4.6	
65-69	0.1	2.6	0.6	3.2	0.0	3.1	0.1	3.3	0.1	2.1	1.0	3.2	
70-74	0.1	1.5	0.6	2.2	0.0	1.8	0.1	2.0	0.1	1.2	1.1	2.4	
75-79	0.0	0.9	0.6	1.6	0.0	1.2	0.1	1.4	0.1	0.7	1.1	1.8	
80-84	0.0	0.5	0.4	0.9	0.0	0.7	0.1	0.8	0.0	0.3	0.8	1.1	
85+	0.0	0.3	0.4	0.6	0.0	0.3	0.1	0.5	0.0	0.2	0.6	0.8	
All ages	43.9	51.1	5.1	100.0	52.1	46.7	1.2	100.0	36.3	55.1	8.6	100.0	
<b>Urban</b>													
<10 Yrs	12.5	0.0	0.0	12.5	13.3	0.0	0.0	13.3	11.7	0.0	0.0	11.7	
10-14	7.5	0.0	0.0	7.5	8.1	0.0	0.0	8.1	7.0	0.0	0.0	7.0	
15-19	8.1	0.0	0.0	8.2	8.7	0.0	0.0	8.7	7.6	0.1	0.0	7.7	
20-24	6.9	1.5	0.0	8.3	8.3	0.1	0.0	8.4	5.5	2.7	0.0	8.2	
25-29	4.2	4.2	0.0	8.4	6.8	1.5	0.0	8.3	1.7	6.7	0.1	8.5	
30-34	1.7	6.5	0.1	8.4	3.2	5.1	0.0	8.3	0.4	7.9	0.1	8.4	
35-39	0.8	7.0	0.1	7.9	1.4	6.1	0.1	7.6	0.2	7.8	0.2	8.2	
40-44	0.5	6.8	0.3	7.6	0.8	6.2	0.1	7.2	0.2	7.3	0.4	7.9	
45-49	0.3	6.5	0.4	7.2	0.5	6.3	0.1	6.8	0.2	6.8	0.6	7.5	
50-54	0.2	5.6	0.4	6.3	0.3	5.9	0.1	6.3	0.2	5.3	0.7	6.2	
55-59	0.2	4.5	0.5	5.2	0.2	4.8	0.1	5.1	0.2	4.2	1.0	5.3	
60-64	0.1	3.7	0.7	4.5	0.1	4.4	0.2	4.7	0.1	3.1	1.2	4.3	
65-69	0.1	2.3	0.7	3.1	0.0	2.8	0.1	2.9	0.1	1.9	1.2	3.3	
70-74	0.1	1.5	0.7	2.3	0.0	2.0	0.1	2.2	0.1	1.1	1.2	2.3	
75-79	0.0	0.8	0.6	1.5	0.0	1.0	0.1	1.2	0.0	0.6	1.1	1.7	
80-84	0.0	0.4	0.4	0.8	0.0	0.5	0.1	0.6	0.0	0.2	0.7	0.9	
85+	0.0	0.1	0.3	0.5	0.0	0.2	0.1	0.3	0.0	0.1	0.5	0.6	
All ages	43.3	51.5	5.3	100.0	51.8	47.1	1.2	100.0	35.4	55.5	9.1	100.0	

W/D/S - Widowed/Divorced/Separated.

**Table 2**  
**Percent distribution of population by sex, marital status and age-group, 2020**

Age group	Total				Males				Females				<b>Madhya Pradesh</b>
	Never Married	Married	W/D/S	Total	Never Married	Married	W/D/S	Total	Never Married	Married	W/D/S	Total	
					Total								
<10 yrs	18.1	0.0	0.0	18.1	18.2	0.0	0.0	18.2	17.9	0.0	0.0	17.9	
10-14	10.5	0.0	0.0	10.5	10.6	0.0	0.0	10.6	10.3	0.0	0.0	10.3	
15-19	10.4	0.3	0.0	10.7	11.0	0.1	0.0	11.1	9.8	0.5	0.0	10.3	
20-24	7.9	3.6	0.0	11.5	9.5	2.0	0.0	11.5	6.3	5.2	0.0	11.6	
25-29	3.2	6.7	0.1	10.0	4.5	5.3	0.1	9.9	1.9	8.1	0.1	10.1	
30-34	1.0	7.1	0.1	8.2	1.5	6.7	0.1	8.3	0.4	7.6	0.2	8.1	
35-39	0.3	6.2	0.2	6.6	0.5	5.9	0.1	6.5	0.1	6.5	0.2	6.8	
40-44	0.2	5.4	0.2	5.8	0.3	5.4	0.1	5.8	0.0	5.3	0.3	5.7	
45-49	0.1	4.3	0.3	4.6	0.1	4.3	0.2	4.6	0.0	4.3	0.4	4.7	
50-54	0.1	3.4	0.3	3.8	0.1	3.5	0.2	3.8	0.0	3.3	0.5	3.8	
55-59	0.0	2.7	0.3	3.1	0.1	2.7	0.2	3.0	0.0	2.7	0.5	3.2	
60-64	0.0	2.2	0.4	2.6	0.0	2.2	0.2	2.4	0.0	2.2	0.6	2.8	
65-69	0.0	1.4	0.4	1.8	0.0	1.4	0.2	1.7	0.0	1.3	0.6	1.9	
70-74	0.0	0.8	0.4	1.3	0.0	1.0	0.2	1.2	0.0	0.7	0.6	1.4	
75-79	0.0	0.5	0.3	0.8	0.0	0.6	0.2	0.9	0.0	0.3	0.4	0.7	
80-84	0.0	0.2	0.2	0.4	0.0	0.2	0.1	0.4	0.0	0.1	0.3	0.4	
85+	0.0	0.1	0.1	0.2	0.0	0.1	0.1	0.2	0.0	0.0	0.2	0.3	
All ages	51.8	44.8	3.4	100.0	56.4	41.6	2.0	100.0	46.8	48.2	4.9	100.0	
<b>Rural</b>													
<10 Yrs	18.9	0.0	0.0	18.9	18.9	0.0	0.0	18.9	18.8	0.0	0.0	18.8	
10-14	10.9	0.0	0.0	10.9	11.0	0.0	0.0	11.0	10.9	0.0	0.0	10.9	
15-19	10.6	0.3	0.0	10.9	11.2	0.1	0.0	11.3	9.9	0.5	0.0	10.5	
20-24	7.6	4.0	0.0	11.6	9.2	2.4	0.0	11.6	5.9	5.8	0.0	11.6	
25-29	2.6	7.0	0.1	9.7	3.9	5.8	0.1	9.8	1.3	8.3	0.1	9.7	
30-34	0.7	7.2	0.1	8.0	1.1	6.9	0.1	8.1	0.2	7.5	0.2	7.8	
35-39	0.2	6.0	0.2	6.4	0.3	5.7	0.1	6.2	0.0	6.3	0.2	6.5	
40-44	0.1	5.2	0.2	5.6	0.2	5.3	0.2	5.7	0.0	5.1	0.3	5.5	
45-49	0.1	4.1	0.2	4.4	0.1	4.2	0.2	4.4	0.0	4.1	0.3	4.4	
50-54	0.1	3.3	0.4	3.7	0.1	3.4	0.2	3.7	0.0	3.1	0.5	3.6	
55-59	0.0	2.6	0.3	2.9	0.1	2.4	0.2	2.7	0.0	2.7	0.4	3.1	
60-64	0.0	2.2	0.4	2.6	0.0	2.2	0.2	2.4	0.0	2.2	0.6	2.8	
65-69	0.0	1.3	0.4	1.7	0.0	1.4	0.2	1.6	0.0	1.2	0.6	1.9	
70-74	0.0	0.8	0.4	1.3	0.0	1.0	0.2	1.2	0.0	0.7	0.7	1.4	
75-79	0.0	0.5	0.3	0.8	0.0	0.7	0.2	0.9	0.0	0.3	0.4	0.8	
80-84	0.0	0.2	0.2	0.4	0.0	0.2	0.1	0.3	0.0	0.1	0.3	0.4	
85+	0.0	0.1	0.1	0.2	0.0	0.1	0.1	0.2	0.0	0.1	0.2	0.2	
All ages	51.8	44.8	3.4	100.0	56.1	41.8	2.1	100.0	47.1	48.0	4.8	100.0	
<b>Urban</b>													
<10 Yrs	15.8	0.0	0.0	15.8	16.2	0.0	0.0	16.2	15.3	0.0	0.0	15.3	
10-14	9.1	0.0	0.0	9.1	9.4	0.0	0.0	9.4	8.8	0.0	0.0	8.8	
15-19	10.0	0.1	0.0	10.2	10.7	0.0	0.0	10.7	9.4	0.3	0.0	9.6	
20-24	9.0	2.3	0.0	11.3	10.2	0.9	0.0	11.1	7.6	3.8	0.0	11.4	
25-29	4.9	5.7	0.1	10.7	6.4	3.9	0.0	10.3	3.4	7.7	0.1	11.2	
30-34	1.8	7.1	0.1	9.0	2.6	6.3	0.1	9.0	0.9	7.9	0.1	9.0	
35-39	0.6	6.6	0.2	7.4	0.9	6.3	0.1	7.3	0.3	7.0	0.3	7.5	
40-44	0.3	5.9	0.2	6.4	0.4	5.8	0.1	6.4	0.1	5.9	0.4	6.4	
45-49	0.1	4.8	0.3	5.2	0.2	4.8	0.1	5.1	0.1	4.9	0.5	5.4	
50-54	0.1	3.8	0.3	4.2	0.1	3.8	0.2	4.1	0.0	3.7	0.5	4.3	
55-59	0.1	3.1	0.4	3.5	0.1	3.3	0.2	3.6	0.0	2.9	0.6	3.5	
60-64	0.0	2.3	0.4	2.7	0.0	2.4	0.2	2.6	0.0	2.2	0.7	2.9	
65-69	0.0	1.5	0.4	1.9	0.0	1.6	0.2	1.8	0.0	1.3	0.6	1.9	
70-74	0.0	0.9	0.4	1.3	0.0	1.0	0.2	1.2	0.0	0.7	0.6	1.3	
75-79	0.0	0.4	0.3	0.7	0.0	0.6	0.1	0.7	0.0	0.3	0.4	0.7	
80-84	0.0	0.2	0.2	0.4	0.0	0.3	0.1	0.4	0.0	0.2	0.3	0.5	
85+	0.0	0.1	0.2	0.2	0.0	0.1	0.1	0.2	0.0	0.0	0.2	0.3	
All ages	51.9	44.7	3.4	100.0	57.2	41.0	1.7	100.0	46.0	48.7	5.2	100.0	

W/D/S - Widowed/Divorced/Separated.

**Table 2**  
**Percent distribution of population by sex, marital status and age-group, 2020**

Age group	Total				Males				Females				<b>Maharashtra</b>
	Never Married	Married	W/D/S	Total	Never Married	Married	W/D/S	Total	Never Married	Married	W/D/S	Total	
	Total												
<10 yrs	14.7	0.0	0.0	14.7	15.1	0.0	0.0	15.1	14.2	0.0	0.0	14.2	
10-14	8.3	0.0	0.0	8.3	8.5	0.0	0.0	8.5	8.1	0.0	0.0	8.1	
15-19	9.3	0.1	0.0	9.5	9.7	0.0	0.0	9.8	8.9	0.2	0.0	9.2	
20-24	8.8	1.9	0.0	10.7	10.0	0.5	0.0	10.5	7.5	3.3	0.0	10.8	
25-29	5.8	4.8	0.0	10.6	7.7	2.8	0.0	10.5	3.6	7.0	0.0	10.7	
30-34	2.4	6.7	0.1	9.2	3.5	5.7	0.0	9.2	1.3	7.9	0.1	9.3	
35-39	0.9	6.9	0.1	7.8	1.2	6.6	0.0	7.8	0.5	7.2	0.2	7.9	
40-44	0.4	6.0	0.2	6.6	0.5	5.9	0.1	6.5	0.2	6.1	0.3	6.7	
45-49	0.2	5.1	0.2	5.5	0.3	5.1	0.1	5.5	0.1	5.1	0.4	5.6	
50-54	0.1	4.1	0.3	4.5	0.2	4.3	0.1	4.6	0.1	3.9	0.5	4.5	
55-59	0.1	3.2	0.3	3.7	0.1	3.3	0.1	3.5	0.1	3.2	0.5	3.8	
60-64	0.1	2.7	0.4	3.1	0.1	2.8	0.1	3.1	0.0	2.5	0.6	3.2	
65-69	0.0	1.9	0.4	2.3	0.1	2.0	0.2	2.2	0.0	1.7	0.7	2.4	
70-74	0.0	1.2	0.4	1.7	0.0	1.3	0.1	1.5	0.0	1.1	0.7	1.9	
75-79	0.0	0.7	0.3	1.0	0.0	0.8	0.1	1.0	0.0	0.5	0.5	1.0	
80-84	0.0	0.3	0.2	0.5	0.0	0.4	0.1	0.5	0.0	0.2	0.3	0.5	
85+	0.0	0.1	0.1	0.3	0.0	0.2	0.1	0.3	0.0	0.1	0.2	0.4	
All ages	51.2	45.7	3.1	100.0	57.2	41.6	1.2	100.0	44.8	50.1	5.1	100.0	
<b>Rural</b>													
<10 Yrs	15.8	0.0	0.0	15.8	16.5	0.0	0.0	16.5	15.1	0.0	0.0	15.1	
10-14	9.1	0.0	0.0	9.1	9.4	0.0	0.0	9.4	8.8	0.0	0.0	8.8	
15-19	9.8	0.2	0.0	10.0	10.3	0.0	0.0	10.3	9.3	0.3	0.0	9.6	
20-24	8.6	2.2	0.0	10.8	10.0	0.6	0.0	10.6	7.0	3.9	0.0	11.0	
25-29	4.9	4.8	0.0	9.8	7.0	3.0	0.0	10.0	2.7	6.8	0.0	9.5	
30-34	2.0	6.0	0.1	8.1	2.9	5.0	0.0	8.0	1.1	7.0	0.1	8.2	
35-39	0.7	6.4	0.1	7.2	1.0	6.0	0.0	7.1	0.3	6.8	0.2	7.3	
40-44	0.3	5.6	0.2	6.1	0.4	5.6	0.1	6.0	0.2	5.7	0.3	6.1	
45-49	0.2	5.0	0.2	5.4	0.2	5.1	0.1	5.4	0.1	5.0	0.4	5.5	
50-54	0.1	4.0	0.3	4.3	0.1	4.0	0.1	4.3	0.1	3.9	0.4	4.4	
55-59	0.1	3.3	0.3	3.6	0.1	3.2	0.1	3.4	0.0	3.4	0.5	3.9	
60-64	0.0	2.8	0.3	3.2	0.1	2.9	0.1	3.0	0.0	2.7	0.6	3.3	
65-69	0.0	2.1	0.4	2.6	0.0	2.2	0.2	2.4	0.0	2.1	0.8	2.9	
70-74	0.0	1.5	0.4	2.0	0.0	1.5	0.2	1.7	0.0	1.4	0.7	2.2	
75-79	0.0	0.8	0.3	1.2	0.0	1.0	0.2	1.2	0.0	0.6	0.6	1.2	
80-84	0.0	0.4	0.2	0.6	0.0	0.4	0.1	0.6	0.0	0.3	0.3	0.6	
85+	0.0	0.2	0.2	0.4	0.0	0.2	0.1	0.3	0.0	0.1	0.2	0.4	
All ages	51.7	45.2	3.1	100.0	58.1	40.7	1.2	100.0	44.9	50.0	5.1	100.0	
<b>Urban</b>													
<10 Yrs	13.3	0.0	0.0	13.3	13.4	0.0	0.0	13.4	13.1	0.0	0.0	13.1	
10-14	7.4	0.0	0.0	7.4	7.5	0.0	0.0	7.5	7.3	0.0	0.0	7.3	
15-19	8.8	0.1	0.0	8.9	9.1	0.0	0.0	9.1	8.5	0.2	0.0	8.7	
20-24	9.1	1.4	0.0	10.5	10.1	0.3	0.0	10.4	8.0	2.7	0.0	10.7	
25-29	6.8	4.8	0.0	11.6	8.6	2.4	0.0	11.1	4.8	7.3	0.0	12.1	
30-34	2.9	7.6	0.1	10.6	4.2	6.4	0.0	10.6	1.5	8.9	0.1	10.6	
35-39	1.1	7.4	0.1	8.6	1.4	7.3	0.0	8.8	0.7	7.6	0.2	8.5	
40-44	0.5	6.5	0.2	7.2	0.7	6.4	0.1	7.1	0.3	6.7	0.3	7.3	
45-49	0.3	5.2	0.3	5.7	0.4	5.2	0.1	5.7	0.2	5.1	0.5	5.8	
50-54	0.2	4.3	0.3	4.8	0.2	4.6	0.1	4.9	0.1	3.9	0.5	4.6	
55-59	0.1	3.2	0.4	3.7	0.1	3.4	0.1	3.7	0.1	3.0	0.6	3.7	
60-64	0.1	2.6	0.4	3.1	0.1	2.8	0.2	3.1	0.1	2.3	0.7	3.1	
65-69	0.1	1.5	0.4	2.0	0.1	1.9	0.2	2.1	0.0	1.2	0.6	1.8	
70-74	0.0	0.9	0.4	1.3	0.0	1.0	0.1	1.2	0.0	0.8	0.6	1.4	
75-79	0.0	0.5	0.2	0.7	0.0	0.6	0.1	0.8	0.0	0.3	0.4	0.7	
80-84	0.0	0.2	0.2	0.4	0.0	0.3	0.1	0.4	0.0	0.1	0.3	0.4	
85+	0.0	0.1	0.1	0.2	0.0	0.1	0.0	0.1	0.0	0.1	0.2	0.3	
All ages	50.6	46.3	3.1	100.0	56.1	42.7	1.1	100.0	44.8	50.1	5.1	100.0	

W/D/S - Widowed/Divorced/Separated.

**Table 2**  
**Percent distribution of population by sex, marital status and age-group, 2020**

Age group	Total				Males				Females				<b>Odisha</b>
	Never Married	Married	W/D/S	Total	Never Married	Married	W/D/S	Total	Never Married	Married	W/D/S	Total	
	<b>Total</b>												
<10 yrs	14.0	0.0	0.0	14.0	14.1	0.0	0.0	14.1	13.8	0.0	0.0	0.0	13.8
10-14	8.1	0.0	0.0	8.1	8.1	0.0	0.0	8.1	8.1	0.0	0.0	0.0	8.1
15-19	9.2	0.2	0.0	9.4	9.4	0.1	0.0	9.5	9.0	0.3	0.0	0.0	9.3
20-24	8.0	2.4	0.0	10.4	9.1	0.8	0.0	9.9	6.8	4.1	0.0	0.0	10.9
25-29	4.8	5.5	0.1	10.3	6.7	3.0	0.0	9.8	2.8	8.0	0.1	0.0	10.9
30-34	1.9	7.2	0.1	9.2	2.9	5.9	0.0	8.9	0.9	8.5	0.2	0.0	9.5
35-39	0.6	7.1	0.2	7.9	0.9	7.1	0.0	8.0	0.4	7.1	0.3	0.0	7.8
40-44	0.3	5.8	0.2	6.2	0.3	6.1	0.0	6.5	0.2	5.4	0.3	0.0	5.9
45-49	0.2	5.1	0.3	5.5	0.1	5.5	0.1	5.8	0.2	4.6	0.4	0.0	5.2
50-54	0.1	4.1	0.3	4.5	0.1	4.7	0.1	4.9	0.1	3.5	0.5	0.0	4.1
55-59	0.0	3.7	0.4	4.1	0.1	3.9	0.2	4.1	0.0	3.5	0.6	0.0	4.2
60-64	0.0	3.0	0.4	3.5	0.0	3.5	0.2	3.7	0.0	2.5	0.7	0.0	3.2
65-69	0.0	1.9	0.5	2.4	0.0	2.2	0.2	2.5	0.0	1.6	0.8	0.0	2.4
70-74	0.0	1.3	0.5	1.9	0.0	1.6	0.2	1.9	0.0	1.1	0.9	0.0	1.9
75-79	0.0	0.7	0.4	1.1	0.0	0.9	0.2	1.1	0.0	0.5	0.7	0.0	1.2
80-84	0.0	0.5	0.4	0.9	0.0	0.7	0.2	0.9	0.0	0.3	0.6	0.0	0.9
85+	0.0	0.2	0.3	0.6	0.0	0.4	0.2	0.6	0.0	0.1	0.5	0.0	0.6
All ages	47.3	48.6	4.1	100.0	51.9	46.4	1.7	100.0	42.4	51.0	6.6	0.0	100.0
<b>Rural</b>													
<10 Yrs	14.1	0.0	0.0	14.1	14.3	0.0	0.0	14.3	13.9	0.0	0.0	0.0	13.9
10-14	8.2	0.0	0.0	8.2	8.1	0.0	0.0	8.1	8.3	0.0	0.0	0.0	8.3
15-19	9.2	0.2	0.0	9.4	9.4	0.1	0.0	9.5	9.0	0.4	0.0	0.0	9.3
20-24	7.7	2.5	0.0	10.3	8.9	0.8	0.0	9.7	6.5	4.3	0.0	0.0	10.8
25-29	4.6	5.6	0.1	10.2	6.5	3.2	0.0	9.7	2.6	8.0	0.1	0.0	10.7
30-34	1.8	7.2	0.1	9.1	2.7	6.1	0.0	8.8	0.8	8.4	0.2	0.0	9.4
35-39	0.5	7.1	0.2	7.7	0.7	7.1	0.1	7.9	0.3	7.0	0.3	0.0	7.6
40-44	0.2	5.6	0.2	6.0	0.2	6.0	0.0	6.3	0.2	5.2	0.3	0.0	5.8
45-49	0.1	5.0	0.3	5.4	0.1	5.4	0.1	5.7	0.2	4.6	0.4	0.0	5.2
50-54	0.1	4.0	0.3	4.4	0.1	4.7	0.1	4.8	0.1	3.4	0.5	0.0	4.0
55-59	0.0	3.8	0.4	4.2	0.0	3.9	0.2	4.1	0.0	3.6	0.6	0.0	4.3
60-64	0.0	3.1	0.4	3.6	0.0	3.6	0.2	3.8	0.0	2.6	0.7	0.0	3.3
65-69	0.0	2.0	0.5	2.6	0.0	2.4	0.2	2.6	0.0	1.7	0.8	0.0	2.5
70-74	0.0	1.4	0.6	2.0	0.0	1.7	0.2	1.9	0.0	1.1	0.9	0.0	2.0
75-79	0.0	0.7	0.5	1.2	0.0	1.0	0.2	1.2	0.0	0.5	0.8	0.0	1.3
80-84	0.0	0.5	0.4	0.9	0.0	0.7	0.2	1.0	0.0	0.3	0.6	0.0	0.9
85+	0.0	0.2	0.4	0.6	0.0	0.4	0.2	0.6	0.0	0.1	0.5	0.0	0.6
All ages	46.7	49.1	4.2	100.0	51.2	47.0	1.8	100.0	42.1	51.2	6.7	0.0	100.0
<b>Urban</b>													
<10 Yrs	13.3	0.0	0.0	13.3	13.6	0.0	0.0	13.6	13.1	0.0	0.0	0.0	13.1
10-14	7.6	0.0	0.0	7.6	7.7	0.0	0.0	7.7	7.5	0.0	0.0	0.0	7.5
15-19	9.2	0.1	0.0	9.3	9.4	0.0	0.0	9.5	9.0	0.1	0.0	0.0	9.1
20-24	9.1	1.7	0.0	10.8	10.1	0.5	0.0	10.6	8.2	3.0	0.0	0.0	11.1
25-29	5.8	5.0	0.0	10.9	7.9	2.1	0.0	10.0	3.7	8.0	0.1	0.0	11.8
30-34	2.6	7.0	0.1	9.7	3.9	5.3	0.0	9.3	1.3	8.8	0.2	0.0	10.2
35-39	1.0	7.3	0.2	8.5	1.5	6.8	0.0	8.4	0.5	7.8	0.3	0.0	8.6
40-44	0.4	6.4	0.2	7.0	0.5	6.8	0.0	7.3	0.3	6.1	0.4	0.0	6.8
45-49	0.2	5.4	0.3	5.9	0.3	6.0	0.1	6.4	0.2	4.8	0.5	0.0	5.5
50-54	0.1	4.5	0.3	4.9	0.1	4.9	0.1	5.1	0.1	4.1	0.6	0.0	4.8
55-59	0.1	3.3	0.4	3.8	0.1	3.7	0.1	3.9	0.1	2.9	0.6	0.0	3.6
60-64	0.1	2.6	0.4	3.1	0.1	3.1	0.2	3.3	0.1	2.0	0.7	0.0	2.8
65-69	0.0	1.3	0.3	1.7	0.0	1.6	0.1	1.8	0.0	0.9	0.6	0.0	1.5
70-74	0.0	1.1	0.4	1.5	0.0	1.3	0.2	1.5	0.0	0.9	0.7	0.0	1.6
75-79	0.0	0.5	0.3	0.8	0.0	0.7	0.1	0.8	0.0	0.3	0.5	0.0	0.7
80-84	0.0	0.4	0.4	0.8	0.0	0.5	0.2	0.7	0.0	0.3	0.6	0.0	0.8
85+	0.0	0.1	0.2	0.4	0.0	0.2	0.1	0.3	0.0	0.1	0.4	0.0	0.4
All ages	49.7	46.7	3.6	100.0	55.2	43.6	1.2	100.0	44.0	50.0	6.0	0.0	100.0

W/D/S - Widowed/Divorced/Separated.

**Table 2**  
**Percent distribution of population by sex, marital status and age-group, 2020**

Age group	Total				Males				Females				<b>Punjab</b>
	Never Married	Married	W/D/S	Total	Never Married	Married	W/D/S	Total	Never Married	Married	W/D/S	Total	
					Total								
<10 yrs	12.3	0.0	0.0	12.3	12.5	0.0	0.0	12.5	12.1	0.0	0.0	12.1	
10-14	7.4	0.0	0.0	7.4	7.8	0.0	0.0	7.8	7.0	0.0	0.0	7.0	
15-19	9.3	0.1	0.0	9.4	9.8	0.0	0.0	9.8	8.7	0.1	0.0	8.8	
20-24	9.7	1.5	0.0	11.1	10.6	0.6	0.0	11.2	8.7	2.4	0.0	11.1	
25-29	6.3	5.0	0.0	11.4	7.8	3.4	0.0	11.2	4.7	6.9	0.0	11.6	
30-34	2.4	7.0	0.1	9.4	3.2	6.2	0.1	9.5	1.5	7.9	0.1	9.4	
35-39	0.8	6.8	0.1	7.7	1.2	6.4	0.1	7.7	0.4	7.1	0.1	7.7	
40-44	0.4	6.0	0.1	6.5	0.5	5.7	0.1	6.3	0.2	6.4	0.2	6.7	
45-49	0.2	5.4	0.2	5.9	0.3	5.2	0.1	5.7	0.1	5.6	0.4	6.1	
50-54	0.1	4.6	0.3	5.0	0.2	4.4	0.1	4.8	0.1	4.8	0.4	5.3	
55-59	0.1	3.6	0.3	4.0	0.1	3.7	0.2	4.0	0.0	3.4	0.4	3.9	
60-64	0.1	2.7	0.3	3.1	0.1	2.7	0.2	3.0	0.0	2.7	0.5	3.2	
65-69	0.1	2.1	0.3	2.4	0.1	2.1	0.2	2.4	0.0	2.0	0.5	2.5	
70-74	0.0	1.5	0.4	1.9	0.1	1.5	0.2	1.8	0.0	1.5	0.6	2.1	
75-79	0.0	0.9	0.3	1.2	0.1	1.0	0.2	1.2	0.0	0.8	0.5	1.3	
80-84	0.0	0.5	0.2	0.7	0.0	0.5	0.2	0.7	0.0	0.4	0.3	0.7	
85+	0.0	0.2	0.2	0.5	0.0	0.2	0.1	0.4	0.0	0.2	0.3	0.6	
All ages	49.3	47.8	2.9	100.0	54.5	43.8	1.7	100.0	43.6	52.2	4.2	100.0	
<b>Rural</b>													
<10 Yrs	12.5	0.0	0.0	12.5	12.8	0.0	0.0	12.8	12.2	0.0	0.0	12.2	
10-14	7.5	0.0	0.0	7.5	7.9	0.0	0.0	7.9	7.1	0.0	0.0	7.1	
15-19	9.6	0.1	0.0	9.6	10.2	0.0	0.0	10.3	8.8	0.1	0.0	9.0	
20-24	9.7	1.5	0.0	11.2	10.8	0.6	0.0	11.4	8.6	2.4	0.0	11.0	
25-29	6.2	5.0	0.0	11.2	7.7	3.3	0.0	11.0	4.6	6.8	0.0	11.5	
30-34	2.3	6.7	0.1	9.0	3.0	5.9	0.1	9.0	1.4	7.6	0.1	9.1	
35-39	0.7	6.5	0.1	7.4	1.1	6.1	0.1	7.2	0.3	7.1	0.1	7.5	
40-44	0.3	5.8	0.1	6.3	0.5	5.5	0.1	6.0	0.2	6.2	0.2	6.6	
45-49	0.2	5.4	0.2	5.9	0.3	5.1	0.1	5.6	0.1	5.8	0.4	6.2	
50-54	0.2	4.3	0.3	4.7	0.2	4.2	0.1	4.5	0.1	4.4	0.4	4.9	
55-59	0.1	3.4	0.3	3.8	0.2	3.6	0.2	3.9	0.0	3.3	0.4	3.7	
60-64	0.1	2.7	0.3	3.1	0.1	2.6	0.2	2.9	0.0	2.8	0.5	3.3	
65-69	0.1	2.2	0.4	2.6	0.1	2.2	0.2	2.5	0.0	2.2	0.5	2.7	
70-74	0.1	1.7	0.4	2.1	0.1	1.7	0.2	2.0	0.0	1.7	0.6	2.3	
75-79	0.1	1.0	0.3	1.4	0.1	1.1	0.2	1.4	0.0	0.9	0.5	1.4	
80-84	0.0	0.6	0.3	0.9	0.1	0.6	0.2	0.9	0.0	0.5	0.4	0.8	
85+	0.0	0.3	0.3	0.6	0.0	0.3	0.2	0.6	0.0	0.3	0.4	0.7	
All ages	49.7	47.2	3.1	100.0	55.2	42.9	1.9	100.0	43.5	52.1	4.4	100.0	
<b>Urban</b>													
<10 Yrs	12.0	0.0	0.0	12.0	12.0	0.0	0.0	12.0	12.0	0.0	0.0	12.0	
10-14	7.4	0.0	0.0	7.4	7.8	0.0	0.0	7.8	6.9	0.0	0.0	6.9	
15-19	8.9	0.1	0.0	9.0	9.2	0.0	0.0	9.2	8.5	0.2	0.0	8.7	
20-24	9.6	1.4	0.0	11.0	10.3	0.6	0.0	11.0	8.8	2.3	0.0	11.1	
25-29	6.4	5.1	0.0	11.6	7.9	3.5	0.0	11.4	4.7	7.0	0.0	11.8	
30-34	2.6	7.3	0.1	10.0	3.5	6.5	0.1	10.0	1.6	8.2	0.1	9.9	
35-39	1.0	7.1	0.1	8.1	1.4	6.9	0.1	8.3	0.5	7.2	0.1	7.9	
40-44	0.4	6.2	0.1	6.8	0.6	6.0	0.1	6.7	0.2	6.5	0.2	6.9	
45-49	0.2	5.4	0.2	5.8	0.3	5.4	0.1	5.8	0.1	5.4	0.4	5.9	
50-54	0.1	5.0	0.3	5.4	0.2	4.8	0.1	5.0	0.1	5.2	0.5	5.7	
55-59	0.1	3.8	0.3	4.1	0.1	3.9	0.2	4.1	0.0	3.6	0.4	4.1	
60-64	0.1	2.7	0.3	3.1	0.1	2.9	0.2	3.1	0.0	2.6	0.4	3.1	
65-69	0.0	1.9	0.3	2.2	0.0	2.0	0.2	2.3	0.0	1.8	0.4	2.2	
70-74	0.0	1.3	0.3	1.6	0.0	1.3	0.2	1.5	0.0	1.2	0.5	1.8	
75-79	0.0	0.7	0.3	1.0	0.0	0.8	0.1	1.0	0.0	0.6	0.4	1.1	
80-84	0.0	0.4	0.2	0.6	0.0	0.4	0.1	0.5	0.0	0.3	0.3	0.6	
85+	0.0	0.1	0.1	0.3	0.0	0.1	0.1	0.2	0.0	0.1	0.2	0.3	
All ages	48.9	48.5	2.6	100.0	53.6	45.0	1.4	100.0	43.7	52.4	4.0	100.0	

W/D/S - Widowed/Divorced/Separated.

**Table 2**  
**Percent distribution of population by sex, marital status and age-group, 2020**

Age group	Total				Males				Females				<b>Rajasthan</b>
	Never Married	Married	W/D/S	Total	Never Married	Married	W/D/S	Total	Never Married	Married	W/D/S	Total	
					Total								
<10 yrs	18.1	0.0	0.0	18.1	18.7	0.0	0.0	18.7	17.5	0.0	0.0	17.5	
10-14	9.8	0.0	0.0	9.8	10.2	0.0	0.0	10.2	9.3	0.0	0.0	9.3	
15-19	10.3	0.3	0.0	10.5	10.7	0.1	0.0	10.9	9.8	0.4	0.0	10.2	
20-24	8.6	3.3	0.0	11.9	9.7	1.9	0.0	11.6	7.5	4.7	0.0	12.2	
25-29	3.5	7.1	0.0	10.6	4.8	5.7	0.0	10.5	2.0	8.5	0.0	10.6	
30-34	0.9	7.7	0.1	8.6	1.4	7.4	0.1	8.9	0.3	8.0	0.1	8.4	
35-39	0.3	6.8	0.1	7.2	0.5	6.7	0.1	7.2	0.1	6.9	0.1	7.1	
40-44	0.1	5.3	0.2	5.6	0.2	5.2	0.1	5.4	0.0	5.4	0.3	5.7	
45-49	0.1	4.4	0.2	4.6	0.1	4.3	0.1	4.5	0.0	4.5	0.2	4.8	
50-54	0.1	3.1	0.2	3.3	0.1	3.1	0.1	3.3	0.0	3.0	0.3	3.3	
55-59	0.0	2.5	0.2	2.7	0.0	2.5	0.1	2.6	0.0	2.5	0.3	2.9	
60-64	0.0	2.2	0.3	2.5	0.0	2.2	0.1	2.3	0.0	2.2	0.4	2.7	
65-69	0.0	1.5	0.3	1.8	0.0	1.4	0.1	1.5	0.0	1.6	0.5	2.1	
70-74	0.0	1.0	0.3	1.3	0.0	0.9	0.1	1.1	0.0	1.0	0.6	1.5	
75-79	0.0	0.6	0.3	0.8	0.0	0.6	0.1	0.7	0.0	0.5	0.4	1.0	
80-84	0.0	0.2	0.2	0.4	0.0	0.3	0.1	0.4	0.0	0.2	0.3	0.5	
85+	0.0	0.1	0.1	0.2	0.0	0.1	0.0	0.2	0.0	0.1	0.2	0.3	
All ages	51.7	45.9	2.4	100.0	56.6	42.3	1.1	100.0	46.5	49.6	3.8	100.0	
<b>Rural</b>													
<10 Yrs	19.0	0.0	0.0	19.0	19.7	0.0	0.0	19.7	18.4	0.0	0.0	18.4	
10-14	10.1	0.0	0.0	10.1	10.6	0.0	0.0	10.6	9.7	0.0	0.0	9.7	
15-19	10.5	0.3	0.0	10.8	11.0	0.2	0.0	11.2	10.0	0.5	0.0	10.5	
20-24	8.5	3.6	0.0	12.1	9.7	2.1	0.0	11.8	7.3	5.1	0.0	12.4	
25-29	3.0	7.3	0.0	10.3	4.4	5.9	0.0	10.3	1.6	8.7	0.0	10.3	
30-34	0.7	7.6	0.1	8.4	1.2	7.4	0.1	8.7	0.2	7.7	0.1	8.0	
35-39	0.2	6.6	0.1	6.9	0.4	6.4	0.1	6.9	0.0	6.8	0.1	6.9	
40-44	0.1	5.0	0.2	5.3	0.2	4.9	0.1	5.2	0.0	5.1	0.3	5.4	
45-49	0.1	4.2	0.2	4.4	0.1	4.0	0.1	4.3	0.0	4.4	0.2	4.6	
50-54	0.0	2.8	0.2	3.0	0.1	2.9	0.1	3.1	0.0	2.7	0.3	2.9	
55-59	0.0	2.3	0.2	2.5	0.0	2.2	0.1	2.4	0.0	2.4	0.3	2.7	
60-64	0.0	2.2	0.3	2.5	0.0	2.1	0.1	2.3	0.0	2.3	0.4	2.7	
65-69	0.0	1.5	0.3	1.8	0.0	1.4	0.1	1.5	0.0	1.7	0.5	2.2	
70-74	0.0	1.0	0.3	1.3	0.0	0.9	0.1	1.0	0.0	1.0	0.5	1.6	
75-79	0.0	0.6	0.3	0.8	0.0	0.6	0.1	0.7	0.0	0.5	0.4	1.0	
80-84	0.0	0.2	0.2	0.4	0.0	0.2	0.1	0.3	0.0	0.2	0.3	0.5	
85+	0.0	0.1	0.1	0.2	0.0	0.1	0.0	0.2	0.0	0.1	0.2	0.3	
All ages	52.4	45.2	2.4	100.0	57.3	41.6	1.1	100.0	47.3	49.0	3.7	100.0	
<b>Urban</b>													
<10 Yrs	15.4	0.0	0.0	15.4	15.9	0.0	0.0	15.9	15.0	0.0	0.0	15.0	
10-14	8.8	0.0	0.0	8.8	9.2	0.0	0.0	9.2	8.3	0.0	0.0	8.3	
15-19	9.5	0.2	0.0	9.7	10.0	0.0	0.0	10.0	9.0	0.3	0.0	9.3	
20-24	8.9	2.4	0.0	11.3	9.7	1.2	0.0	10.9	8.0	3.7	0.0	11.7	
25-29	4.7	6.5	0.0	11.2	6.2	5.0	0.0	11.2	3.1	8.2	0.0	11.3	
30-34	1.4	8.0	0.1	9.4	2.1	7.3	0.0	9.4	0.6	8.7	0.1	9.4	
35-39	0.5	7.3	0.1	7.9	0.7	7.3	0.1	8.1	0.2	7.3	0.1	7.7	
40-44	0.2	6.1	0.2	6.4	0.3	5.9	0.1	6.2	0.1	6.3	0.3	6.6	
45-49	0.1	4.9	0.2	5.2	0.2	4.9	0.1	5.2	0.0	4.9	0.2	5.2	
50-54	0.1	3.9	0.2	4.2	0.1	3.7	0.1	3.9	0.0	4.0	0.4	4.4	
55-59	0.0	3.1	0.3	3.4	0.1	3.2	0.1	3.4	0.0	3.0	0.4	3.4	
60-64	0.0	2.3	0.3	2.6	0.0	2.4	0.1	2.5	0.0	2.1	0.5	2.6	
65-69	0.0	1.4	0.3	1.7	0.0	1.4	0.1	1.6	0.0	1.3	0.4	1.8	
70-74	0.0	1.0	0.3	1.3	0.0	1.0	0.1	1.1	0.0	0.9	0.6	1.5	
75-79	0.0	0.6	0.3	0.9	0.0	0.7	0.1	0.8	0.0	0.5	0.5	0.9	
80-84	0.0	0.3	0.2	0.6	0.0	0.4	0.1	0.5	0.0	0.3	0.4	0.6	
85+	0.0	0.1	0.1	0.2	0.0	0.1	0.0	0.1	0.0	0.1	0.2	0.3	
All ages	49.6	47.8	2.5	100.0	54.5	44.5	1.1	100.0	44.5	51.4	4.1	100.0	

W/D/S - Widowed/Divorced/Separated.

**Table 2**

**Percent distribution of population by sex, marital status and age-group, 2020**

Age group	Total				Males				Females				<b>Tamil Nadu</b>
	Never Married	Married	W/D/S	Total	Never Married	Married	W/D/S	Total	Never Married	Married	W/D/S	Total	
	<b>Total</b>												
<10 yrs	11.9	0.0	0.0	11.9	12.3	0.0	0.0	12.3	11.6	0.0	0.0	11.6	
10-14	7.1	0.0	0.0	7.1	7.3	0.0	0.0	7.3	7.0	0.0	0.0	7.0	
15-19	7.9	0.1	0.0	8.0	8.3	0.0	0.0	8.3	7.6	0.2	0.0	7.8	
20-24	7.9	1.7	0.0	9.6	8.9	0.4	0.0	9.3	7.0	2.9	0.0	9.9	
25-29	5.1	4.8	0.0	9.9	7.1	2.5	0.0	9.7	3.0	7.1	0.1	10.2	
30-34	2.1	6.9	0.1	9.1	3.3	6.0	0.0	9.3	0.9	7.8	0.2	8.9	
35-39	0.7	7.1	0.2	8.0	1.1	6.8	0.1	8.0	0.3	7.5	0.3	8.1	
40-44	0.4	6.6	0.3	7.3	0.6	6.6	0.1	7.3	0.2	6.7	0.5	7.4	
45-49	0.2	5.9	0.4	6.5	0.3	6.1	0.1	6.5	0.1	5.7	0.6	6.4	
50-54	0.2	5.1	0.5	5.8	0.2	5.4	0.2	5.8	0.1	4.8	0.9	5.8	
55-59	0.1	4.2	0.6	5.0	0.1	4.3	0.3	4.7	0.1	4.1	1.0	5.2	
60-64	0.1	3.3	0.7	4.1	0.1	3.8	0.3	4.2	0.1	2.8	1.2	4.1	
65-69	0.1	2.3	0.7	3.1	0.1	2.7	0.3	3.1	0.0	1.9	1.2	3.1	
70-74	0.0	1.3	0.7	2.1	0.0	1.7	0.3	2.1	0.0	0.9	1.2	2.1	
75-79	0.0	0.7	0.5	1.3	0.0	1.0	0.2	1.2	0.0	0.5	0.8	1.3	
80-84	0.0	0.3	0.3	0.6	0.0	0.5	0.1	0.6	0.0	0.2	0.5	0.7	
85+	0.1	0.1	0.2	0.4	0.1	0.2	0.1	0.4	0.0	0.1	0.4	0.5	
All ages	43.9	50.6	5.5	100.0	49.8	48.1	2.2	100.0	38.0	53.1	8.8	100.0	
<b>Rural</b>													
<10 Yrs	12.9	0.0	0.0	12.9	13.5	0.0	0.0	13.5	12.4	0.0	0.0	12.4	
10-14	7.7	0.0	0.0	7.7	7.9	0.0	0.0	7.9	7.4	0.0	0.0	7.4	
15-19	8.7	0.1	0.0	8.8	9.0	0.0	0.0	9.1	8.3	0.1	0.0	8.5	
20-24	8.5	1.9	0.0	10.4	9.5	0.5	0.0	9.9	7.5	3.3	0.0	10.8	
25-29	5.2	5.3	0.0	10.6	7.5	3.0	0.0	10.5	2.8	7.7	0.1	10.6	
30-34	2.0	6.8	0.1	8.9	3.1	6.1	0.1	9.2	0.8	7.6	0.2	8.6	
35-39	0.7	6.8	0.2	7.7	1.1	6.5	0.1	7.6	0.3	7.2	0.3	7.8	
40-44	0.3	6.1	0.3	6.7	0.5	6.0	0.1	6.6	0.2	6.2	0.5	6.9	
45-49	0.2	5.6	0.4	6.2	0.2	5.7	0.1	6.1	0.1	5.5	0.6	6.3	
50-54	0.1	4.5	0.5	5.1	0.2	4.9	0.2	5.2	0.1	4.0	0.8	5.0	
55-59	0.1	3.9	0.6	4.6	0.1	3.9	0.3	4.2	0.1	3.9	0.9	4.9	
60-64	0.1	2.9	0.7	3.6	0.1	3.3	0.3	3.6	0.1	2.5	1.1	3.6	
65-69	0.0	2.2	0.7	3.0	0.0	2.4	0.3	2.8	0.0	1.9	1.2	3.2	
70-74	0.0	1.1	0.6	1.7	0.0	1.4	0.3	1.7	0.0	0.7	1.0	1.8	
75-79	0.0	0.7	0.5	1.2	0.0	0.9	0.2	1.2	0.0	0.4	0.8	1.3	
80-84	0.0	0.3	0.3	0.5	0.0	0.4	0.1	0.5	0.0	0.1	0.4	0.5	
85+	0.1	0.1	0.2	0.4	0.1	0.1	0.1	0.3	0.0	0.1	0.3	0.4	
All ages	46.6	48.2	5.2	100.0	52.8	45.0	2.2	100.0	40.2	51.5	8.4	100.0	
<b>Urban</b>													
<10 Yrs	11.0	0.0	0.0	11.0	11.2	0.0	0.0	11.2	10.8	0.0	0.0	10.8	
10-14	6.7	0.0	0.0	6.7	6.7	0.0	0.0	6.7	6.6	0.0	0.0	6.6	
15-19	7.2	0.1	0.0	7.3	7.5	0.0	0.0	7.5	6.9	0.2	0.0	7.1	
20-24	7.4	1.5	0.0	8.9	8.3	0.3	0.0	8.7	6.5	2.6	0.0	9.1	
25-29	5.0	4.4	0.0	9.4	6.8	2.2	0.0	8.9	3.1	6.6	0.1	9.8	
30-34	2.2	7.0	0.1	9.2	3.5	5.9	0.0	9.4	0.9	8.0	0.2	9.1	
35-39	0.8	7.4	0.2	8.3	1.2	7.0	0.1	8.3	0.3	7.7	0.3	8.3	
40-44	0.4	7.2	0.3	7.9	0.6	7.1	0.1	7.9	0.2	7.2	0.5	7.9	
45-49	0.2	6.1	0.4	6.7	0.3	6.4	0.1	6.8	0.1	5.8	0.6	6.6	
50-54	0.2	5.7	0.6	6.4	0.3	5.9	0.2	6.4	0.1	5.5	0.9	6.5	
55-59	0.1	4.5	0.7	5.3	0.1	4.8	0.3	5.2	0.1	4.3	1.1	5.5	
60-64	0.1	3.7	0.8	4.6	0.1	4.4	0.3	4.7	0.1	3.1	1.3	4.5	
65-69	0.1	2.4	0.7	3.2	0.1	3.0	0.3	3.3	0.0	1.8	1.2	3.1	
70-74	0.1	1.6	0.8	2.4	0.1	2.0	0.3	2.4	0.0	1.1	1.3	2.5	
75-79	0.0	0.8	0.5	1.3	0.0	1.0	0.2	1.3	0.0	0.5	0.9	1.3	
80-84	0.0	0.4	0.4	0.7	0.0	0.5	0.2	0.7	0.0	0.2	0.6	0.8	
85+	0.1	0.2	0.3	0.5	0.1	0.2	0.1	0.5	0.0	0.1	0.4	0.5	
All ages	41.6	52.7	5.7	100.0	47.0	50.8	2.2	100.0	36.1	54.7	9.3	100.0	

W/D/S - Widowed/Divorced/Separated.

**Table 2**  
**Percent distribution of population by sex, marital status and age-group, 2020**

Age group	Total				Males				Females				<b>Telengana</b>
	Never Married	Married	W/D/S	Total	Never Married	Married	W/D/S	Total	Never Married	Married	W/D/S	Total	
					Total								
<10 yrs	12.4	0.0	0.0	12.4	12.6	0.0	0.0	12.6	12.2	0.0	0.0	12.2	
10-14	7.5	0.0	0.0	7.5	7.6	0.0	0.0	7.6	7.5	0.0	0.0	7.5	
15-19	9.8	0.2	0.0	10.0	10.1	0.0	0.0	10.2	9.4	0.3	0.0	9.7	
20-24	9.4	2.3	0.0	11.7	11.0	0.7	0.0	11.7	7.7	4.0	0.0	11.7	
25-29	5.6	5.9	0.0	11.6	7.8	3.5	0.0	11.4	3.4	8.3	0.1	11.8	
30-34	1.8	7.6	0.1	9.5	2.7	6.7	0.0	9.4	0.8	8.6	0.2	9.6	
35-39	0.4	7.6	0.2	8.3	0.6	7.4	0.1	8.1	0.2	7.9	0.4	8.5	
40-44	0.2	6.6	0.3	7.1	0.3	6.8	0.1	7.2	0.1	6.4	0.5	7.0	
45-49	0.1	5.3	0.4	5.7	0.1	5.8	0.1	6.0	0.1	4.7	0.6	5.4	
50-54	0.1	4.0	0.5	4.6	0.1	4.1	0.1	4.3	0.0	4.0	0.8	4.9	
55-59	0.0	3.2	0.5	3.7	0.1	3.3	0.2	3.5	0.0	3.0	0.8	3.8	
60-64	0.0	2.4	0.5	2.9	0.0	2.7	0.2	2.9	0.0	2.1	0.8	3.0	
65-69	0.0	1.8	0.5	2.3	0.0	2.1	0.2	2.4	0.0	1.5	0.8	2.3	
70-74	0.0	1.0	0.4	1.5	0.0	1.3	0.2	1.5	0.0	0.7	0.6	1.4	
75-79	0.0	0.4	0.3	0.7	0.0	0.6	0.1	0.7	0.0	0.3	0.4	0.7	
80-84	0.0	0.2	0.2	0.4	0.0	0.3	0.1	0.4	0.0	0.1	0.3	0.4	
85+	0.0	0.1	0.1	0.2	0.0	0.1	0.0	0.2	0.1	0.0	0.2	0.3	
All ages	47.4	48.6	4.1	100.0	53.1	45.3	1.6	100.0	41.4	52.0	6.6	100.0	
<b>Rural</b>													
<10 Yrs	11.6	0.0	0.0	11.6	11.8	0.0	0.0	11.8	11.4	0.0	0.0	11.4	
10-14	7.4	0.0	0.0	7.4	7.5	0.0	0.0	7.5	7.3	0.0	0.0	7.3	
15-19	9.8	0.2	0.0	10.0	10.2	0.0	0.0	10.2	9.4	0.4	0.0	9.8	
20-24	9.2	2.6	0.0	11.8	11.2	0.9	0.0	12.1	7.1	4.3	0.0	11.4	
25-29	4.9	6.3	0.1	11.3	7.2	4.1	0.0	11.3	2.7	8.6	0.1	11.3	
30-34	1.4	7.4	0.1	8.9	2.1	6.5	0.0	8.7	0.6	8.3	0.2	9.1	
35-39	0.3	7.4	0.3	8.0	0.4	7.2	0.1	7.7	0.1	7.6	0.5	8.2	
40-44	0.1	6.4	0.3	6.9	0.2	6.6	0.1	6.9	0.1	6.1	0.6	6.8	
45-49	0.1	5.3	0.4	5.8	0.1	5.8	0.2	6.0	0.0	4.7	0.7	5.5	
50-54	0.0	4.2	0.6	4.9	0.1	4.2	0.2	4.4	0.0	4.3	1.0	5.3	
55-59	0.0	3.4	0.6	4.0	0.0	3.4	0.2	3.6	0.0	3.4	0.9	4.3	
60-64	0.0	2.8	0.6	3.4	0.0	3.1	0.2	3.3	0.0	2.4	1.0	3.5	
65-69	0.0	2.1	0.6	2.7	0.0	2.4	0.3	2.7	0.0	1.8	1.0	2.8	
70-74	0.0	1.2	0.6	1.8	0.0	1.6	0.3	2.0	0.0	0.8	0.8	1.7	
75-79	0.0	0.5	0.3	0.9	0.0	0.7	0.2	0.9	0.0	0.3	0.5	0.9	
80-84	0.0	0.2	0.2	0.5	0.0	0.3	0.1	0.5	0.0	0.1	0.3	0.5	
85+	0.1	0.1	0.1	0.3	0.1	0.1	0.1	0.2	0.1	0.1	0.2	0.3	
All ages	45.0	50.1	4.9	100.0	50.9	47.1	1.9	100.0	38.9	53.2	7.9	100.0	
<b>Urban</b>													
<10 Yrs	13.6	0.0	0.0	13.6	13.8	0.0	0.0	13.8	13.3	0.0	0.0	13.3	
10-14	7.7	0.0	0.0	7.7	7.7	0.0	0.0	7.7	7.7	0.0	0.0	7.7	
15-19	9.7	0.1	0.0	9.9	10.1	0.0	0.0	10.1	9.4	0.3	0.0	9.6	
20-24	9.6	1.8	0.0	11.5	10.7	0.3	0.0	11.0	8.5	3.5	0.0	12.0	
25-29	6.7	5.2	0.0	11.9	8.8	2.7	0.0	11.4	4.5	7.9	0.1	12.5	
30-34	2.3	7.9	0.1	10.3	3.4	6.9	0.0	10.3	1.1	9.0	0.1	10.2	
35-39	0.7	8.0	0.1	8.8	1.0	7.5	0.0	8.6	0.4	8.4	0.2	9.0	
40-44	0.3	6.9	0.2	7.4	0.4	7.0	0.1	7.5	0.1	6.8	0.4	7.3	
45-49	0.1	5.2	0.3	5.7	0.2	5.8	0.1	6.1	0.1	4.7	0.5	5.2	
50-54	0.1	3.8	0.4	4.2	0.1	4.0	0.1	4.2	0.0	3.6	0.6	4.2	
55-59	0.0	2.8	0.4	3.2	0.1	3.2	0.1	3.4	0.0	2.4	0.6	3.0	
60-64	0.0	1.9	0.3	2.2	0.1	2.1	0.1	2.2	0.0	1.7	0.6	2.2	
65-69	0.0	1.4	0.3	1.8	0.0	1.8	0.1	2.0	0.0	1.0	0.6	1.6	
70-74	0.0	0.7	0.3	0.9	0.0	0.8	0.1	0.9	0.0	0.5	0.4	0.9	
75-79	0.0	0.3	0.2	0.5	0.0	0.4	0.1	0.5	0.0	0.2	0.3	0.5	
80-84	0.0	0.2	0.1	0.3	0.0	0.2	0.1	0.2	0.0	0.1	0.2	0.3	
85+	0.0	0.0	0.1	0.1	0.0	0.0	0.0	0.1	0.0	0.0	0.2	0.2	
All ages	51.0	46.2	2.8	100.0	56.3	42.7	1.1	100.0	45.3	50.0	4.7	100.0	

W/D/S - Widowed/Divorced/Separated.

**Table 2**  
**Percent distribution of population by sex, marital status and age-group, 2020**

Age group	Total				Males				Females				<b>Uttar Pradesh</b>
	Never Married	Married	W/D/S	Total	Never Married	Married	W/D/S	Total	Never Married	Married	W/D/S	Total	
	<b>Total</b>												
<10 yrs	17.3	0.0	0.0	17.3	17.7	0.0	0.0	17.7	17.0	0.0	0.0	0.0	17.0
10-14	10.2	0.0	0.0	10.2	10.4	0.0	0.0	10.4	10.0	0.0	0.0	0.0	10.0
15-19	11.7	0.2	0.0	11.9	12.2	0.0	0.0	12.2	11.3	0.3	0.0	0.0	11.6
20-24	10.2	2.1	0.0	12.3	11.2	1.0	0.0	12.2	9.1	3.3	0.0	0.0	12.4
25-29	5.3	5.4	0.0	10.7	6.8	4.0	0.0	10.8	3.8	6.8	0.0	0.0	10.7
30-34	1.5	6.6	0.1	8.2	2.2	6.1	0.1	8.3	0.8	7.1	0.1	0.1	8.0
35-39	0.4	6.2	0.1	6.7	0.6	5.8	0.1	6.6	0.2	6.7	0.1	0.1	6.9
40-44	0.2	5.1	0.1	5.4	0.3	5.0	0.1	5.4	0.1	5.2	0.2	0.2	5.5
45-49	0.1	4.2	0.2	4.5	0.2	4.1	0.1	4.4	0.0	4.4	0.2	0.2	4.6
50-54	0.1	3.1	0.2	3.3	0.1	3.1	0.1	3.3	0.0	3.0	0.3	0.3	3.3
55-59	0.0	2.4	0.2	2.6	0.1	2.2	0.1	2.4	0.0	2.6	0.3	0.3	2.9
60-64	0.0	2.2	0.3	2.5	0.0	2.2	0.1	2.3	0.0	2.3	0.4	0.4	2.7
65-69	0.0	1.5	0.3	1.8	0.0	1.5	0.2	1.7	0.0	1.5	0.4	0.4	1.9
70-74	0.0	0.9	0.3	1.2	0.0	1.0	0.2	1.1	0.0	0.8	0.4	0.4	1.2
75-79	0.0	0.5	0.3	0.8	0.0	0.6	0.1	0.7	0.0	0.5	0.4	0.4	0.9
80-84	0.0	0.2	0.1	0.3	0.0	0.2	0.1	0.3	0.0	0.2	0.2	0.2	0.3
85+	0.0	0.1	0.1	0.2	0.0	0.1	0.1	0.2	0.0	0.1	0.1	0.1	0.2
All ages	57.2	40.7	2.2	100.0	61.7	36.9	1.4	100.0	52.3	44.7	3.0	3.0	100.0
<b>Rural</b>													
<10 Yrs	18.3	0.0	0.0	18.3	18.5	0.0	0.0	18.5	18.0	0.0	0.0	0.0	18.0
10-14	10.5	0.0	0.0	10.5	10.7	0.0	0.0	10.7	10.4	0.0	0.0	0.0	10.4
15-19	12.0	0.2	0.0	12.2	12.5	0.0	0.0	12.5	11.5	0.3	0.0	0.0	11.9
20-24	9.9	2.3	0.0	12.2	11.0	1.1	0.0	12.1	8.7	3.6	0.0	0.0	12.3
25-29	4.7	5.7	0.0	10.4	6.2	4.4	0.0	10.6	3.1	7.0	0.0	0.0	10.2
30-34	1.1	6.7	0.1	7.9	1.7	6.4	0.1	8.1	0.5	7.1	0.1	0.1	7.6
35-39	0.3	6.1	0.1	6.5	0.5	5.7	0.1	6.3	0.1	6.5	0.1	0.1	6.7
40-44	0.1	5.0	0.1	5.3	0.2	4.9	0.1	5.2	0.0	5.1	0.2	0.2	5.3
45-49	0.1	4.1	0.2	4.4	0.1	4.0	0.1	4.2	0.0	4.3	0.2	0.2	4.5
50-54	0.1	2.9	0.2	3.1	0.1	2.9	0.1	3.1	0.0	2.8	0.2	0.2	3.1
55-59	0.0	2.2	0.2	2.5	0.1	2.0	0.1	2.2	0.0	2.5	0.2	0.2	2.7
60-64	0.0	2.2	0.3	2.4	0.0	2.1	0.2	2.3	0.0	2.3	0.4	0.4	2.6
65-69	0.0	1.5	0.3	1.8	0.0	1.5	0.2	1.7	0.0	1.5	0.4	0.4	1.9
70-74	0.0	0.9	0.3	1.2	0.0	0.9	0.2	1.1	0.0	0.9	0.4	0.4	1.3
75-79	0.0	0.5	0.3	0.8	0.0	0.6	0.2	0.7	0.0	0.5	0.4	0.4	0.9
80-84	0.0	0.2	0.1	0.3	0.0	0.2	0.1	0.3	0.0	0.2	0.2	0.2	0.4
85+	0.0	0.1	0.1	0.2	0.0	0.1	0.1	0.2	0.0	0.1	0.1	0.1	0.3
All ages	57.2	40.6	2.2	100.0	61.7	36.8	1.5	100.0	52.4	44.7	2.9	2.9	100.0
<b>Urban</b>													
<10 Yrs	14.4	0.0	0.0	14.4	15.0	0.0	0.0	15.0	13.8	0.0	0.0	0.0	13.8
10-14	9.3	0.0	0.0	9.3	9.6	0.0	0.0	9.6	8.8	0.0	0.0	0.0	8.8
15-19	10.9	0.1	0.0	10.9	11.1	0.0	0.0	11.1	10.6	0.1	0.0	0.0	10.7
20-24	11.0	1.4	0.0	12.4	11.6	0.5	0.0	12.2	10.4	2.4	0.0	0.0	12.7
25-29	7.4	4.4	0.0	11.8	8.6	2.8	0.0	11.4	6.0	6.2	0.0	0.0	12.2
30-34	2.7	6.3	0.0	9.0	3.6	5.4	0.0	9.0	1.7	7.2	0.1	0.1	8.9
35-39	0.8	6.6	0.1	7.5	1.1	6.2	0.1	7.4	0.4	7.0	0.1	0.1	7.6
40-44	0.3	5.5	0.1	5.9	0.4	5.4	0.1	5.9	0.1	5.6	0.2	0.2	5.9
45-49	0.1	4.6	0.1	4.9	0.2	4.5	0.1	4.8	0.1	4.7	0.2	0.2	5.0
50-54	0.1	3.6	0.2	3.9	0.1	3.5	0.1	3.8	0.1	3.7	0.4	0.4	4.1
55-59	0.0	2.9	0.2	3.2	0.1	2.9	0.2	3.1	0.0	2.9	0.3	0.3	3.2
60-64	0.0	2.3	0.3	2.6	0.0	2.4	0.1	2.6	0.0	2.3	0.4	0.4	2.7
65-69	0.0	1.4	0.3	1.7	0.0	1.5	0.1	1.6	0.0	1.4	0.4	0.4	1.8
70-74	0.0	1.0	0.3	1.2	0.0	1.2	0.2	1.3	0.0	0.8	0.4	0.4	1.1
75-79	0.0	0.5	0.2	0.7	0.0	0.6	0.1	0.7	0.0	0.5	0.3	0.3	0.8
80-84	0.0	0.2	0.1	0.3	0.0	0.2	0.1	0.3	0.0	0.1	0.2	0.2	0.3
85+	0.0	0.1	0.1	0.2	0.0	0.1	0.0	0.1	0.0	0.1	0.1	0.1	0.2
All ages	57.0	40.9	2.1	100.0	61.7	37.1	1.1	100.0	51.9	44.9	3.2	3.2	100.0

W/D/S - Widowed/Divorced/Separated.

**Table 2**  
**Percent distribution of population by sex, marital status and age-group, 2020**

Age group	Total				Males				Females				<b>Uttarakhand</b>
	Never Married	Married	W/D/S	Total	Never Married	Married	W/D/S	Total	Never Married	Married	W/D/S	Total	
					Total								
<10 yrs	18.8	0.0	0.0	18.8	19.6	0.0	0.0	19.6	17.9	0.0	0.0	17.9	
10-14	9.1	0.0	0.0	9.1	9.4	0.0	0.0	9.4	8.8	0.0	0.0	8.8	
15-19	9.8	0.4	0.0	10.1	10.3	0.0	0.0	10.3	9.2	0.8	0.0	10.0	
20-24	10.4	1.9	0.0	12.3	12.3	0.6	0.0	12.9	8.5	3.3	0.0	11.7	
25-29	5.4	4.8	0.0	10.2	7.0	2.9	0.0	9.8	3.8	6.8	0.0	10.6	
30-34	1.8	6.6	0.1	8.4	2.7	5.4	0.0	8.1	0.9	7.8	0.1	8.7	
35-39	0.5	6.1	0.1	6.7	0.8	5.7	0.0	6.6	0.2	6.5	0.1	6.8	
40-44	0.2	5.0	0.1	5.3	0.3	5.2	0.1	5.6	0.1	4.7	0.2	5.0	
45-49	0.1	3.6	0.2	3.9	0.1	3.5	0.1	3.7	0.0	3.7	0.3	4.0	
50-54	0.1	3.3	0.2	3.6	0.1	3.2	0.1	3.3	0.0	3.5	0.4	4.0	
55-59	0.1	2.9	0.3	3.2	0.1	2.9	0.1	3.1	0.0	2.8	0.5	3.4	
60-64	0.0	2.8	0.4	3.3	0.1	2.7	0.1	2.9	0.0	2.8	0.8	3.6	
65-69	0.0	1.4	0.4	1.9	0.0	1.4	0.1	1.6	0.0	1.4	0.7	2.1	
70-74	0.0	1.1	0.4	1.6	0.0	1.3	0.2	1.5	0.0	0.9	0.7	1.6	
75-79	0.0	0.4	0.3	0.7	0.0	0.5	0.1	0.7	0.0	0.3	0.4	0.7	
80-84	0.0	0.3	0.3	0.6	0.0	0.4	0.1	0.5	0.0	0.2	0.5	0.7	
85+	0.0	0.1	0.2	0.4	0.0	0.2	0.1	0.3	0.0	0.1	0.3	0.4	
All ages	56.2	40.7	3.0	100.0	62.8	36.0	1.2	100.0	49.4	45.6	5.0	100.0	
<b>Rural</b>													
<10 Yrs	19.0	0.0	0.0	19.0	20.1	0.0	0.0	20.1	17.9	0.0	0.0	17.9	
10-14	9.5	0.0	0.0	9.5	9.9	0.0	0.0	9.9	9.0	0.0	0.0	9.0	
15-19	9.8	0.5	0.0	10.3	10.4	0.0	0.0	10.4	9.2	1.0	0.0	10.2	
20-24	10.2	2.1	0.0	12.2	12.1	0.6	0.0	12.7	8.2	3.5	0.0	11.7	
25-29	5.0	4.9	0.0	9.9	6.6	2.9	0.0	9.5	3.4	7.0	0.0	10.3	
30-34	1.6	6.5	0.0	8.1	2.4	5.4	0.0	7.8	0.7	7.7	0.1	8.5	
35-39	0.4	5.9	0.1	6.4	0.7	5.5	0.0	6.3	0.1	6.3	0.1	6.6	
40-44	0.2	4.7	0.1	5.0	0.2	5.0	0.1	5.3	0.1	4.4	0.2	4.7	
45-49	0.1	3.5	0.2	3.7	0.1	3.4	0.1	3.5	0.0	3.6	0.3	3.9	
50-54	0.0	3.2	0.2	3.5	0.1	3.1	0.1	3.2	0.0	3.4	0.4	3.8	
55-59	0.0	2.9	0.3	3.2	0.1	2.9	0.1	3.1	0.0	2.9	0.5	3.4	
60-64	0.0	2.9	0.5	3.4	0.1	2.8	0.1	3.0	0.0	3.0	0.8	3.8	
65-69	0.0	1.5	0.4	2.0	0.0	1.5	0.1	1.7	0.0	1.6	0.7	2.3	
70-74	0.0	1.2	0.5	1.7	0.0	1.5	0.2	1.7	0.0	0.9	0.8	1.7	
75-79	0.0	0.4	0.3	0.7	0.0	0.6	0.1	0.7	0.0	0.3	0.5	0.8	
80-84	0.0	0.4	0.3	0.7	0.0	0.5	0.1	0.6	0.0	0.3	0.5	0.8	
85+	0.0	0.2	0.2	0.4	0.0	0.2	0.1	0.4	0.0	0.1	0.3	0.4	
All ages	55.9	40.9	3.2	100.0	62.8	35.9	1.2	100.0	48.7	46.0	5.3	100.0	
<b>Urban</b>													
<10 Yrs	18.0	0.0	0.0	18.0	18.3	0.0	0.0	18.3	17.8	0.0	0.0	17.8	
10-14	8.1	0.0	0.0	8.1	8.1	0.0	0.0	8.1	8.1	0.0	0.0	8.1	
15-19	9.6	0.1	0.0	9.7	10.0	0.0	0.0	10.0	9.2	0.1	0.0	9.4	
20-24	11.2	1.5	0.0	12.7	13.0	0.5	0.0	13.5	9.3	2.5	0.0	11.8	
25-29	6.5	4.4	0.0	10.9	7.9	2.7	0.0	10.6	4.9	6.4	0.0	11.3	
30-34	2.4	6.7	0.1	9.2	3.4	5.5	0.0	9.0	1.3	8.1	0.1	9.5	
35-39	0.7	6.5	0.1	7.3	1.0	6.2	0.1	7.3	0.3	6.8	0.1	7.3	
40-44	0.3	5.6	0.1	6.0	0.4	5.7	0.1	6.2	0.1	5.4	0.2	5.7	
45-49	0.1	4.0	0.2	4.2	0.2	3.9	0.1	4.1	0.1	4.1	0.3	4.4	
50-54	0.1	3.6	0.2	3.9	0.1	3.4	0.1	3.6	0.1	3.8	0.4	4.3	
55-59	0.1	2.8	0.2	3.1	0.1	2.8	0.1	3.0	0.0	2.8	0.4	3.2	
60-64	0.0	2.5	0.4	2.9	0.0	2.6	0.1	2.7	0.0	2.4	0.7	3.2	
65-69	0.0	1.2	0.3	1.5	0.0	1.3	0.1	1.4	0.0	1.1	0.5	1.5	
70-74	0.0	0.8	0.3	1.2	0.0	0.9	0.1	1.0	0.0	0.7	0.5	1.3	
75-79	0.0	0.4	0.2	0.5	0.0	0.5	0.1	0.6	0.0	0.2	0.2	0.5	
80-84	0.0	0.2	0.2	0.4	0.0	0.3	0.1	0.4	0.0	0.2	0.3	0.5	
85+	0.0	0.1	0.1	0.3	0.0	0.1	0.1	0.2	0.0	0.1	0.2	0.3	
All ages	57.2	40.3	2.5	100.0	62.6	36.3	1.0	100.0	51.3	44.6	4.1	100.0	

W/D/S - Widowed/Divorced/Separated.

**Table 2**  
**Percent distribution of population by sex, marital status and age-group, 2020**

Age group	Total				Males				Females				<b>West Bengal</b>
	Never Married	Married	W/D/S	Total	Never Married	Married	W/D/S	Total	Never Married	Married	W/D/S	Total	
					Total								
<10 yrs	13.7	0.0	0.0	13.7	13.8	0.0	0.0	13.8	13.6	0.0	0.0	13.6	
10-14	8.0	0.0	0.0	8.0	7.9	0.0	0.0	7.9	8.1	0.0	0.0	8.1	
15-19	9.6	0.3	0.0	9.8	9.9	0.1	0.0	10.0	9.2	0.5	0.0	9.7	
20-24	8.2	2.9	0.0	11.1	9.6	1.1	0.0	10.7	6.8	4.7	0.0	11.5	
25-29	4.7	5.9	0.0	10.6	6.5	4.0	0.0	10.5	2.8	7.9	0.1	10.7	
30-34	1.9	6.9	0.1	8.9	2.8	5.9	0.0	8.7	0.9	7.9	0.1	9.0	
35-39	0.7	7.2	0.1	8.0	1.1	6.8	0.0	7.9	0.4	7.5	0.3	8.2	
40-44	0.4	6.3	0.2	6.9	0.5	6.4	0.1	7.0	0.2	6.3	0.3	6.8	
45-49	0.2	5.6	0.3	6.1	0.3	5.9	0.1	6.3	0.2	5.4	0.4	6.0	
50-54	0.2	4.1	0.3	4.6	0.2	4.7	0.1	5.0	0.1	3.6	0.5	4.2	
55-59	0.1	3.4	0.4	3.8	0.1	3.6	0.2	3.9	0.1	3.2	0.5	3.8	
60-64	0.1	2.8	0.4	3.3	0.1	3.1	0.1	3.4	0.1	2.4	0.7	3.2	
65-69	0.0	1.6	0.4	2.1	0.1	1.9	0.1	2.1	0.0	1.2	0.8	2.0	
70-74	0.0	1.0	0.4	1.5	0.0	1.3	0.1	1.5	0.0	0.7	0.8	1.4	
75-79	0.0	0.5	0.3	0.9	0.0	0.7	0.1	0.8	0.0	0.3	0.6	0.9	
80-84	0.0	0.2	0.2	0.5	0.0	0.4	0.1	0.5	0.0	0.1	0.4	0.5	
85+	0.0	0.1	0.2	0.3	0.0	0.2	0.1	0.3	0.0	0.1	0.3	0.3	
All ages	47.8	48.8	3.4	100.0	53.0	45.9	1.2	100.0	42.5	51.8	5.7	100.0	
<b>Rural</b>													
<10 Yrs	14.8	0.0	0.0	14.8	14.9	0.0	0.0	14.9	14.6	0.0	0.0	14.6	
10-14	8.7	0.0	0.0	8.7	8.6	0.0	0.0	8.6	8.8	0.0	0.0	8.8	
15-19	10.1	0.3	0.0	10.4	10.5	0.1	0.0	10.6	9.7	0.5	0.0	10.3	
20-24	8.3	3.2	0.0	11.5	9.9	1.3	0.0	11.1	6.7	5.2	0.0	12.0	
25-29	4.3	6.4	0.0	10.7	6.3	4.4	0.0	10.7	2.3	8.3	0.1	10.7	
30-34	1.4	7.1	0.1	8.6	2.3	6.3	0.0	8.6	0.6	7.9	0.1	8.7	
35-39	0.5	7.2	0.1	7.9	0.8	7.0	0.0	7.8	0.2	7.5	0.3	8.0	
40-44	0.2	6.1	0.2	6.5	0.3	6.2	0.1	6.6	0.1	6.0	0.3	6.5	
45-49	0.2	5.4	0.2	5.8	0.2	5.8	0.1	6.0	0.1	5.1	0.4	5.6	
50-54	0.1	3.8	0.2	4.1	0.1	4.5	0.1	4.7	0.1	3.1	0.4	3.5	
55-59	0.1	3.0	0.3	3.4	0.1	3.1	0.1	3.3	0.0	3.0	0.5	3.5	
60-64	0.1	2.5	0.4	2.9	0.1	2.6	0.1	2.8	0.0	2.3	0.7	3.1	
65-69	0.0	1.4	0.4	1.8	0.0	1.7	0.1	1.8	0.0	1.1	0.7	1.9	
70-74	0.0	0.9	0.4	1.3	0.0	1.1	0.1	1.3	0.0	0.6	0.7	1.4	
75-79	0.0	0.4	0.3	0.8	0.0	0.6	0.1	0.7	0.0	0.3	0.6	0.9	
80-84	0.0	0.2	0.2	0.4	0.0	0.3	0.1	0.4	0.0	0.1	0.3	0.4	
85+	0.0	0.1	0.1	0.2	0.0	0.1	0.0	0.2	0.0	0.0	0.2	0.3	
All ages	48.9	48.0	3.1	100.0	54.2	44.9	1.0	100.0	43.6	51.2	5.3	100.0	
<b>Urban</b>													
<10 Yrs	11.3	0.0	0.0	11.3	11.3	0.0	0.0	11.3	11.3	0.0	0.0	11.3	
10-14	6.3	0.0	0.0	6.3	6.2	0.0	0.0	6.2	6.4	0.0	0.0	6.4	
15-19	8.3	0.1	0.0	8.4	8.6	0.0	0.0	8.6	8.0	0.3	0.0	8.2	
20-24	8.0	2.1	0.0	10.1	8.9	0.7	0.0	9.6	7.0	3.5	0.0	10.6	
25-29	5.5	4.9	0.0	10.4	7.1	2.9	0.0	10.0	3.8	6.9	0.1	10.8	
30-34	2.8	6.5	0.1	9.4	3.9	5.1	0.0	9.0	1.7	8.0	0.1	9.8	
35-39	1.2	7.0	0.1	8.3	1.7	6.4	0.1	8.1	0.6	7.7	0.2	8.5	
40-44	0.6	6.8	0.2	7.6	0.9	6.8	0.1	7.8	0.4	6.8	0.3	7.5	
45-49	0.4	6.1	0.3	6.8	0.6	6.2	0.1	6.9	0.3	6.0	0.5	6.8	
50-54	0.3	5.0	0.4	5.6	0.3	5.0	0.1	5.5	0.2	4.9	0.7	5.8	
55-59	0.2	4.2	0.5	4.9	0.3	4.8	0.2	5.3	0.1	3.6	0.7	4.4	
60-64	0.1	3.5	0.5	4.2	0.2	4.4	0.2	4.8	0.1	2.7	0.9	3.6	
65-69	0.1	2.0	0.5	2.6	0.1	2.5	0.2	2.8	0.1	1.5	0.9	2.5	
70-74	0.1	1.2	0.5	1.8	0.1	1.7	0.2	1.9	0.1	0.8	0.8	1.6	
75-79	0.0	0.7	0.4	1.1	0.0	0.9	0.2	1.1	0.0	0.4	0.6	1.1	
80-84	0.0	0.4	0.3	0.7	0.0	0.5	0.1	0.7	0.0	0.2	0.5	0.7	
85+	0.0	0.2	0.2	0.4	0.0	0.3	0.1	0.4	0.0	0.1	0.4	0.5	
All ages	45.3	50.7	4.1	100.0	50.3	48.1	1.6	100.0	40.1	53.2	6.6	100.0	

W/D/S - Widowed/Divorced/Separated.

**Table 3****Fertility Indicators, 2020**

Indicators	Age group	Total	Rural	Urban
<b>India</b>				
Age specific fertility rates	15-19	11.3	13.2	6.6
	20-24	113.6	128.1	81.8
	25-29	139.6	152.5	115.2
	30-34	84.4	89.4	75.5
	35-39	35.6	38.9	29.5
	40-44	11.7	13.5	8.5
	45-49	4.7	5.2	3.9
Age specific marital fertility rates	15-19	353.0	361.2	318.2
	20-24	339.1	350.0	306.5
	25-29	199.3	206.2	183.9
	30-34	95.1	98.4	88.8
	35-39	38.1	41.2	32.1
	40-44	12.6	14.5	9.2
	45-49	5.2	5.6	4.4
Crude birth rate		19.5	21.1	16.1
General fertility rate		67.0	73.7	53.7
Total fertility rate		2.0	2.2	1.6
Gross reproduction rate		0.9	1.0	0.8
General marital fertility rate		108.3	118.0	88.5
Total marital fertility rate		5.2	5.4	4.7

**Table 3**  
**Fertility Indicators, 2020**

Indicators	Age group	Total	Rural	Urban	Total	Rural	Urban
<b>Andhra Pradesh</b>							
Age specific fertility rates	15-19	10.9	13.3	5.7	12.6	12.5	13.4
	20-24	111.3	120.4	92.7	136.9	138.6	126.4
	25-29	109.0	111.0	105.1	185.1	189.0	158.5
	30-34	44.4	43.3	46.8	147.0	154.6	101.0
	35-39	13.4	12.8	14.6	72.2	78.0	35.1
	40-44	4.2	4.1	4.4	27.8	29.7	17.0
	45-49	2.9	2.2	4.3	10.6	11.5	5.0
Age specific marital fertility rates	15-19	276.9	301.5	196.9	402.1	400.7	412.1
	20-24	289.4	293.7	278.4	397.1	396.8	399.2
	25-29	142.8	143.0	142.5	250.7	249.9	257.3
	30-34	49.5	47.4	53.9	155.0	161.4	113.5
	35-39	14.4	13.8	15.8	73.9	79.4	36.8
	40-44	4.6	4.5	4.8	28.7	30.6	17.8
	45-49	3.2	2.5	4.8	11.1	12.0	5.3
Crude birth rate		15.7	16.0	15.0	25.5	26.2	21.0
General fertility rate		50.7	52.4	47.2	93.9	96.4	76.7
Total fertility rate		1.5	1.5	1.4	3.0	3.1	2.3
Gross reproduction rate		0.7	0.7	0.7	1.4	1.4	1.1
General marital fertility rate		75.1	76.5	72.0	158.0	161.8	132.2
Total marital fertility rate		3.9	4.0	3.5	6.6	6.7	6.2
<b>Assam</b>							
<b>Chhattisgarh</b>							
Age specific fertility rates	15-19	20.0	21.0	12.7	13.2	14.4	9.1
	20-24	102.3	104.8	85.7	144.4	157.4	101.0
	25-29	127.7	134.1	91.9	158.2	169.7	123.3
	30-34	98.7	106.2	58.8	82.8	86.9	71.1
	35-39	51.4	56.9	25.5	33.8	36.8	25.2
	40-44	15.3	16.9	7.9	12.5	14.6	6.6
	45-49	5.7	6.3	3.0	0.9	0.7	1.7
Age specific marital fertility rates	15-19	554.9	555.2	551.1	316.6	324.0	282.8
	20-24	289.7	296.8	241.8	372.4	385.8	315.0
	25-29	185.4	188.4	163.9	219.7	226.2	196.1
	30-34	116.6	123.1	77.5	92.8	96.0	83.2
	35-39	57.3	62.9	29.5	37.1	40.2	28.0
	40-44	17.1	18.7	9.1	13.8	16.1	7.4
	45-49	6.4	7.1	3.5	1.1	0.8	1.9
Crude birth rate		20.8	21.9	14.3	22.0	23.4	17.3
General fertility rate		69.8	73.9	46.9	74.7	80.9	55.7
Total fertility rate		2.1	2.2	1.4	2.2	2.4	1.7
Gross reproduction rate		1.0	1.1	0.7	1.1	1.2	0.9
General marital fertility rate		116.8	123.5	79.0	119.7	128.2	92.5
Total marital fertility rate		6.1	6.3	5.4	5.3	5.4	4.6

**Table 3**  
**Fertility Indicators, 2020**

Indicators	Age group	Total	Rural	Urban	Total	Rural	Urban
<b>Delhi</b>				<b>Haryana</b>			
Age specific fertility rates	15-19	2.6	7.8	2.5	4.9	5.5	3.8
	20-24	64.8	95.4	64.0	122.2	133.8	101.5
	25-29	99.0	100.9	98.9	162.4	174.6	144.6
	30-34	69.8	45.2	70.4	76.6	78.2	74.2
	35-39	23.9	21.3	23.9	24.2	27.1	19.7
	40-44	11.2	7.0	11.3	7.7	10.1	4.1
	45-49	1.8	5.6	1.7	3.3	5.2	0.4
Age specific marital fertility rates	15-19	326.9	351.4	325.4	247.0	211.5	436.5
	20-24	306.6	354.8	305.1	339.4	349.8	317.3
	25-29	185.2	154.5	186.3	210.7	224.1	190.5
	30-34	86.1	54.3	86.9	82.5	82.7	82.1
	35-39	25.9	22.5	26.0	25.0	27.9	20.5
	40-44	11.9	7.4	12.0	8.0	10.6	4.3
	45-49	1.9	6.0	1.8	3.4	5.5	0.5
Crude birth rate		14.2	15.5	14.1	19.9	21.2	17.7
General fertility rate		47.0	52.9	46.9	69.3	74.8	60.6
Total fertility rate		1.4	1.4	1.4	2.0	2.2	1.7
Gross reproduction rate		0.6	0.8	0.6	0.9	1.0	0.8
General marital fertility rate		84.0	87.1	83.9	106.8	115.5	93.0
Total marital fertility rate		4.7	4.8	4.7	4.6	4.6	5.3
<b>Gujarat</b>				<b>Himachal Pradesh</b>			
Age specific fertility rates	15-19	10.3	13.0	6.4	8.0	8.1	7.5
	20-24	121.8	148.0	86.2	73.7	76.2	40.3
	25-29	146.5	158.2	133.8	118.6	122.3	71.8
	30-34	83.6	87.1	80.1	68.6	69.7	56.8
	35-39	26.4	28.4	24.2	22.3	21.8	28.2
	40-44	5.5	6.3	4.5	7.3	7.3	7.3
	45-49	3.3	2.5	4.1	0.4	0.5	0.0
Age specific marital fertility rates	15-19	421.2	425.7	408.5	311.7	302.1	460.3
	20-24	355.3	375.3	316.0	235.1	233.5	286.2
	25-29	203.5	208.7	197.2	173.7	174.2	163.6
	30-34	92.3	94.4	90.2	76.4	76.7	72.3
	35-39	27.7	29.8	25.6	23.4	22.8	31.0
	40-44	5.8	6.7	4.8	7.6	7.6	7.8
	45-49	3.6	2.8	4.5	0.5	0.5	0.0
Crude birth rate		19.3	21.1	17.1	15.3	15.7	10.0
General fertility rate		66.8	74.6	57.7	51.1	52.7	33.2
Total fertility rate		2.0	2.2	1.7	1.5	1.5	1.1
Gross reproduction rate		0.9	1.0	0.8	0.7	0.7	0.5
General marital fertility rate		105.1	117.3	90.9	77.8	79.3	58.4
Total marital fertility rate		5.5	5.7	5.2	4.1	4.1	5.1

**Table 3**  
**Fertility Indicators, 2020**

Indicators	Age group	Total	Rural	Urban	Total	Rural	Urban
		<b>Jammu &amp; Kashmir</b>				<b>Karnataka</b>	
Age specific fertility rates	15-19	3.2	4.2	0.2	9.7	10.8	7.9
	20-24	40.3	43.6	31.8	89.7	114.6	51.2
	25-29	78.8	93.1	47.5	116.6	120.1	111.6
	30-34	87.2	99.2	62.9	68.6	63.2	76.1
	35-39	46.6	43.4	52.9	22.9	18.6	29.2
	40-44	26.8	33.1	14.8	4.4	6.3	1.7
	45-49	11.9	12.2	11.3	3.7	0.8	8.1
Age specific marital fertility rates	15-19	423.6	445.0	122.6	217.6	224.9	202.9
	20-24	292.6	317.4	229.7	237.7	253.6	195.3
	25-29	244.7	265.8	182.4	157.1	155.8	159.4
	30-34	147.3	160.4	116.8	78.3	71.1	88.7
	35-39	58.9	54.1	69.1	25.0	20.5	31.6
	40-44	29.8	36.8	16.4	5.0	7.1	1.9
	45-49	12.7	13.1	12.0	4.2	1.0	9.3
Crude birth rate		14.6	16.1	11.1	16.5	17.5	15.0
General fertility rate		46.8	52.1	35.2	54.6	58.5	48.8
Total fertility rate		1.5	1.6	1.1	1.6	1.7	1.4
Gross reproduction rate		0.7	0.8	0.5	0.8	0.8	0.7
General marital fertility rate		104.0	116.8	76.5	85.0	88.8	78.9
Total marital fertility rate		6.0	6.5	3.7	3.6	3.7	3.4
		<b>Jharkhand</b>				<b>Kerala</b>	
Age specific fertility rates	15-19	14.8	16.3	9.3	5.1	5.6	4.6
	20-24	130.1	143.6	87.6	87.3	95.2	79.1
	25-29	153.3	166.9	117.4	109.6	104.4	115.4
	30-34	83.2	84.8	79.2	72.3	66.8	78.0
	35-39	51.9	56.8	38.9	23.0	21.6	24.4
	40-44	23.2	23.4	22.4	4.6	4.1	5.1
	45-49	17.0	20.9	6.4	0.6	0.7	0.5
Age specific marital fertility rates	15-19	480.5	463.3	623.6	420.2	418.3	422.8
	20-24	429.1	443.9	366.0	249.6	258.6	239.3
	25-29	228.7	233.8	211.3	143.0	139.4	146.8
	30-34	95.7	94.8	98.4	77.6	71.8	83.6
	35-39	55.6	60.2	42.9	24.3	22.9	25.8
	40-44	24.8	25.1	23.8	5.0	4.5	5.5
	45-49	18.3	22.4	7.0	0.6	0.8	0.5
Crude birth rate		22.0	23.4	17.6	13.2	13.1	13.3
General fertility rate		77.2	83.3	59.5	45.3	45.1	45.4
Total fertility rate		2.4	2.6	1.8	1.5	1.5	1.5
Gross reproduction rate		1.1	1.1	0.8	0.8	0.7	0.8
General marital fertility rate		131.3	139.9	105.2	65.7	65.9	65.6
Total marital fertility rate		6.7	6.7	6.9	4.6	4.6	4.6

**Table 3**  
**Fertility Indicators, 2020**

Indicators	Age group	Total	Rural	Urban	Total	Rural	Urban
<b>Madhya Pradesh</b>				<b>Odisha</b>			
Age specific fertility rates	15-19	15.6	18.7	6.0	7.8	8.7	3.5
	20-24	153.2	173.1	96.0	100.8	109.5	61.9
	25-29	196.4	222.2	132.6	131.1	141.4	88.3
	30-34	89.6	89.1	90.8	74.0	76.2	64.6
	35-39	38.8	36.2	45.4	31.7	33.9	22.5
	40-44	13.5	13.6	13.2	7.7	8.9	3.0
	45-49	3.1	2.8	3.7	3.9	3.9	4.3
Age specific marital fertility rates	15-19	333.7	355.7	209.1	210.1	207.0	254.5
	20-24	338.3	349.9	288.5	268.3	273.5	233.4
	25-29	243.5	259.9	193.2	178.8	189.6	129.8
	30-34	95.9	93.2	103.1	83.3	85.2	75.4
	35-39	40.8	37.6	48.9	34.6	37.0	24.8
	40-44	14.4	14.5	14.2	8.5	9.8	3.3
	45-49	3.3	3.0	4.2	4.5	4.3	5.0
Crude birth rate		24.1	26.0	18.8	17.7	18.7	13.1
General fertility rate		87.4	96.1	64.4	60.7	65.0	42.1
Total fertility rate		2.6	2.8	1.9	1.8	1.9	1.2
Gross reproduction rate		1.2	1.3	0.9	0.8	0.9	0.6
General marital fertility rate		133.1	143.3	104.3	95.1	100.9	69.0
Total marital fertility rate		5.3	5.6	4.3	3.9	4.0	3.6
<b>Maharashtra</b>				<b>Punjab</b>			
Age specific fertility rates	15-19	6.8	7.7	5.6	4.1	3.1	5.5
	20-24	108.2	122.8	90.1	57.8	64.0	49.9
	25-29	112.7	132.2	94.3	115.7	126.1	102.7
	30-34	53.2	46.3	59.6	75.0	72.3	78.0
	35-39	18.0	10.5	25.7	30.9	32.0	29.4
	40-44	4.0	3.9	4.0	8.4	10.1	6.3
	45-49	1.8	2.4	1.2	3.7	4.1	3.2
Age specific marital fertility rates	15-19	250.3	234.1	287.2	274.4	241.3	304.8
	20-24	350.0	343.8	361.0	267.8	288.0	240.5
	25-29	171.9	185.7	156.5	194.8	212.4	172.8
	30-34	62.7	54.4	70.6	90.0	86.2	94.4
	35-39	19.6	11.3	28.7	33.2	34.0	32.0
	40-44	4.4	4.3	4.5	8.9	10.7	6.7
	45-49	2.0	2.6	1.3	4.0	4.5	3.5
Crude birth rate		15.0	15.3	14.6	14.3	14.9	13.6
General fertility rate		51.8	55.5	47.8	49.5	52.1	46.3
Total fertility rate		1.5	1.6	1.4	1.5	1.6	1.4
Gross reproduction rate		0.7	0.8	0.6	0.7	0.7	0.7
General marital fertility rate		84.5	89.4	79.0	83.6	87.8	78.2
Total marital fertility rate		4.3	4.2	4.5	4.4	4.4	4.3

**Table 3**  
**Fertility Indicators, 2020**

Indicators	Age group	Total	Rural	Urban	Total	Rural	Urban
<b>Rajasthan</b>							
Age specific fertility rates	15-19	10.5	11.2	8.2	7.5	8.5	6.0
	20-24	146.6	160.1	105.4	95.9	110.3	74.7
	25-29	175.4	180.8	160.9	114.5	115.6	113.0
	30-34	91.1	93.3	85.8	60.2	55.5	66.6
	35-39	32.5	31.8	34.3	17.5	17.9	17.0
	40-44	11.7	13.1	8.4	6.4	6.6	6.2
	45-49	6.0	6.4	4.9	7.0	6.5	8.0
Age specific marital fertility rates	15-19	256.0	253.8	266.2	214.7	209.7	226.9
	20-24	377.6	388.5	334.2	281.6	293.3	259.0
	25-29	217.2	215.3	223.0	162.2	152.6	178.1
	30-34	95.4	96.2	93.2	67.2	61.0	76.0
	35-39	33.4	32.6	35.8	18.9	19.3	18.2
	40-44	12.3	13.8	8.9	7.1	7.3	6.7
	45-49	6.4	6.8	5.2	8.0	7.5	8.9
Crude birth rate		23.5	24.4	20.8	16.4	16.8	15.9
General fertility rate		82.1	86.5	70.0	52.6	54.5	49.8
Total fertility rate		2.4	2.5	2.0	1.5	1.6	1.5
Gross reproduction rate		1.2	1.2	1.0	0.7	0.7	0.6
General marital fertility rate		125.6	131.6	109.0	83.3	84.7	81.1
Total marital fertility rate		5.0	5.0	4.8	3.8	3.8	3.9
<b>Tamil Nadu</b>							
Age specific fertility rates	15-19	5.6	5.5	5.7	11.2	12.8	5.8
	20-24	86.0	88.1	83.7	120.2	133.7	80.0
	25-29	123.7	120.9	126.4	171.6	185.0	137.3
	30-34	54.3	51.8	56.5	137.3	139.6	131.3
	35-39	15.0	11.3	18.2	68.6	71.6	60.3
	40-44	3.5	2.2	4.4	26.6	27.2	24.8
	45-49	0.5	0.4	0.6	8.7	7.9	10.9
Age specific marital fertility rates	15-19	255.0	319.2	210.6	450.5	440.0	549.1
	20-24	290.9	287.5	294.8	450.6	454.6	432.2
	25-29	176.8	166.7	187.5	268.1	267.4	270.9
	30-34	61.5	58.5	64.1	153.9	151.1	162.4
	35-39	16.2	12.2	19.7	71.6	73.9	65.2
	40-44	3.8	2.5	4.9	27.8	28.3	26.2
	45-49	0.6	0.5	0.7	9.1	8.3	11.5
Crude birth rate		13.8	14.0	13.6	25.1	26.1	22.1
General fertility rate		47.5	47.7	47.4	87.3	92.4	72.8
Total fertility rate		1.4	1.4	1.5	2.7	2.9	2.3
Gross reproduction rate		0.7	0.7	0.7	1.3	1.4	1.1
General marital fertility rate		73.5	75.1	72.1	154.2	159.2	138.2
Total marital fertility rate		4.0	4.2	3.9	7.2	7.1	7.6

**Table 3**  
**Fertility Indicators, 2020**

Indicators	Age group	Total	Rural	Urban	Total	Rural	Urban
<b>Uttarakhand</b>				<b>West Bengal</b>			
Age specific fertility rates	15-19	5.2	5.2	5.4	22.3	25.8	12.3
	20-24	65.6	74.7	40.8	112.2	125.7	77.3
	25-29	121.7	136.2	85.5	84.2	90.0	71.1
	30-34	97.8	90.0	117.2	41.9	41.6	42.5
	35-39	46.6	39.1	65.6	13.5	12.9	14.8
	40-44	18.2	13.7	28.3	3.0	2.3	4.3
	45-49	4.5	4.1	5.4	2.3	2.5	2.0
Age specific marital fertility rates	15-19	68.4	53.6	341.6	467.2	482.6	392.6
	20-24	236.8	248.2	192.6	275.2	287.6	233.0
	25-29	189.7	202.5	151.6	114.8	116.0	111.3
	30-34	109.7	99.0	137.7	47.5	45.6	52.0
	35-39	49.0	40.7	70.2	14.6	13.8	16.6
	40-44	19.3	14.5	30.2	3.2	2.5	4.7
	45-49	4.8	4.4	5.9	2.6	2.8	2.3
Crude birth rate		16.6	17.0	15.6	14.6	16.1	11.2
General fertility rate		59.7	61.4	55.1	47.5	52.3	36.6
Total fertility rate		1.8	1.8	1.7	1.4	1.5	1.1
Gross reproduction rate		0.8	0.8	0.8	0.7	0.7	0.5
General marital fertility rate		101.2	102.4	98.1	73.1	79.4	58.2
Total marital fertility rate		3.4	3.3	4.6	4.6	4.8	4.1

**Table 4**  
**Fertility indicators by level of education of women, 2020**

Indicators	Age group	India								
		Illiterate		Educational level						
		Total literate	Without any formal education	Below primary	Primary	Middle	Class X	Class XII	Graduate and above	
<b>Total</b>										
Age specific fertility rates	15-19	33.9	11.0	20.0	10.5	10.6	9.6	11.3	15.6	0.0
	20-24	213.4	110.9	169.0	179.2	154.7	118.1	101.1	79.5	92.2
	25-29	190.3	136.3	158.4	162.0	160.2	152.8	145.8	114.7	101.4
	30-34	109.5	81.2	84.5	86.8	80.2	79.7	82.7	82.3	77.4
	35-39	53.1	31.9	38.8	39.3	30.5	28.5	30.2	33.3	30.5
	40-44	17.7	10.0	11.9	13.3	11.4	9.5	8.3	8.9	7.8
	45-49	7.4	3.8	4.0	5.0	3.2	5.0	2.0	2.2	4.8
General fertility rate		69.2	67.0	63.6	66.1	65.5	63.9	69.7	70.9	67.1
Total fertility rate		3.1	1.9	2.4	2.5	2.3	2.0	1.9	1.7	1.6
<b>Rural</b>										
Age specific fertility rates	15-19	33.7	12.9	17.7	12.1	12.7	11.5	13.0	20.1	0.0
	20-24	222.9	125.1	178.0	190.6	166.9	129.5	111.9	90.8	103.8
	25-29	195.2	149.0	167.6	173.7	170.1	158.4	153.4	123.3	112.8
	30-34	116.1	84.7	90.4	90.7	85.4	81.3	86.7	83.2	78.9
	35-39	56.4	33.7	40.5	43.4	34.3	29.4	28.9	32.5	32.5
	40-44	18.7	11.6	12.8	15.5	12.3	10.5	9.0	6.6	14.0
	45-49	7.8	3.9	4.1	5.7	3.7	3.8	3.0	1.6	2.7
General fertility rate		72.3	74.2	67.5	72.1	72.6	70.2	77.7	80.1	81.2
Total fertility rate		3.3	2.1	2.6	2.7	2.4	2.1	2.0	1.8	1.7
<b>Urban</b>										
Age specific fertility rates	15-19	34.8	6.4	29.8	5.5	4.9	4.6	7.7	9.1	0.0
	20-24	174.3	80.3	134.1	133.8	112.6	83.6	77.1	63.0	82.0
	25-29	167.4	113.6	121.4	121.7	131.0	137.1	130.1	102.2	93.5
	30-34	77.0	75.5	61.0	74.3	65.9	76.1	76.5	81.0	76.7
	35-39	36.0	29.0	32.0	25.5	20.9	26.7	32.1	34.1	29.7
	40-44	13.4	7.9	8.7	6.3	9.4	7.8	7.5	10.6	5.9
	45-49	5.6	3.6	3.9	2.7	2.0	7.0	1.1	2.6	5.3
General fertility rate		55.0	53.8	48.9	46.3	46.2	48.8	55.4	59.1	59.4
Total fertility rate		2.5	1.6	2.0	1.8	1.7	1.7	1.7	1.5	1.5

**Table 4**  
**Fertility indicators by level of education of women, 2020**

Indicators	Age group	Andhra Pradesh								
		Illiterate		Educational level						
		Total literate	Without any formal education	Below primary	Primary	Middle	Class X	Class XII	Graduate and above	
<b>Total</b>										
Age specific fertility rates	15-19	57.5	10.4	143.4	13.5	5.1	3.3	17.5	16.4	0.0
	20-24	161.0	110.4	165.2	304.7	185.8	106.4	116.2	72.5	76.8
	25-29	65.9	112.0	102.8	117.2	130.9	106.1	140.5	95.4	76.2
	30-34	41.7	45.0	34.0	32.5	41.9	44.1	50.0	36.0	63.7
	35-39	11.4	13.8	5.0	12.9	7.3	9.0	19.1	27.2	25.5
	40-44	6.0	3.7	0.0	7.6	0.0	7.5	2.8	2.2	7.8
	45-49	4.8	2.1	0.0	2.8	6.5	0.0	0.0	0.0	0.0
General fertility rate		24.6	54.1	30.3	44.2	42.9	42.7	71.9	60.8	58.9
Total fertility rate		1.7	1.5	2.3	2.5	1.9	1.4	1.7	1.2	1.2
<b>Rural</b>										
Age specific fertility rates	15-19	33.7	13.1	189.3	16.1	6.9	4.7	20.0	30.4	0.0
	20-24	176.3	119.1	177.5	289.3	184.1	108.1	118.9	86.1	85.8
	25-29	66.6	114.2	125.6	117.2	124.9	117.5	137.1	94.5	70.5
	30-34	37.6	44.3	38.0	35.2	45.5	43.9	47.9	32.4	67.5
	35-39	15.1	12.3	2.4	15.8	10.1	9.4	18.2	18.9	5.2
	40-44	5.9	3.5	0.0	4.7	0.0	4.7	5.1	4.6	32.5
	45-49	4.7	1.1	0.0	3.4	1.4	0.0	0.0	0.0	0.0
General fertility rate		24.4	56.5	33.1	43.0	43.3	46.0	77.0	67.8	64.2
Total fertility rate		1.7	1.5	2.7	2.4	1.9	1.4	1.7	1.3	1.3
<b>Urban</b>										
Age specific fertility rates	15-19	117.0	4.8	0.0	0.0	0.0	0.0	13.5	0.0	0.0
	20-24	122.0	92.6	130.5	365.4	190.9	101.3	109.1	51.9	70.2
	25-29	64.0	107.5	61.4	117.2	147.8	76.9	149.0	97.2	81.8
	30-34	52.9	46.2	26.4	23.8	31.2	44.8	54.3	41.6	61.2
	35-39	0.0	16.7	11.3	0.0	0.0	8.1	20.3	38.4	33.0
	40-44	6.4	4.0	0.0	21.5	0.0	13.6	0.0	0.0	0.0
	45-49	5.3	4.0	0.0	0.0	18.4	0.0	0.0	0.0	0.0
General fertility rate		25.2	49.4	23.3	49.2	41.9	34.6	62.2	50.3	55.4
Total fertility rate		1.8	1.4	1.1	2.6	1.9	1.2	1.7	1.1	1.2

**Table 4**  
**Fertility indicators by level of education of women, 2020**

Indicators	Age group	Educational level								Assam
		Illiterate		Literate						
		Total literate	Without any formal education	Below primary	Primary	Middle	Class X	Class XII	Graduate and above	
<b>Total</b>										
Age specific fertility rates	15-19	43.4	19.7	9.3	13.9	18.9	18.5	25.6	31.9	0.0
	20-24	107.7	102.7	48.2	122.5	123.8	100.5	89.3	119.4	113.6
	25-29	146.6	126.8	85.1	140.0	139.4	145.4	124.1	93.4	83.8
	30-34	85.9	100.1	63.0	93.3	111.6	97.0	128.1	71.9	77.0
	35-39	51.3	51.4	48.5	65.2	54.0	49.2	48.8	58.5	13.7
	40-44	6.1	17.3	6.0	37.5	20.5	19.4	1.0	5.5	2.9
	45-49	4.7	5.9	7.1	19.9	0.6	1.3	0.5	0.0	1.9
General fertility rate		54.8	71.4	41.7	68.0	75.0	74.5	73.9	74.8	54.4
Total fertility rate		2.2	2.1	1.3	2.5	2.3	2.2	2.1	1.9	1.5
<b>Rural</b>										
Age specific fertility rates	15-19	37.6	20.8	7.9	14.1	20.6	19.5	27.5	27.6	0.0
	20-24	108.3	105.2	47.1	119.4	124.2	103.0	92.7	135.7	93.5
	25-29	151.3	133.3	86.0	143.9	141.5	153.2	128.1	97.6	85.5
	30-34	92.0	107.8	66.9	97.2	118.2	102.8	139.4	80.7	83.7
	35-39	55.2	57.2	52.8	69.5	58.5	53.9	53.0	71.6	0.0
	40-44	5.9	19.6	6.2	40.8	22.4	21.2	0.0	0.0	0.0
	45-49	5.1	6.6	8.1	21.8	0.0	0.0	0.0	0.0	0.0
General fertility rate		57.4	75.8	42.9	71.1	78.9	78.8	78.4	84.0	57.7
Total fertility rate		2.3	2.3	1.4	2.5	2.4	2.3	2.2	2.1	1.3
<b>Urban</b>										
Age specific fertility rates	15-19	147.7	11.9	20.0	11.5	7.0	11.5	12.3	47.3	0.0
	20-24	98.7	85.6	57.9	164.5	117.9	79.5	71.7	80.6	162.4
	25-29	77.9	92.2	76.8	86.4	113.1	90.9	104.4	83.1	82.1
	30-34	14.8	61.3	34.8	44.1	41.0	60.5	80.8	51.0	70.1
	35-39	4.6	26.8	12.3	17.7	11.6	26.6	36.8	35.7	23.4
	40-44	8.8	7.9	4.5	6.4	6.1	11.6	3.7	14.6	5.0
	45-49	0.0	3.3	0.0	4.3	4.1	6.6	1.8	0.0	3.0
General fertility rate		23.2	48.0	32.0	35.5	39.7	46.8	53.3	54.9	51.3
Total fertility rate		1.8	1.4	1.0	1.7	1.5	1.4	1.6	1.6	1.7

**Table 4**  
**Fertility indicators by level of education of women, 2020**

Indicators	Age group	Educational level								Bihar
		Illiterate		Literate						
		Total literate	Without any formal education	Below primary	Primary	Middle	Class X	Class XII	Graduate and above	
<b>Total</b>										
Age specific fertility rates	15-19	19.8	12.3	5.5	12.5	10.6	11.9	19.0	60.9	0.0
	20-24	216.6	130.2	251.1	214.8	161.7	105.3	98.0	87.8	132.5
	25-29	236.8	173.6	210.0	221.6	212.9	196.9	158.1	111.4	88.3
	30-34	159.4	142.0	158.4	179.5	144.4	135.8	127.9	116.0	114.9
	35-39	88.5	62.5	76.0	83.6	61.3	59.6	43.3	58.1	35.6
	40-44	30.9	25.7	29.9	31.8	28.8	25.7	20.0	17.8	14.6
	45-49	14.8	7.1	11.6	8.3	8.7	4.0	2.7	2.6	5.3
General fertility rate		110.2	89.7	114.8	103.8	81.2	79.8	90.1	89.0	75.6
Total fertility rate		3.8	2.8	3.7	3.8	3.1	2.7	2.3	2.3	2.0
<b>Rural</b>										
Age specific fertility rates	15-19	19.3	12.2	3.3	13.0	11.0	11.5	18.0	73.5	0.0
	20-24	212.3	131.7	249.6	212.5	161.7	107.4	95.5	89.4	105.9
	25-29	238.9	176.7	212.7	221.2	212.1	194.0	154.9	110.4	93.8
	30-34	162.0	151.3	162.9	186.4	150.8	145.0	134.6	118.8	134.0
	35-39	91.4	68.8	80.9	84.5	67.8	63.7	46.4	70.5	39.6
	40-44	31.7	28.1	30.9	32.1	33.2	27.6	23.3	8.6	17.5
	45-49	15.4	7.4	12.5	8.0	10.4	2.2	3.8	0.0	0.0
General fertility rate		111.9	92.1	117.0	105.3	83.2	81.9	90.7	92.2	82.7
Total fertility rate		3.9	2.9	3.8	3.8	3.2	2.8	2.4	2.4	2.0
<b>Urban</b>										
Age specific fertility rates	15-19	27.8	13.1	35.5	8.3	7.4	14.4	25.5	23.0	0.0
	20-24	291.5	120.8	268.7	239.7	161.6	90.5	110.0	83.2	184.3
	25-29	196.3	155.6	174.3	227.7	220.4	221.8	176.7	115.2	79.2
	30-34	115.7	99.1	107.4	120.9	89.9	82.5	101.7	109.8	93.4
	35-39	37.7	34.6	20.4	75.0	17.2	38.4	33.4	37.7	31.4
	40-44	19.4	17.0	20.3	29.1	5.6	17.9	12.1	30.4	12.1
	45-49	3.2	5.5	0.0	10.9	0.0	11.2	0.0	7.2	10.6
General fertility rate		83.3	76.1	89.6	89.7	64.7	66.8	87.3	80.4	66.4
Total fertility rate		3.5	2.2	3.1	3.6	2.5	2.4	2.3	2.0	2.1

**Table 4**  
**Fertility indicators by level of education of women, 2020**

Indicators	Age group	Chhattisgarh								
		Illiterate		Educational level						
		Total literate	Without any formal education	Below primary	Primary	Middle	Class X	Class XII	Graduate and above	
<b>Total</b>										
Age specific fertility rates	15-19	0.0	13.5	42.9	17.3	15.1	10.0	10.2	63.3	0.0
	20-24	157.0	145.0	321.1	300.9	218.9	149.8	116.9	126.5	145.3
	25-29	172.4	159.0	107.3	201.8	182.9	165.5	201.0	112.2	125.5
	30-34	79.8	83.4	105.5	119.3	82.7	75.1	80.5	70.8	79.0
	35-39	37.5	32.9	15.1	25.0	30.4	26.7	57.5	37.4	43.3
	40-44	10.7	13.2	8.4	24.6	15.2	13.9	16.4	2.7	1.4
	45-49	1.4	0.7	0.0	0.0	2.7	0.6	0.0	0.0	0.0
General fertility rate		39.3	80.2	36.2	87.0	80.1	75.4	85.3	93.9	76.1
Total fertility rate		2.3	2.2	3.0	3.4	2.7	2.2	2.4	2.1	2.0
<b>Rural</b>										
Age specific fertility rates	15-19	0.0	14.8	51.7	18.1	16.5	12.6	8.8	89.9	0.0
	20-24	137.0	158.5	352.3	348.0	226.4	155.5	124.2	144.6	202.3
	25-29	178.9	170.8	79.0	198.4	185.6	179.1	235.1	115.0	95.1
	30-34	80.0	88.4	101.7	132.2	87.6	74.6	80.9	88.6	72.2
	35-39	38.8	36.3	16.2	23.4	38.1	32.8	35.8	33.0	110.4
	40-44	10.4	16.9	10.3	22.5	19.3	17.8	21.7	0.0	0.0
	45-49	1.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
General fertility rate		39.4	88.8	36.2	94.1	87.2	83.6	95.2	109.4	91.9
Total fertility rate		2.2	2.4	3.1	3.7	2.9	2.4	2.5	2.4	2.4
<b>Urban</b>										
Age specific fertility rates	15-19	0.0	9.2	0.0	13.8	7.5	0.9	14.2	32.5	0.0
	20-24	336.1	100.4	0.0	22.5	158.4	118.4	92.6	91.7	107.1
	25-29	125.7	124.2	258.8	237.9	164.5	98.3	95.3	106.4	149.9
	30-34	77.5	71.0	130.7	55.6	57.8	76.7	79.9	43.8	83.2
	35-39	22.9	25.4	8.1	33.0	0.0	4.3	89.9	41.6	11.0
	40-44	13.3	5.9	0.0	35.0	0.0	2.9	9.9	4.6	1.7
	45-49	0.0	1.9	0.0	0.0	10.4	1.6	0.0	0.0	0.0
General fertility rate		38.6	56.9	36.2	48.2	45.4	43.3	59.8	68.7	67.5
Total fertility rate		2.9	1.7	2.0	2.0	2.0	1.5	1.9	1.6	1.8

**Table 4**  
**Fertility indicators by level of education of women, 2020**

Indicators	Age group	Delhi								
		Educational level								
		Illiterate	Without any formal education	Below primary	Primary	Middle	Class X	Class XII	Graduate and above	
<b>Total</b>										
Age specific fertility rates	15-19	12.3	2.5	0.0	0.0	1.5	3.1	6.6	9.2	0.0
	20-24	168.8	62.0	48.3	113.6	87.5	53.6	47.9	63.6	97.6
	25-29	161.9	95.6	111.9	84.9	101.4	111.5	144.0	62.6	96.1
	30-34	52.5	71.2	79.2	92.7	48.0	57.8	109.2	63.5	68.5
	35-39	7.6	25.7	22.9	29.4	15.8	21.5	34.1	29.4	25.4
	40-44	16.4	10.3	8.0	0.0	6.8	16.6	13.0	6.2	11.3
	45-49	1.4	1.7	5.7	5.2	0.0	1.9	0.7	3.8	0.0
General fertility rate		49.1	46.8	37.6	34.9	31.2	38.9	60.4	50.5	55.7
Total fertility rate		2.1	1.3	1.4	1.6	1.3	1.3	1.8	1.2	1.5
<b>Rural</b>										
Age specific fertility rates	15-19	0.0	7.9	0.0	0.0	0.0	7.7	19.5	95.7	0.0
	20-24	280.4	90.5	0.0	256.4	148.8	75.1	87.5	61.6	167.2
	25-29	98.7	101.1	0.0	140.6	98.9	165.0	100.7	63.8	94.8
	30-34	51.2	44.5	73.4	0.0	34.0	52.9	51.9	49.6	44.8
	35-39	17.1	21.9	0.0	66.7	0.0	26.0	13.7	40.2	14.6
	40-44	0.0	8.2	0.0	0.0	0.0	38.5	0.0	0.0	0.0
	45-49	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
General fertility rate		50.1	52.7	18.4	67.0	39.9	59.9	57.9	50.9	49.0
Total fertility rate		2.2	1.4	0.4	2.3	1.4	1.8	1.4	1.6	1.6
<b>Urban</b>										
Age specific fertility rates	15-19	12.8	2.4	0.0	0.0	1.5	3.0	6.2	7.6	0.0
	20-24	165.9	61.3	49.0	109.7	86.1	53.1	46.9	63.6	96.7
	25-29	164.4	95.5	113.6	81.4	101.5	109.5	145.3	62.6	96.1
	30-34	52.5	71.9	79.3	95.4	48.4	57.9	110.6	63.8	69.0
	35-39	7.4	25.8	23.2	28.0	16.2	21.4	34.6	29.1	25.6
	40-44	16.8	10.3	8.1	0.0	6.9	15.9	13.3	6.3	11.5
	45-49	1.4	1.7	5.8	5.4	0.0	2.0	0.8	3.9	0.0
General fertility rate		49.1	46.7	37.8	34.0	31.0	38.4	60.5	50.5	55.8
Total fertility rate		2.1	1.3	1.4	1.6	1.3	1.3	1.8	1.2	1.5

**Table 4**  
**Fertility indicators by level of education of women, 2020**

Indicators	Age group	Educational level								Gujarat
		Illiterate		Literate						
		Total literate	Without any formal education	Below primary	Primary	Middle	Class X	Class XII	Graduate and above	
<b>Total</b>										
Age specific fertility rates	15-19	57.6	9.8	18.7	19.9	9.1	9.6	10.2	3.1	0.0
	20-24	228.7	119.5	191.3	270.9	179.8	118.5	87.9	65.0	106.3
	25-29	177.2	145.3	115.9	148.8	148.2	190.4	146.9	130.6	85.2
	30-34	84.6	83.9	77.7	92.1	64.4	91.4	88.6	102.8	76.8
	35-39	24.1	26.9	47.3	32.7	24.4	27.9	31.5	30.5	13.1
	40-44	6.2	5.4	0.0	8.2	8.6	4.8	5.9	3.6	0.0
	45-49	2.0	3.8	1.7	4.1	2.6	8.2	2.8	0.0	5.4
General fertility rate		48.4	69.3	67.9	86.1	69.5	76.9	64.1	65.7	51.2
Total fertility rate		2.9	2.0	2.3	2.9	2.2	2.3	1.9	1.7	1.4
<b>Rural</b>										
Age specific fertility rates	15-19	36.8	12.7	0.0	22.0	12.3	12.9	11.6	7.5	0.0
	20-24	237.6	145.3	228.0	306.1	206.9	142.9	109.2	56.5	54.7
	25-29	193.7	155.6	126.4	163.4	158.4	197.1	161.8	115.5	76.6
	30-34	99.4	84.7	85.4	95.2	77.4	87.1	92.1	84.7	68.6
	35-39	27.0	29.0	47.9	32.2	26.3	27.6	30.2	32.4	17.9
	40-44	5.3	7.1	0.0	10.5	5.2	8.0	11.4	5.3	0.0
	45-49	1.8	3.1	2.6	0.0	3.1	4.4	5.6	0.0	9.1
General fertility rate		52.1	79.3	77.6	99.8	82.8	86.1	72.5	60.1	47.6
Total fertility rate		3.0	2.2	2.5	3.1	2.4	2.4	2.1	1.5	1.1
<b>Urban</b>										
Age specific fertility rates	15-19	120.9	5.7	44.7	17.0	3.3	4.3	8.1	0.0	0.0
	20-24	187.6	85.2	105.4	177.1	123.9	79.4	62.3	72.5	122.1
	25-29	113.7	134.9	96.4	119.9	132.2	182.4	134.3	142.0	88.1
	30-34	32.6	83.2	62.5	87.0	48.5	95.8	86.1	114.7	79.4
	35-39	12.3	25.2	46.2	33.6	22.3	28.0	32.4	29.3	11.8
	40-44	10.6	4.0	0.0	4.3	12.0	1.9	1.8	2.6	0.0
	45-49	3.2	4.2	0.0	10.3	2.0	11.0	1.1	0.0	4.6
General fertility rate		33.1	59.1	50.1	61.8	50.7	65.4	56.1	69.7	52.2
Total fertility rate		2.4	1.7	1.8	2.2	1.7	2.0	1.6	1.8	1.5

**Table 4**  
**Fertility indicators by level of education of women, 2020**

Indicators	Age group	Haryana								
		Educational level								
		Illiterate	Without any formal education	Below primary	Primary	Middle	Class X	Class XII	Graduate and above	
<b>Total</b>										
Age specific fertility rates	15-19	0.0	5.0	1.6	15.2	3.3	2.6	7.0	8.7	0.0
	20-24	205.1	121.4	108.8	237.5	169.2	98.0	106.4	113.3	154.8
	25-29	227.3	160.2	165.7	163.0	175.6	178.7	190.6	144.5	119.3
	30-34	63.7	79.2	87.5	68.9	78.4	78.5	83.6	76.1	83.7
	35-39	23.0	24.9	32.2	19.3	35.1	30.1	30.5	22.9	6.9
	40-44	10.5	7.1	16.2	7.1	5.1	10.3	5.1	4.4	6.3
	45-49	5.0	2.7	0.0	3.1	4.9	1.6	4.2	2.3	0.0
General fertility rate		52.6	71.6	71.0	64.2	57.6	55.9	82.9	89.4	76.5
Total fertility rate		2.7	2.0	2.1	2.6	2.4	2.0	2.1	1.9	1.9
<b>Rural</b>										
Age specific fertility rates	15-19	0.0	5.7	2.0	15.8	4.6	3.7	5.8	9.9	0.0
	20-24	257.3	132.3	114.4	280.0	198.0	110.3	109.2	126.4	149.7
	25-29	231.1	172.9	152.3	168.9	202.8	181.6	199.3	158.1	131.0
	30-34	75.9	80.5	87.8	70.8	84.6	83.9	86.4	73.8	79.5
	35-39	33.9	26.7	42.2	23.0	31.5	29.1	31.8	21.6	2.0
	40-44	14.3	9.1	23.7	9.1	3.1	11.4	9.1	4.5	10.6
	45-49	7.4	4.4	0.0	4.1	7.8	2.5	8.8	0.0	0.0
General fertility rate		57.0	77.4	72.1	68.2	64.5	60.0	88.2	101.0	94.7
Total fertility rate		3.1	2.2	2.1	2.9	2.7	2.1	2.3	2.0	1.9
<b>Urban</b>										
Age specific fertility rates	15-19	0.0	3.9	0.0	14.0	0.8	0.8	9.2	6.9	0.0
	20-24	131.7	101.9	85.2	142.2	113.5	75.0	101.2	93.1	160.0
	25-29	221.9	141.6	206.7	149.8	133.8	173.7	175.7	123.4	111.3
	30-34	42.8	77.2	86.9	63.0	66.9	69.8	78.7	79.6	85.8
	35-39	0.0	22.1	0.0	6.7	41.4	31.9	28.3	24.4	8.8
	40-44	2.6	4.4	0.0	0.0	8.8	8.4	0.0	4.3	5.2
	45-49	0.0	0.5	0.0	0.0	0.0	0.0	0.0	3.8	0.0
General fertility rate		44.1	62.4	67.4	53.1	45.4	48.7	74.1	73.4	67.3
Total fertility rate		2.0	1.8	1.9	1.9	1.8	1.8	2.0	1.7	1.9

**Table 4**  
**Fertility indicators by level of education of women, 2020**

Indicators	Age group	Himachal Pradesh								
		Educational level								
		Illiterate	Without any formal education	Below primary	Primary	Middle	Class X	Class XII	Graduate and above	
<b>Total</b>										
Age specific fertility rates	15-19	0.0	7.3	0.0	0.0	6.3	7.1	7.8	7.4	0.0
	20-24	127.0	73.7	31.3	115.8	192.6	103.6	67.1	69.6	71.7
	25-29	194.0	118.3	218.3	125.2	56.1	118.2	145.9	105.7	126.9
	30-34	0.0	69.4	9.3	26.1	58.8	35.4	56.2	75.6	92.2
	35-39	24.0	22.9	23.0	18.1	7.6	9.7	15.0	28.3	41.6
	40-44	0.0	7.5	0.0	10.6	8.1	7.7	6.3	4.5	13.9
	45-49	0.0	0.6	0.0	7.8	0.0	0.5	0.0	0.0	0.0
General fertility rate		36.1	51.4	28.3	26.1	25.4	28.2	40.5	59.1	80.0
Total fertility rate		1.7	1.5	1.4	1.5	1.6	1.4	1.5	1.5	1.7
<b>Rural</b>										
Age specific fertility rates	15-19	0.0	8.1	0.0	0.0	7.1	8.0	8.6	8.0	0.0
	20-24	127.0	76.2	34.2	115.8	188.4	108.0	68.6	72.5	74.2
	25-29	198.5	122.1	228.2	134.3	54.3	119.8	149.1	107.1	135.7
	30-34	0.0	70.5	10.1	27.8	61.7	37.0	57.2	75.6	97.8
	35-39	24.8	22.4	24.1	12.7	6.1	10.1	14.4	28.1	45.2
	40-44	0.0	7.5	0.0	11.2	8.4	7.0	6.7	3.1	17.3
	45-49	0.0	0.5	0.0	8.1	0.0	0.0	0.0	0.0	0.0
General fertility rate		35.5	53.2	30.0	26.4	25.0	29.2	41.8	60.9	87.8
Total fertility rate		1.8	1.5	1.5	1.5	1.6	1.5	1.5	1.5	1.9
<b>Urban</b>										
Age specific fertility rates	15-19	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	20-24	0.0	40.3	0.0	0.0	241.5	31.3	46.3	24.6	51.2
	25-29	153.4	71.0	0.0	0.0	86.5	90.8	90.5	81.1	58.8
	30-34	0.0	57.9	0.0	0.0	0.0	0.0	35.2	76.2	65.6
	35-39	0.0	28.4	0.0	113.6	45.8	0.0	24.4	31.3	27.9
	40-44	0.0	7.4	0.0	0.0	0.0	20.7	0.0	14.9	4.3
	45-49	0.0	1.3	0.0	0.0	0.0	13.2	0.0	0.0	0.0
General fertility rate		54.6	32.3	0.0	20.5	32.8	13.2	22.8	35.5	40.3
Total fertility rate		0.8	1.0	0.0	0.6	1.9	0.8	1.0	1.1	1.0

**Table 4**  
**Fertility indicators by level of education of women, 2020**

Indicators	Age group	Jammu & Kashmir								
		Educational level								
		Illiterate	Literate	Total literate	Without any formal education	Below primary	Primary	Middle	Class X	Class XII
<b>Total</b>										
Age specific fertility rates	15-19	18.0	3.2	0.0	0.0	2.5	4.2	2.8	4.7	0.0
	20-24	110.3	39.1	96.5	98.1	51.3	46.4	36.0	27.5	48.3
	25-29	177.3	73.6	261.9	149.7	123.0	83.8	70.9	60.5	36.3
	30-34	144.7	79.7	92.0	144.7	131.8	72.0	81.5	76.5	55.1
	35-39	63.3	43.0	54.6	51.4	54.1	37.3	42.5	44.4	32.5
	40-44	35.1	24.0	12.3	39.6	41.8	23.7	18.9	23.6	19.2
	45-49	19.8	8.5	7.2	9.2	8.4	12.0	4.9	17.8	0.0
General fertility rate		72.8	43.9	63.4	62.3	48.1	39.4	41.1	45.4	39.0
Total fertility rate		2.8	1.4	2.6	2.5	2.1	1.4	1.3	1.3	1.0
<b>Rural</b>										
Age specific fertility rates	15-19	18.0	4.0	0.0	0.0	3.1	5.6	3.0	10.0	0.0
	20-24	93.6	42.7	81.3	96.4	42.5	46.6	36.7	37.9	86.7
	25-29	178.8	87.5	314.2	144.6	116.6	102.6	84.0	66.8	48.8
	30-34	161.2	89.7	137.2	156.4	134.2	67.9	94.4	88.0	55.1
	35-39	77.7	35.1	59.6	53.8	35.0	23.8	35.5	39.5	26.6
	40-44	41.5	29.8	21.9	53.2	46.4	26.1	19.4	35.0	18.8
	45-49	19.7	8.7	1.1	13.6	10.9	11.8	7.8	12.1	0.0
General fertility rate		82.4	48.3	78.6	67.0	45.5	41.7	45.0	53.7	46.0
Total fertility rate		3.0	1.5	3.1	2.6	1.9	1.4	1.4	1.4	1.2
<b>Urban</b>										
Age specific fertility rates	15-19	0.0	0.7	0.0	0.0	0.0	0.0	2.1	0.0	0.0
	20-24	199.5	30.0	162.5	108.0	81.7	45.8	33.6	12.8	11.0
	25-29	170.9	44.3	149.8	171.6	152.9	19.5	40.6	47.6	24.1
	30-34	88.7	60.6	41.5	93.5	118.5	83.7	54.9	54.3	55.1
	35-39	24.3	57.7	49.2	43.7	124.1	76.3	54.7	53.9	38.3
	40-44	18.7	13.8	0.0	0.0	26.0	18.6	18.2	2.6	19.6
	45-49	20.1	8.3	16.2	0.0	0.0	12.4	1.5	29.0	0.0
General fertility rate		45.2	34.5	40.7	44.8	58.6	32.5	32.0	31.3	32.5
Total fertility rate		2.6	1.1	2.1	2.1	2.5	1.3	1.0	1.0	0.7

**Table 4**  
**Fertility indicators by level of education of women, 2020**

Indicators	Age group	Jharkhand								
		Educational level								
		Illiterate	Total literate	Without any formal education	Below primary	Primary	Middle	Class X	Class XII	
<b>Total</b>										
Age specific fertility rates	15-19	3.0	15.3	7.8	6.0	13.2	17.3	29.0	115.9	0.0
	20-24	176.3	127.4	193.4	164.1	126.8	114.7	127.7	128.0	142.0
	25-29	220.9	144.3	189.4	184.9	186.5	171.6	145.8	73.3	114.1
	30-34	99.8	78.3	55.0	103.2	103.5	98.7	53.6	108.4	32.0
	35-39	60.9	47.6	47.3	154.1	53.0	26.3	37.1	39.5	17.9
	40-44	14.7	28.6	3.7	58.9	53.3	18.5	8.2	32.1	55.9
	45-49	22.9	12.5	6.0	60.6	0.0	18.3	6.5	0.0	0.0
General fertility rate		74.8	77.9	69.2	74.6	65.3	80.2	95.2	83.9	60.1
Total fertility rate		3.0	2.3	2.5	3.7	2.7	2.3	2.0	2.5	1.8
<b>Rural</b>										
Age specific fertility rates	15-19	3.2	17.1	8.3	7.1	12.3	24.0	39.8	180.1	0.0
	20-24	183.0	140.9	197.0	144.8	149.2	128.3	141.9	151.3	112.7
	25-29	199.0	161.5	182.1	151.6	217.5	186.5	169.9	80.5	64.9
	30-34	100.2	78.6	50.7	108.6	97.2	86.1	71.0	82.0	37.8
	35-39	60.7	54.3	38.8	159.2	61.5	31.2	42.9	25.4	17.6
	40-44	16.7	29.6	4.3	74.0	24.8	25.4	16.6	0.0	177.9
	45-49	26.4	15.2	7.2	75.0	0.0	7.8	14.0	0.0	0.0
General fertility rate		74.3	86.0	67.5	71.6	71.2	89.9	117.6	91.5	65.4
Total fertility rate		2.9	2.5	2.4	3.6	2.8	2.4	2.5	2.6	2.1
<b>Urban</b>										
Age specific fertility rates	15-19	0.0	9.4	0.0	0.0	16.8	0.0	11.2	76.7	0.0
	20-24	113.0	87.2	151.5	284.7	29.8	62.0	91.3	96.7	160.4
	25-29	393.9	103.5	263.7	334.3	63.5	107.7	85.1	63.4	138.5
	30-34	96.7	77.6	88.5	75.4	127.7	139.8	25.4	142.1	29.3
	35-39	62.0	34.7	113.9	130.7	18.5	12.1	31.3	49.7	18.0
	40-44	0.0	27.0	0.0	0.0	130.2	0.0	0.0	46.6	20.1
	45-49	0.0	8.1	0.0	0.0	0.0	48.3	0.0	0.0	0.0
General fertility rate		78.6	57.9	82.4	90.2	42.7	48.3	52.6	75.5	58.1
Total fertility rate		3.3	1.7	3.1	4.1	1.9	1.8	1.2	2.4	1.8

**Table 4**  
**Fertility indicators by level of education of women, 2020**

Indicators	Age group	Karnataka								
		Illiterate		Educational level						
		Total literate	Without any formal education	Below primary	Primary	Middle	Class X	Class XII	Graduate and above	
<b>Total</b>										
Age specific fertility rates	15-19	27.2	9.8	0.0	0.9	33.0	9.0	7.9	15.0	0.0
	20-24	141.5	89.9	174.9	211.7	200.9	132.4	83.2	42.6	78.3
	25-29	160.9	116.0	148.8	162.6	137.0	137.1	120.1	105.0	80.6
	30-34	61.5	69.0	117.8	69.9	50.5	82.2	59.8	64.5	81.0
	35-39	10.7	23.6	16.7	33.5	13.3	17.3	26.9	35.5	26.9
	40-44	2.9	4.5	12.7	14.1	2.1	5.2	2.3	1.2	0.7
	45-49	0.0	4.2	0.0	3.1	0.1	18.2	0.0	0.2	3.3
General fertility rate		31.3	55.8	39.9	49.6	55.9	60.8	53.8	53.3	60.3
Total fertility rate		2.0	1.6	2.4	2.5	2.2	2.0	1.5	1.3	1.4
<b>Rural</b>										
Age specific fertility rates	15-19	36.3	10.7	0.0	1.1	34.0	9.9	7.6	21.2	0.0
	20-24	144.4	114.9	184.5	218.0	230.2	157.7	99.4	59.1	131.3
	25-29	161.9	119.3	103.7	171.3	134.2	135.6	122.8	95.8	60.4
	30-34	73.1	62.9	99.2	55.2	53.6	66.9	60.7	71.5	63.6
	35-39	12.7	19.1	20.6	14.8	15.4	22.5	20.2	20.7	23.7
	40-44	3.9	6.5	15.4	17.9	2.9	2.8	4.4	2.6	4.2
	45-49	0.0	1.0	0.0	1.8	0.2	0.5	0.0	0.6	38.7
General fertility rate		35.8	59.9	36.0	45.2	59.3	65.5	61.1	59.1	64.5
Total fertility rate		2.2	1.7	2.1	2.4	2.4	2.0	1.6	1.4	1.6
<b>Urban</b>										
Age specific fertility rates	15-19	0.0	8.3	0.0	0.0	30.7	7.4	8.5	2.3	0.0
	20-24	121.4	51.3	140.0	191.2	130.3	72.8	53.5	24.9	55.2
	25-29	157.4	111.2	318.9	119.2	145.1	141.5	115.0	115.7	87.6
	30-34	11.5	77.2	0.0	130.2	42.3	120.1	58.3	57.5	84.9
	35-39	2.1	30.0	0.0	100.0	6.8	5.4	36.3	47.3	27.3
	40-44	0.0	1.8	0.0	0.3	0.1	9.2	0.1	0.4	0.3
	45-49	0.0	9.0	0.0	9.8	0.0	47.0	0.0	0.0	0.0
General fertility rate		17.0	49.7	59.3	67.6	46.8	50.9	42.3	47.3	59.2
Total fertility rate		1.5	1.4	2.3	2.8	1.8	2.0	1.4	1.2	1.3

**Table 4**  
**Fertility indicators by level of education of women, 2020**

Indicators	Age group	Kerala								
		Educational level								
		Illiterate	Without any formal education	Below primary	Primary	Middle	Class X	Class XII	Graduate and above	
<b>Total</b>										
Age specific fertility rates	15-19	0.0	5.2	0.0	0.0	0.0	1.2	2.5	11.4	0.0
	20-24	0.0	87.6	113.1	600.3	221.4	128.8	136.9	72.1	93.7
	25-29	29.0	110.2	0.0	103.6	70.1	151.8	146.9	114.2	96.8
	30-34	17.9	72.9	0.0	108.1	37.2	75.6	86.5	71.0	68.4
	35-39	0.0	23.1	0.0	29.8	9.6	25.4	27.4	18.6	22.4
	40-44	0.0	4.7	0.0	2.2	10.5	2.5	7.3	1.8	4.8
	45-49	0.0	0.6	0.0	0.6	0.3	0.4	0.4	0.0	1.6
General fertility rate		3.8	45.6	3.5	18.0	11.3	22.1	38.1	54.7	59.7
Total fertility rate		0.2	1.5	0.6	4.2	1.7	1.9	2.0	1.4	1.4
<b>Rural</b>										
Age specific fertility rates	15-19	0.0	5.7	0.0	0.0	0.0	1.6	2.5	18.1	0.0
	20-24	0.0	95.7	113.1	264.2	145.8	91.1	109.1	71.7	171.9
	25-29	35.3	104.7	0.0	23.9	39.3	129.4	100.8	93.5	115.6
	30-34	29.2	67.3	0.0	40.8	32.0	69.8	66.1	61.6	74.3
	35-39	0.0	21.9	0.0	13.3	16.4	15.8	31.1	19.8	20.6
	40-44	0.0	4.2	0.0	3.0	3.8	1.9	4.6	4.0	8.5
	45-49	0.0	0.7	0.0	0.8	0.4	0.2	0.2	0.0	3.9
General fertility rate		5.6	45.5	5.8	8.6	9.0	18.9	33.7	56.0	79.1
Total fertility rate		0.3	1.5	0.6	1.7	1.2	1.5	1.6	1.3	2.0
<b>Urban</b>										
Age specific fertility rates	15-19	0.0	4.6	0.0	0.0	0.0	2.5	8.1	0.0	
	20-24	0.0	79.2	0.0	0.0	702.6	312.9	206.6	72.5	61.9
	25-29	0.0	116.3	0.0	282.2	156.5	195.1	248.0	146.6	82.8
	30-34	0.0	78.6	0.0	0.0	47.6	85.4	120.8	81.5	64.4
	35-39	0.0	24.4	0.0	99.1	0.0	40.0	22.4	17.5	23.3
	40-44	0.0	5.2	0.0	0.0	22.5	3.3	10.2	0.0	2.9
	45-49	0.0	0.5	0.0	0.0	0.0	0.7	0.7	0.0	0.6
General fertility rate		0.0	45.7	0.0	51.1	15.5	27.3	44.1	53.3	48.5
Total fertility rate		0.0	1.5	0.0	1.9	4.6	3.2	3.1	1.6	1.2

**Table 4**  
**Fertility indicators by level of education of women, 2020**

Indicators	Age group	Madhya Pradesh								
		Illiterate		Educational level						
		Total literate	Without any formal education	Below primary	Primary	Middle	Class X	Class XII	Graduate and above	
<b>Total</b>										
Age specific fertility rates	15-19	55.5	14.9	256.8	77.9	23.3	9.9	5.5	13.2	0.0
	20-24	218.4	151.6	250.3	277.2	246.4	162.0	88.7	80.9	129.7
	25-29	175.7	199.5	190.4	215.4	228.5	234.5	200.5	148.5	123.9
	30-34	72.1	93.8	75.4	95.1	89.8	90.8	88.0	117.1	105.1
	35-39	36.1	40.0	35.2	42.5	34.3	37.0	36.2	58.7	50.8
	40-44	15.8	12.6	8.4	10.3	13.5	13.4	14.4	26.1	6.8
	45-49	3.0	3.1	2.8	2.6	6.9	0.0	2.7	0.0	3.0
General fertility rate		55.6	93.3	66.4	109.6	113.6	93.2	73.4	89.7	87.0
Total fertility rate		2.9	2.6	4.1	3.6	3.2	2.7	2.2	2.2	2.1
<b>Rural</b>										
Age specific fertility rates	15-19	48.3	18.0	286.4	83.4	28.7	11.0	6.5	25.0	0.0
	20-24	215.6	172.1	281.5	283.9	263.3	165.7	102.8	106.6	173.7
	25-29	182.3	228.7	217.2	225.0	244.9	242.2	226.9	191.5	176.6
	30-34	75.4	93.7	73.5	99.1	88.2	90.4	91.2	127.1	125.3
	35-39	35.1	36.9	38.4	50.3	37.8	31.4	17.3	33.7	50.3
	40-44	17.2	11.6	5.6	12.5	16.0	11.0	15.7	0.0	0.0
	45-49	2.1	3.4	3.7	3.4	6.4	0.0	0.0	0.0	0.0
General fertility rate		56.6	105.4	73.7	117.7	125.3	98.8	83.7	116.8	132.8
Total fertility rate		2.9	2.8	4.5	3.8	3.4	2.8	2.3	2.4	2.6
<b>Urban</b>										
Age specific fertility rates	15-19	175.4	5.3	0.0	50.5	1.9	6.3	3.0	0.0	0.0
	20-24	240.7	94.2	101.0	230.8	155.0	145.7	56.5	50.7	100.5
	25-29	112.3	133.8	69.2	155.0	152.0	206.6	145.8	96.4	99.1
	30-34	40.5	93.9	84.9	71.6	96.5	91.8	83.5	108.2	97.9
	35-39	46.0	45.5	22.9	3.6	23.2	50.2	56.5	74.7	50.9
	40-44	3.9	14.4	21.0	0.0	6.3	17.3	13.4	37.8	7.9
	45-49	9.9	2.7	0.0	0.0	8.1	0.0	4.5	0.0	3.4
General fertility rate		46.1	65.7	35.5	66.2	67.4	75.4	54.1	63.3	70.7
Total fertility rate		3.1	1.9	1.5	2.6	2.2	2.6	1.8	1.8	1.8

**Table 4**  
**Fertility indicators by level of education of women, 2020**

Indicators	Age group	Maharashtra								
		Educational level								
		Illiterate	Without any formal education	Below primary	Primary	Middle	Class X	Class XII	Graduate and above	
<b>Total</b>										
Age specific fertility rates	15-19	12.3	6.8	7.2	4.1	4.3	6.5	7.9	13.6	0.0
	20-24	215.9	107.6	178.1	122.4	128.1	106.7	122.9	82.5	95.6
	25-29	165.0	112.1	111.7	116.3	139.8	107.0	139.9	105.3	74.4
	30-34	30.3	53.9	24.2	41.6	48.0	47.5	60.4	60.6	54.7
	35-39	5.9	18.5	5.9	11.9	24.3	16.6	17.3	18.7	23.6
	40-44	3.8	4.0	0.0	2.7	5.2	5.2	4.4	3.8	2.4
	45-49	3.0	1.8	1.5	0.0	2.0	4.2	0.9	0.0	2.3
General fertility rate		36.1	52.4	38.7	29.8	40.0	42.4	67.3	61.4	48.8
Total fertility rate		2.2	1.5	1.6	1.5	1.8	1.5	1.8	1.4	1.3
<b>Rural</b>										
Age specific fertility rates	15-19	28.3	7.7	0.0	4.9	5.9	7.7	10.4	9.1	0.0
	20-24	107.7	123.6	146.8	120.3	148.5	116.3	133.5	103.3	132.8
	25-29	184.8	131.8	96.1	146.5	160.4	125.8	150.6	121.9	84.3
	30-34	64.9	46.1	25.0	58.2	48.3	39.3	52.5	46.0	38.4
	35-39	6.6	10.7	7.8	14.4	17.0	9.3	10.5	7.6	7.5
	40-44	2.8	4.0	0.0	1.5	5.5	4.4	5.0	4.0	2.7
	45-49	6.5	2.1	2.0	0.0	3.2	3.9	1.6	0.0	1.2
General fertility rate		37.4	56.2	32.9	31.2	43.5	45.9	72.2	67.9	52.6
Total fertility rate		2.0	1.6	1.4	1.7	1.9	1.5	1.8	1.5	1.3
<b>Urban</b>										
Age specific fertility rates	15-19	0.0	5.7	27.2	2.3	1.9	5.0	4.6	18.9	0.0
	20-24	334.9	87.8	247.6	126.0	92.1	90.8	106.7	64.2	80.5
	25-29	152.1	93.3	157.4	84.9	116.8	83.7	124.4	88.5	71.5
	30-34	9.9	61.4	21.8	19.0	47.6	57.3	70.2	75.9	59.8
	35-39	5.5	26.8	0.0	8.0	33.4	27.4	26.7	28.5	28.0
	40-44	4.6	4.0	0.0	5.3	4.7	6.3	3.6	3.7	2.3
	45-49	0.0	1.4	0.0	0.0	0.0	4.6	0.0	0.0	2.5
General fertility rate		35.1	48.3	55.2	27.2	35.1	37.7	60.6	55.3	47.6
Total fertility rate		2.5	1.4	2.3	1.2	1.5	1.4	1.7	1.4	1.2

**Table 4**  
**Fertility indicators by level of education of women, 2020**

Indicators	Age group	Educational level								<b>Odisha</b>	
		Illiterate		Literate							
		Total literate	Without any formal education	Below primary	Primary	Middle	Class X	Class XII	Graduate and above		
<b>Total</b>											
Age specific fertility rates	15-19	32.4	8.0	25.2	34.2	9.8	4.5	8.2	12.7	0.0	
	20-24	123.9	101.2	248.8	172.8	139.6	109.8	103.0	63.2	64.5	
	25-29	144.1	131.6	141.7	143.3	131.1	144.4	145.8	112.5	94.1	
	30-34	71.1	74.9	75.0	73.7	67.6	76.6	80.4	85.5	68.3	
	35-39	32.1	31.9	30.3	35.4	32.3	23.3	31.7	38.2	43.5	
	40-44	8.3	7.8	10.9	9.6	9.5	6.0	4.4	1.4	10.5	
	45-49	5.8	3.4	4.3	3.8	0.5	5.3	0.0	16.9	0.0	
General fertility rate		45.1	62.8	54.1	66.5	62.5	60.7	67.3	62.3	60.0	
Total fertility rate		2.1	1.8	2.7	2.4	2.0	1.8	1.9	1.7	1.4	
<b>Rural</b>											
Age specific fertility rates	15-19	38.8	9.0	28.5	42.0	11.7	5.1	8.7	12.7	0.0	
	20-24	131.5	110.1	251.5	172.4	153.1	116.0	110.1	72.0	68.3	
	25-29	152.0	142.2	151.4	151.7	131.4	154.3	152.0	125.7	115.4	
	30-34	67.0	78.0	75.3	76.1	69.2	78.9	79.8	99.5	80.7	
	35-39	31.5	34.7	34.0	39.1	36.1	24.7	39.1	36.8	48.2	
	40-44	9.2	9.1	12.0	10.4	11.1	7.5	6.3	2.2	9.5	
	45-49	6.1	3.1	4.7	4.2	0.6	4.8	0.0	7.7	0.0	
General fertility rate		45.0	67.9	56.8	69.2	65.9	65.7	72.2	70.1	73.5	
Total fertility rate		2.2	1.9	2.8	2.5	2.1	2.0	2.0	1.8	1.6	
<b>Urban</b>											
Age specific fertility rates	15-19	0.0	3.5	0.0	0.0	0.0	1.3	5.4	12.5	0.0	
	20-24	80.0	61.8	228.8	175.4	54.1	69.6	70.7	33.6	56.0	
	25-29	91.7	88.6	31.6	91.1	129.2	79.9	119.5	78.4	65.1	
	30-34	104.6	62.6	71.9	55.0	56.9	62.4	82.6	53.0	56.5	
	35-39	38.4	22.1	0.0	6.7	8.0	15.8	10.6	40.7	39.9	
	40-44	0.0	3.3	0.0	4.3	0.0	0.0	0.0	0.0	11.3	
	45-49	3.7	4.4	0.0	0.0	0.0	7.2	0.0	29.0	0.0	
General fertility rate		45.5	42.2	28.1	48.0	41.3	33.7	48.6	41.4	44.7	
Total fertility rate		1.6	1.2	1.7	1.7	1.2	1.2	1.4	1.2	1.1	

**Table 4**  
**Fertility indicators by level of education of women, 2020**

Indicators	Age group	Punjab								
		Illiterate		Educational level						
		Total literate	Without any formal education	Below primary	Primary	Middle	Class X	Class XII	Graduate and above	
<b>Total</b>										
Age specific fertility rates	15-19	25.1	4.0	62.0	18.5	9.8	2.2	3.8	0.7	0.0
	20-24	120.2	56.8	61.1	144.6	157.7	113.1	56.6	33.7	34.8
	25-29	133.5	115.5	81.3	115.5	141.0	131.2	128.5	109.3	95.2
	30-34	53.7	76.3	58.8	55.5	67.1	70.2	68.9	83.1	95.1
	35-39	15.5	32.4	24.7	18.9	27.8	23.3	43.9	31.3	38.8
	40-44	2.8	9.2	5.7	10.3	9.8	12.2	7.0	0.0	19.0
	45-49	1.7	4.4	9.4	3.0	1.7	6.7	3.7	8.6	1.4
General fertility rate		32.1	50.8	39.4	44.2	53.8	50.8	46.2	49.3	63.0
Total fertility rate		1.8	1.5	1.5	1.8	2.1	1.8	1.6	1.3	1.4
<b>Rural</b>										
Age specific fertility rates	15-19	41.3	2.9	0.0	9.1	2.8	1.4	3.6	1.3	0.0
	20-24	142.8	62.9	96.5	128.7	129.6	114.5	61.9	46.0	40.4
	25-29	112.0	127.1	74.7	142.8	156.7	142.3	136.0	113.5	111.5
	30-34	67.9	72.6	87.5	53.6	65.7	61.7	82.9	69.0	84.7
	35-39	23.2	33.0	43.9	27.7	22.7	25.7	37.1	36.2	57.9
	40-44	4.4	11.1	8.4	12.4	10.5	12.9	10.3	0.0	34.9
	45-49	2.6	4.5	0.0	4.7	2.6	10.4	2.9	0.0	8.5
General fertility rate		31.4	53.7	41.1	43.2	51.2	50.7	51.1	55.1	73.6
Total fertility rate		2.0	1.6	1.6	1.9	2.0	1.8	1.7	1.3	1.7
<b>Urban</b>										
Age specific fertility rates	15-19	0.0	5.6	151.0	29.5	18.7	3.5	4.0	0.0	0.0
	20-24	99.1	49.1	33.5	156.8	195.0	111.0	49.1	17.1	29.3
	25-29	157.8	100.9	88.0	86.9	115.3	116.3	116.5	103.1	82.4
	30-34	37.2	80.6	26.1	58.0	69.4	84.9	48.3	100.9	100.5
	35-39	4.7	31.7	0.0	6.8	37.4	19.2	54.4	25.8	31.9
	40-44	0.0	7.0	0.0	7.0	8.4	11.0	2.4	0.0	14.7
	45-49	0.0	4.3	30.6	0.0	0.0	0.0	4.6	14.9	0.0
General fertility rate		33.2	47.3	37.1	45.5	58.1	50.8	39.4	42.3	56.5
Total fertility rate		1.5	1.4	1.6	1.7	2.2	1.7	1.4	1.3	1.3

**Table 4**  
**Fertility indicators by level of education of women, 2020**

Indicators	Age group	Rajasthan								
		Illiterate		Educational level						
		Total literate	Without any formal education	Below primary	Primary	Middle	Class X	Class XII	Graduate and above	
<b>Total</b>										
Age specific fertility rates	15-19	25.4	10.4	37.4	66.5	16.5	9.3	5.0	7.3	0.0
	20-24	258.0	141.8	188.2	238.1	243.0	250.1	125.9	63.7	71.0
	25-29	203.1	172.3	197.8	207.4	179.3	195.6	180.0	164.3	111.8
	30-34	106.1	87.6	70.6	89.2	80.2	76.7	99.0	103.3	106.3
	35-39	29.2	34.4	29.5	32.9	30.7	38.2	20.9	48.7	48.6
	40-44	10.7	12.3	17.6	10.0	12.2	15.1	3.7	5.7	9.5
	45-49	4.9	6.8	6.8	3.3	8.3	13.1	7.2	0.0	0.0
General fertility rate		68.7	85.3	61.9	108.3	99.6	95.3	75.7	70.7	78.8
Total fertility rate		3.2	2.3	2.7	3.2	2.9	3.0	2.2	2.0	1.7
<b>Rural</b>										
Age specific fertility rates	15-19	27.1	11.1	32.6	71.4	15.4	10.8	5.8	7.0	0.0
	20-24	260.3	154.8	178.4	251.1	248.3	264.3	133.2	68.8	77.4
	25-29	203.6	177.8	205.8	208.1	188.2	193.5	176.8	155.3	118.9
	30-34	105.5	89.6	73.9	80.7	79.5	84.7	125.0	111.3	106.6
	35-39	31.8	32.4	30.5	33.7	30.8	34.0	17.1	76.6	34.4
	40-44	11.7	14.2	18.2	14.1	9.7	16.0	7.6	0.0	29.2
	45-49	5.1	7.7	6.9	4.6	9.6	16.0	0.0	0.0	0.0
General fertility rate		70.4	91.0	63.5	114.1	103.7	101.1	82.2	74.6	87.2
Total fertility rate		3.2	2.4	2.7	3.3	2.9	3.1	2.3	2.1	1.8
<b>Urban</b>										
Age specific fertility rates	15-19	0.0	8.2	48.3	49.5	21.1	3.1	2.6	7.8	0.0
	20-24	239.0	103.6	230.2	172.0	221.9	192.6	99.0	51.6	60.7
	25-29	199.9	158.9	161.7	204.4	151.6	202.1	188.9	183.6	104.4
	30-34	110.1	83.8	54.2	116.3	82.2	57.9	50.1	91.9	106.2
	35-39	10.7	38.2	25.0	29.9	30.6	46.5	26.1	25.5	53.8
	40-44	5.7	9.1	14.9	0.0	18.2	13.8	0.0	9.2	4.7
	45-49	3.9	5.2	6.7	0.0	5.7	9.2	13.0	0.0	0.0
General fertility rate		58.3	71.6	55.2	88.0	86.7	78.3	58.5	63.1	71.5
Total fertility rate		2.8	2.0	2.7	2.9	2.7	2.6	1.9	1.8	1.6

**Table 4**  
**Fertility indicators by level of education of women, 2020**

Indicators	Age group	Tamil Nadu								
		Educational level								
		Illiterate	Without any formal education	Below primary	Primary	Middle	Class X	Class XII	Graduate and above	
<b>Total</b>										
Age specific fertility rates	15-19	0.0	5.7	0.0	4.6	1.6	3.1	4.1	8.3	0.0
	20-24	165.6	86.0	215.7	165.1	93.8	95.0	96.2	76.0	86.5
	25-29	113.6	123.9	118.6	119.8	150.1	100.9	124.3	125.7	126.1
	30-34	43.0	54.6	30.7	32.7	40.3	40.2	60.1	54.3	69.2
	35-39	5.3	15.4	4.3	5.0	8.4	11.5	19.9	19.5	22.1
	40-44	0.0	3.7	0.0	0.4	0.6	4.0	5.1	7.9	5.5
	45-49	0.0	0.6	0.0	0.4	0.0	1.5	0.5	0.6	0.0
General fertility rate		12.7	48.5	17.7	17.8	23.5	27.2	48.1	58.7	76.6
Total fertility rate		1.6	1.4	1.8	1.6	1.5	1.3	1.6	1.5	1.5
<b>Rural</b>										
Age specific fertility rates	15-19	0.0	5.6	0.0	7.8	2.4	3.9	3.7	9.4	0.0
	20-24	339.7	88.2	214.2	200.7	127.6	74.5	104.9	80.5	81.8
	25-29	76.9	121.5	123.0	86.9	133.1	92.3	138.4	121.7	119.7
	30-34	4.7	52.7	26.0	24.1	35.5	42.9	57.7	57.6	76.2
	35-39	2.3	11.6	7.9	5.0	6.1	10.5	13.7	18.3	18.6
	40-44	0.0	2.4	0.0	0.7	1.1	2.7	4.4	4.7	2.3
	45-49	0.0	0.4	0.0	0.7	0.0	0.8	0.0	2.1	0.0
General fertility rate		6.0	48.9	19.7	14.2	22.9	26.8	54.6	62.1	82.6
Total fertility rate		2.1	1.4	1.9	1.6	1.5	1.1	1.6	1.5	1.5
<b>Urban</b>										
Age specific fertility rates	15-19	0.0	5.7	0.0	0.0	0.0	2.5	4.5	7.0	0.0
	20-24	116.5	83.7	217.6	131.6	56.4	121.8	85.7	71.2	91.0
	25-29	149.4	126.3	111.7	168.1	174.0	112.4	106.4	130.3	130.3
	30-34	80.0	56.2	36.9	44.9	46.5	36.8	62.4	51.5	66.1
	35-39	8.3	18.5	0.0	4.9	11.1	12.6	25.4	20.4	23.1
	40-44	0.0	4.6	0.0	0.0	0.0	5.3	5.5	9.5	6.1
	45-49	0.0	0.6	0.0	0.0	0.0	2.3	0.8	0.0	0.0
General fertility rate		20.1	48.1	15.4	23.4	24.2	27.6	41.6	55.3	73.3
Total fertility rate		1.8	1.5	1.8	1.7	1.4	1.5	1.5	1.4	1.6

**Table 4**  
**Fertility indicators by level of education of women, 2020**

Indicators	Age group	Educational level								Telangana	
		Illiterate		Literate						Class X	Class XII
		Total literate	Without any formal education	Below primary	Primary	Middle					
<b>Total</b>											
Age specific fertility rates	15-19	60.0	7.1	114.5	0.0	0.0	1.0	9.3	32.1	43.6	
	20-24	214.2	93.9	100.5	138.1	137.8	69.2	107.2	88.4	82.5	
	25-29	111.7	114.7	80.8	108.8	114.7	134.5	134.2	98.1	108.3	
	30-34	35.3	64.4	30.8	54.4	46.4	57.4	74.6	74.8	73.9	
	35-39	17.3	17.6	18.5	0.0	13.9	17.0	24.2	20.3	15.3	
	40-44	4.9	7.1	5.8	9.5	21.6	9.1	1.4	0.0	0.0	
	45-49	7.9	6.6	3.1	0.0	3.6	4.1	6.2	19.7	20.4	
General fertility rate		29.5	56.0	34.6	30.0	35.2	40.4	68.7	72.2	71.0	
Total fertility rate		2.3	1.6	1.8	1.6	1.7	1.5	1.8	1.7	1.7	
<b>Rural</b>											
Age specific fertility rates	15-19	0.0	8.6	89.5	0.0	0.0	1.7	15.8	27.9	81.6	
	20-24	245.0	106.9	103.1	111.7	132.9	89.5	124.4	97.3	95.0	
	25-29	111.1	116.1	78.7	103.8	89.4	116.0	140.1	112.8	112.8	
	30-34	36.8	60.0	40.7	44.1	49.8	50.0	70.4	82.9	61.2	
	35-39	15.8	18.8	16.4	0.0	14.4	20.4	25.6	30.6	16.0	
	40-44	5.9	7.0	8.0	13.1	5.7	10.5	3.2	0.0	0.0	
	45-49	7.5	5.7	3.9	0.0	5.8	7.1	8.1	24.0	0.0	
General fertility rate		29.9	59.5	36.1	26.7	30.8	42.7	80.1	84.6	84.4	
Total fertility rate		2.1	1.6	1.7	1.4	1.5	1.5	1.9	1.9	1.8	
<b>Urban</b>											
Age specific fertility rates	15-19	198.0	4.8	208.2	0.0	0.0	0.0	0.0	38.4	0.0	
	20-24	98.4	75.2	91.3	178.8	145.6	36.6	78.2	77.3	69.7	
	25-29	114.4	112.9	88.0	125.2	160.9	164.8	124.0	79.9	105.2	
	30-34	29.2	69.5	0.0	79.9	40.2	68.3	80.3	66.5	79.8	
	35-39	23.9	16.3	26.6	0.0	13.2	11.6	22.9	13.9	15.1	
	40-44	0.0	7.1	0.0	0.0	46.5	7.5	0.0	0.0	0.0	
	45-49	8.9	7.7	0.0	0.0	0.0	0.0	4.8	17.7	23.9	
General fertility rate		28.0	51.5	29.7	38.0	42.7	37.0	53.1	58.9	63.9	
Total fertility rate		2.4	1.5	2.1	1.9	2.0	1.4	1.6	1.5	1.5	

**Table 4**  
**Fertility indicators by level of education of women, 2020**

Indicators	Age group	Uttar Pradesh								
		Illiterate		Educational level						
		Total literate	Without any formal education	Below primary	Primary	Middle	Class X	Class XII	Graduate and above	
<b>Total</b>										
Age specific fertility rates	15-19	31.8	10.6	8.1	2.1	8.5	11.1	21.1	34.5	0.0
	20-24	217.3	115.9	135.5	109.7	109.3	118.7	109.3	121.1	146.3
	25-29	193.5	169.7	196.0	190.1	191.4	165.6	195.7	155.6	133.1
	30-34	150.9	134.3	122.8	135.3	144.2	132.7	157.9	143.3	107.5
	35-39	84.6	61.6	73.6	98.7	62.5	53.1	63.6	56.4	48.0
	40-44	31.9	23.6	24.4	30.5	27.3	15.7	31.1	27.5	14.2
	45-49	9.5	8.3	3.2	14.4	4.5	7.8	7.0	2.3	23.0
General fertility rate		87.0	87.8	82.3	66.1	74.0	78.0	105.8	115.2	95.2
Total fertility rate		3.6	2.6	2.8	2.9	2.7	2.5	2.9	2.7	2.4
<b>Rural</b>										
Age specific fertility rates	15-19	35.0	12.2	11.5	2.5	9.6	13.1	21.5	39.6	0.0
	20-24	254.5	128.7	157.5	127.4	118.9	130.7	124.6	131.5	171.9
	25-29	198.0	184.1	220.4	218.3	211.8	163.6	202.5	171.6	151.1
	30-34	156.9	134.9	130.8	136.8	145.8	130.0	167.5	137.0	94.7
	35-39	84.3	64.6	67.0	107.5	68.5	52.0	64.6	55.0	49.7
	40-44	30.8	24.8	23.5	34.1	30.9	18.4	22.7	20.5	21.9
	45-49	8.8	7.3	1.7	14.7	6.0	9.4	12.1	3.0	2.4
General fertility rate		87.8	94.0	87.7	74.7	81.2	81.4	114.2	125.0	109.4
Total fertility rate		3.8	2.8	3.1	3.2	3.0	2.6	3.1	2.8	2.5
<b>Urban</b>										
Age specific fertility rates	15-19	21.7	5.3	0.0	1.1	5.2	3.0	19.3	13.8	0.0
	20-24	126.3	77.5	81.2	38.8	72.7	75.5	65.6	96.7	113.6
	25-29	177.2	134.2	124.9	101.6	121.4	173.4	176.8	120.0	111.9
	30-34	119.8	132.8	96.6	128.9	137.7	142.4	136.8	156.1	119.9
	35-39	86.3	55.2	95.9	59.4	39.4	56.2	61.8	58.8	47.0
	40-44	38.2	21.1	27.3	14.9	13.9	8.1	43.2	35.8	10.3
	45-49	13.5	10.0	9.2	13.2	0.0	4.1	0.0	1.7	31.0
General fertility rate		83.2	71.7	65.4	36.1	49.1	66.1	83.9	94.7	82.7
Total fertility rate		2.9	2.2	2.2	1.8	2.0	2.3	2.5	2.4	2.2

**Table 4**  
**Fertility indicators by level of education of women, 2020**

Indicators	Age group	Uttarakhand								
		Educational level								
		Illiterate	Without any formal education	Below primary	Primary	Middle	Class X	Class XII	Graduate and above	
<b>Total</b>										
Age specific fertility rates	15-19	103.4	4.8	0.0	8.4	7.1	4.1	3.5	5.9	0.0
	20-24	211.6	63.4	198.6	166.7	97.1	69.8	50.2	46.7	97.3
	25-29	188.5	119.3	240.2	211.3	166.0	109.3	128.0	104.3	97.8
	30-34	106.1	97.4	164.6	118.3	118.1	77.9	106.1	97.2	85.3
	35-39	71.8	43.4	40.4	33.0	36.5	40.4	26.0	45.1	62.9
	40-44	32.7	15.0	14.8	12.1	11.6	16.5	16.5	10.4	19.4
	45-49	6.2	3.9	5.3	6.6	3.3	4.3	6.1	0.0	2.9
General fertility rate		74.2	58.8	74.2	86.0	65.0	44.1	51.7	57.9	75.0
Total fertility rate		3.6	1.7	3.3	2.8	2.2	1.6	1.7	1.5	1.8
<b>Rural</b>										
Age specific fertility rates	15-19	111.5	4.8	0.0	5.0	8.5	4.2	3.5	5.3	0.0
	20-24	232.0	72.5	253.6	188.3	110.9	78.8	58.3	53.5	123.7
	25-29	210.2	133.3	296.3	264.6	176.3	117.1	136.4	115.9	116.3
	30-34	101.9	89.3	133.4	99.3	104.1	71.9	104.3	97.3	72.2
	35-39	61.7	35.8	35.0	27.5	35.1	36.3	21.3	37.9	50.4
	40-44	24.5	11.0	12.4	8.8	10.5	14.7	12.0	2.3	12.2
	45-49	5.2	3.6	4.0	5.0	4.1	4.7	5.7	0.0	0.0
General fertility rate		69.5	61.1	67.7	87.2	65.5	46.0	55.3	63.1	81.1
Total fertility rate		3.7	1.8	3.7	3.0	2.2	1.6	1.7	1.6	1.9
<b>Urban</b>										
Age specific fertility rates	15-19	95.2	4.6	0.0	17.6	3.4	3.9	3.6	7.9	0.0
	20-24	169.0	38.5	133.9	118.2	60.6	43.3	25.2	27.6	51.0
	25-29	131.2	84.3	141.6	104.8	137.1	81.8	99.2	70.5	69.0
	30-34	117.6	117.2	230.4	164.4	165.7	101.5	111.5	96.8	104.8
	35-39	108.4	61.3	57.9	55.2	42.5	59.2	38.8	58.1	76.7
	40-44	64.7	23.3	23.3	22.9	15.8	22.9	26.3	22.8	24.9
	45-49	10.3	4.5	10.0	13.4	0.0	3.5	6.9	0.0	4.8
General fertility rate		89.7	53.1	91.9	82.8	63.4	37.8	40.8	44.3	66.9
Total fertility rate		3.5	1.7	3.0	2.5	2.1	1.6	1.6	1.4	1.7

**Table 4**  
**Fertility indicators by level of education of women, 2020**

Indicators	Age group	West Bengal								
		Educational level								
		Illiterate	Literate	Total literate	Without any formal education	Below primary	Primary	Middle	Class X	Class XII
<b>Total</b>										
Age specific fertility rates	15-19	2.1	22.5	76.4	19.2	19.5	18.1	27.9	61.8	0.0
	20-24	128.0	112.4	139.2	176.1	152.5	101.8	104.9	77.7	100.6
	25-29	93.6	84.0	79.1	85.7	89.7	101.0	91.7	59.0	54.9
	30-34	29.4	43.4	26.3	42.3	44.4	44.4	52.1	44.6	39.4
	35-39	10.8	14.1	12.5	11.0	10.6	11.1	16.9	21.5	27.0
	40-44	1.8	3.2	0.7	3.8	4.2	3.5	3.4	2.4	2.3
	45-49	3.4	2.1	2.2	0.6	3.9	2.7	0.9	2.5	0.6
General fertility rate		23.1	49.8	27.8	42.4	50.5	51.6	61.5	52.2	37.0
Total fertility rate		1.3	1.4	1.7	1.7	1.6	1.4	1.5	1.3	1.1
<b>Rural</b>										
Age specific fertility rates	15-19	2.6	26.0	32.5	26.1	24.6	20.6	30.3	75.6	0.0
	20-24	136.5	126.1	135.7	193.0	166.1	117.3	119.2	84.0	102.6
	25-29	95.3	90.0	81.9	91.5	86.0	105.6	97.9	63.5	69.0
	30-34	26.4	43.8	30.7	39.4	41.8	45.9	51.6	60.2	37.2
	35-39	7.4	14.1	13.1	12.3	9.5	12.6	19.8	19.5	37.0
	40-44	2.2	2.3	0.9	1.4	4.3	2.5	2.5	0.7	0.0
	45-49	2.9	2.4	1.3	0.8	5.6	2.2	2.0	0.0	3.0
General fertility rate		22.0	55.7	26.7	45.8	52.9	58.0	71.1	62.8	50.5
Total fertility rate		1.4	1.5	1.5	1.8	1.7	1.5	1.6	1.5	1.2
<b>Urban</b>										
Age specific fertility rates	15-19	0.0	12.5	157.3	7.4	5.8	10.1	20.8	10.7	0.0
	20-24	100.3	77.2	147.4	128.6	115.0	57.6	68.7	64.3	97.7
	25-29	86.5	70.8	69.7	68.6	101.0	86.7	78.0	52.5	43.5
	30-34	41.7	42.5	10.5	51.2	52.9	40.8	52.9	27.9	40.5
	35-39	26.5	14.2	9.9	7.3	14.0	7.6	12.9	23.2	22.7
	40-44	0.0	4.7	0.0	10.5	4.0	5.7	4.3	3.5	3.0
	45-49	5.9	1.5	5.7	0.0	0.0	3.5	0.0	3.7	0.0
General fertility rate		27.8	37.1	32.2	33.5	43.7	34.4	42.7	37.6	29.6
Total fertility rate		1.3	1.1	2.0	1.4	1.5	1.1	1.2	0.9	1.0

**Table 5****Percentage distribution of live births by order of birth, 2020**

Birth order	Total			Rural			Urban		
	Total	Males	Females	Total	Males	Females	Total	Males	Females
<b>India</b>									
1	59.2	59.5	58.9	56.9	57.3	56.5	65.4	65.4	65.4
2	25.5	25.3	25.6	25.6	25.5	25.7	25.1	24.8	25.4
3	9.9	9.8	9.9	11.0	10.8	11.1	6.9	6.9	6.8
4	3.5	3.5	3.5	4.0	4.0	4.1	1.9	2.1	1.8
5+	2.0	2.0	2.1	2.5	2.4	2.7	0.7	0.8	0.7
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0

Note : Total may not add up to 100 due to rounding off.

**Table 5****Percentage distribution of live births by order of birth, 2020**

Birth order	Total			Rural			Urban		
	Total	Males	Females	Total	Males	Females	Total	Males	Females
<b>Andhra Pradesh</b>									
1	59.4	58.2	60.7	59.1	56.9	61.5	60.1	61.2	59.0
2	35.0	36.0	34.0	34.7	36.4	32.7	35.8	34.8	36.7
3	4.8	4.8	4.7	5.3	5.5	5.1	3.5	3.2	3.9
4	0.7	0.8	0.6	0.7	0.8	0.6	0.6	0.7	0.4
5+	0.1	0.2	0.0	0.2	0.3	0.0	0.0	0.0	0.0
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
<b>Assam</b>									
1	60.2	59.1	61.4	59.4	58.2	60.7	67.7	68.0	67.5
2	25.4	26.3	24.4	25.5	26.4	24.4	24.6	24.9	24.3
3	10.1	10.1	10.0	10.5	10.6	10.4	6.1	6.0	6.2
4	2.9	3.1	2.6	3.0	3.3	2.7	1.5	1.1	1.8
5+	1.5	1.4	1.6	1.6	1.5	1.7	0.1	0.0	0.2
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
<b>Bihar</b>									
1	40.3	41.1	39.5	39.3	40.2	38.3	48.6	48.4	48.8
2	26.5	27.0	26.0	26.5	26.9	25.9	27.2	27.6	26.8
3	18.4	18.2	18.5	18.7	18.6	18.9	15.2	15.5	14.8
4	8.7	8.4	9.2	9.1	8.8	9.4	6.1	4.9	7.4
5+	6.0	5.3	6.8	6.4	5.5	7.4	2.9	3.6	2.1
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
<b>Chhattisgarh</b>									
1	47.7	49.2	46.2	45.7	46.7	44.6	56.7	60.2	53.2
2	31.4	29.3	33.6	31.9	30.9	33.0	29.2	22.0	36.3
3	14.5	15.7	13.2	15.1	15.6	14.5	11.8	15.8	7.9
4	4.2	3.4	5.0	4.8	3.9	5.8	1.4	1.3	1.5
5+	2.2	2.5	1.9	2.5	2.9	2.1	0.9	0.6	1.1
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0

Note : Total may not add up to 100 due to rounding off.

**Table 5****Percentage distribution of live births by order of birth, 2020**

Birth order	Total			Rural			Urban		
	Total	Males	Females	Total	Males	Females	Total	Males	Females
<b>Delhi</b>									
1	86.7	85.7	87.9	73.7	75.2	72.4	87.1	85.9	88.4
2	10.4	11.9	8.7	20.3	23.1	17.9	10.2	11.7	8.3
3	2.0	1.5	2.6	6.0	1.7	9.7	1.9	1.5	2.4
4	0.9	0.9	0.8	0.0	0.0	0.0	0.9	0.9	0.8
5+	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
<b>Gujarat</b>									
1	67.9	68.7	67.1	66.0	65.9	66.1	70.9	72.8	68.6
2	22.6	21.3	24.0	23.1	22.7	23.6	21.8	19.4	24.7
3	6.9	7.2	6.5	7.3	7.4	7.2	6.1	6.9	5.2
4	1.8	2.0	1.6	2.4	2.8	2.0	0.9	0.8	1.0
5+	0.8	0.8	0.8	1.2	1.2	1.1	0.3	0.2	0.4
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
<b>Haryana</b>									
1	54.9	54.7	55.1	53.6	52.6	54.8	57.4	59.0	55.6
2	27.1	27.7	26.4	26.8	27.3	26.1	27.7	28.5	26.9
3	11.2	10.8	11.6	10.9	11.5	10.3	11.7	9.4	14.1
4	3.7	3.6	3.8	4.3	4.2	4.5	2.5	2.4	2.6
5+	3.2	3.2	3.2	4.4	4.4	4.4	0.7	0.6	0.8
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
<b>Himachal Pradesh</b>									
1	60.2	59.6	60.9	60.0	59.2	60.7	64.7	66.6	62.9
2	32.1	32.6	31.7	32.1	32.6	31.5	33.0	31.1	34.9
3	5.8	5.6	6.0	6.0	5.8	6.3	2.2	2.3	2.2
4	1.7	2.0	1.4	1.8	2.1	1.5	0.0	0.0	0.0
5+	0.1	0.2	0.0	0.1	0.2	0.0	0.0	0.0	0.0
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0

Note : Total may not add up to 100 due to rounding off.

**Table 5****Percentage distribution of live births by order of birth, 2020**

Birth order	Total			Rural			Urban		
	Total	Males	Females	Total	Males	Females	Total	Males	Females
<b>Jammu &amp; Kashmir</b>									
1	78.1	78.8	77.4	79.7	80.9	78.3	73.1	72.0	74.3
2	15.9	14.5	17.5	14.7	13.1	16.6	19.6	19.1	20.1
3	4.2	4.5	3.9	3.5	3.4	3.5	6.7	7.9	5.4
4	0.9	1.1	0.7	1.1	1.4	0.8	0.2	0.2	0.2
5+	0.9	1.1	0.6	1.0	1.2	0.8	0.4	0.8	0.0
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
<b>Jharkhand</b>									
1	60.4	60.9	59.8	60.9	61.4	60.3	58.3	58.5	58.0
2	19.9	21.3	18.2	18.3	20.0	16.3	26.3	26.8	25.8
3	13.2	11.6	15.1	13.7	11.7	16.1	11.2	11.2	11.3
4	3.8	3.3	4.5	4.1	3.4	4.9	3.0	2.8	3.2
5+	2.7	2.9	2.3	3.0	3.4	2.5	1.2	0.8	1.7
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
<b>Karnataka</b>									
1	54.7	54.8	54.5	55.3	56.3	54.3	53.5	52.2	54.9
2	34.3	35.0	33.6	32.9	32.3	33.6	36.8	39.8	33.6
3	8.7	8.2	9.1	9.4	9.6	9.2	7.4	5.8	9.1
4	1.7	1.2	2.2	1.7	1.2	2.1	1.7	1.1	2.4
5+	0.7	0.8	0.5	0.8	0.7	0.8	0.6	1.1	0.0
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
<b>Kerala</b>									
1	48.5	47.7	49.3	48.2	49.2	47.2	48.8	46.0	51.5
2	35.3	35.4	35.2	34.9	33.8	36.1	35.7	37.2	34.3
3	12.7	12.5	13.0	13.5	13.6	13.5	11.9	11.3	12.5
4	3.1	4.0	2.2	3.0	3.1	2.9	3.2	5.0	1.4
5+	0.4	0.5	0.3	0.4	0.4	0.3	0.4	0.6	0.3
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0

Note : Total may not add up to 100 due to rounding off.

**Table 5****Percentage distribution of live births by order of birth, 2020**

Birth order	Total			Rural			Urban		
	Total	Males	Females	Total	Males	Females	Total	Males	Females
<b>Madhya Pradesh</b>									
1	45.1	46.4	43.6	43.8	44.8	42.7	50.2	52.5	47.5
2	33.4	32.7	34.0	32.8	32.5	33.1	35.5	33.7	37.7
3	13.6	12.8	14.6	14.6	13.8	15.6	9.8	9.1	10.5
4	5.0	5.3	4.6	5.5	5.9	5.1	2.9	3.2	2.6
5+	2.9	2.7	3.1	3.2	3.0	3.5	1.6	1.5	1.7
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
<b>Maharashtra</b>									
1	69.2	67.9	70.6	68.7	68.0	69.5	69.7	67.8	72.1
2	23.3	23.2	23.4	23.9	23.7	24.2	22.5	22.7	22.4
3	5.8	7.1	4.3	5.8	6.6	4.8	5.9	7.7	3.7
4	1.0	1.2	0.9	1.0	1.2	0.7	1.1	1.1	1.2
5+	0.7	0.6	0.7	0.6	0.5	0.7	0.8	0.9	0.7
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
<b>Odisha</b>									
1	55.7	56.0	55.3	55.0	55.6	54.3	60.0	58.8	61.5
2	30.2	29.9	30.6	29.9	29.7	30.2	32.1	30.8	33.4
3	10.1	10.5	9.7	10.8	11.0	10.6	5.5	6.9	3.8
4	2.6	2.0	3.1	2.8	2.1	3.5	1.2	1.7	0.6
5+	1.4	1.6	1.2	1.4	1.5	1.3	1.3	1.8	0.8
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
<b>Punjab</b>									
1	69.7	69.1	70.4	68.6	68.1	69.2	71.3	70.6	71.9
2	22.9	23.5	22.3	23.8	24.0	23.5	21.8	22.8	20.7
3	5.8	5.7	5.9	6.0	6.0	6.1	5.4	5.2	5.6
4	1.4	1.4	1.3	1.3	1.5	1.0	1.5	1.3	1.7
5+	0.2	0.3	0.1	0.4	0.5	0.3	0.0	0.0	0.0
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0

Note : Total may not add up to 100 due to rounding off.

**Table 5****Percentage distribution of live births by order of birth, 2020**

Birth order	Total			Rural			Urban		
	Total	Males	Females	Total	Males	Females	Total	Males	Females
<b>Rajasthan</b>									
1	64.4	64.1	64.6	62.0	61.9	62.1	72.2	71.5	73.0
2	22.4	22.0	22.8	23.6	23.2	24.0	18.4	18.2	18.6
3	7.6	7.7	7.5	8.2	8.2	8.2	5.7	6.2	5.2
4	3.5	3.6	3.4	3.7	3.7	3.7	2.7	3.0	2.3
5+	2.1	2.6	1.7	2.4	3.0	1.9	1.0	1.1	0.9
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
<b>Tamil Nadu</b>									
1	58.9	58.0	59.9	56.6	56.4	56.9	61.1	59.6	62.6
2	33.4	34.3	32.4	34.2	34.5	33.9	32.6	34.1	31.1
3	6.8	6.6	6.9	8.2	8.1	8.4	5.4	5.2	5.6
4	0.8	1.0	0.7	0.9	1.1	0.7	0.8	0.9	0.7
5+	0.1	0.1	0.0	0.0	0.0	0.1	0.1	0.2	0.0
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
<b>Telangana</b>									
1	70.7	68.7	73.2	71.9	71.3	72.6	68.8	64.8	74.1
2	25.2	26.7	23.3	23.5	23.4	23.8	27.9	31.8	22.7
3	3.7	4.1	3.1	4.0	4.8	3.0	3.1	3.0	3.2
4	0.3	0.4	0.2	0.3	0.3	0.4	0.3	0.5	0.0
5+	0.1	0.1	0.1	0.2	0.2	0.2	0.0	0.0	0.0
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
<b>Uttar Pradesh</b>									
1	62.9	64.2	61.5	60.7	61.9	59.4	70.8	73.3	68.4
2	21.2	20.3	22.1	21.7	21.3	22.1	19.4	16.5	22.1
3	9.8	9.4	10.2	10.7	10.2	11.2	6.6	6.3	6.9
4	4.1	4.2	3.9	4.5	4.4	4.6	2.5	3.3	1.8
5+	2.1	1.8	2.4	2.4	2.1	2.8	0.7	0.6	0.8
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0

**Table 5****Percentage distribution of live births by order of birth, 2020**

Birth order	Total			Rural			Urban		
	Total	Males	Females	Total	Males	Females	Total	Males	Females
<b>Uttarakhand</b>									
1	45.5	47.0	43.7	46.4	49.2	43.1	43.0	40.8	45.6
2	30.6	29.6	31.8	29.9	27.6	32.5	32.8	35.3	29.7
3	15.5	15.4	15.6	15.5	15.3	15.8	15.4	15.8	15.0
4	5.7	5.3	6.2	5.4	4.9	5.9	6.7	6.2	7.2
5+	2.7	2.7	2.7	2.8	3.0	2.7	2.2	1.9	2.5
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
<b>West Bengal</b>									
1	74.9	74.8	74.9	74.1	74.3	74.0	77.2	76.4	78.0
2	18.5	18.1	18.9	19.0	18.5	19.6	16.7	16.8	16.7
3	5.3	5.4	5.1	5.6	5.8	5.4	4.2	4.2	4.2
4	1.0	1.2	0.8	0.9	1.0	0.8	1.3	1.6	0.9
5+	0.4	0.5	0.3	0.3	0.4	0.3	0.7	1.0	0.3
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0

Note : Total may not add up to 100 due to rounding off.

**Table 6**

**Percentage distribution of current live births by birth interval, 2020**

Birth interval in months	India			Andhra Pradesh			Assam		
	Total	Rural	Urban	Total	Rural	Urban	Total	Rural	Urban
10-12	1.5	1.6	1.2	1.0	1.2	0.3	0.4	0.3	0.9
12-18	6.9	6.9	6.8	8.5	7.3	11.5	2.5	2.5	3.4
18-24	12.7	13.5	9.7	12.2	13.0	10.3	7.3	7.5	5.3
24-30	13.4	14.0	11.7	15.0	15.2	14.7	7.2	7.5	4.5
30-36	13.1	13.6	11.5	13.6	13.5	13.6	9.9	10.5	3.0
36+	52.3	50.3	59.1	49.7	49.8	49.6	72.7	71.8	82.9
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0

Birth interval in months	Bihar			Chhattisgarh			Delhi		
	Total	Rural	Urban	Total	Rural	Urban	Total	Rural	Urban
10-12	1.6	1.6	1.9	0.1	0.1	0.0	0.0	0.0	0.0
12-18	8.5	8.4	9.2	4.4	4.1	5.9	1.3	0.0	1.3
18-24	15.5	15.5	15.8	14.0	14.6	10.3	17.2	7.7	17.7
24-30	16.0	16.3	13.0	14.5	14.5	14.5	8.6	15.5	8.2
30-36	15.4	15.4	15.1	13.3	12.5	18.2	15.7	46.1	13.9
36+	43.0	42.8	44.9	53.7	54.2	51.1	57.3	30.8	58.8
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0

Birth interval in months	Gujarat			Haryana			Himachal Pradesh		
	Total	Rural	Urban	Total	Rural	Urban	Total	Rural	Urban
10-12	1.4	1.6	1.1	3.2	3.9	1.9	1.1	1.1	0.0
12-18	5.0	5.2	4.7	11.0	12.6	7.7	5.5	5.2	10.4
18-24	12.8	13.2	12.1	12.3	14.6	7.5	9.1	9.5	0.0
24-30	13.3	15.2	10.0	13.9	14.4	12.8	11.3	11.8	3.2
30-36	12.2	14.1	8.8	12.1	11.7	13.0	12.5	13.0	3.1
36+	55.2	50.7	63.2	47.4	42.9	57.1	60.6	59.4	83.3
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0

Birth interval in months	Jammu & Kashmir			Jharkhand			Karnataka		
	Total	Rural	Urban	Total	Rural	Urban	Total	Rural	Urban
10-12	0.4	0.5	0.0	1.3	1.1	2.1	1.0	1.3	0.4
12-18	4.9	5.0	4.6	5.1	5.1	4.9	7.7	7.9	7.4
18-24	9.4	13.2	0.0	9.3	9.3	9.1	15.4	15.8	14.7
24-30	10.1	12.2	4.7	14.1	15.0	10.5	17.6	18.6	15.9
30-36	12.2	12.1	12.6	16.7	17.0	15.7	14.4	15.9	11.8
36+	63.1	57.0	78.2	53.6	52.5	57.8	43.8	40.4	49.8
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0

Note : Total may not add up to 100 due to rounding off.

**Table 6**

**Percentage distribution of current live births by birth interval, 2020**

Birth interval in months	Kerala			Madhya Pradesh			Maharashtra		
	Total	Rural	Urban	Total	Rural	Urban	Total	Rural	Urban
10-12	0.5	0.2	0.8	2.1	2.2	1.9	0.5	0.3	0.8
12-18	4.3	3.7	4.9	9.8	10.3	7.7	4.9	6.1	3.3
18-24	7.9	9.0	6.6	17.3	19.6	7.5	11.4	12.6	9.7
24-30	10.0	9.1	10.8	18.0	19.1	12.9	11.7	12.7	10.5
30-36	9.5	9.2	9.9	13.5	13.7	12.5	12.1	12.8	11.3
36+	67.8	68.6	67.0	39.3	35.2	57.5	59.4	55.6	64.4
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
Birth interval in months	Odisha			Punjab			Rajasthan		
	Total	Rural	Urban	Total	Rural	Urban	Total	Rural	Urban
10-12	0.8	0.7	0.8	2.1	2.2	2.0	1.4	1.0	3.0
12-18	3.4	3.0	6.7	5.1	5.2	5.0	8.2	7.9	9.6
18-24	5.7	5.1	10.0	9.1	10.4	7.1	13.5	14.5	9.0
24-30	8.1	8.2	8.0	12.2	12.2	12.2	14.3	15.4	9.7
30-36	11.1	11.6	8.0	9.9	10.0	9.9	14.5	15.6	9.0
36+	70.9	71.4	66.4	61.5	60.1	63.8	48.2	45.7	59.8
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
Birth interval in months	Tamil Nadu			Telangana			Uttar Pradesh		
	Total	Rural	Urban	Total	Rural	Urban	Total	Rural	Urban
10-12	1.4	1.2	1.6	1.7	1.4	2.1	2.3	2.6	0.7
12-18	6.5	7.7	5.2	13.8	11.8	16.6	6.7	6.5	8.0
18-24	13.4	17.9	8.8	15.7	20.8	8.5	12.3	13.0	8.9
24-30	14.2	15.7	12.6	14.9	16.1	13.2	11.4	11.4	11.8
30-36	13.2	13.1	13.3	9.9	9.4	10.6	13.7	14.2	11.0
36+	51.3	44.3	58.5	44.0	40.5	48.9	53.6	52.4	59.7
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
Birth interval in months	Uttarakhand			West Bengal					
	Total	Rural	Urban	Total	Rural	Urban			
10-12	0.4	0.5	0.2	1.9	2.3	0.6			
12-18	5.2	5.0	5.6	1.7	1.6	2.3			
18-24	9.5	9.3	9.9	2.8	2.5	4.0			
24-30	12.9	15.1	7.1	6.7	6.6	6.8			
30-36	11.6	12.5	9.4	5.8	5.6	6.8			
36+	60.4	57.7	67.8	81.1	81.5	79.5			
Total	100.0	100.0	100.0	100.0	100.0	100.0			

**Table 7****Percentage distribution of current live births by birth interval and birth order, 2020**

Birth interval in months						Birth order									
	Total					Rural					Urban				
	2	3	4	5+	Total	2	3	4	5+	Total	2	3	4	5+	Total
<b>India</b>															
10-12	1.0	0.3	0.1	0.1	1.5	1.0	0.4	0.1	0.1	1.6	0.9	0.2	0.1	0.0	1.2
12-18	4.6	1.5	0.5	0.3	6.9	4.4	1.5	0.6	0.4	6.9	5.1	1.3	0.3	0.1	6.8
18-24	8.1	2.9	1.0	0.7	12.7	8.3	3.3	1.1	0.8	13.5	7.2	1.7	0.5	0.2	9.7
24-30	8.1	3.2	1.2	0.9	13.4	7.9	3.5	1.4	1.1	14.0	8.8	2.0	0.7	0.3	11.7
30-36	8.2	3.2	1.1	0.6	13.1	8.1	3.6	1.2	0.7	13.6	8.7	2.0	0.6	0.2	11.5
36+	32.3	13.0	4.6	2.5	52.3	29.6	13.1	4.9	2.8	50.3	41.8	12.6	3.4	1.3	59.1
Total	62.4	24.1	8.5	5.0	100.0	59.4	25.4	9.4	5.9	100.0	72.5	19.8	5.6	2.1	100.0

Note : Total may not add up to 100 due to rounding off.

**Table 7****Percentage distribution of current live births by birth interval and birth order, 2020**

Birth interval in months						Birth order									
	Total					Rural					Urban				
	2	3	4	5+	Total	2	3	4	5+	Total	2	3	4	5+	Total
<b>Andhra Pradesh</b>															
10-12	0.7	0.2	0.0	0.0	1.0	1.0	0.2	0.0	0.0	1.2	0.0	0.3	0.0	0.0	0.3
12-18	8.2	0.3	0.0	0.0	8.5	7.1	0.1	0.0	0.0	7.3	10.9	0.6	0.0	0.0	11.5
18-24	10.6	1.5	0.1	0.0	12.2	11.0	1.8	0.1	0.1	13.0	9.6	0.7	0.0	0.0	10.3
24-30	13.2	1.7	0.1	0.1	15.0	13.2	1.7	0.1	0.1	15.2	13.2	1.5	0.0	0.0	14.7
30-36	11.8	1.4	0.3	0.0	13.6	11.5	1.6	0.4	0.0	13.5	12.6	1.0	0.0	0.0	13.6
36+	41.7	6.6	1.2	0.2	49.7	40.9	7.5	1.2	0.2	49.8	43.5	4.7	1.4	0.0	49.6
Total	86.3	11.8	1.7	0.3	100.0	84.8	13.0	1.8	0.4	100.0	89.8	8.8	1.4	0.0	100.0
<b>Assam</b>															
10-12	0.3	0.1	0.0	0.0	0.4	0.2	0.1	0.0	0.0	0.3	0.9	0.0	0.0	0.0	0.9
12-18	1.8	0.8	0.0	0.0	2.5	1.7	0.8	0.0	0.0	2.5	2.8	0.6	0.0	0.0	3.4
18-24	5.4	1.3	0.6	0.0	7.3	5.6	1.3	0.6	0.0	7.5	3.4	1.7	0.2	0.0	5.3
24-30	3.4	1.6	1.0	1.2	7.2	3.5	1.6	1.1	1.3	7.5	3.0	1.2	0.3	0.0	4.5
30-36	6.8	2.1	0.8	0.2	9.9	7.2	2.3	0.9	0.2	10.5	2.8	0.2	0.0	0.0	3.0
36+	46.1	19.4	4.8	2.3	72.7	44.6	19.8	4.9	2.5	71.8	63.4	15.2	4.0	0.4	82.9
Total	63.8	25.3	7.2	3.7	100.0	62.7	25.9	7.5	4.0	100.0	76.2	18.9	4.5	0.4	100.0
<b>Bihar</b>															
10-12	0.7	0.5	0.3	0.2	1.6	0.6	0.4	0.3	0.2	1.6	1.1	0.6	0.1	0.1	1.9
12-18	3.8	2.5	1.2	1.0	8.5	3.5	2.7	1.2	1.1	8.4	6.6	1.4	1.2	0.1	9.2
18-24	7.3	4.6	2.1	1.5	15.5	7.1	4.6	2.2	1.5	15.5	9.1	4.6	1.2	0.9	15.8
24-30	7.3	4.8	2.2	1.6	16.0	7.4	5.0	2.2	1.7	16.3	6.8	3.3	2.0	0.9	13.0
30-36	6.8	5.0	2.3	1.3	15.4	6.7	4.9	2.4	1.4	15.4	8.1	5.0	1.4	0.7	15.1
36+	18.5	13.4	6.5	4.5	43.0	18.3	13.3	6.6	4.7	42.8	21.3	14.5	6.0	3.0	44.9
Total	44.5	30.8	14.6	10.1	100.0	43.6	30.9	14.9	10.6	100.0	53.0	29.5	11.9	5.7	100.0
<b>Chhattisgarh</b>															
10-12	0.1	0.0	0.0	0.0	0.1	0.1	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0
12-18	2.5	1.7	0.1	0.1	4.4	2.2	1.7	0.1	0.1	4.1	4.1	1.7	0.1	0.0	5.9
18-24	10.4	2.9	0.6	0.1	14.0	11.2	2.7	0.6	0.1	14.6	6.3	3.8	0.2	0.0	10.3
24-30	7.4	4.2	2.1	0.9	14.5	6.8	4.4	2.3	0.9	14.5	10.3	3.1	0.6	0.6	14.5
30-36	8.0	3.2	1.0	1.2	13.3	6.5	3.4	1.1	1.4	12.5	16.1	2.0	0.0	0.1	18.2
36+	31.8	15.6	4.4	1.9	53.7	32.0	15.5	4.7	2.0	54.2	30.8	16.6	2.4	1.3	51.1
Total	60.1	27.6	8.0	4.2	100.0	58.8	27.7	8.9	4.6	100.0	67.5	27.3	3.2	2.0	100.0

Note : Total may not add up to 100 due to rounding off.

**Table 7****Percentage distribution of current live births by birth interval and birth order, 2020**

Birth interval in months	Birth order														
	Total					Rural					Urban				
	2	3	4	5+	Total	2	3	4	5+	Total	2	3	4	5+	Total
<b>Delhi</b>															
10-12	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12-18	0.0	1.3	0.0	0.0	1.3	0.0	0.0	0.0	0.0	0.0	0.0	1.3	0.0	0.0	1.3
18-24	15.9	1.3	0.0	0.0	17.2	7.7	0.0	0.0	0.0	7.7	16.4	1.3	0.0	0.0	17.7
24-30	8.6	0.0	0.0	0.0	8.6	15.5	0.0	0.0	0.0	15.5	8.2	0.0	0.0	0.0	8.2
30-36	13.6	2.1	0.0	0.0	15.7	30.9	15.2	0.0	0.0	46.1	12.6	1.3	0.0	0.0	13.9
36+	40.3	10.5	6.5	0.0	57.3	23.2	7.6	0.0	0.0	30.8	41.3	10.7	6.8	0.0	58.8
Total	78.4	15.1	6.5	0.0	100.0	77.3	22.7	0.0	0.0	100.0	78.5	14.7	6.8	0.0	100.0
<b>Gujarat</b>															
10-12	1.0	0.3	0.1	0.1	1.4	1.0	0.5	0.0	0.1	1.6	0.9	0.0	0.2	0.0	1.1
12-18	4.3	0.7	0.0	0.0	5.0	4.5	0.6	0.0	0.0	5.2	3.8	0.8	0.0	0.1	4.7
18-24	9.6	2.1	0.7	0.4	12.8	9.2	2.5	1.0	0.6	13.2	10.5	1.3	0.1	0.2	12.1
24-30	9.0	2.8	0.9	0.6	13.3	9.8	3.6	1.0	0.7	15.2	7.7	1.3	0.8	0.3	10.0
30-36	9.2	2.2	0.7	0.2	12.2	10.2	2.7	1.0	0.2	14.1	7.3	1.3	0.1	0.1	8.8
36+	37.4	13.3	3.3	1.2	55.2	33.3	11.6	4.0	1.8	50.7	44.7	16.3	2.0	0.2	63.2
Total	70.4	21.4	5.7	2.5	100.0	67.9	21.6	7.1	3.4	100.0	74.9	21.0	3.1	0.9	100.0
<b>Haryana</b>															
10-12	2.5	0.4	0.3	0.0	3.2	3.0	0.4	0.3	0.1	3.9	1.4	0.3	0.2	0.0	1.9
12-18	6.7	2.5	1.2	0.5	11.0	7.0	3.0	1.8	0.8	12.6	6.1	1.4	0.1	0.0	7.7
18-24	6.5	3.1	0.9	1.8	12.3	7.7	3.3	1.1	2.4	14.6	4.0	2.5	0.6	0.3	7.5
24-30	7.8	3.6	1.1	1.4	13.9	7.8	3.2	1.4	2.0	14.4	7.7	4.5	0.5	0.2	12.8
30-36	7.3	3.0	1.1	0.7	12.1	6.8	2.6	1.2	1.0	11.7	8.4	3.9	0.8	0.0	13.0
36+	29.1	12.2	3.5	2.6	47.4	25.3	10.9	3.5	3.2	42.9	37.4	14.8	3.7	1.1	57.1
Total	60.0	24.8	8.2	7.0	100.0	57.7	23.5	9.3	9.5	100.0	65.1	27.4	5.9	1.7	100.0
<b>Himachal Pradesh</b>															
10-12	1.1	0.0	0.0	0.0	1.1	1.1	0.0	0.0	0.0	1.1	0.0	0.0	0.0	0.0	0.0
12-18	3.9	1.2	0.4	0.0	5.5	3.6	1.2	0.4	0.0	5.2	10.1	0.3	0.0	0.0	10.4
18-24	7.9	0.8	0.4	0.0	9.1	8.3	0.8	0.4	0.0	9.5	0.0	0.0	0.0	0.0	0.0
24-30	8.9	1.5	0.7	0.2	11.3	9.2	1.5	0.8	0.3	11.8	2.5	0.6	0.0	0.0	3.2
30-36	11.0	1.5	0.1	0.0	12.5	11.4	1.5	0.1	0.0	13.0	2.5	0.6	0.0	0.0	3.1
36+	48.0	9.8	2.7	0.0	60.6	46.5	10.0	2.9	0.0	59.4	78.4	4.8	0.0	0.0	83.3
Total	80.8	14.6	4.3	0.2	100.0	80.2	15.1	4.5	0.3	100.0	93.6	6.4	0.0	0.0	100.0

Note : Total may not add up to 100 due to rounding off.

**Table 7****Percentage distribution of current live births by birth interval and birth order, 2020**

Birth interval in months	Birth order														
	Total					Rural					Urban				
	2	3	4	5+	Total	2	3	4	5+	Total	2	3	4	5+	Total
<b>Jammu &amp; Kashmir</b>															
10-12	0.0	0.4	0.0	0.0	0.4	0.0	0.5	0.0	0.0	0.5	0.0	0.0	0.0	0.0	0.0
12-18	3.6	0.6	0.6	0.0	4.9	3.9	0.3	0.9	0.0	5.0	3.0	1.6	0.0	0.0	4.6
18-24	7.2	1.4	0.8	0.0	9.4	10.1	1.9	1.2	0.0	13.2	0.0	0.0	0.0	0.0	0.0
24-30	8.7	0.5	0.5	0.4	10.1	11.0	0.6	0.6	0.0	12.2	3.0	0.0	0.2	1.5	4.7
30-36	9.2	2.3	0.2	0.6	12.2	9.5	1.5	0.3	0.8	12.1	8.4	4.2	0.0	0.0	12.6
36+	44.0	14.2	1.9	3.0	63.1	38.1	12.2	2.5	4.2	57.0	58.5	19.2	0.5	0.0	78.2
Total	72.6	19.3	4.1	4.0	100.0	72.5	17.0	5.5	5.0	100.0	72.9	24.9	0.7	1.5	100.0
<b>Jharkhand</b>															
10-12	1.1	0.2	0.0	0.0	1.3	0.9	0.2	0.0	0.0	1.1	1.8	0.2	0.0	0.0	2.1
12-18	2.3	2.2	0.3	0.3	5.1	2.2	2.3	0.2	0.4	5.1	2.5	1.6	0.6	0.2	4.9
18-24	5.1	2.6	1.3	0.3	9.3	4.5	2.9	1.6	0.3	9.3	7.3	1.4	0.0	0.4	9.1
24-30	6.9	5.2	1.1	0.9	14.1	7.5	5.2	1.2	1.1	15.0	4.6	4.9	0.8	0.2	10.5
30-36	8.5	6.4	1.2	0.7	16.7	8.1	7.1	1.0	0.8	17.0	10.2	3.6	1.6	0.2	15.7
36+	26.4	16.8	5.9	4.5	53.6	23.7	17.2	6.4	5.2	52.5	36.7	15.1	4.1	1.9	57.8
Total	50.3	33.3	9.7	6.7	100.0	46.9	35.0	10.4	7.7	100.0	63.1	26.9	7.2	2.9	100.0
<b>Karnataka</b>															
10-12	0.7	0.3	0.0	0.0	1.0	1.0	0.3	0.0	0.0	1.3	0.1	0.3	0.0	0.0	0.4
12-18	6.1	1.3	0.3	0.0	7.7	6.4	1.3	0.2	0.0	7.9	5.6	1.3	0.5	0.0	7.4
18-24	11.7	2.9	0.7	0.1	15.4	11.4	3.8	0.4	0.2	15.8	12.1	1.3	1.3	0.1	14.7
24-30	13.2	3.2	0.8	0.4	17.6	12.7	4.3	0.9	0.7	18.6	14.0	1.3	0.6	0.0	15.9
30-36	11.2	2.5	0.5	0.3	14.4	12.0	3.2	0.6	0.1	15.9	9.7	1.3	0.3	0.5	11.8
36+	32.9	8.9	1.4	0.7	43.8	30.1	8.0	1.6	0.7	40.4	37.8	10.3	1.0	0.6	49.8
Total	75.7	19.1	3.7	1.5	100.0	73.6	21.0	3.7	1.7	100.0	79.2	15.8	3.7	1.2	100.0
<b>Kerala</b>															
10-12	0.5	0.0	0.0	0.0	0.5	0.2	0.0	0.0	0.0	0.2	0.8	0.0	0.0	0.0	0.8
12-18	2.7	1.1	0.5	0.0	4.3	2.9	0.7	0.1	0.0	3.7	2.5	1.6	0.8	0.0	4.9
18-24	5.5	1.8	0.5	0.1	7.9	6.4	1.9	0.7	0.0	9.0	4.5	1.7	0.3	0.1	6.6
24-30	6.6	2.6	0.7	0.1	10.0	5.9	2.7	0.5	0.0	9.1	7.3	2.5	0.9	0.1	10.8
30-36	6.6	2.0	0.7	0.2	9.5	6.4	2.3	0.3	0.2	9.2	6.9	1.6	1.1	0.3	9.9
36+	46.6	17.2	3.6	0.4	67.8	45.5	18.5	4.1	0.5	68.6	47.8	15.8	3.0	0.3	67.0
Total	68.5	24.7	6.0	0.8	100.0	67.4	26.2	5.8	0.7	100.0	69.8	23.2	6.2	0.8	100.0

Note : Total may not add up to 100 due to rounding off.

**Table 7****Percentage distribution of current live births by birth interval and birth order, 2020**

Birth interval in months	Birth order														
	Total					Rural					Urban				
	2	3	4	5+	Total	2	3	4	5+	Total	2	3	4	5+	Total
<b>Madhya Pradesh</b>															
10-12	1.3	0.6	0.2	0.1	2.1	1.2	0.7	0.2	0.1	2.2	1.6	0.1	0.1	0.1	1.9
12-18	6.7	1.9	0.9	0.4	9.8	6.9	1.9	1.0	0.4	10.3	5.6	1.7	0.3	0.1	7.7
18-24	10.8	4.1	1.4	1.0	17.3	12.2	4.6	1.6	1.1	19.6	4.6	1.8	0.5	0.6	7.5
24-30	10.0	4.8	1.9	1.3	18.0	10.2	5.4	2.1	1.4	19.1	8.9	2.3	1.1	0.7	12.9
30-36	7.7	3.7	1.3	0.7	13.5	7.4	4.0	1.4	0.8	13.7	9.2	2.0	1.0	0.3	12.5
36+	24.2	9.8	3.4	1.8	39.3	20.4	9.4	3.6	1.9	35.2	41.4	11.7	2.9	1.5	57.5
Total	60.8	24.8	9.1	5.3	100.0	58.4	26.0	9.8	5.7	100.0	71.3	19.6	5.9	3.1	100.0
<b>Maharashtra</b>															
10-12	0.4	0.0	0.1	0.0	0.5	0.3	0.0	0.0	0.0	0.3	0.6	0.0	0.2	0.0	0.8
12-18	3.4	1.3	0.1	0.1	4.9	4.9	0.8	0.2	0.1	6.1	1.3	2.1	0.0	0.0	3.3
18-24	9.0	1.9	0.4	0.1	11.4	10.0	2.1	0.3	0.2	12.6	7.6	1.5	0.5	0.0	9.7
24-30	9.1	1.9	0.6	0.2	11.7	9.8	2.0	0.6	0.3	12.7	8.1	1.8	0.5	0.1	10.5
30-36	9.9	1.8	0.2	0.2	12.1	10.5	2.1	0.2	0.0	12.8	9.1	1.5	0.3	0.4	11.3
36+	43.9	11.8	2.0	1.6	59.4	41.0	11.4	1.9	1.3	55.6	47.8	12.4	2.2	2.0	64.4
Total	75.6	18.8	3.4	2.2	100.0	76.5	18.4	3.1	1.9	100.0	74.4	19.3	3.7	2.6	100.0
<b>Odisha</b>															
10-12	0.4	0.3	0.1	0.0	0.8	0.3	0.3	0.1	0.0	0.7	0.8	0.0	0.0	0.0	0.8
12-18	2.5	0.6	0.2	0.0	3.4	2.0	0.7	0.2	0.0	3.0	6.4	0.3	0.0	0.0	6.7
18-24	3.7	1.5	0.3	0.3	5.7	3.1	1.5	0.3	0.3	5.1	8.1	1.5	0.5	0.0	10.0
24-30	4.6	2.3	0.6	0.6	8.1	4.3	2.5	0.7	0.6	8.2	6.1	0.9	0.2	0.9	8.0
30-36	6.8	3.0	0.9	0.6	11.1	7.0	3.0	1.0	0.6	11.6	5.3	2.7	0.0	0.0	8.0
36+	50.3	15.2	3.7	1.7	70.9	49.8	16.1	3.9	1.6	71.4	53.5	8.3	2.3	2.3	66.4
Total	68.2	22.8	5.8	3.2	100.0	66.6	24.1	6.1	3.2	100.0	80.2	13.6	2.9	3.2	100.0
<b>Punjab</b>															
10-12	1.5	0.4	0.2	0.0	2.1	2.0	0.2	0.0	0.0	2.2	0.7	0.8	0.5	0.0	2.0
12-18	3.9	0.8	0.0	0.4	5.1	4.3	0.4	0.0	0.6	5.2	3.4	1.5	0.0	0.0	5.0
18-24	6.8	1.8	0.6	0.0	9.1	7.5	2.7	0.2	0.0	10.4	5.6	0.4	1.1	0.0	7.1
24-30	10.0	1.8	0.3	0.0	12.2	9.5	2.5	0.2	0.0	12.2	10.9	0.8	0.5	0.0	12.2
30-36	7.9	1.8	0.2	0.0	9.9	8.1	1.5	0.4	0.0	10.0	7.5	2.4	0.0	0.0	9.9
36+	45.6	12.4	3.2	0.4	61.5	44.3	11.9	3.2	0.6	60.1	47.6	13.1	3.1	0.0	63.8
Total	75.7	19.1	4.5	0.7	100.0	75.6	19.2	4.0	1.2	100.0	75.9	18.9	5.2	0.0	100.0

Note : Total may not add up to 100 due to rounding off.

**Table 7****Percentage distribution of current live births by birth interval and birth order, 2020**

Birth interval in months	Birth order														
	Total					Rural					Urban				
	2	3	4	5+	Total	2	3	4	5+	Total	2	3	4	5+	Total
<b>Rajasthan</b>															
10-12	0.8	0.3	0.2	0.1	1.4	0.6	0.2	0.1	0.0	1.0	1.6	0.7	0.4	0.3	3.0
12-18	6.2	1.3	0.3	0.3	8.2	5.8	1.3	0.3	0.4	7.9	8.0	1.1	0.3	0.2	9.6
18-24	8.1	3.3	1.1	1.0	13.5	8.6	3.6	1.3	1.0	14.5	5.9	1.8	0.4	0.9	9.0
24-30	9.3	2.5	1.4	1.1	14.3	9.8	2.8	1.4	1.3	15.4	7.1	1.2	1.4	0.0	9.7
30-36	8.8	3.0	1.5	1.2	14.5	9.2	3.3	1.7	1.4	15.6	6.7	1.4	0.6	0.2	9.0
36+	29.6	11.1	5.2	2.3	48.2	28.0	10.4	4.9	2.3	45.7	36.9	14.2	6.6	2.1	59.8
Total	62.9	21.4	9.7	6.0	100.0	62.1	21.7	9.8	6.4	100.0	66.2	20.5	9.6	3.7	100.0
<b>Tamil Nadu</b>															
10-12	1.1	0.3	0.0	0.0	1.4	0.7	0.6	0.0	0.0	1.2	1.5	0.1	0.0	0.0	1.6
12-18	5.3	1.1	0.0	0.0	6.5	6.4	1.3	0.1	0.0	7.7	4.3	0.9	0.0	0.0	5.2
18-24	11.4	1.8	0.2	0.0	13.4	14.6	3.1	0.2	0.0	17.9	8.1	0.5	0.1	0.0	8.8
24-30	12.5	1.6	0.1	0.0	14.2	13.2	2.3	0.1	0.0	15.7	11.8	0.9	0.0	0.0	12.6
30-36	11.0	1.9	0.3	0.0	13.2	11.1	1.8	0.2	0.1	13.1	10.9	2.0	0.4	0.0	13.3
36+	40.0	9.6	1.5	0.1	51.3	33.0	9.9	1.4	0.0	44.3	47.2	9.4	1.6	0.3	58.5
Total	81.3	16.5	2.1	0.2	100.0	78.9	19.0	2.0	0.1	100.0	83.8	13.8	2.1	0.3	100.0
<b>Telangana</b>															
10-12	1.6	0.1	0.0	0.0	1.7	1.2	0.3	0.0	0.0	1.4	2.1	0.0	0.0	0.0	2.1
12-18	12.8	0.9	0.0	0.0	13.8	11.3	0.4	0.0	0.0	11.8	15.0	1.6	0.0	0.0	16.6
18-24	13.8	1.9	0.0	0.0	15.7	18.2	2.6	0.0	0.0	20.8	7.6	0.8	0.1	0.0	8.5
24-30	12.9	2.0	0.0	0.0	14.9	13.6	2.6	0.0	0.0	16.1	12.0	1.3	0.0	0.0	13.2
30-36	8.6	1.0	0.3	0.0	9.9	7.8	1.2	0.3	0.0	9.4	9.6	0.7	0.2	0.0	10.6
36+	36.3	6.5	0.7	0.4	44.0	31.7	7.2	0.8	0.7	40.5	42.9	5.5	0.5	0.0	48.9
Total	86.0	12.5	1.0	0.4	100.0	83.7	14.4	1.2	0.7	100.0	89.3	9.8	0.9	0.0	100.0
<b>Uttar Pradesh</b>															
10-12	1.6	0.5	0.1	0.1	2.3	1.8	0.5	0.2	0.1	2.6	0.7	0.0	0.0	0.0	0.7
12-18	4.5	1.3	0.7	0.3	6.7	4.2	1.2	0.7	0.3	6.5	5.9	1.7	0.4	0.0	8.0
18-24	7.4	3.2	1.0	0.6	12.3	7.7	3.4	1.1	0.8	13.0	6.0	2.1	0.8	0.0	8.9
24-30	6.2	2.9	1.2	1.0	11.4	5.9	3.1	1.3	1.2	11.4	8.2	2.3	0.8	0.5	11.8
30-36	8.5	3.8	0.9	0.4	13.7	8.6	4.2	1.0	0.4	14.2	8.2	2.0	0.6	0.2	11.0
36+	28.7	14.7	7.0	3.2	53.6	27.0	14.8	7.2	3.5	52.4	37.4	14.4	6.0	1.9	59.7
Total	57.1	26.4	11.0	5.6	100.0	55.2	27.2	11.4	6.2	100.0	66.3	22.5	8.6	2.5	100.0

**Table 7****Percentage distribution of current live births by birth interval and birth order, 2020**

Birth interval in months						Birth order									
	Total					Rural					Urban				
	2	3	4	5+	Total	2	3	4	5+	Total	2	3	4	5+	Total
<b>Uttarakhand</b>															
10-12	0.1	0.0	0.2	0.0	0.4	0.2	0.0	0.3	0.0	0.5	0.0	0.2	0.0	0.0	0.2
12-18	3.3	1.3	0.4	0.2	5.2	3.4	1.2	0.2	0.2	5.0	3.0	1.7	0.9	0.0	5.6
18-24	6.0	2.8	0.4	0.3	9.5	6.4	2.4	0.3	0.2	9.3	4.7	4.1	0.9	0.3	9.9
24-30	8.1	3.2	1.2	0.4	12.9	10.2	3.2	1.3	0.4	15.1	2.6	3.3	0.9	0.3	7.1
30-36	6.6	2.7	1.6	0.8	11.6	7.5	2.5	1.6	0.9	12.5	3.9	3.3	1.6	0.6	9.4
36+	32.1	18.3	6.7	3.3	60.4	28.0	19.7	6.4	3.5	57.7	43.1	14.6	7.6	2.6	67.8
Total	56.2	28.4	10.5	4.9	100.0	55.8	28.9	10.0	5.3	100.0	57.4	27.1	11.7	3.8	100.0
<b>West Bengal</b>															
10-12	1.2	0.4	0.2	0.1	1.9	1.5	0.5	0.2	0.1	2.3	0.0	0.3	0.3	0.0	0.6
12-18	0.8	0.5	0.2	0.2	1.7	0.9	0.5	0.2	0.0	1.6	0.7	0.6	0.0	1.1	2.3
18-24	2.2	0.6	0.1	0.0	2.8	2.0	0.4	0.1	0.0	2.5	2.6	1.1	0.3	0.0	4.0
24-30	4.5	1.5	0.4	0.3	6.7	4.5	1.4	0.3	0.4	6.6	4.2	1.8	0.8	0.0	6.8
30-36	4.4	1.2	0.2	0.0	5.8	4.0	1.4	0.1	0.0	5.6	5.9	0.6	0.3	0.0	6.8
36+	60.5	16.7	2.9	1.0	81.1	60.6	17.4	2.6	0.7	81.5	59.8	14.0	3.8	1.9	79.5
Total	73.5	20.9	4.0	1.6	100.0	73.5	21.7	3.5	1.3	100.0	73.2	18.2	5.6	3.0	100.0

Note : Total may not add up to 100 due to rounding off.

**Table 8**  
**Age-specific death rate by sex and residence, 2020**

Age-group	Total			Rural			Urban			<b>India</b>
	Total	Male	Female	Total	Male	Female	Total	Male	Female	
Below 1	32.3	32.0	32.7	36.2	35.5	37.0	21.8	22.3	21.2	
1-4	1.0	0.9	1.1	1.1	0.9	1.3	0.6	0.6	0.6	
0-4	8.0	7.9	8.1	9.0	8.8	9.2	5.3	5.5	5.2	
5-9	0.3	0.3	0.3	0.4	0.4	0.4	0.3	0.3	0.3	
10-14	0.5	0.4	0.5	0.5	0.4	0.6	0.4	0.4	0.3	
15-19	0.8	0.8	0.8	0.9	0.9	0.9	0.5	0.5	0.5	
20-24	1.1	1.2	1.0	1.3	1.4	1.2	0.7	0.8	0.7	
25-29	1.3	1.5	1.1	1.5	1.7	1.2	1.0	1.2	0.8	
30-34	1.8	2.1	1.4	2.1	2.5	1.7	1.2	1.4	0.9	
35-39	2.2	2.7	1.7	2.5	3.0	2.0	1.7	2.2	1.1	
40-44	3.5	4.6	2.5	3.9	5.0	2.8	2.9	3.9	1.9	
45-49	4.9	6.0	3.8	5.2	6.5	3.9	4.4	5.3	3.5	
50-54	7.6	9.5	5.7	8.3	10.1	6.2	6.6	8.3	4.8	
55-59	13.4	15.2	11.6	14.6	16.7	12.6	11.3	12.8	9.7	
60-64	18.6	21.9	15.2	19.8	23.5	16.1	16.4	19.2	13.5	
65-69	29.7	33.7	25.7	30.4	35.3	25.7	28.3	30.6	25.8	
70-74	47.5	53.6	41.7	51.6	59.0	44.7	39.3	43.2	35.4	
75-79	67.6	75.9	59.6	72.5	82.8	62.9	56.9	61.4	52.3	
80-84	101.8	108.4	95.6	108.6	115.3	102.4	88.6	95.0	82.6	
85+	180.6	200.9	164.8	191.4	205.1	179.6	157.0	189.7	137.2	
All ages (Crude death rate)	6.0	6.6	5.4	6.4	7.0	5.8	5.1	5.7	4.5	

**Table 9**  
**Child (Aged 0-4 years) and infant mortality indicators, 2020**

Indicators	Total	Rural	Urban	<b>India</b>
Child mortality rate	8	9	5	
Under-five mortality rate	32	36	21	
Infant mortality rate	28	31	19	
Neo-natal mortality rate	20	23	12	
Early neo-natal mortality rate	15	17	9	
Late neo-natal mortality rate	5	6	3	
Post neo-natal mortality rate	8	8	7	
Peri-natal mortality rate	18	21	12	
Still birth rate	3	4	3	

**Table 8****Age-specific death rate by sex and residence, 2020**

Age-group	Total			Rural			Urban			<b>Andhra Pradesh</b>
	Total	Male	Female	Total	Male	Female	Total	Male	Female	
Below 1	23.4	26.2	20.9	24.3	27.3	21.6	20.8	22.9	19.0	
1-4	0.7	0.6	0.9	0.7	0.5	0.9	0.8	0.8	0.8	
0-4	7.6	7.9	7.3	8.3	8.6	7.9	6.0	6.2	5.9	
5-9	0.3	0.3	0.3	0.2	0.3	0.2	0.4	0.5	0.4	
10-14	0.5	0.5	0.4	0.5	0.6	0.4	0.4	0.3	0.4	
15-19	0.4	0.4	0.4	0.5	0.5	0.5	0.3	0.4	0.3	
20-24	0.6	0.9	0.3	0.7	1.0	0.4	0.4	0.5	0.2	
25-29	1.1	1.6	0.7	1.2	1.7	0.7	1.0	1.3	0.7	
30-34	1.7	2.1	1.2	2.0	2.8	1.3	0.9	0.7	1.1	
35-39	1.8	2.3	1.3	2.6	3.4	1.8	0.3	0.3	0.3	
40-44	4.0	5.4	2.7	4.7	6.3	3.0	2.8	3.5	2.0	
45-49	5.3	5.7	4.9	5.7	6.6	4.8	4.4	3.9	5.1	
50-54	8.4	9.9	7.0	9.5	11.3	7.9	6.1	7.1	5.1	
55-59	12.6	13.2	12.0	13.9	14.5	13.3	9.8	10.6	9.0	
60-64	23.0	26.2	19.8	23.0	25.2	20.9	22.8	28.6	16.9	
65-69	27.1	27.7	26.3	26.4	27.8	24.9	28.8	27.4	30.4	
70-74	48.6	54.8	41.5	48.7	51.4	45.5	48.4	66.7	29.2	
75-79	71.6	73.5	69.5	74.3	79.0	69.0	64.5	59.4	70.9	
80-84	96.8	109.3	85.9	92.6	100.5	85.5	111.0	139.1	87.0	
85+	121.0	108.7	132.8	118.6	104.5	133.0	130.9	129.5	131.9	
All ages (Crude death rate)	6.3	7.1	5.6	7.0	7.8	6.2	4.9	5.5	4.3	

**Table 9****Child (Aged 0-4 years) and infant mortality indicators, 2020**

Indicators	Total	<b>Andhra Pradesh</b>	
		Rural	Urban
Child mortality rate	8	8	6
Under-five mortality rate	27	29	21
Infant mortality rate	24	26	18
Neo-natal mortality rate	17	21	8
Early neo-natal mortality rate	13	15	6
Late neo-natal mortality rate	4	5	2
Post neo-natal mortality rate	7	6	10
Peri-natal mortality rate	14	16	9
Still birth rate	1	1	3

**Table 8**  
**Age-specific death rate by sex and residence, 2020**

Age-group	Total			Rural			Urban			<b>Assam</b>
	Total	Male	Female	Total	Male	Female	Total	Male	Female	
Below 1	36.4	34.2	38.9	41.9	39.9	44.2	9.9	8.7	11.5	
1-4	0.9	0.6	1.3	1.0	0.7	1.3	0.6	0.0	1.3	
0-4	9.8	9.2	10.4	10.5	9.9	11.1	4.2	3.5	4.9	
5-9	0.1	0.0	0.2	0.1	0.0	0.1	0.3	0.3	0.4	
10-14	0.3	0.3	0.4	0.2	0.2	0.3	1.0	0.8	1.2	
15-19	0.6	0.5	0.6	0.6	0.6	0.6	0.3	0.2	0.4	
20-24	1.6	1.5	1.7	1.7	1.5	1.8	1.0	1.4	0.6	
25-29	1.6	1.0	2.2	1.8	1.0	2.5	0.7	1.1	0.4	
30-34	2.7	2.9	2.5	2.8	3.0	2.6	2.2	2.4	1.9	
35-39	2.3	1.9	2.8	2.5	2.0	3.0	1.6	1.5	1.8	
40-44	5.0	5.8	4.0	5.2	6.1	4.2	3.7	4.3	3.1	
45-49	4.9	5.1	4.7	5.4	5.5	5.3	2.6	3.0	2.3	
50-54	10.8	12.6	8.7	11.9	13.7	9.7	7.0	8.5	5.5	
55-59	19.1	21.0	17.2	21.3	24.2	18.7	10.8	10.8	10.8	
60-64	26.0	28.7	23.0	27.2	30.0	24.2	21.2	23.8	17.7	
65-69	36.6	41.8	30.6	39.3	46.4	31.3	26.3	25.4	27.4	
70-74	57.4	54.8	60.6	59.8	54.7	66.4	45.8	55.2	35.7	
75-79	78.3	85.7	69.1	78.8	86.0	69.7	75.7	84.1	66.3	
80-84	73.6	74.7	72.4	75.3	76.9	73.6	65.8	65.4	66.4	
85+	140.9	154.3	127.2	141.9	168.9	114.5	137.1	96.5	180.7	
All ages (Crude death rate)	6.2	6.7	5.8	6.4	6.8	5.9	5.4	5.9	4.9	

**Table 9**  
**Child (Aged 0-4 years) and infant mortality indicators, 2020**

Indicators	Total	<b>Assam</b>	
		Rural	Urban
Child mortality rate	10	10	4
Under-five mortality rate	40	42	19
Infant mortality rate	36	39	17
Neo-natal mortality rate	19	20	10
Early neo-natal mortality rate	14	15	6
Late neo-natal mortality rate	5	5	4
Post neo-natal mortality rate	17	18	6
Peri-natal mortality rate	17	18	8
Still birth rate	3	3	2

**Table 8**  
**Age-specific death rate by sex and residence, 2020**

Age-group	Total			Rural			Urban			Bihar
	Total	Male	Female	Total	Male	Female	Total	Male	Female	
Below 1	25.7	23.8	28.1	26.0	24.0	28.3	23.7	21.5	26.2	
1-4	0.8	0.6	1.1	0.8	0.6	1.1	0.6	0.3	0.9	
0-4	6.9	6.4	7.5	7.0	6.5	7.5	6.5	5.7	7.4	
5-9	0.5	0.4	0.6	0.5	0.4	0.7	0.3	0.5	0.0	
10-14	0.5	0.3	0.6	0.5	0.4	0.6	0.5	0.0	0.9	
15-19	0.6	0.6	0.6	0.6	0.6	0.7	0.2	0.2	0.2	
20-24	0.8	1.1	0.6	0.9	1.2	0.6	0.3	0.2	0.4	
25-29	1.0	0.9	1.1	0.9	0.8	1.1	1.3	1.8	0.8	
30-34	1.9	1.5	2.3	1.9	1.5	2.5	1.5	1.5	1.6	
35-39	2.0	2.2	1.8	2.0	2.2	1.7	2.7	2.5	2.9	
40-44	2.7	3.2	2.2	2.5	3.1	2.0	3.5	3.4	3.7	
45-49	5.4	6.7	4.2	5.4	6.9	4.0	5.5	5.4	5.6	
50-54	5.5	6.0	5.1	5.5	6.1	4.8	5.7	5.1	6.4	
55-59	12.9	10.4	15.6	14.2	11.0	17.7	7.1	7.6	6.6	
60-64	18.8	17.2	20.8	20.1	17.6	23.0	13.0	14.9	10.9	
65-69	34.6	35.5	33.7	34.6	36.2	32.9	34.8	31.9	38.0	
70-74	61.4	63.9	58.5	63.8	68.2	59.1	49.6	45.7	55.1	
75-79	90.0	103.0	78.2	93.5	109.9	79.8	70.1	72.6	66.4	
80-84	154.8	150.1	159.9	161.1	156.1	166.7	119.7	118.8	120.8	
85+	236.2	231.4	241.4	253.6	240.5	268.0	153.9	186.5	120.6	
All ages (Crude death rate)	5.4	5.4	5.4	5.5	5.5	5.5	5.2	5.3	5.1	

**Table 9**  
**Child (Aged 0-4 years) and infant mortality indicators, 2020**

Indicators	Total	Bihar	
		Rural	Urban
Child mortality rate	7	7	7
Under-five mortality rate	30	31	27
Infant mortality rate	27	27	25
Neo-natal mortality rate	21	22	17
Early neo-natal mortality rate	16	17	12
Late neo-natal mortality rate	5	5	5
Post neo-natal mortality rate	6	6	8
Peri-natal mortality rate	17	18	12
Still birth rate	1	1	1

**Table 8****Age-specific death rate by sex and residence, 2020**

Age-group	Total			Rural			Urban			<b>Chhattisgarh</b>
	Total	Male	Female	Total	Male	Female	Total	Male	Female	
Below 1	42.2	39.8	44.4	45.4	42.3	48.3	30.1	31.3	28.9	
1-4	0.8	0.6	0.9	0.9	0.7	1.1	0.1	0.0	0.2	
0-4	10.4	9.5	11.2	11.0	9.9	12.1	7.6	7.8	7.3	
5-9	0.3	0.1	0.5	0.3	0.0	0.7	0.2	0.3	0.0	
10-14	0.7	0.2	1.3	0.7	0.2	1.2	0.7	0.0	1.5	
15-19	0.7	0.9	0.6	0.7	0.8	0.5	0.9	0.9	0.8	
20-24	2.6	3.6	1.7	3.0	4.2	1.9	1.4	1.6	1.2	
25-29	2.3	3.2	1.5	2.6	3.6	1.7	1.4	1.9	0.8	
30-34	2.4	2.3	2.5	2.7	2.9	2.6	1.4	0.7	2.0	
35-39	3.4	4.0	2.8	3.8	4.2	3.3	2.6	3.6	1.5	
40-44	4.7	6.9	2.7	4.9	7.5	2.5	4.3	5.4	3.2	
45-49	7.1	9.3	5.1	7.8	10.3	5.4	5.3	6.4	4.1	
50-54	12.4	10.8	14.2	13.2	11.1	15.5	10.4	10.0	10.9	
55-59	20.3	20.1	20.6	21.6	20.9	22.2	16.6	17.7	15.4	
60-64	26.8	33.4	19.8	27.2	33.0	20.8	25.4	34.9	16.6	
65-69	41.5	49.0	34.6	41.6	48.5	35.4	40.8	51.1	31.7	
70-74	72.2	98.1	56.1	73.8	108.2	55.2	66.1	71.0	61.0	
75-79	107.0	115.6	100.5	107.2	117.8	99.4	106.0	106.0	106.1	
80-84	193.1	249.4	150.3	212.5	253.7	182.4	133.8	237.3	45.2	
85+	307.5	481.5	211.8	299.6	452.8	206.0	338.8	650.3	231.1	
All ages (Crude death rate)	7.9	8.6	7.2	8.4	9.0	7.7	6.3	7.1	5.5	

**Table 9****Child (Aged 0-4 years) and infant mortality indicators, 2020**

Indicators	Total	<b>Chhattisgarh</b>	
		Rural	Urban
Child mortality rate	10	11	8
Under-five mortality rate	41	43	31
Infant mortality rate	38	40	31
Neo-natal mortality rate	26	28	20
Early neo-natal mortality rate	20	20	18
Late neo-natal mortality rate	6	7	2
Post neo-natal mortality rate	12	12	11
Peri-natal mortality rate	26	26	24
Still birth rate	6	6	6

**Table 8**  
**Age-specific death rate by sex and residence, 2020**

Age-group	Total			Rural			Urban			<b>Delhi</b>
	Total	Male	Female	Total	Male	Female	Total	Male	Female	
Below 1	13.2	13.9	12.4	29.2	50.6	17.9	12.9	13.4	12.2	
1-4	0.6	0.8	0.3	0.0	0.0	0.0	0.6	0.9	0.3	
0-4	3.3	3.6	2.9	5.1	6.1	4.2	3.3	3.6	2.9	
5-9	0.2	0.0	0.4	0.8	1.4	0.0	0.2	0.0	0.4	
10-14	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
15-19	0.6	0.4	0.8	0.0	0.0	0.0	0.6	0.4	0.8	
20-24	0.6	0.7	0.6	1.4	1.7	1.1	0.6	0.6	0.6	
25-29	0.5	0.5	0.6	0.0	0.0	0.0	0.6	0.5	0.6	
30-34	0.4	0.4	0.4	0.6	1.2	0.0	0.4	0.4	0.5	
35-39	1.4	1.9	0.9	3.1	1.3	5.3	1.4	1.9	0.8	
40-44	2.3	2.9	1.6	7.6	10.2	4.7	2.2	2.8	1.5	
45-49	4.8	6.1	3.3	4.1	5.3	2.8	4.8	6.1	3.3	
50-54	6.5	7.2	5.7	5.7	6.6	4.4	6.5	7.2	5.7	
55-59	8.3	10.3	5.9	6.1	7.3	4.6	8.4	10.3	6.0	
60-64	14.5	17.3	11.4	18.4	20.6	16.1	14.4	17.3	11.3	
65-69	23.2	25.7	20.3	25.4	33.8	17.0	23.2	25.5	20.4	
70-74	44.1	53.1	35.5	27.0	39.7	13.8	44.4	53.5	36.0	
75-79	60.6	54.8	66.1	77.9	125.7	39.9	60.2	53.4	66.8	
80-84	77.8	105.5	57.4	63.8	96.4	31.6	78.2	105.9	58.0	
85+	134.2	370.6	77.3	182.1	229.1	151.0	132.1	384.3	74.9	
All ages (Crude death rate)	3.6	4.0	3.1	4.1	4.7	3.3	3.5	3.9	3.1	

**Table 9**  
**Child (Aged 0-4 years) and infant mortality indicators, 2020**

Indicators	Total	<b>Delhi</b>	
		Rural	Urban
Child mortality rate	3	5	3
Under-five mortality rate	14	20	14
Infant mortality rate	12	20	12
Neo-natal mortality rate	9	12	9
Early neo-natal mortality rate	6	8	6
Late neo-natal mortality rate	3	4	3
Post neo-natal mortality rate	3	8	3
Peri-natal mortality rate	6	8	6
Still birth rate	0	0	0

**Table 8**  
**Age-specific death rate by sex and residence, 2020**

Age-group	Total			Rural			Urban			<b>Gujarat</b>
	Total	Male	Female	Total	Male	Female	Total	Male	Female	
Below 1	31.4	34.2	28.4	37.8	42.1	33.5	22.3	24.1	20.1	
1-4	0.3	0.2	0.5	0.4	0.3	0.5	0.2	0.0	0.4	
0-4	6.5	6.9	6.1	7.9	8.4	7.5	4.5	4.9	4.1	
5-9	0.4	0.5	0.3	0.6	0.8	0.3	0.1	0.1	0.2	
10-14	0.3	0.4	0.1	0.3	0.5	0.2	0.2	0.3	0.1	
15-19	0.5	0.5	0.4	0.6	0.5	0.6	0.3	0.5	0.1	
20-24	0.9	1.1	0.7	1.3	1.7	0.8	0.5	0.4	0.5	
25-29	1.3	1.5	1.1	1.2	1.4	0.9	1.5	1.7	1.3	
30-34	1.5	1.8	1.0	1.6	2.2	1.0	1.3	1.5	1.1	
35-39	2.2	2.8	1.6	2.4	3.5	1.3	2.0	2.1	2.0	
40-44	2.8	3.7	1.8	3.3	3.8	2.7	2.3	3.6	0.8	
45-49	4.6	6.6	2.7	5.1	7.5	2.7	4.1	5.4	2.7	
50-54	7.2	9.8	4.4	7.8	11.5	4.2	6.5	8.1	4.7	
55-59	13.8	14.4	13.2	13.2	16.3	10.6	14.4	12.3	16.6	
60-64	19.3	25.3	13.6	17.4	23.8	11.5	21.8	27.2	16.5	
65-69	30.9	38.3	24.3	28.0	36.6	20.3	35.4	40.7	30.5	
70-74	38.4	45.3	32.5	44.2	55.5	35.4	30.7	33.2	28.4	
75-79	59.1	70.0	50.2	66.3	80.5	55.7	49.6	57.7	42.3	
80-84	95.9	118.1	79.0	106.5	145.3	80.1	83.7	90.9	77.5	
85+	167.0	208.1	146.5	178.8	205.6	163.1	151.0	212.7	126.7	
All ages (Crude death rate)	5.6	6.2	4.9	6.0	7.0	5.0	5.0	5.3	4.7	

**Table 9**  
**Child (Aged 0-4 years) and infant mortality indicators, 2020**

Indicators	Total	<b>Gujarat</b>	
		Rural	Urban
Child mortality rate	6	8	5
Under-five mortality rate	24	28	17
Infant mortality rate	23	27	17
Neo-natal mortality rate	16	20	9
Early neo-natal mortality rate	11	14	8
Late neo-natal mortality rate	4	6	1
Post neo-natal mortality rate	7	7	7
Peri-natal mortality rate	15	18	11
Still birth rate	4	4	3

**Table 8**  
**Age-specific death rate by sex and residence, 2020**

Age-group	Total			Rural			Urban			<b>Haryana</b>
	Total	Male	Female	Total	Male	Female	Total	Male	Female	
Below 1	32.5	32.7	32.2	35.1	34.8	35.5	27.3	28.2	26.3	
1-4	1.2	0.9	1.6	1.6	1.5	1.8	0.6	0.0	1.3	
0-4	8.2	7.9	8.4	9.2	9.1	9.3	6.2	5.6	6.8	
5-9	0.4	0.5	0.2	0.3	0.4	0.2	0.4	0.7	0.0	
10-14	0.7	0.5	0.9	0.8	0.5	1.2	0.4	0.3	0.4	
15-19	0.5	0.7	0.2	0.6	1.0	0.1	0.3	0.2	0.4	
20-24	1.4	2.2	0.6	1.4	2.1	0.6	1.5	2.4	0.6	
25-29	1.0	1.2	0.7	1.4	1.6	1.2	0.3	0.6	0.0	
30-34	2.8	3.9	1.6	2.9	4.3	1.3	2.7	3.2	2.1	
35-39	2.8	3.5	1.9	2.9	3.5	2.3	2.5	3.6	1.3	
40-44	3.5	5.6	1.3	3.0	4.6	1.3	4.3	7.2	1.4	
45-49	4.8	7.7	1.5	5.1	8.2	1.8	4.2	7.1	1.2	
50-54	7.6	10.3	4.6	8.9	12.1	5.3	5.8	7.9	3.6	
55-59	14.0	19.5	8.5	14.5	22.0	7.3	13.3	16.3	10.2	
60-64	24.1	28.6	19.4	23.4	29.0	17.6	25.1	28.0	22.1	
65-69	31.1	36.1	26.2	33.9	40.7	27.3	26.0	27.9	24.1	
70-74	54.9	69.0	42.0	55.8	72.9	39.4	53.2	61.0	46.8	
75-79	72.3	74.8	69.8	79.3	89.1	69.4	57.9	44.4	70.5	
80-84	92.9	118.1	68.7	79.6	92.7	66.6	118.2	168.8	72.4	
85+	193.8	196.8	191.5	183.0	184.6	181.4	225.9	248.1	214.6	
All ages (Crude death rate)	6.1	7.1	5.0	6.5	7.6	5.1	5.5	6.1	4.7	

**Table 9**  
**Child (Aged 0-4 years) and infant mortality indicators, 2020**

Indicators	Total	<b>Haryana</b>	
		Rural	Urban
Child mortality rate	8	9	6
Under-five mortality rate	33	37	25
Infant mortality rate	28	31	23
Neo-natal mortality rate	19	22	15
Early neo-natal mortality rate	14	17	10
Late neo-natal mortality rate	5	5	5
Post neo-natal mortality rate	9	9	8
Peri-natal mortality rate	21	23	17
Still birth rate	7	6	7

**Table 8****Age-specific death rate by sex and residence, 2020**

Age-group	Himachal Pradesh									
	Total			Rural			Urban			
	Total	Male	Female	Total	Male	Female	Total	Male	Female	
Below 1	23.0	32.0	12.7	23.8	33.7	12.5	11.5	7.8	15.1	
1-4	1.7	1.5	1.9	1.8	1.7	1.9	0.9	0.0	1.9	
0-4	5.9	7.8	3.9	6.2	8.3	3.9	3.0	1.5	4.5	
5-9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
10-14	0.7	1.0	0.3	0.7	1.1	0.3	0.5	0.9	0.0	
15-19	0.3	0.4	0.1	0.2	0.3	0.0	1.3	1.8	0.9	
20-24	0.8	1.2	0.4	0.8	1.3	0.5	0.0	0.0	0.0	
25-29	0.8	1.1	0.5	0.9	1.2	0.6	0.0	0.0	0.0	
30-34	0.8	0.5	1.0	0.8	0.6	1.0	0.8	0.0	1.6	
35-39	1.0	1.2	0.8	0.9	1.1	0.7	1.7	1.8	1.7	
40-44	2.8	3.6	2.1	3.0	4.0	2.1	1.4	0.0	2.8	
45-49	4.8	6.6	2.9	5.0	7.2	2.9	2.2	1.9	2.5	
50-54	6.1	7.9	4.4	6.2	7.9	4.6	4.9	7.6	1.4	
55-59	10.3	9.9	10.6	11.0	10.7	11.3	1.6	1.5	1.8	
60-64	19.6	26.0	13.2	19.9	26.6	13.1	16.0	18.1	13.5	
65-69	31.6	41.4	22.3	32.1	42.4	22.2	25.9	28.6	23.0	
70-74	41.5	43.0	40.1	41.8	42.8	40.8	37.6	46.2	28.1	
75-79	69.7	86.9	55.7	71.9	89.8	57.7	40.5	55.1	23.9	
80-84	62.7	86.7	44.7	60.4	82.7	43.6	100.9	160.8	62.3	
85+	160.9	212.7	124.1	160.6	209.2	125.8	166.7	288.8	94.0	
All ages (Crude death rate)	6.8	8.1	5.5	7.0	8.4	5.6	4.4	5.1	3.6	

**Table 9****Child (Aged 0-4 years) and infant mortality indicators, 2020**

Indicators	Himachal Pradesh		
	Total	Rural	Urban
Child mortality rate	6	6	3
Under-five mortality rate	24	24	18
Infant mortality rate	17	18	15
Neo-natal mortality rate	13	13	10
Early neo-natal mortality rate	10	10	6
Late neo-natal mortality rate	3	3	4
Post neo-natal mortality rate	5	5	5
Peri-natal mortality rate	13	14	10
Still birth rate	4	4	4

**Table 8****Age-specific death rate by sex and residence, 2020**

Age-group	Total			Rural			Urban			<b>Jammu &amp; Kashmir</b>
	Total	Male	Female	Total	Male	Female	Total	Male	Female	
Below 1	23.2	24.1	22.3	26.2	26.7	25.7	15.5	16.8	14.4	
1-4	0.2	0.1	0.3	0.2	0.2	0.2	0.3	0.0	0.6	
0-4	4.2	3.9	4.5	4.7	4.5	4.9	3.0	2.6	3.4	
5-9	0.4	0.4	0.3	0.2	0.1	0.4	0.8	1.6	0.0	
10-14	0.2	0.2	0.1	0.3	0.3	0.2	0.0	0.0	0.0	
15-19	0.3	0.3	0.3	0.4	0.4	0.3	0.0	0.0	0.0	
20-24	0.6	0.7	0.5	0.8	1.0	0.7	0.0	0.0	0.0	
25-29	0.4	0.5	0.3	0.6	0.7	0.4	0.0	0.0	0.0	
30-34	1.6	1.9	1.3	2.1	2.3	1.9	0.7	1.2	0.2	
35-39	1.2	1.7	0.8	1.8	2.5	1.1	0.1	0.0	0.2	
40-44	3.5	4.5	2.4	4.4	5.8	2.9	1.9	2.1	1.6	
45-49	5.4	8.1	2.8	7.2	10.7	3.8	2.3	3.7	1.0	
50-54	6.5	8.2	4.7	8.0	9.4	6.4	4.1	6.2	2.0	
55-59	11.3	11.6	11.0	12.5	13.9	10.9	9.2	7.7	11.1	
60-64	17.5	21.0	14.0	18.3	22.7	14.0	15.9	17.6	14.1	
65-69	22.8	25.8	19.5	26.2	29.1	23.1	16.3	19.6	12.3	
70-74	31.1	35.7	26.6	31.8	36.8	26.5	29.9	33.6	26.7	
75-79	42.4	47.8	36.2	38.2	42.6	33.2	50.7	58.4	42.2	
80-84	66.9	75.7	56.8	76.4	82.6	69.5	51.6	64.9	36.1	
85+	77.8	98.2	56.9	67.9	77.4	57.4	101.8	157.4	56.0	
All ages (Crude death rate)	4.6	5.5	3.7	4.9	5.7	4.0	4.1	4.9	3.2	

**Table 9****Child (Aged 0-4 years) and infant mortality indicators, 2020**

Indicators	Total	<b>Jammu &amp; kashmir</b>	
		Rural	Urban
Child mortality rate	4	5	3
Under-five mortality rate	17	18	14
Infant mortality rate	17	18	13
Neo-natal mortality rate	12	12	10
Early neo-natal mortality rate	8	8	6
Late neo-natal mortality rate	4	4	4
Post neo-natal mortality rate	5	5	3
Peri-natal mortality rate	11	11	10
Still birth rate	3	2	4

**Table 8**  
**Age-specific death rate by sex and residence, 2020**

Age-group	Total			Rural			Urban			<b>Jharkhand</b>
	Total	Male	Female	Total	Male	Female	Total	Male	Female	
Below 1	29.4	30.6	28.2	29.5	31.3	27.7	28.7	27.0	30.5	
1-4	0.4	0.5	0.3	0.4	0.5	0.3	0.5	0.5	0.5	
0-4	6.7	6.8	6.6	6.9	7.1	6.6	6.1	5.5	6.8	
5-9	0.9	0.7	1.1	1.0	0.8	1.3	0.4	0.3	0.5	
10-14	0.3	0.3	0.4	0.3	0.3	0.3	0.4	0.4	0.4	
15-19	1.0	0.9	1.2	1.1	1.0	1.3	0.6	0.5	0.7	
20-24	1.0	0.7	1.2	1.1	0.7	1.5	0.6	0.7	0.5	
25-29	1.3	1.5	1.1	1.6	1.6	1.5	0.6	1.0	0.2	
30-34	2.4	2.5	2.2	2.7	2.6	2.9	1.5	2.3	0.6	
35-39	2.8	3.4	2.3	2.9	3.5	2.3	2.7	3.2	2.2	
40-44	3.2	2.7	3.7	3.0	2.4	3.5	3.7	3.4	4.1	
45-49	4.9	4.7	5.1	5.1	4.6	5.7	4.1	4.9	3.3	
50-54	9.7	10.5	8.8	10.5	11.3	9.6	7.8	8.6	6.9	
55-59	13.0	11.7	14.3	14.0	12.8	15.1	10.5	9.4	11.9	
60-64	23.2	24.0	22.3	27.3	30.0	24.8	12.6	9.7	15.7	
65-69	29.7	32.0	27.5	33.1	34.9	31.2	21.2	24.5	17.7	
70-74	46.1	40.0	51.8	47.7	38.3	55.9	41.2	44.9	37.3	
75-79	99.5	106.4	93.0	116.5	122.7	110.8	66.3	75.6	57.4	
80-84	104.4	77.2	131.3	96.1	70.3	124.1	128.8	101.9	149.4	
85+	180.8	177.4	183.9	196.2	175.4	217.5	146.8	182.8	121.9	
All ages (Crude death rate)	5.2	5.0	5.5	5.5	5.2	5.9	4.5	4.5	4.4	

**Table 9**  
**Child (Aged 0-4 years) and infant mortality indicators, 2020**

Indicators	Total	<b>Jharkhand</b>	
		Rural	Urban
Child mortality rate	7	7	6
Under-five mortality rate	27	28	22
Infant mortality rate	25	26	21
Neo-natal mortality rate	17	19	11
Early neo-natal mortality rate	13	15	8
Late neo-natal mortality rate	4	4	3
Post neo-natal mortality rate	8	7	10
Peri-natal mortality rate	15	16	10
Still birth rate	2	2	2

**Table 8****Age-specific death rate by sex and residence, 2020**

Age-group	Total			Rural			Urban			<b>Karnataka</b>
	Total	Male	Female	Total	Male	Female	Total	Male	Female	
Below 1	22.3	21.1	23.6	24.8	23.4	26.4	18.0	17.2	18.9	
1-4	0.6	0.7	0.5	0.7	0.7	0.7	0.4	0.7	0.1	
0-4	5.0	4.9	5.2	5.7	5.5	6.0	3.9	4.0	3.9	
5-9	0.4	0.6	0.2	0.4	0.5	0.2	0.5	0.8	0.1	
10-14	0.6	0.6	0.6	0.3	0.1	0.5	1.1	1.5	0.7	
15-19	1.0	1.1	0.8	1.0	1.0	1.0	1.0	1.4	0.6	
20-24	1.0	1.4	0.5	1.1	1.4	0.8	0.7	1.4	0.1	
25-29	1.3	1.7	0.9	1.3	1.7	0.9	1.3	1.7	1.0	
30-34	2.3	3.1	1.4	2.3	3.5	1.0	2.3	2.6	2.1	
35-39	2.2	3.1	1.3	3.0	4.0	2.0	1.2	2.0	0.2	
40-44	3.7	5.1	2.2	4.8	6.8	2.7	2.2	2.8	1.5	
45-49	5.2	7.0	3.3	5.7	7.6	3.8	4.4	6.1	2.5	
50-54	8.7	11.3	5.6	8.6	11.2	5.5	8.8	11.6	5.8	
55-59	13.4	16.3	10.6	14.6	17.2	12.1	11.5	14.8	8.1	
60-64	18.0	22.7	13.3	21.7	30.2	13.8	12.0	11.6	12.5	
65-69	29.1	30.1	28.2	34.3	39.3	29.8	20.1	15.2	25.3	
70-74	58.3	73.4	46.3	63.8	85.6	47.2	46.9	50.0	44.2	
75-79	68.4	79.6	58.7	66.7	75.1	59.9	72.3	88.7	55.6	
80-84	121.2	138.9	107.8	135.9	161.1	117.2	93.4	98.4	89.4	
85+	249.4	253.0	246.4	285.2	244.6	338.3	197.6	277.4	166.4	
All ages (Crude death rate)	6.2	7.1	5.3	7.1	8.1	5.9	4.8	5.4	4.2	

**Table 9****Child (Aged 0-4 years) and infant mortality indicators, 2020**

Indicators	Total	<b>Karnataka</b>	
		Rural	Urban
Child mortality rate	5	6	4
Under-five mortality rate	21	23	18
Infant mortality rate	19	21	16
Neo-natal mortality rate	14	18	8
Early neo-natal mortality rate	11	13	6
Late neo-natal mortality rate	4	5	2
Post neo-natal mortality rate	5	3	8
Peri-natal mortality rate	14	17	9
Still birth rate	3	4	2

**Table 8**  
**Age-specific death rate by sex and residence, 2020**

Age-group	Total			Rural			Urban			Kerala
	Total	Male	Female	Total	Male	Female	Total	Male	Female	
Below 1	7.8	12.8	3.0	5.1	8.0	2.6	10.5	17.3	3.6	
1-4	0.5	0.6	0.4	0.3	0.4	0.2	0.8	0.8	0.8	
0-4	1.8	2.6	0.9	1.1	1.6	0.6	2.5	3.7	1.3	
5-9	0.5	0.6	0.4	0.4	0.6	0.1	0.6	0.6	0.6	
10-14	0.5	0.5	0.4	0.4	0.5	0.3	0.5	0.5	0.5	
15-19	0.6	0.6	0.5	0.6	0.8	0.5	0.5	0.5	0.5	
20-24	1.0	1.3	0.7	1.1	1.2	0.9	0.9	1.4	0.4	
25-29	0.8	1.2	0.6	1.0	1.4	0.7	0.7	1.0	0.4	
30-34	1.2	1.4	1.0	1.5	2.0	1.1	0.9	0.9	0.9	
35-39	1.4	2.1	0.8	1.7	2.4	1.2	1.1	1.8	0.5	
40-44	2.8	4.2	1.7	2.7	3.6	1.9	3.0	4.9	1.4	
45-49	3.3	5.2	1.7	3.2	4.2	2.3	3.4	6.3	1.0	
50-54	6.4	8.8	4.1	5.8	7.1	4.6	7.0	10.6	3.6	
55-59	11.3	15.2	7.6	11.2	14.1	8.5	11.3	16.4	6.8	
60-64	14.7	20.1	9.6	15.4	20.8	10.4	14.0	19.4	8.7	
65-69	26.0	34.5	18.7	24.2	29.3	19.5	28.1	40.6	17.8	
70-74	37.1	46.3	29.6	37.5	47.5	29.8	36.6	45.1	29.4	
75-79	50.5	64.9	40.8	49.2	64.4	38.3	51.9	65.5	43.4	
80-84	98.1	116.3	86.8	85.0	107.1	71.0	114.6	128.0	106.3	
85+	196.8	248.3	171.5	178.3	199.8	166.3	224.5	339.1	178.5	
All ages (Crude death rate)	7.0	8.3	5.9	7.0	8.1	6.0	7.1	8.6	5.7	

**Table 9**  
**Child (Aged 0-4 years) and infant mortality indicators, 2020**

Indicators	Total	Rural	Urban	Kerala
Child mortality rate	2	1	3	
Under-five mortality rate	8	5	12	
Infant mortality rate	6	4	9	
Neo-natal mortality rate	4	3	6	
Early neo-natal mortality rate	4	2	6	
Late neo-natal mortality rate	0	1	0	
Post neo-natal mortality rate	2	1	3	
Peri-natal mortality rate	8	6	10	
Still birth rate	4	4	4	

**Table 8****Age-specific death rate by sex and residence, 2020**

Age-group	Total			Rural			Urban			<b>Madhya Pradesh</b>
	Total	Male	Female	Total	Male	Female	Total	Male	Female	
Below 1	48.1	49.8	46.2	51.7	53.6	49.7	33.5	34.8	32.0	
1-4	2.0	2.0	2.0	2.3	2.4	2.3	1.0	0.7	1.2	
0-4	13.3	13.9	12.7	14.8	15.5	14.1	8.2	8.4	7.9	
5-9	0.5	0.5	0.5	0.5	0.6	0.5	0.3	0.1	0.5	
10-14	0.6	0.4	0.9	0.7	0.5	1.0	0.3	0.3	0.4	
15-19	1.0	1.1	0.9	1.2	1.4	1.1	0.4	0.4	0.4	
20-24	1.6	1.7	1.6	1.7	1.7	1.7	1.4	1.6	1.2	
25-29	1.9	2.2	1.7	1.8	2.1	1.5	2.2	2.4	2.1	
30-34	1.8	1.9	1.7	2.4	2.5	2.2	0.6	0.6	0.6	
35-39	2.5	3.4	1.6	2.8	3.6	2.1	1.8	3.1	0.5	
40-44	3.7	4.5	2.8	3.9	4.9	2.9	3.1	3.6	2.5	
45-49	5.2	6.4	4.0	5.3	6.6	4.0	5.0	5.9	4.1	
50-54	6.9	9.2	4.4	6.6	8.5	4.5	7.8	11.2	4.2	
55-59	12.9	15.1	10.6	13.9	16.0	12.0	10.4	13.2	7.3	
60-64	22.4	29.8	15.6	23.2	30.4	16.6	20.5	28.5	12.8	
65-69	28.7	33.5	24.1	28.6	35.3	22.4	28.9	29.0	28.8	
70-74	51.8	60.8	43.4	52.5	59.3	46.2	50.0	64.8	35.3	
75-79	63.8	66.8	60.1	59.6	59.3	60.0	77.7	94.5	60.2	
80-84	125.3	148.3	104.7	137.2	163.0	114.7	96.6	114.3	79.6	
85+	243.4	265.9	227.1	250.8	269.0	236.2	223.4	255.6	205.6	
All ages (Crude death rate)	6.5	7.2	5.8	6.8	7.4	6.1	5.6	6.4	4.8	

**Table 9****Child (Aged 0-4 years) and infant mortality indicators, 2020**

Indicators	Total	<b>Madhya Pradesh</b>	
		Rural	Urban
Child mortality rate	13	15	8
Under-five mortality rate	51	56	33
Infant mortality rate	43	47	30
Neo-natal mortality rate	31	34	19
Early neo-natal mortality rate	23	25	16
Late neo-natal mortality rate	8	9	3
Post neo-natal mortality rate	13	13	10
Peri-natal mortality rate	28	30	20
Still birth rate	5	6	4

**Table 8**  
**Age-specific death rate by sex and residence, 2020**

Age-group	Total			Rural			Urban			Maharashtra
	Total	Male	Female	Total	Male	Female	Total	Male	Female	
Below 1	15.4	15.4	15.5	21.0	20.3	21.7	9.6	10.0	9.1	
1-4	0.6	0.6	0.7	0.9	0.7	1.1	0.2	0.3	0.2	
0-4	3.8	3.7	3.8	4.5	4.3	4.8	2.6	2.8	2.4	
5-9	0.3	0.3	0.3	0.3	0.2	0.3	0.3	0.5	0.2	
10-14	0.5	0.4	0.6	0.4	0.3	0.6	0.6	0.6	0.5	
15-19	0.8	0.8	0.8	1.0	1.0	1.0	0.5	0.6	0.4	
20-24	0.9	1.1	0.7	1.1	1.4	0.9	0.7	0.8	0.5	
25-29	1.1	1.5	0.7	1.4	1.8	0.9	0.8	1.1	0.5	
30-34	1.3	1.7	0.8	1.8	2.4	1.3	0.8	1.2	0.5	
35-39	1.9	2.7	1.0	2.4	3.3	1.5	1.4	2.2	0.5	
40-44	2.7	3.8	1.5	2.6	3.9	1.3	2.7	3.8	1.6	
45-49	4.2	4.8	3.6	4.0	5.0	3.0	4.5	4.6	4.4	
50-54	7.5	9.9	4.9	7.7	11.0	4.4	7.3	8.9	5.4	
55-59	11.8	14.6	9.1	12.7	17.0	8.8	10.8	12.1	9.5	
60-64	16.1	19.0	13.2	16.7	20.1	13.4	15.3	17.7	12.8	
65-69	25.1	27.9	22.4	24.3	27.8	21.4	26.4	28.1	24.3	
70-74	39.5	43.6	36.0	39.3	43.8	35.6	39.9	43.2	36.8	
75-79	66.8	73.5	59.3	69.5	78.1	60.4	61.5	65.1	57.1	
80-84	95.8	100.2	91.0	103.0	105.2	100.6	84.5	92.8	75.0	
85+	167.7	186.0	153.7	163.5	156.2	170.1	176.4	270.9	126.5	
All ages (Crude death rate)	5.5	6.1	4.8	6.2	6.8	5.5	4.6	5.2	3.9	

**Table 9**  
**Child (Aged 0-4 years) and infant mortality indicators, 2020**

Indicators	Total	Maharashtra	
		Rural	Urban
Child mortality rate	4	5	3
Under-five mortality rate	18	23	12
Infant mortality rate	16	20	11
Neo-natal mortality rate	11	15	6
Early neo-natal mortality rate	8	11	5
Late neo-natal mortality rate	3	4	2
Post neo-natal mortality rate	5	5	4
Peri-natal mortality rate	11	14	6
Still birth rate	3	4	1

**Table 8**  
**Age-specific death rate by sex and residence, 2020**

Age-group	Total			Rural			Urban			<b>Odisha</b>
	Total	Male	Female	Total	Male	Female	Total	Male	Female	
Below 1	35.0	36.6	33.5	37.6	39.3	35.9	21.9	23.3	20.4	
1-4	0.9	0.8	1.0	0.9	0.6	1.3	0.8	1.5	0.0	
0-4	10.0	10.0	9.9	10.7	10.6	10.8	6.2	7.2	5.2	
5-9	0.3	0.3	0.4	0.4	0.3	0.4	0.2	0.0	0.3	
10-14	0.6	0.7	0.6	0.7	0.7	0.6	0.5	0.4	0.6	
15-19	0.9	0.8	0.9	1.0	0.9	1.1	0.3	0.3	0.3	
20-24	1.2	1.1	1.3	1.2	0.9	1.4	1.3	1.8	0.7	
25-29	1.5	1.8	1.1	1.4	1.6	1.2	1.7	2.7	0.8	
30-34	1.6	2.1	1.0	1.6	2.0	1.2	1.4	2.6	0.3	
35-39	2.8	3.3	2.4	3.1	3.3	2.8	2.0	3.0	0.9	
40-44	4.5	5.2	3.7	4.7	5.3	4.0	3.7	4.7	2.5	
45-49	5.4	5.8	4.9	5.4	5.7	5.1	5.1	6.2	3.9	
50-54	6.7	9.0	3.8	6.3	8.2	3.9	8.0	12.4	3.2	
55-59	13.9	13.5	14.3	13.8	13.6	14.0	14.5	13.4	15.6	
60-64	16.6	17.4	15.8	16.2	17.0	15.4	18.7	19.5	17.9	
65-69	31.6	33.2	29.9	30.2	31.8	28.4	42.1	42.8	41.3	
70-74	43.4	49.8	37.0	42.7	48.3	37.1	47.4	58.3	36.5	
75-79	68.8	69.6	68.0	66.5	70.2	62.8	85.5	65.7	109.9	
80-84	64.4	66.3	62.4	64.0	63.9	64.1	66.5	82.2	53.9	
85+	150.0	157.9	142.0	145.6	153.2	137.6	183.4	201.5	170.3	
All ages (Crude death rate)	7.3	7.9	6.8	7.5	8.0	7.0	6.5	7.4	5.5	

**Table 9**  
**Child (Aged 0-4 years) and infant mortality indicators, 2020**

Indicators	Total	<b>Odisha</b>	
		Rural	Urban
Child mortality rate	10	11	6
Under-five mortality rate	39	40	31
Infant mortality rate	36	37	28
Neo-natal mortality rate	28	29	20
Early neo-natal mortality rate	21	22	14
Late neo-natal mortality rate	7	7	5
Post neo-natal mortality rate	8	8	8
Peri-natal mortality rate	30	32	20
Still birth rate	10	10	6

**Table 8**  
**Age-specific death rate by sex and residence, 2020**

Age-group	Total			Rural			Urban			Punjab
	Total	Male	Female	Total	Male	Female	Total	Male	Female	
Below 1	20.8	19.6	22.3	22.6	22.0	23.4	18.5	16.6	20.8	
1-4	0.9	0.5	1.3	1.2	0.4	2.3	0.3	0.7	0.0	
0-4	5.3	4.8	5.8	5.8	5.0	6.8	4.5	4.5	4.4	
5-9	0.3	0.4	0.3	0.3	0.4	0.2	0.4	0.4	0.5	
10-14	0.3	0.3	0.3	0.3	0.3	0.3	0.4	0.4	0.4	
15-19	0.8	0.5	1.1	0.8	0.9	0.6	0.8	0.0	1.8	
20-24	0.9	0.9	0.9	1.4	1.4	1.4	0.3	0.2	0.3	
25-29	1.5	2.4	0.6	1.9	3.2	0.4	1.1	1.4	0.8	
30-34	1.9	2.7	1.0	2.3	3.4	1.1	1.4	1.8	0.9	
35-39	2.5	3.1	1.9	2.9	3.7	1.9	2.1	2.3	1.9	
40-44	4.0	5.8	2.0	4.6	6.6	2.5	3.2	4.9	1.3	
45-49	6.1	7.9	4.3	5.9	7.8	4.0	6.4	8.0	4.7	
50-54	8.2	12.4	4.0	11.3	17.1	5.3	4.8	7.0	2.6	
55-59	15.4	18.2	12.2	17.2	19.6	14.3	13.3	16.4	9.8	
60-64	22.2	28.1	16.1	22.9	24.4	21.4	21.3	32.6	8.8	
65-69	33.7	36.4	30.8	34.0	37.4	30.5	33.3	35.0	31.3	
70-74	43.6	45.7	41.4	44.0	38.8	49.1	42.9	57.9	28.9	
75-79	57.9	56.8	59.0	66.4	61.9	71.6	43.0	47.3	38.7	
80-84	85.6	79.4	92.4	91.1	89.0	93.6	74.8	59.5	90.2	
85+	158.5	185.6	136.3	148.3	181.8	119.6	190.7	199.3	184.7	
All ages (Crude death rate)	7.2	7.9	6.3	8.3	9.0	7.5	5.7	6.5	4.8	

**Table 9**  
**Child (Aged 0-4 years) and infant mortality indicators, 2020**

Indicators	Total	Rural	Urban	Punjab
Child mortality rate	5	6	4	
Under-five mortality rate	22	24	18	
Infant mortality rate	18	19	17	
Neo-natal mortality rate	12	12	12	
Early neo-natal mortality rate	9	9	9	
Late neo-natal mortality rate	3	4	3	
Post neo-natal mortality rate	6	7	5	
Peri-natal mortality rate	12	11	13	
Still birth rate	3	3	4	

**Table 8****Age-specific death rate by sex and residence, 2020**

Age-group	Total			Rural			Urban			Rajasthan
	Total	Male	Female	Total	Male	Female	Total	Male	Female	
Below 1	38.9	35.0	43.7	40.9	34.8	48.7	31.1	35.8	26.3	
1-4	1.9	1.5	2.5	2.2	1.5	2.9	1.0	1.1	1.0	
0-4	10.2	9.2	11.3	10.9	9.4	12.6	7.5	8.3	6.6	
5-9	0.2	0.2	0.2	0.2	0.2	0.2	0.0	0.0	0.0	
10-14	0.4	0.2	0.6	0.5	0.3	0.8	0.0	0.0	0.0	
15-19	0.8	1.0	0.7	0.9	1.0	0.8	0.7	0.9	0.5	
20-24	1.2	1.3	1.1	1.5	1.6	1.3	0.6	0.6	0.6	
25-29	1.3	1.6	1.1	1.5	1.8	1.2	1.0	1.1	0.8	
30-34	1.4	1.8	1.0	1.4	1.8	1.0	1.4	1.8	1.0	
35-39	2.1	2.4	1.9	2.2	2.9	1.5	1.9	1.0	2.8	
40-44	3.2	4.8	1.6	3.6	5.0	2.1	2.3	4.3	0.4	
45-49	4.3	5.7	3.0	4.7	6.5	2.9	3.5	3.8	3.2	
50-54	7.0	9.6	4.3	6.6	9.0	3.9	7.8	10.9	4.9	
55-59	15.0	19.6	10.5	16.3	21.7	11.1	12.4	15.4	9.2	
60-64	19.1	23.7	14.8	18.6	26.1	11.9	20.5	17.6	23.5	
65-69	30.3	42.0	21.1	28.2	42.8	17.4	36.9	39.9	34.0	
70-74	38.2	53.1	27.3	39.2	57.7	26.0	35.6	40.8	31.4	
75-79	60.1	84.4	40.8	60.7	86.9	40.6	58.5	78.0	41.2	
80-84	108.5	127.5	93.7	124.5	146.7	108.8	78.0	96.0	61.4	
85+	217.4	302.0	171.0	222.0	299.1	176.4	200.2	316.1	153.1	
All ages (Crude death rate)	5.6	6.3	4.9	5.8	6.5	5.0	5.1	5.5	4.6	

**Table 9****Child (Aged 0-4 years) and infant mortality indicators, 2020**

Indicators	Total	Rural	Urban	Rajasthan
Child mortality rate	10	11	8	
Under-five mortality rate	40	43	27	
Infant mortality rate	32	35	23	
Neo-natal mortality rate	23	26	14	
Early neo-natal mortality rate	16	18	11	
Late neo-natal mortality rate	7	8	3	
Post neo-natal mortality rate	9	9	9	
Peri-natal mortality rate	20	21	16	
Still birth rate	4	4	5	

**Table 8****Age-specific death rate by sex and residence, 2020**

Age-group	Total			Rural			Urban			Tamil Nadu
	Total	Male	Female	Total	Male	Female	Total	Male	Female	
Below 1	16.6	16.7	16.5	18.4	18.0	18.8	14.7	15.3	14.0	
1-4	0.2	0.2	0.3	0.2	0.1	0.2	0.3	0.2	0.3	
0-4	3.3	3.3	3.3	3.5	3.4	3.7	3.0	3.2	2.8	
5-9	0.2	0.2	0.3	0.3	0.2	0.4	0.2	0.2	0.2	
10-14	0.4	0.4	0.4	0.5	0.4	0.6	0.3	0.5	0.2	
15-19	0.5	0.4	0.6	0.6	0.4	0.9	0.4	0.4	0.3	
20-24	0.7	0.8	0.6	0.8	1.0	0.6	0.7	0.6	0.7	
25-29	0.9	1.3	0.5	1.0	1.3	0.8	0.8	1.3	0.3	
30-34	1.4	1.9	0.8	2.0	2.6	1.2	0.9	1.3	0.5	
35-39	1.6	2.6	0.7	2.1	3.3	0.9	1.2	2.0	0.5	
40-44	3.0	4.3	1.7	4.4	6.4	2.4	2.0	2.8	1.2	
45-49	4.2	5.7	2.8	5.3	7.2	3.3	3.4	4.4	2.3	
50-54	7.9	10.8	4.9	9.5	13.2	5.6	6.7	9.1	4.3	
55-59	10.4	14.1	6.9	12.8	17.7	8.6	8.4	11.6	5.5	
60-64	14.5	17.9	10.8	20.8	27.1	14.3	10.0	11.5	8.3	
65-69	21.7	25.6	17.7	25.8	32.2	20.1	18.2	20.7	15.5	
70-74	41.3	44.8	37.8	62.2	69.3	55.3	27.9	29.2	26.6	
75-79	50.7	54.0	47.6	66.9	70.7	63.3	37.3	40.4	34.2	
80-84	96.5	100.8	92.4	131.9	121.5	142.4	73.0	86.5	60.4	
85+	127.7	123.1	131.8	158.0	156.4	159.4	108.6	102.4	114.0	
All ages (Crude death rate)	6.1	7.1	5.1	7.2	8.3	6.1	5.1	5.9	4.2	

**Table 9****Child (Aged 0-4 years) and infant mortality indicators, 2020**

Indicators	Total	Tamil Nadu	
		Rural	Urban
Child mortality rate	3	4	3
Under-five mortality rate	13	16	11
Infant mortality rate	13	15	10
Neo-natal mortality rate	9	12	6
Early neo-natal mortality rate	6	9	4
Late neo-natal mortality rate	3	3	2
Post neo-natal mortality rate	4	3	4
Peri-natal mortality rate	8	11	5
Still birth rate	2	3	1

**Table 9****Age-specific death rate by sex and residence, 2020**

Age-group	Total			Rural			Urban			<b>Telangana</b>
	Total	Male	Female	Total	Male	Female	Total	Male	Female	
Below 1	25.2	26.8	23.6	31.3	34.1	28.5	17.4	17.8	17.0	
1-4	0.4	0.4	0.5	0.2	0.0	0.5	0.7	0.8	0.5	
0-4	6.8	7.1	6.4	8.5	9.2	7.9	4.7	4.9	4.5	
5-9	0.4	0.2	0.5	0.2	0.0	0.5	0.6	0.6	0.6	
10-14	0.4	0.4	0.4	0.4	0.3	0.4	0.4	0.6	0.3	
15-19	0.6	0.5	0.8	0.8	0.7	0.9	0.3	0.2	0.5	
20-24	1.1	1.3	0.9	1.4	1.8	0.9	0.7	0.4	0.9	
25-29	1.2	1.8	0.7	2.0	2.8	1.1	0.2	0.2	0.2	
30-34	2.0	3.0	0.9	3.0	4.7	1.3	0.6	0.8	0.4	
35-39	2.4	3.6	1.3	2.8	4.4	1.2	2.0	2.5	1.5	
40-44	4.1	5.9	2.2	4.9	7.5	2.2	3.0	3.8	2.2	
45-49	6.7	7.6	5.7	8.5	10.2	6.6	4.1	3.9	4.4	
50-54	9.0	11.0	7.2	12.0	15.7	8.9	3.7	3.6	3.8	
55-59	11.2	12.7	9.8	12.9	14.5	11.6	8.1	9.9	6.0	
60-64	20.0	23.9	16.1	20.2	23.1	17.4	19.6	25.9	13.0	
65-69	26.1	27.6	24.5	27.2	31.0	23.5	23.5	20.8	27.0	
70-74	53.4	49.9	57.5	48.3	46.3	50.7	68.4	60.8	76.9	
75-79	76.9	73.5	80.4	75.8	74.8	77.0	79.5	70.0	89.5	
80-84	114.9	121.5	108.5	105.1	111.9	98.1	139.4	148.5	131.8	
85+	164.5	169.9	161.1	136.1	122.0	147.9	244.1	454.7	186.4	
All ages (Crude death rate)	6.0	6.6	5.3	7.2	8.2	6.1	4.2	4.3	4.2	

**Table 9****Child (Aged 0-4 years) and infant mortality indicators, 2020**

Indicators	Total	Rural	Urban	<b>Telangana</b>
Child mortality rate	7	9	5	
Under-five mortality rate	23	25	19	
Infant mortality rate	21	24	17	
Neo-natal mortality rate	15	17	13	
Early neo-natal mortality rate	10	13	7	
Late neo-natal mortality rate	5	4	6	
Post neo-natal mortality rate	6	8	4	
Peri-natal mortality rate	13	14	11	
Still birth rate	2	1	4	

**Table 8****Age-specific death rate by sex and residence, 2020**

Age-group	Total			Rural			Urban			<b>Uttar Pradesh</b>
	Total	Male	Female	Total	Male	Female	Total	Male	Female	
Below 1	54.2	51.7	57.1	56.5	53.7	59.8	44.7	43.3	46.3	
1-4	1.4	1.4	1.4	1.5	1.4	1.6	1.1	1.4	0.7	
0-4	13.1	12.7	13.5	13.6	13.2	14.1	10.8	10.5	11.3	
5-9	0.2	0.2	0.2	0.2	0.3	0.2	0.1	0.0	0.3	
10-14	0.6	0.5	0.7	0.8	0.6	0.9	0.2	0.2	0.2	
15-19	1.0	0.8	1.1	1.1	1.0	1.2	0.6	0.2	1.1	
20-24	1.4	1.3	1.5	1.6	1.6	1.7	0.8	0.7	0.9	
25-29	1.8	1.9	1.7	2.0	2.1	1.8	1.2	1.1	1.4	
30-34	2.3	2.3	2.2	2.5	2.5	2.6	1.5	1.7	1.3	
35-39	2.9	3.1	2.8	3.2	3.1	3.3	2.2	3.1	1.3	
40-44	4.9	5.7	4.0	5.0	5.7	4.2	4.5	5.6	3.3	
45-49	5.6	6.0	5.1	5.6	6.3	4.9	5.5	5.3	5.6	
50-54	8.6	9.0	8.1	10.0	10.8	9.2	5.0	4.6	5.3	
55-59	17.6	20.8	14.8	18.0	22.4	14.3	16.7	17.3	16.0	
60-64	19.4	22.0	17.0	18.8	21.6	16.2	21.2	23.0	19.3	
65-69	33.9	38.1	29.9	32.4	35.7	29.1	39.0	46.3	32.1	
70-74	57.3	61.3	53.3	63.1	71.4	55.5	40.4	36.1	45.8	
75-79	75.7	88.5	63.9	79.5	93.9	66.4	62.7	70.6	55.3	
80-84	110.7	108.9	112.5	111.2	117.0	105.6	109.0	83.9	135.7	
85+	227.5	292.3	180.2	239.3	297.9	191.2	179.2	258.6	144.5	
All ages (Crude death rate)	6.5	6.7	6.2	6.8	7.1	6.4	5.4	5.4	5.4	

**Table 9****Child (Aged 0-4 years) and infant mortality indicators, 2020**

Indicators	Total	<b>Uttar Pradesh</b>	
		Rural	Urban
Child mortality rate	13	14	11
Under-five mortality rate	43	46	32
Infant mortality rate	38	40	28
Neo-natal mortality rate	28	31	18
Early neo-natal mortality rate	21	23	13
Late neo-natal mortality rate	7	8	5
Post neo-natal mortality rate	10	10	10
Peri-natal mortality rate	24	27	15
Still birth rate	4	4	2

**Table 8****Age-specific death rate by sex and residence, 2020**

Age-group	Total			Rural			Urban			<b>Uttarakhand</b>
	Total	Male	Female	Total	Male	Female	Total	Male	Female	
Below 1	20.9	21.0	20.7	22.0	22.2	21.8	18.2	18.2	18.2	
1-4	0.4	0.3	0.4	0.3	0.2	0.3	0.5	0.4	0.7	
0-4	4.3	4.3	4.3	4.4	4.4	4.3	4.1	4.0	4.2	
5-9	0.3	0.1	0.5	0.3	0.1	0.6	0.2	0.0	0.5	
10-14	0.2	0.1	0.3	0.2	0.1	0.3	0.0	0.0	0.0	
15-19	0.5	0.7	0.4	0.6	0.9	0.4	0.3	0.2	0.4	
20-24	1.5	1.6	1.3	1.9	2.3	1.6	0.4	0.1	0.6	
25-29	1.5	1.7	1.4	1.7	1.7	1.7	1.1	1.8	0.5	
30-34	3.0	4.1	1.9	3.4	4.7	2.2	1.9	2.7	1.2	
35-39	2.1	2.7	1.5	2.3	3.0	1.6	1.7	2.1	1.3	
40-44	5.5	7.7	2.9	6.4	9.0	3.4	3.5	4.9	1.9	
45-49	7.5	10.0	5.0	8.2	11.0	5.6	5.8	7.9	3.8	
50-54	8.5	13.7	4.0	8.8	14.2	4.0	7.9	12.3	3.9	
55-59	14.5	15.7	13.3	14.6	15.3	13.9	14.2	16.7	11.6	
60-64	16.1	21.6	11.6	14.6	21.3	9.1	20.9	22.4	19.4	
65-69	37.0	44.4	31.1	35.9	47.3	27.5	40.8	35.9	45.9	
70-74	47.0	53.8	40.4	45.8	52.5	39.1	51.7	59.0	45.2	
75-79	78.8	90.6	67.3	81.1	98.4	65.4	70.1	65.9	75.5	
80-84	77.6	86.5	70.6	75.7	79.8	72.5	85.6	113.8	62.7	
85+	188.7	200.7	178.7	197.5	211.6	185.3	151.9	150.4	153.1	
All ages (Crude death rate)	6.3	7.0	5.5	6.7	7.6	5.7	5.1	5.4	4.7	

**Table 9****Child (Aged 0-4 years) and infant mortality indicators, 2020**

Indicators	Total	Rural	Urban	<b>Uttarakhand</b>
Child mortality rate	4	4	4	
Under-five mortality rate	26	26	26	
Infant mortality rate	24	25	24	
Neo-natal mortality rate	17	17	18	
Early neo-natal mortality rate	13	12	15	
Late neo-natal mortality rate	5	5	3	
Post neo-natal mortality rate	7	7	6	
Peri-natal mortality rate	18	17	20	
Still birth rate	6	6	6	

**Table 8**  
**Age-specific death rate by sex and residence, 2020**

Age-group	Total			Rural			Urban			<b>West Bengal</b>
	Total	Male	Female	Total	Male	Female	Total	Male	Female	
Below 1	21.2	22.3	20.0	23.7	25.0	22.3	15.3	15.9	14.7	
1-4	0.8	0.5	1.0	0.8	0.6	1.0	0.8	0.5	1.1	
0-4	4.8	4.9	4.7	5.0	5.2	4.8	4.2	4.2	4.3	
5-9	0.4	0.5	0.3	0.4	0.7	0.2	0.3	0.2	0.3	
10-14	0.3	0.5	0.2	0.4	0.5	0.3	0.1	0.2	0.0	
15-19	0.6	0.7	0.5	0.7	0.8	0.6	0.4	0.4	0.3	
20-24	0.8	0.7	0.9	0.8	0.9	0.7	0.8	0.2	1.3	
25-29	0.8	0.9	0.8	1.0	0.9	1.0	0.6	1.0	0.2	
30-34	1.2	1.8	0.5	1.3	2.1	0.6	0.9	1.3	0.5	
35-39	1.5	1.9	1.2	1.5	1.8	1.2	1.7	2.1	1.2	
40-44	2.6	3.0	2.0	2.4	2.7	2.0	2.9	3.7	2.1	
45-49	3.6	4.9	2.3	3.0	4.4	1.6	4.8	6.0	3.5	
50-54	5.7	7.1	4.0	5.4	6.8	3.4	6.3	7.8	4.9	
55-59	12.2	12.7	11.6	12.8	13.9	11.7	11.2	11.0	11.4	
60-64	16.2	19.3	13.0	17.3	21.3	13.6	14.7	16.6	12.1	
65-69	33.6	39.4	27.6	33.9	41.2	26.7	33.2	36.8	29.1	
70-74	44.8	54.4	35.0	49.7	63.8	36.5	36.7	40.5	32.0	
75-79	67.5	81.5	55.2	77.5	105.1	56.2	51.1	49.0	53.3	
80-84	99.4	96.7	101.9	119.2	123.3	115.7	73.5	64.2	82.6	
85+	184.0	195.0	175.6	235.8	243.4	230.1	123.1	139.0	110.8	
All ages (Crude death rate)	5.5	6.2	4.7	5.3	6.1	4.5	5.8	6.5	5.1	

**Table 9**  
**Child (Aged 0-4 years) and infant mortality indicators, 2020**

Indicators	Total	<b>West Bengal</b>	
		Rural	Urban
Child mortality rate	5	5	4
Under-five mortality rate	22	22	20
Infant mortality rate	19	19	17
Neo-natal mortality rate	14	15	11
Early neo-natal mortality rate	10	11	8
Late neo-natal mortality rate	4	4	3
Post neo-natal mortality rate	5	5	7
Peri-natal mortality rate	15	15	11
Still birth rate	4	5	4

**Table 10****Percentage distribution of deaths to total deaths by residence, sex and age-group, 2020**

Age group	Total			Rural			Urban		
	Total	Male	Female	Total	Male	Female	Total	Male	Female
<b>India</b>									
Below 1	9.1	8.4	9.9	10.3	9.5	11.2	6.0	5.6	6.4
1-4	0.9	0.8	1.2	1.1	0.9	1.4	0.6	0.5	0.6
0-4	10.0	9.2	11.0	11.4	10.4	12.6	6.5	6.2	7.0
5-9	0.5	0.4	0.5	0.5	0.5	0.6	0.4	0.4	0.4
10-14	0.7	0.6	0.9	0.8	0.6	1.0	0.6	0.5	0.6
15-19	1.3	1.2	1.4	1.4	1.3	1.5	0.9	0.8	1.1
20-24	2.1	2.1	2.1	2.3	2.3	2.3	1.5	1.5	1.6
25-29	2.3	2.4	2.1	2.3	2.4	2.2	2.1	2.3	1.9
30-34	2.6	2.8	2.3	2.7	2.9	2.4	2.2	2.5	1.9
35-39	2.7	3.1	2.3	2.8	3.0	2.5	2.7	3.2	1.9
40-44	3.6	4.3	2.8	3.5	4.1	2.8	4.0	4.8	2.9
45-49	4.3	4.8	3.7	4.0	4.6	3.4	4.9	5.3	4.4
50-54	5.3	6.1	4.3	4.9	5.7	4.0	6.2	7.1	5.2
55-59	7.6	7.7	7.5	7.2	7.2	7.3	8.6	8.8	8.2
60-64	9.1	9.6	8.4	8.7	9.1	8.1	10.2	10.9	9.3
65-69	10.4	10.5	10.3	9.9	10.1	9.7	11.8	11.6	12.0
70-74	11.3	11.1	11.5	11.3	11.2	11.5	11.2	10.9	11.5
75-79	9.8	9.6	10.1	10.0	9.9	10.1	9.5	9.0	10.1
80-84	7.8	7.1	8.6	7.6	6.9	8.4	8.3	7.6	9.3
85+	8.5	7.4	10.0	8.6	7.6	9.8	8.4	6.8	10.6
All ages	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0

**Table 10****Percentage distribution of deaths to total deaths by residence, sex and age-group, 2020**

Age group	Total			Rural			Urban		
	Total	Male	Female	Total	Male	Female	Total	Male	Female
<b>Andhra Pradesh</b>									
Below 1	5.9	5.5	6.4	6.0	5.7	6.4	5.5	4.9	6.4
1-4	0.4	0.3	0.6	0.4	0.2	0.5	0.6	0.5	0.7
0-4	6.3	5.8	7.0	6.4	5.9	7.0	6.1	5.4	7.1
5-9	0.3	0.3	0.3	0.2	0.2	0.2	0.6	0.5	0.7
10-14	0.5	0.5	0.5	0.5	0.6	0.4	0.6	0.4	0.7
15-19	0.6	0.5	0.6	0.6	0.5	0.6	0.6	0.5	0.6
20-24	1.0	1.3	0.6	1.1	1.4	0.6	0.8	1.0	0.6
25-29	2.0	2.4	1.4	1.9	2.3	1.2	2.3	2.6	2.0
30-34	2.5	2.8	2.1	2.7	3.2	1.9	1.9	1.3	2.5
35-39	2.5	2.9	2.1	3.2	3.6	2.6	0.6	0.5	0.6
40-44	4.6	5.6	3.4	4.7	5.8	3.4	4.2	4.9	3.3
45-49	5.1	5.1	5.2	5.0	5.4	4.6	5.5	4.5	6.8
50-54	7.1	7.2	6.9	7.2	7.3	7.0	6.8	6.8	6.7
55-59	8.6	8.0	9.3	8.6	7.9	9.5	8.4	8.3	8.5
60-64	12.5	12.5	12.6	12.0	11.3	12.8	14.3	16.0	11.9
65-69	11.2	10.9	11.5	10.7	10.8	10.6	12.7	11.2	14.6
70-74	13.1	14.0	12.0	13.2	13.4	13.1	12.6	15.8	8.5
75-79	9.7	9.5	10.0	9.7	9.7	9.7	9.8	8.9	10.9
80-84	7.2	6.7	7.7	7.0	6.3	7.8	7.8	7.9	7.5
85+	5.2	4.1	6.8	5.5	4.3	6.9	4.6	3.3	6.2
All ages	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
<b>Assam</b>									
Below 1	12.1	11.1	13.3	13.2	12.2	14.5	4.4	3.9	5.2
1-4	1.0	0.6	1.4	1.0	0.7	1.5	0.5	0.0	1.0
0-4	13.1	11.7	14.8	14.3	12.9	16.0	4.9	3.9	6.2
5-9	0.1	0.0	0.2	0.1	0.0	0.2	0.4	0.3	0.5
10-14	0.5	0.4	0.6	0.4	0.3	0.4	1.2	0.9	1.6
15-19	0.9	0.8	1.1	1.0	0.8	1.1	0.5	0.3	0.7
20-24	2.9	2.4	3.4	3.0	2.4	3.8	1.8	2.3	1.3
25-29	2.7	1.5	4.2	2.9	1.4	4.6	1.4	1.8	0.9
30-34	4.0	3.9	4.1	4.0	3.9	4.1	4.0	4.0	4.0
35-39	2.8	2.2	3.6	2.8	2.1	3.7	2.7	2.2	3.3
40-44	5.0	5.7	4.2	5.0	5.8	4.1	5.0	5.3	4.5
45-49	4.0	4.1	3.9	4.2	4.3	4.0	3.1	3.2	2.9
50-54	6.8	7.8	5.6	6.7	7.7	5.4	7.6	8.3	6.8
55-59	10.1	10.0	10.2	10.2	10.1	10.2	9.6	9.4	9.9
60-64	10.0	10.6	9.3	9.6	10.1	9.1	12.6	14.3	10.4
65-69	9.4	10.5	8.0	9.2	10.5	7.6	10.7	10.5	11.0
70-74	9.7	9.5	10.1	9.6	9.1	10.2	10.6	11.8	9.0
75-79	8.4	9.3	7.3	8.1	9.0	7.0	10.6	11.1	10.1
80-84	4.1	4.0	4.1	3.9	3.9	4.0	5.1	5.1	5.0
85+	5.5	5.5	5.4	5.1	5.6	4.5	8.2	5.3	12.0
All ages	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0

**Table 10****Percentage distribution of deaths to total deaths by residence, sex and age-group, 2020**

Age group	Total			Rural			Urban		
	Total	Male	Female	Total	Male	Female	Total	Male	Female
<b>Bihar</b>									
Below 1	12.7	12.4	13.1	13.1	12.8	13.4	10.0	9.1	11.0
1-4	1.2	0.9	1.6	1.3	0.9	1.7	0.7	0.4	1.0
0-4	14.0	13.3	14.7	14.4	13.8	15.1	10.7	9.6	12.1
5-9	1.0	0.8	1.2	1.0	0.7	1.3	0.5	0.9	0.0
10-14	1.0	0.7	1.3	1.0	0.8	1.2	0.9	0.0	2.0
15-19	1.3	1.3	1.4	1.5	1.4	1.5	0.4	0.4	0.5
20-24	1.7	2.2	1.2	1.9	2.5	1.2	0.7	0.4	1.0
25-29	1.8	1.6	2.0	1.7	1.4	2.0	2.5	3.2	1.6
30-34	2.5	2.0	3.2	2.6	1.9	3.3	2.4	2.2	2.6
35-39	2.3	2.6	2.1	2.2	2.5	1.9	3.3	3.0	3.7
40-44	2.3	2.6	1.9	2.0	2.4	1.6	3.8	3.6	4.0
45-49	4.0	4.8	3.3	4.0	4.9	3.1	4.3	3.9	4.8
50-54	3.0	3.3	2.7	2.9	3.3	2.5	4.0	3.4	4.6
55-59	5.9	4.8	7.0	6.0	4.8	7.3	4.8	4.9	4.6
60-64	7.9	7.5	8.3	7.9	7.3	8.5	7.8	8.8	6.7
65-69	10.8	11.1	10.5	10.4	10.8	9.9	13.9	12.6	15.4
70-74	11.7	12.5	10.9	11.5	12.4	10.6	13.0	13.2	12.7
75-79	10.8	11.4	10.2	10.9	11.3	10.4	10.2	11.6	8.5
80-84	9.2	9.1	9.3	9.3	9.1	9.4	8.8	9.0	8.7
85+	8.7	8.6	8.8	8.8	8.5	9.1	8.0	9.2	6.6
All ages	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
<b>Chhattisgarh</b>									
Below 1	10.6	9.1	12.5	11.1	9.3	13.2	8.5	8.1	9.0
1-4	0.6	0.5	0.8	0.8	0.6	1.0	0.1	0.0	0.2
0-4	11.3	9.5	13.3	11.9	9.9	14.2	8.6	8.1	9.2
5-9	0.4	0.1	0.7	0.4	0.0	0.8	0.2	0.4	0.0
10-14	0.9	0.2	1.7	0.9	0.3	1.5	1.0	0.0	2.2
15-19	0.9	1.0	0.8	0.8	0.9	0.6	1.3	1.2	1.4
20-24	3.8	4.7	2.6	4.1	5.3	2.7	2.5	2.5	2.4
25-29	3.0	3.8	2.1	3.2	4.1	2.2	2.3	2.9	1.6
30-34	2.5	2.4	2.8	2.7	2.7	2.6	2.0	0.9	3.4
35-39	3.3	3.6	3.0	3.3	3.4	3.1	3.4	4.2	2.3
40-44	3.6	4.7	2.2	3.3	4.6	1.9	4.8	5.4	3.9
45-49	5.0	5.9	3.9	5.0	6.0	3.8	5.1	5.4	4.7
50-54	6.2	5.2	7.4	5.9	4.8	7.1	7.6	6.8	8.7
55-59	7.9	6.9	9.0	7.7	6.7	9.0	8.4	8.1	8.8
60-64	8.5	10.0	6.7	8.3	9.8	6.5	9.5	11.1	7.5
65-69	10.9	11.3	10.4	10.8	11.2	10.3	11.5	12.0	10.9
70-74	11.2	10.8	11.7	11.2	10.8	11.7	11.3	10.9	11.8
75-79	8.8	7.5	10.3	8.9	7.8	10.2	8.1	6.3	10.5
80-84	5.8	6.0	5.6	5.9	5.6	6.3	5.3	7.7	2.2
85+	6.2	6.3	6.0	5.9	6.3	5.4	7.3	6.4	8.5
All ages	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0

**Table 10****Percentage distribution of deaths to total deaths by residence, sex and age-group, 2020**

Age group	Total			Rural			Urban		
	Total	Male	Female	Total	Male	Female	Total	Male	Female
<b>Delhi</b>									
Below 1	4.8	4.5	5.2	7.6	7.1	8.3	4.7	4.4	5.1
1-4	0.8	1.0	0.5	0.0	0.0	0.0	0.8	1.0	0.5
0-4	5.6	5.5	5.7	7.6	7.1	8.3	5.6	5.5	5.7
5-9	0.5	0.1	1.0	1.5	2.4	0.0	0.4	0.0	1.0
10-14	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
15-19	1.6	1.0	2.5	0.0	0.0	0.0	1.6	1.0	2.5
20-24	2.0	1.9	2.2	4.5	4.8	4.2	2.0	1.8	2.1
25-29	1.8	1.4	2.3	0.0	0.0	0.0	1.9	1.5	2.4
30-34	1.3	1.2	1.5	1.5	2.4	0.0	1.3	1.1	1.6
35-39	3.3	4.0	2.3	6.1	2.4	12.5	3.3	4.1	2.1
40-44	4.3	5.0	3.3	10.6	11.9	8.3	4.1	4.8	3.2
45-49	7.1	8.4	5.3	4.5	4.8	4.2	7.2	8.5	5.3
50-54	7.1	7.4	6.8	4.5	4.8	4.2	7.2	7.5	6.8
55-59	7.5	8.7	5.8	4.5	4.8	4.2	7.6	8.8	5.8
60-64	10.3	10.9	9.5	10.6	9.5	12.5	10.3	11.0	9.4
65-69	11.3	11.6	11.0	9.1	9.5	8.3	11.4	11.6	11.1
70-74	12.3	12.3	12.4	6.1	7.1	4.2	12.5	12.4	12.6
75-79	10.4	7.9	14.1	10.6	11.9	8.3	10.4	7.8	14.2
80-84	7.6	7.4	7.8	6.1	7.1	4.2	7.6	7.4	7.9
85+	5.8	5.3	6.6	12.1	9.5	16.7	5.7	5.2	6.3
All ages	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
<b>Gujarat</b>									
Below 1	7.8	7.7	8.0	9.3	8.8	10.1	5.7	6.1	5.1
1-4	0.3	0.2	0.5	0.4	0.3	0.6	0.2	0.0	0.4
0-4	8.2	7.9	8.5	9.7	9.1	10.7	5.9	6.1	5.5
5-9	0.6	0.7	0.4	0.8	1.0	0.5	0.2	0.2	0.3
10-14	0.5	0.6	0.3	0.5	0.7	0.3	0.4	0.5	0.2
15-19	0.8	0.8	0.8	1.0	0.8	1.3	0.6	0.8	0.2
20-24	1.8	2.0	1.5	2.3	2.7	1.8	1.0	0.9	1.1
25-29	2.5	2.6	2.4	1.9	2.1	1.8	3.4	3.5	3.2
30-34	2.5	2.9	2.0	2.3	2.8	1.5	2.8	2.9	2.5
35-39	3.0	3.3	2.5	2.7	3.4	1.7	3.3	3.2	3.4
40-44	3.3	3.9	2.3	3.4	3.5	3.3	3.0	4.6	1.1
45-49	4.5	5.5	3.1	4.5	5.6	2.9	4.4	5.3	3.3
50-54	5.7	6.9	4.0	5.4	6.8	3.5	6.0	7.2	4.6
55-59	8.5	7.5	9.9	7.5	7.3	7.8	10.1	7.9	12.8
60-64	10.6	11.7	9.0	9.2	10.3	7.7	12.6	14.0	10.8
65-69	11.6	11.9	11.3	10.7	11.1	10.0	13.0	13.1	13.0
70-74	10.1	9.5	11.0	11.1	10.4	12.2	8.7	8.2	9.3
75-79	9.6	8.9	10.6	10.2	9.0	12.0	8.7	8.7	8.7
80-84	7.6	7.0	8.4	7.6	7.1	8.3	7.7	7.0	8.6
85+	8.8	6.3	12.1	9.1	6.5	12.8	8.3	6.0	11.3
All ages	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0

**Table 10****Percentage distribution of deaths to total deaths by residence, sex and age-group, 2020**

Age group	Total			Rural			Urban		
	Total	Male	Female	Total	Male	Female	Total	Male	Female
<b>Haryana</b>									
Below 1	9.2	8.2	10.8	10.1	8.9	12.0	7.5	6.7	8.8
1-4	1.2	0.8	1.9	1.6	1.2	2.1	0.6	0.0	1.5
0-4	10.4	9.0	12.7	11.6	10.2	14.1	8.1	6.7	10.3
5-9	0.5	0.7	0.3	0.5	0.5	0.4	0.6	1.0	0.0
10-14	1.0	0.6	1.5	1.1	0.7	2.0	0.6	0.5	0.7
15-19	0.8	1.1	0.4	1.0	1.4	0.2	0.5	0.4	0.8
20-24	2.8	3.6	1.6	2.6	3.2	1.6	3.2	4.3	1.5
25-29	1.8	1.9	1.6	2.4	2.3	2.4	0.6	1.1	0.0
30-34	4.1	5.0	2.8	3.9	5.0	2.1	4.5	4.8	4.0
35-39	3.4	3.6	3.0	3.3	3.3	3.5	3.5	4.3	2.2
40-44	3.6	4.8	1.7	2.9	3.6	1.5	5.1	7.2	2.0
45-49	4.0	5.6	1.6	3.9	5.2	1.7	4.3	6.3	1.4
50-54	5.1	5.9	3.8	5.2	5.9	3.9	5.0	5.9	3.7
55-59	6.9	7.8	5.5	6.1	7.2	4.3	8.5	8.9	7.8
60-64	10.0	9.8	10.3	8.7	8.7	8.7	12.5	12.1	13.1
65-69	9.5	8.8	10.7	10.1	9.5	11.2	8.4	7.4	9.8
70-74	11.3	11.0	11.7	11.4	11.7	11.0	11.0	9.6	13.0
75-79	8.9	7.4	11.3	9.9	8.9	11.6	6.9	4.3	10.6
80-84	7.1	7.2	7.0	6.1	5.6	6.8	9.2	10.5	7.3
85+	8.7	6.3	12.4	9.2	7.1	12.8	7.5	4.7	11.6
All ages	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
<b>Himachal Pradesh</b>									
Below 1	3.9	4.9	2.5	4.0	5.1	2.4	2.6	1.4	4.3
1-4	1.2	0.9	1.5	1.2	1.0	1.5	0.9	0.0	2.1
0-4	5.1	5.8	4.0	5.2	6.1	3.8	3.4	1.4	6.4
5-9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
10-14	0.8	1.1	0.4	0.8	1.0	0.5	0.9	1.4	0.0
15-19	0.3	0.5	0.1	0.2	0.3	0.0	2.6	2.8	2.1
20-24	1.2	1.4	0.9	1.2	1.4	0.9	0.0	0.0	0.0
25-29	1.2	1.4	1.1	1.3	1.4	1.1	0.0	0.0	0.0
30-34	1.1	0.6	1.7	1.0	0.6	1.6	1.7	0.0	4.3
35-39	1.2	1.1	1.2	1.0	1.0	1.0	3.4	2.8	4.2
40-44	2.9	3.0	2.7	2.9	3.2	2.5	2.6	0.0	6.4
45-49	4.0	4.7	2.9	4.0	4.9	2.9	3.4	2.8	4.3
50-54	5.0	5.3	4.4	4.9	5.1	4.6	6.8	9.9	2.1
55-59	7.2	5.8	9.2	7.5	6.0	9.6	1.7	1.4	2.1
60-64	10.8	12.3	8.7	10.8	12.3	8.6	11.0	11.3	10.6
65-69	12.2	13.3	10.6	12.1	13.3	10.4	13.5	12.7	14.9
70-74	11.6	9.9	14.0	11.6	9.7	14.2	11.8	12.7	10.6
75-79	12.3	11.6	13.2	12.4	11.6	13.6	9.3	11.2	6.4
80-84	8.1	8.1	8.0	7.7	7.7	7.7	13.6	14.1	12.8
85+	15.3	14.2	16.8	15.3	14.1	17.0	14.4	15.5	12.8
All ages	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0

**Table 10****Percentage distribution of deaths to total deaths by residence, sex and age-group, 2020**

Age group	Total			Rural			Urban		
	Total	Male	Female	Total	Male	Female	Total	Male	Female
<b>Jammu &amp; Kashmir</b>									
Below 1	5.2	4.3	6.6	5.8	4.8	7.3	3.6	2.9	4.8
1-4	0.2	0.1	0.4	0.2	0.2	0.3	0.3	0.0	0.7
0-4	5.5	4.4	7.0	6.0	5.0	7.6	3.9	2.9	5.5
5-9	0.6	0.6	0.6	0.4	0.1	0.8	1.1	1.8	0.0
10-14	0.3	0.3	0.3	0.4	0.4	0.4	0.0	0.0	0.0
15-19	0.5	0.5	0.6	0.8	0.7	0.9	0.0	0.0	0.0
20-24	1.5	1.5	1.7	2.1	2.0	2.3	0.0	0.0	0.0
25-29	1.0	1.0	1.1	1.4	1.4	1.4	0.0	0.0	0.0
30-34	3.4	3.3	3.4	4.0	3.7	4.4	1.7	2.5	0.6
35-39	2.1	2.3	1.7	2.8	3.2	2.1	0.2	0.0	0.6
40-44	4.8	5.3	4.1	5.4	6.2	4.3	3.3	3.1	3.5
45-49	6.1	7.6	4.0	7.1	8.7	4.7	3.5	4.5	2.0
50-54	6.4	6.9	5.7	6.7	6.9	6.4	5.5	6.8	3.5
55-59	8.7	8.0	9.8	8.4	8.3	8.5	9.4	7.1	13.2
60-64	11.5	11.2	11.9	10.9	11.0	10.8	13.1	11.9	15.0
65-69	11.3	11.1	11.5	11.7	11.2	12.4	10.2	10.9	9.1
70-74	9.8	9.2	10.7	8.7	8.6	9.0	12.6	10.9	15.5
75-79	9.6	9.5	9.8	7.9	7.8	8.1	14.3	14.0	14.6
80-84	8.2	8.2	8.3	7.9	7.5	8.5	9.0	9.9	7.5
85+	8.6	9.1	7.9	7.3	7.3	7.4	12.1	13.8	9.4
All ages	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
<b>Jharkhand</b>									
Below 1	10.4	11.1	9.7	11.0	12.2	9.9	8.1	7.3	9.0
1-4	0.6	0.7	0.4	0.6	0.8	0.4	0.6	0.5	0.6
0-4	11.0	11.8	10.1	11.6	13.0	10.3	8.6	7.8	9.5
5-9	1.6	1.3	1.8	1.8	1.5	2.0	0.7	0.5	0.9
10-14	0.7	0.6	0.7	0.6	0.6	0.6	0.9	0.8	0.9
15-19	2.2	2.0	2.3	2.4	2.3	2.5	1.3	1.1	1.5
20-24	2.1	1.5	2.6	2.2	1.5	2.9	1.4	1.6	1.2
25-29	2.6	3.0	2.2	2.8	3.1	2.6	1.6	2.4	0.6
30-34	3.8	4.2	3.4	4.0	3.9	4.0	3.2	5.0	1.2
35-39	3.8	4.7	3.0	3.6	4.5	2.7	4.8	5.5	4.0
40-44	3.4	3.0	3.8	2.8	2.4	3.3	5.4	5.0	5.9
45-49	4.4	4.5	4.4	4.3	4.1	4.5	5.0	5.9	3.9
50-54	6.4	7.5	5.3	6.2	7.4	5.1	7.2	7.9	6.4
55-59	6.9	6.1	7.7	6.7	5.8	7.6	7.5	6.9	8.1
60-64	10.6	11.0	10.1	11.3	12.5	10.2	7.7	5.8	9.9
65-69	10.5	11.5	9.5	10.6	11.7	9.7	10.0	11.1	8.6
70-74	9.7	8.2	11.2	9.7	7.5	11.7	9.8	10.3	9.1
75-79	9.5	9.9	9.1	9.3	9.7	9.0	10.2	10.7	9.5
80-84	5.9	4.4	7.4	5.2	4.1	6.2	8.7	5.6	12.2
85+	5.1	4.8	5.4	4.8	4.5	5.1	6.1	5.9	6.4
All ages	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0

**Table 10****Percentage distribution of deaths to total deaths by residence, sex and age-group, 2020**

Age group	Total			Rural			Urban		
	Total	Male	Female	Total	Male	Female	Total	Male	Female
<b>Karnataka</b>									
Below 1	5.1	4.3	6.1	5.1	4.3	6.2	4.9	4.3	5.9
1-4	0.5	0.5	0.5	0.5	0.5	0.7	0.5	0.7	0.1
0-4	5.6	4.9	6.6	5.7	4.8	6.9	5.4	5.0	6.0
5-9	0.5	0.7	0.3	0.4	0.5	0.2	0.7	1.0	0.3
10-14	0.8	0.7	0.8	0.3	0.1	0.7	1.8	2.2	1.2
15-19	1.4	1.5	1.4	1.3	1.1	1.5	1.8	2.3	1.2
20-24	1.7	2.1	1.2	1.8	2.0	1.6	1.6	2.5	0.4
25-29	2.4	2.7	2.0	2.1	2.4	1.7	3.2	3.6	2.8
30-34	3.5	4.2	2.6	2.9	3.9	1.5	4.9	4.9	4.9
35-39	2.8	3.5	1.8	3.2	3.6	2.5	2.0	3.2	0.3
40-44	4.1	4.9	2.9	4.4	5.4	3.0	3.2	3.8	2.6
45-49	4.8	5.6	3.6	4.6	5.2	3.7	5.3	6.7	3.4
50-54	6.5	7.8	4.7	5.5	6.6	3.9	8.8	10.5	6.5
55-59	7.8	8.1	7.3	7.6	7.5	7.6	8.2	9.4	6.6
60-64	8.9	9.6	7.8	9.5	10.9	7.6	7.3	6.5	8.4
65-69	10.7	9.3	12.6	11.5	10.8	12.5	8.8	6.0	12.6
70-74	11.5	11.1	12.1	12.3	12.2	12.5	9.8	8.7	11.4
75-79	9.9	9.2	10.8	9.6	8.2	11.5	10.5	11.4	9.4
80-84	8.3	7.1	10.0	8.8	7.6	10.5	7.2	5.9	9.0
85+	8.8	6.9	11.5	8.6	7.1	10.7	9.3	6.5	13.2
All ages	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
<b>Kerala</b>									
Below 1	1.2	1.7	0.6	0.8	1.0	0.5	1.6	2.3	0.6
1-4	0.4	0.4	0.4	0.2	0.3	0.1	0.5	0.5	0.6
0-4	1.6	2.0	0.9	1.0	1.3	0.6	2.2	2.8	1.3
5-9	0.4	0.5	0.4	0.3	0.5	0.1	0.6	0.5	0.7
10-14	0.5	0.5	0.5	0.4	0.5	0.3	0.6	0.5	0.7
15-19	0.6	0.6	0.7	0.7	0.8	0.7	0.5	0.5	0.6
20-24	1.2	1.4	1.0	1.3	1.3	1.3	1.1	1.4	0.6
25-29	1.0	1.1	0.8	1.2	1.4	1.0	0.8	0.9	0.6
30-34	1.4	1.4	1.4	1.7	1.9	1.5	1.0	0.8	1.3
35-39	1.6	1.9	1.1	1.9	2.2	1.5	1.2	1.6	0.7
40-44	3.0	3.6	2.2	2.8	3.1	2.4	3.2	4.1	2.0
45-49	3.4	4.3	2.1	3.3	3.7	2.8	3.5	5.0	1.3
50-54	5.6	6.6	4.2	5.0	5.4	4.5	6.2	7.8	3.9
55-59	8.3	9.5	6.7	8.2	9.2	7.0	8.3	9.7	6.4
60-64	9.5	11.2	7.3	10.0	11.8	7.8	9.0	10.6	6.7
65-69	11.7	12.8	10.4	11.2	11.8	10.4	12.3	13.7	10.3
70-74	11.7	11.5	11.9	11.7	11.7	11.7	11.7	11.3	12.2
75-79	11.0	10.0	12.3	11.3	11.2	11.4	10.7	8.8	13.3
80-84	12.2	9.8	15.3	11.5	10.2	13.1	12.8	9.4	17.7
85+	15.4	11.3	20.8	16.4	12.0	21.9	14.4	10.7	19.7
All ages	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0

**Table 10****Percentage distribution of deaths to total deaths by residence, sex and age-group, 2020**

Age group	Total			Rural			Urban		
	Total	Male	Female	Total	Male	Female	Total	Male	Female
<b>Madhya Pradesh</b>									
Below 1	16.0	15.3	17.1	17.9	17.1	18.8	9.8	9.2	10.8
1-4	2.1	1.9	2.4	2.4	2.2	2.6	1.0	0.7	1.5
0-4	18.1	17.1	19.5	20.3	19.4	21.4	10.8	9.8	12.3
5-9	0.7	0.6	0.8	0.8	0.8	0.8	0.4	0.2	0.8
10-14	1.0	0.6	1.6	1.2	0.7	1.8	0.6	0.4	0.8
15-19	1.7	1.8	1.6	2.0	2.1	1.8	0.7	0.7	0.7
20-24	2.9	2.7	3.2	2.9	2.7	3.3	2.8	2.7	2.8
25-29	2.9	3.0	2.9	2.6	2.7	2.3	4.2	3.8	4.9
30-34	2.3	2.2	2.4	2.7	2.7	2.8	0.9	0.8	1.1
35-39	2.6	3.1	1.9	2.7	3.0	2.3	2.4	3.5	0.8
40-44	3.3	3.7	2.7	3.2	3.7	2.6	3.5	3.5	3.4
45-49	3.7	4.1	3.2	3.5	3.9	2.8	4.7	4.7	4.6
50-54	4.1	4.9	2.9	3.6	4.3	2.7	5.8	7.2	3.8
55-59	6.1	6.2	5.9	6.0	5.9	6.1	6.5	7.3	5.3
60-64	9.1	10.1	7.6	8.8	9.8	7.6	9.9	11.4	7.8
65-69	7.8	7.8	7.8	7.3	7.7	6.8	9.5	8.2	11.4
70-74	10.1	10.1	10.2	9.8	9.4	10.3	11.2	12.2	9.8
75-79	7.9	8.0	7.7	7.3	7.3	7.4	9.7	10.2	9.1
80-84	7.7	7.5	7.8	7.7	7.5	7.8	7.6	7.4	7.9
85+	8.0	6.5	10.1	7.8	6.6	9.4	8.8	6.0	12.8
All ages	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
<b>Maharashtra</b>									
Below 1	4.3	3.9	4.8	4.8	4.4	5.3	3.4	3.1	3.8
1-4	0.7	0.5	0.8	0.9	0.7	1.2	0.3	0.3	0.2
0-4	5.0	4.5	5.6	5.7	5.1	6.5	3.7	3.4	4.0
5-9	0.4	0.4	0.4	0.3	0.3	0.5	0.5	0.7	0.3
10-14	0.7	0.6	0.9	0.6	0.4	0.9	1.0	0.9	1.0
15-19	1.4	1.3	1.5	1.6	1.5	1.8	1.0	1.1	1.0
20-24	1.8	2.0	1.6	2.0	2.2	1.7	1.6	1.7	1.4
25-29	2.1	2.5	1.5	2.2	2.6	1.6	2.0	2.4	1.4
30-34	2.2	2.6	1.6	2.4	2.8	1.9	1.9	2.4	1.2
35-39	2.7	3.5	1.7	2.8	3.4	2.0	2.7	3.7	1.1
40-44	3.2	4.1	2.0	2.5	3.4	1.4	4.3	5.2	3.1
45-49	4.3	4.3	4.3	3.5	3.9	2.9	5.6	5.0	6.6
50-54	6.2	7.4	4.6	5.4	6.8	3.5	7.6	8.4	6.4
55-59	7.9	8.4	7.3	7.4	8.4	6.2	8.8	8.5	9.1
60-64	9.2	9.5	8.7	8.5	8.9	7.9	10.3	10.5	10.1
65-69	10.7	10.2	11.4	10.3	9.6	11.3	11.4	11.3	11.6
70-74	12.1	10.6	14.0	12.4	11.1	14.1	11.5	9.9	13.7
75-79	11.9	11.9	11.9	13.2	13.3	12.9	9.9	9.6	10.2
80-84	8.9	8.3	9.6	9.4	8.6	10.5	8.0	8.0	8.1
85+	9.2	7.6	11.3	9.7	7.7	12.4	8.3	7.5	9.5
All ages	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0

**Table 10****Percentage distribution of deaths to total deaths by residence, sex and age-group, 2020**

Age group	Total			Rural			Urban		
	Total	Male	Female	Total	Male	Female	Total	Male	Female
<b>Odisha</b>									
Below 1	8.6	8.2	9.1	9.1	8.7	9.6	5.6	5.3	6.0
1-4	0.6	0.5	0.8	0.6	0.4	0.9	0.6	1.0	0.0
0-4	9.2	8.7	9.9	9.8	9.1	10.5	6.1	6.3	6.0
5-9	0.3	0.2	0.4	0.4	0.3	0.4	0.2	0.0	0.4
10-14	0.7	0.7	0.7	0.7	0.7	0.7	0.6	0.4	0.8
15-19	1.1	1.0	1.3	1.2	1.1	1.4	0.4	0.3	0.5
20-24	1.7	1.4	2.1	1.6	1.1	2.2	2.1	2.6	1.4
25-29	2.1	2.2	1.8	1.9	1.9	1.9	2.9	3.6	1.8
30-34	2.0	2.4	1.5	1.9	2.2	1.6	2.1	3.3	0.5
35-39	3.1	3.3	2.7	3.2	3.3	3.0	2.6	3.4	1.4
40-44	3.8	4.3	3.3	3.8	4.2	3.3	4.0	4.6	3.1
45-49	4.0	4.3	3.8	3.9	4.0	3.8	4.7	5.3	3.9
50-54	4.1	5.6	2.3	3.7	5.0	2.2	6.1	8.6	2.8
55-59	7.8	7.0	8.9	7.7	7.0	8.6	8.4	7.1	10.2
60-64	7.9	8.2	7.6	7.7	8.1	7.3	8.9	8.7	9.0
65-69	10.4	10.3	10.5	10.3	10.3	10.3	10.8	10.3	11.5
70-74	11.2	11.7	10.6	11.2	11.7	10.7	11.3	12.0	10.4
75-79	10.6	9.8	11.7	10.7	10.2	11.3	10.3	7.5	14.2
80-84	8.0	7.6	8.5	8.0	7.6	8.6	7.8	7.4	8.3
85+	11.9	11.5	12.4	12.1	12.1	12.1	10.7	8.5	13.8
All ages	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
<b>Punjab</b>									
Below 1	3.6	3.2	4.3	3.4	3.1	3.9	4.0	3.4	5.0
1-4	0.5	0.3	0.9	0.7	0.2	1.4	0.3	0.4	0.0
0-4	4.2	3.5	5.2	4.1	3.3	5.3	4.3	3.8	5.0
5-9	0.3	0.3	0.3	0.2	0.3	0.1	0.5	0.4	0.7
10-14	0.4	0.3	0.4	0.3	0.3	0.3	0.5	0.4	0.6
15-19	1.0	0.6	1.6	0.9	1.0	0.7	1.3	0.0	3.3
20-24	1.4	1.3	1.6	1.9	1.8	2.1	0.5	0.4	0.7
25-29	2.5	3.4	1.1	2.6	4.0	0.7	2.2	2.5	1.9
30-34	2.5	3.2	1.6	2.5	3.4	1.4	2.5	2.8	1.9
35-39	2.7	3.0	2.4	2.6	3.0	2.0	3.0	2.9	3.2
40-44	3.6	4.6	2.1	3.5	4.4	2.3	3.8	5.0	1.9
45-49	5.0	5.6	4.2	4.2	4.8	3.4	6.6	7.1	5.7
50-54	5.8	7.4	3.4	6.4	8.6	3.5	4.5	5.4	3.1
55-59	8.5	9.2	7.5	7.9	8.5	7.1	9.6	10.4	8.3
60-64	9.7	10.6	8.3	8.6	8.0	9.6	11.6	15.4	5.7
65-69	11.5	11.0	12.2	10.7	10.5	11.0	13.0	12.1	14.5
70-74	11.7	10.4	13.6	11.4	8.7	15.0	12.3	13.3	10.8
75-79	10.0	8.7	11.8	11.2	9.6	13.3	7.7	7.0	8.9
80-84	8.7	7.3	10.8	9.4	8.6	10.6	7.4	4.9	11.3
85+	10.5	9.4	12.0	11.5	11.2	11.8	8.7	6.2	12.5
All ages	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0

**Table 10****Percentage distribution of deaths to total deaths by residence, sex and age-group, 2020**

Age group	Total			Rural			Urban		
	Total	Male	Female	Total	Male	Female	Total	Male	Female
<b>Rajasthan</b>									
Below 1	13.4	11.5	16.1	14.7	12.0	18.4	9.4	9.8	8.9
1-4	2.3	1.6	3.3	2.7	1.7	4.0	1.2	1.2	1.1
0-4	15.8	13.1	19.4	17.3	13.7	22.4	10.6	11.0	10.1
5-9	0.3	0.3	0.4	0.4	0.3	0.5	0.0	0.0	0.0
10-14	0.7	0.4	1.2	1.0	0.5	1.6	0.0	0.0	0.0
15-19	1.6	1.7	1.5	1.7	1.7	1.6	1.3	1.6	1.0
20-24	2.6	2.5	2.9	3.0	2.8	3.3	1.4	1.2	1.6
25-29	2.5	2.7	2.3	2.6	2.8	2.4	2.1	2.2	2.1
30-34	2.2	2.6	1.7	2.1	2.4	1.6	2.6	3.1	2.0
35-39	2.7	2.7	2.8	2.7	3.1	2.2	2.9	1.5	4.8
40-44	3.2	4.2	1.9	3.3	4.0	2.3	2.9	4.8	0.6
45-49	3.6	4.1	2.9	3.6	4.2	2.7	3.5	3.5	3.6
50-54	4.1	5.0	2.9	3.4	4.2	2.3	6.5	7.8	4.8
55-59	7.3	8.2	6.2	7.1	7.8	5.9	8.3	9.5	6.8
60-64	8.5	8.8	8.1	8.0	9.1	6.5	10.4	8.1	13.4
65-69	9.7	10.2	8.9	8.9	9.9	7.6	12.1	11.3	13.2
70-74	8.9	9.0	8.6	8.8	9.2	8.1	9.1	8.3	10.2
75-79	8.9	9.6	8.0	8.6	9.2	7.8	9.9	11.0	8.4
80-84	8.3	7.3	9.6	8.1	6.8	10.0	8.8	9.2	8.2
85+	9.0	7.7	10.8	9.5	8.1	11.3	7.4	6.0	9.2
All ages	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
<b>Tamil Nadu</b>									
Below 1	2.9	2.6	3.3	2.9	2.6	3.5	2.8	2.6	3.0
1-4	0.2	0.1	0.2	0.1	0.1	0.2	0.2	0.2	0.3
0-4	3.0	2.7	3.5	3.1	2.6	3.6	3.0	2.8	3.3
5-9	0.3	0.2	0.4	0.3	0.1	0.5	0.2	0.2	0.3
10-14	0.5	0.4	0.5	0.5	0.3	0.7	0.4	0.6	0.3
15-19	0.7	0.5	0.9	0.8	0.4	1.3	0.5	0.6	0.5
20-24	1.1	1.1	1.2	1.1	1.2	1.1	1.1	0.9	1.4
25-29	1.5	1.8	1.1	1.5	1.6	1.4	1.5	2.0	0.7
30-34	2.1	2.5	1.4	2.4	2.9	1.7	1.6	2.0	1.0
35-39	2.2	2.9	1.1	2.2	3.1	1.1	2.0	2.8	1.0
40-44	3.7	4.5	2.5	4.1	5.1	2.7	3.1	3.7	2.3
45-49	4.5	5.2	3.5	4.5	5.3	3.5	4.4	5.0	3.5
50-54	7.5	8.9	5.5	6.8	8.3	4.6	8.5	9.8	6.6
55-59	8.4	9.4	7.0	8.1	8.9	7.0	8.8	10.0	7.1
60-64	9.8	10.6	8.7	10.5	11.8	8.5	9.0	9.1	8.8
65-69	11.0	11.1	10.9	10.6	10.7	10.5	11.5	11.6	11.4
70-74	14.2	13.1	15.8	14.9	14.1	16.0	13.4	11.9	15.5
75-79	10.5	9.4	12.1	11.2	9.8	13.1	9.6	8.8	10.8
80-84	10.1	8.9	11.9	9.8	7.8	12.7	10.5	10.2	10.9
85+	9.0	6.9	12.0	7.7	6.0	10.0	10.7	8.0	14.5
All ages	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0

**Table 10****Percentage distribution of deaths to total deaths by residence, sex and age-group, 2020**

Age group	Total			Rural			Urban		
	Total	Male	Female	Total	Male	Female	Total	Male	Female
<b>Telangana</b>									
Below 1	5.9	5.7	6.0	5.7	5.5	6.0	6.3	6.4	6.1
1-4	0.3	0.3	0.4	0.1	0.0	0.3	0.8	1.0	0.6
0-4	6.2	6.0	6.4	5.8	5.5	6.3	7.0	7.4	6.6
5-9	0.4	0.3	0.7	0.2	0.0	0.5	1.1	1.0	1.1
10-14	0.5	0.5	0.5	0.4	0.3	0.5	0.8	1.0	0.6
15-19	1.0	0.8	1.4	1.2	0.9	1.5	0.8	0.5	1.1
20-24	2.2	2.3	2.1	2.3	2.7	1.8	1.8	1.0	2.7
25-29	2.4	3.0	1.6	3.1	3.9	2.1	0.5	0.5	0.6
30-34	3.1	4.2	1.6	3.7	5.0	1.9	1.5	2.0	1.1
35-39	3.4	4.4	2.1	3.1	4.1	1.6	4.1	4.9	3.3
40-44	4.8	6.4	2.8	4.7	6.4	2.4	5.3	6.5	3.9
45-49	6.4	6.9	5.7	6.8	7.5	5.9	5.5	5.4	5.5
50-54	6.9	7.1	6.5	8.1	8.5	7.7	3.6	3.4	3.9
55-59	6.9	6.8	7.0	7.2	6.4	8.2	6.1	7.7	4.4
60-64	9.8	10.4	9.0	9.6	9.4	9.8	10.3	13.2	7.0
65-69	10.2	9.9	10.5	10.3	10.1	10.6	9.8	9.4	10.3
70-74	13.1	11.6	14.9	12.3	11.1	14.0	15.0	13.3	16.8
75-79	9.3	8.1	10.8	9.3	8.2	10.9	9.3	7.9	10.8
80-84	7.5	6.9	8.1	6.8	6.4	7.3	9.1	8.4	9.9
85+	6.0	4.3	8.1	5.1	3.6	7.1	8.3	6.3	10.5
All ages	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
<b>Uttar Pradesh</b>									
Below 1	14.6	14.1	15.3	15.5	14.8	16.3	11.5	11.3	11.8
1-4	1.4	1.3	1.4	1.5	1.3	1.6	1.0	1.4	0.5
0-4	16.0	15.4	16.7	16.9	16.1	17.9	12.5	12.7	12.3
5-9	0.3	0.3	0.3	0.4	0.4	0.3	0.2	0.0	0.4
10-14	1.0	0.8	1.2	1.2	0.9	1.5	0.3	0.3	0.3
15-19	1.8	1.5	2.1	2.0	1.8	2.1	1.3	0.5	2.1
20-24	2.7	2.4	3.0	2.9	2.7	3.2	1.9	1.6	2.2
25-29	2.9	3.0	2.9	3.0	3.2	2.8	2.7	2.2	3.2
30-34	2.9	2.9	2.9	2.9	2.8	3.1	2.5	2.9	2.1
35-39	3.1	3.0	3.1	3.1	2.7	3.5	3.1	4.2	1.9
40-44	4.1	4.6	3.5	3.9	4.2	3.5	4.9	6.1	3.6
45-49	3.9	3.9	3.8	3.6	3.7	3.4	4.9	4.6	5.2
50-54	4.4	4.4	4.3	4.6	4.8	4.4	3.6	3.2	4.1
55-59	7.2	7.5	6.8	6.5	6.9	6.1	9.7	9.9	9.6
60-64	7.5	7.7	7.3	6.8	6.9	6.6	10.3	10.8	9.7
65-69	9.5	9.7	9.1	8.7	8.7	8.6	12.4	13.8	11.0
70-74	10.5	10.5	10.6	10.9	10.9	10.8	9.2	8.8	9.7
75-79	9.3	9.7	8.8	9.5	9.9	9.0	8.5	9.0	8.1
80-84	5.7	5.2	6.3	5.5	5.3	5.8	6.5	4.9	8.1
85+	7.3	7.3	7.2	7.8	8.0	7.4	5.5	4.6	6.4
All ages	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0

**Table 10****Percentage distribution of deaths to total deaths by residence, sex and age-group, 2020**

Age group	Total			Rural			Urban		
	Total	Male	Female	Total	Male	Female	Total	Male	Female
<b>Uttaranchal</b>									
Below 1	6.5	6.1	7.0	6.2	5.8	6.7	7.3	6.9	7.9
1-4	0.5	0.3	0.6	0.3	0.3	0.4	0.9	0.6	1.2
0-4	6.9	6.4	7.6	6.6	6.1	7.2	8.2	7.5	9.1
5-9	0.4	0.1	0.8	0.4	0.1	0.8	0.3	0.0	0.8
10-14	0.2	0.1	0.4	0.3	0.1	0.5	0.0	0.0	0.0
15-19	0.9	1.1	0.7	1.0	1.3	0.6	0.5	0.3	0.8
20-24	2.9	3.0	2.9	3.5	3.8	3.2	0.9	0.3	1.6
25-29	2.5	2.4	2.7	2.5	2.1	3.1	2.5	3.4	1.2
30-34	4.0	4.7	3.1	4.1	4.8	3.2	3.5	4.4	2.4
35-39	2.3	2.5	1.9	2.2	2.4	1.9	2.4	2.8	2.0
40-44	4.7	6.1	2.7	4.8	6.3	2.8	4.2	5.6	2.4
45-49	4.6	5.3	3.7	4.5	5.1	3.8	4.9	5.9	3.5
50-54	5.0	6.5	2.9	4.6	6.1	2.7	6.1	8.2	3.6
55-59	7.4	6.9	8.2	7.1	6.2	8.3	8.7	9.3	7.9
60-64	8.4	9.0	7.7	7.4	8.3	6.0	12.1	11.2	13.1
65-69	10.9	10.2	12.0	10.7	10.4	11.0	11.9	9.5	15.1
70-74	11.7	11.6	11.9	11.7	11.7	11.8	11.7	11.3	12.2
75-79	8.7	8.6	8.8	9.1	9.1	9.1	7.3	6.9	7.9
80-84	7.7	6.5	9.2	7.8	6.2	10.0	7.3	7.8	6.7
85+	10.7	9.1	12.9	11.6	10.1	13.8	7.5	5.6	9.8
All ages	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
<b>West Bengal</b>									
Below 1	5.0	4.8	5.3	5.8	5.6	6.2	3.4	3.2	3.6
1-4	0.7	0.5	1.1	0.9	0.5	1.3	0.5	0.3	0.8
0-4	5.8	5.3	6.5	6.7	6.1	7.4	3.9	3.4	4.4
5-9	0.5	0.6	0.4	0.6	0.8	0.4	0.3	0.2	0.4
10-14	0.5	0.6	0.4	0.7	0.8	0.6	0.1	0.2	0.0
15-19	1.1	1.2	1.0	1.4	1.5	1.3	0.5	0.5	0.5
20-24	1.7	1.3	2.2	1.8	1.7	2.0	1.4	0.3	2.7
25-29	1.7	1.5	1.8	1.9	1.5	2.5	1.1	1.5	0.5
30-34	1.9	2.6	1.0	2.1	2.9	1.1	1.5	1.9	0.9
35-39	2.3	2.4	2.1	2.2	2.3	2.0	2.4	2.7	2.1
40-44	3.2	3.4	2.9	2.9	3.0	2.9	3.8	4.4	3.0
45-49	4.1	5.0	2.9	3.3	4.4	2.0	5.6	6.4	4.7
50-54	4.8	5.7	3.6	4.2	5.3	2.6	6.1	6.6	5.5
55-59	8.5	8.0	9.2	8.2	7.6	9.0	9.3	9.0	9.7
60-64	9.8	10.5	8.9	9.5	9.7	9.1	10.6	12.2	8.5
65-69	12.7	13.3	12.0	11.7	12.2	11.0	14.9	15.6	13.9
70-74	11.9	12.8	10.7	12.2	13.2	11.0	11.3	12.1	10.2
75-79	10.9	10.8	11.0	11.5	11.9	11.0	9.5	8.4	11.0
80-84	8.7	7.1	10.9	8.8	7.3	10.8	8.5	6.5	11.1
85+	9.9	7.9	12.5	10.2	7.9	13.3	9.3	8.1	10.8
All ages	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0

**Table 11**  
**Birth rate, death rate and infant mortality rate by NSSO natural Division, 2020**

Bigger States	Name of the natural Division	Number of ND	No. of Sample Units			Estimated vital rates		
			Total	Rural	Urban	Birth rate	Death rate	Infant mortality rate
Jammu & Kashmir	Mountainous	1	133	70	63	13.1	4.9	15
	Outer Hills	2	71	64	7	16.6	4.4	16
	Jhelam Valley	3	73	41	32	14.4	4.6	18
	<b>Total</b>		<b>277</b>	<b>175</b>	<b>102</b>	<b>14.6</b>	<b>4.6</b>	<b>17</b>
Punjab	Northern	1	118	62	56	13.9	7.6	17
	Southern	2	131	68	63	14.6	6.8	19
	<b>Total</b>		<b>249</b>	<b>130</b>	<b>119</b>	<b>14.3</b>	<b>7.2</b>	<b>18</b>
Haryana	Eastern	1	154	75	79	19.6	6.1	28
	Western	2	101	69	32	20.4	5.9	28
	<b>Total</b>		<b>255</b>	<b>144</b>	<b>111</b>	<b>19.9</b>	<b>6.1</b>	<b>28</b>
Rajasthan	Western	1	73	51	22	22.9	5.4	33
	North Eastern	2	81	49	32	23.6	5.4	31
	Southern	3	49	39	10	25.6	5.9	37
	South Eastern	4	65	41	24	24.8	6.2	33
	Northern	5	82	56	26	21.8	5.7	29
	<b>Total</b>		<b>350</b>	<b>236</b>	<b>114</b>	<b>23.5</b>	<b>5.6</b>	<b>32</b>
Uttar Pradesh	Northern Upper G	1	119	61	58	21.8	5.6	27
	Central	2	101	64	37	22.7	6.2	40
	Eastern	3	98	81	17	28.5	6.8	38
	Southern	4	96	66	30	23.7	6.7	35
	Southern Upper G	5	86	56	30	21.9	6.3	42
	<b>Total</b>		<b>500</b>	<b>328</b>	<b>172</b>	<b>25.1</b>	<b>6.5</b>	<b>38</b>
Bihar	Northern	1	158	96	62	25.7	5.3	27
	Central	2	172	104	68	25.1	5.7	28
	<b>Total</b>		<b>330</b>	<b>200</b>	<b>130</b>	<b>25.5</b>	<b>5.4</b>	<b>27</b>
Assam	Plains Eastern	1	70	21	49	20.6	6.8	29
	Plains Western	2	87	26	61	20.7	5.8	33
	Cachar Plain	3	73	22	51	21.5	6.5	41
	Central Brahmapuri	4	70	20	49	20.4	6.2	46
	<b>Total</b>		<b>299</b>	<b>89</b>	<b>210</b>	<b>20.8</b>	<b>6.2</b>	<b>36</b>
West Bengal	Himalayan	1	93	62	31	14.7	5.4	17
	Eastern Plains	2	62	46	16	17.1	5.3	24
	Southern Plains	3	150	81	69	14.0	5.4	16
	Central Plains	4	155	54	101	12.1	5.7	16
	Western Plains	5	95	61	34	14.5	5.5	19
	<b>Total</b>		<b>555</b>	<b>304</b>	<b>251</b>	<b>14.6</b>	<b>5.5</b>	<b>19</b>

**Table 11**  
**Birth rate, death rate and infant mortality rate by NSSO natural Division, 2020**

Bigger States	Name of the natural Division	Number of ND	No. of Sample Units			Estimated vital rates		
			Total	Rural	Urban	Birth rate	Death rate	Infant mortality rate
Jharkhand	Ranchi Plateau	1	118	51	67	21.6	5.7	25
	Hazaribagh Platea	2	92	40	52	22.3	4.9	24
	<b>Total</b>		<b>210</b>	<b>91</b>	<b>119</b>	<b>22.0</b>	<b>5.2</b>	<b>25</b>
Orissa	Coastal	1	193	138	55	17.2	6.6	27
	Southern	2	137	98	39	18.4	7.6	39
	Northern	3	75	54	21	17.5	7.9	43
	<b>Total</b>		<b>405</b>	<b>290</b>	<b>115</b>	<b>17.7</b>	<b>7.3</b>	<b>36</b>
Chattisgarh	Northern Chhattis.	1	53	24	29	22.4	7.6	45
	Mahanadi Basin	2	71	33	38	21.7	7.9	36
	Southern Chhattis.	3	34	16	18	23.6	8.5	43
	<b>Total</b>		<b>158</b>	<b>73</b>	<b>85</b>	<b>22.0</b>	<b>7.9</b>	<b>38</b>
Madhya Pradesh	Vindhya	1	65	35	30	26.1	7.0	48
	Central	2	79	45	34	21.5	5.9	39
	Malwa	3	67	41	26	24.0	6.0	41
	South	4	90	59	31	22.3	7.6	42
	South Western	5	94	66	28	23.2	6.6	41
	Northern	6	53	39	14	26.9	6.0	45
	<b>Total</b>		<b>448</b>	<b>285</b>	<b>163</b>	<b>24.1</b>	<b>6.5</b>	<b>43</b>
Gujarat	South Eastern	1	78	53	25	21.0	5.6	22
	Plains Northern	2	115	53	62	18.3	5.7	24
	Dry areas	3	123	51	72	20.3	5.0	24
	Saurashtra	4	162	74	88	17.4	5.5	21
	<b>Total</b>		<b>478</b>	<b>231</b>	<b>247</b>	<b>19.3</b>	<b>5.6</b>	<b>23</b>
Maharashtra	Coastal	1	179	28	150	14.9	4.6	11
	Inland Western	2	95	65	30	13.9	5.7	13
	Inland Northern	3	83	46	37	17.5	5.8	16
	Inland Central	4	79	40	39	16.7	5.2	20
	Inland Eastern	5	142	73	69	13.9	5.9	19
	Eastern	6	84	54	30	13.6	7.1	23
	<b>Total</b>		<b>661</b>	<b>306</b>	<b>355</b>	<b>15.0</b>	<b>5.5</b>	<b>16</b>
Telangana	Inland North Wes	1	111	46	65	16.4	5.5	21
	Inland North East	2	113	75	38	16.5	6.8	22
	<b>Total</b>		<b>224</b>	<b>121</b>	<b>103</b>	<b>16.4</b>	<b>6.0</b>	<b>21</b>
Andhra Pradesh	Coastal Northern	1	115	73	42	15.1	7.0	23
	Coastal Southern	2	114	67	47	15.8	6.4	25
	Inland Southern	3	96	58	38	16.2	5.5	23
	<b>Total</b>		<b>325</b>	<b>198</b>	<b>127</b>	<b>15.7</b>	<b>6.3</b>	<b>24</b>

**Table 11**  
**Birth rate, death rate and infant mortality rate by NSSO natural Division, 2020**

Bigger States	Name of the natural Division	Number of ND	No. of Sample Units			Estimated vital rates		
			Total	Rural	Urban	Birth rate	Death rate	Infant mortality rate
Karnataka	Coastal & Ghats	1	227	160	67	13.4	6.4	10
	Inland Eastern	2	119	84	35	13.8	7.8	17
	Inland Southern	3	58	41	17	15.0	5.9	18
	Inland Northern	4	107	76	31	18.7	6.1	21
	<b>Total</b>		<b>511</b>	<b>361</b>	<b>150</b>	<b>16.5</b>	<b>6.2</b>	<b>19</b>
Kerala	Northern	1	110	66	44	15.3	6.1	6
	Southern	2	170	109	61	11.4	7.8	7
	<b>Total</b>		<b>280</b>	<b>175</b>	<b>105</b>	<b>13.2</b>	<b>7.0</b>	<b>6</b>
Tamil Nadu	Coastal Northern	1	197	80	117	14.3	5.5	13
	Coastal	2	87	54	33	13.7	5.8	16
	Southern	3	138	57	81	13.9	7.0	12
	Inland	4	123	44	79	13.1	6.3	12
	<b>Total</b>		<b>545</b>	<b>235</b>	<b>310</b>	<b>13.8</b>	<b>6.1</b>	<b>13</b>

## **Tables on Trend**

**Table 12: Annual estimates of Birth rate by residence, India and bigger States/UTs, 2015-20**

India & bigger States/Uts	Total						Rural						Urban					
	2015	2016	2017	2018	2019	2020	2015	2016	2017	2018	2019	2020	2015	2016	2017	2018	2019	2020
<b>India</b>	<b>20.8</b>	<b>20.4</b>	<b>20.2</b>	<b>20.0</b>	<b>19.7</b>	<b>19.5</b>	<b>22.4</b>	<b>22.1</b>	<b>21.8</b>	<b>21.6</b>	<b>21.4</b>	<b>21.1</b>	<b>17.3</b>	<b>17.0</b>	<b>16.8</b>	<b>16.7</b>	<b>16.4</b>	<b>16.1</b>
Andhra Pradesh	16.8	16.4	16.2	16.0	15.9	15.7	17.1	16.7	16.5	16.4	16.2	16.0	16.1	15.8	15.5	15.3	15.2	15.0
Assam	22.0	21.7	21.2	21.1	21.0	20.8	23.2	22.8	22.4	22.2	22.1	21.9	15.3	15.0	14.7	14.6	14.5	14.3
Bihar	26.3	26.8	26.4	26.2	25.8	25.5	27.1	27.7	27.2	26.8	26.5	26.2	20.6	21.1	20.9	21.9	21.2	21.0
Chhattisgarh	23.2	22.8	22.7	22.5	22.2	22.0	24.8	24.3	24.1	24.0	23.6	23.4	18.3	18.1	18.0	17.8	17.6	17.3
Delhi	16.4	15.5	15.2	14.7	14.4	14.2	17.9	17.0	16.5	16.2	15.8	15.5	16.4	15.5	15.2	14.7	14.4	14.1
Gujarat	20.4	20.1	19.9	19.7	19.5	19.3	22.4	22.0	21.8	21.6	21.3	21.1	18.0	17.7	17.6	17.4	17.3	17.1
Haryana	20.9	20.7	20.5	20.3	20.1	19.9	22.3	22.0	21.9	21.7	21.4	21.2	18.4	18.3	18.2	18.0	17.9	17.7
Himachal Pradesh	16.3	16.0	15.8	15.7	15.4	15.3	16.8	16.5	16.3	16.2	15.9	15.7	10.6	10.5	10.3	10.3	10.1	10.0
Jammu & Kashmir	16.2	15.7	15.4	15.4	14.9	14.6	18.0	17.4	17.1	17.0	16.5	16.1	10.7	11.9	11.6	11.7	11.3	11.1
Jharkhand	23.5	22.9	22.7	22.6	22.3	22.0	25.0	24.5	24.2	24.0	23.7	23.4	19.2	18.4	18.2	18.1	17.8	17.6
Karnataka	17.9	17.6	17.4	17.2	16.9	16.5	18.8	18.5	18.2	18.1	17.8	17.5	16.5	16.2	16.1	15.9	15.5	15.0
Kerala	14.8	14.3	14.2	13.9	13.5	13.2	14.8	14.3	14.1	13.8	13.4	13.1	14.8	14.4	14.2	14.0	13.7	13.3
Madhya Pradesh	25.5	25.1	24.8	24.6	24.5	24.1	27.6	27.1	26.8	26.6	26.4	26.0	19.7	19.5	19.4	19.1	19.0	18.8
Maharashtra	16.3	15.9	15.7	15.6	15.3	15.0	16.6	16.3	16.0	15.9	15.6	15.3	15.9	15.5	15.4	15.2	15.0	14.6
Odisha	19.2	18.6	18.3	18.2	18.0	17.7	20.3	19.6	19.3	19.2	19.0	18.7	14.1	13.7	13.5	13.4	13.2	13.1
Punjab	15.2	14.9	14.9	14.8	14.5	14.3	15.9	15.6	15.5	15.3	15.0	14.9	14.2	14.1	14.1	14.0	13.8	13.6
Rajasthan	24.8	24.3	24.1	24.0	23.7	23.5	25.7	25.2	25.0	24.9	24.7	24.4	22.0	21.6	21.5	21.3	21.1	20.8
Tamil Nadu	15.2	15.0	14.9	14.7	14.2	13.8	15.3	15.1	15.0	14.8	14.3	14.0	15.2	15.0	14.9	14.6	14.0	13.6
Telangana	17.8	17.5	17.2	16.9	16.7	16.4	18.2	17.8	17.5	17.2	17.0	16.8	17.2	17.0	16.8	16.5	16.1	15.9
Uttar Pradesh	26.7	26.2	25.9	25.6	25.4	25.1	27.9	27.3	27.0	26.6	26.4	26.1	23.0	22.8	22.6	22.5	22.3	22.1
Uttarakhand	17.8	16.6	17.3	16.7	17.1	16.6	18.0	16.8	17.6	16.8	17.5	17.0	17.1	16.0	16.4	16.4	16.1	15.6
West Bengal	15.5	15.4	15.2	15.0	14.9	14.6	17.3	16.9	16.7	16.5	16.4	16.1	11.6	11.8	11.7	11.5	11.5	11.2

**Table 13: Annual estimates of Death rate by sex, India and bigger States/UTs, 2015-20**

India & bigger States/Uts	Total						Male						Female					
	2015	2016	2017	2018	2019	2020	2015	2016	2017	2018	2019	2020	2015	2016	2017	2018	2019	2020
<b>India</b>	<b>6.5</b>	<b>6.4</b>	<b>6.3</b>	<b>6.2</b>	<b>6.0</b>	<b>6.0</b>	<b>7.1</b>	<b>6.8</b>	<b>6.7</b>	<b>6.6</b>	<b>6.5</b>	<b>6.6</b>	<b>5.4</b>	<b>5.9</b>	<b>5.9</b>	<b>5.7</b>	<b>5.0</b>	<b>5.4</b>
Andhra Pradesh	7.1	6.8	7.2	6.7	6.4	6.3	7.9	7.5	8.1	7.4	7.1	7.1	5	6.1	6.4	5.9	4.8	5.6
Assam	7.1	6.7	6.5	6.4	6.3	6.2	7.4	7.4	7.1	6.9	6.4	6.7	5.1	6.0	5.9	5.8	5.2	5.8
Bihar	6.2	6.0	5.8	5.8	5.5	5.4	6.3	6.0	5.7	5.7	5.6	5.4	5.1	6.0	5.9	6.0	5.2	5.4
Chhattisgarh	7.5	7.4	7.5	8.0	7.3	7.9	8.1	7.8	8.2	8.4	7.7	8.6	5.6	7.0	6.9	7.7	6.2	7.2
Delhi	3.6	4.0	3.7	3.3	3.2	3.6	4.3	4.5	4.0	3.6	3.8	4.0	3.5	3.5	3.3	3.1	3.2	3.1
Gujarat	6.1	6.1	6.2	5.9	5.6	5.6	6.5	6.6	6.8	6.6	6.0	6.2	5.6	5.5	5.6	5.1	5.2	4.9
Haryana	6.1	5.9	5.8	5.9	5.9	6.1	6.3	6.5	6.5	6.9	6.6	7.1	5.7	5.2	5.0	4.8	4.8	5.0
Himachal Pradesh	6.6	6.8	6.6	6.9	6.9	6.8	6.8	8.0	7.7	8.3	7.1	8.1	4.2	5.6	5.5	5.5	3.9	5.5
Jammu & Kashmir	4.9	5.0	4.8	4.9	4.6	4.6	5.1	5.8	5.4	5.6	4.9	5.5	4.4	4.1	4.2	4.1	4.0	3.7
Jharkhand	5.8	5.5	5.5	5.4	5.3	5.2	6.1	5.1	5.0	4.9	5.6	5.0	4.9	6.0	6.1	6.0	4.4	5.5
Karnataka	6.6	6.7	6.5	6.3	6.2	6.2	7.7	7.2	7.1	6.8	7.1	7.1	5.0	6.2	6.0	5.8	4.6	5.3
Kerala	6.6	7.6	6.8	6.9	7.1	7.0	6.7	8.5	7.7	7.9	7.1	8.3	6.4	6.7	6.0	5.9	7.2	5.9
Madhya Pradesh	7.5	7.1	6.8	6.7	6.6	6.5	8.1	7.8	7.5	7.2	7.0	7.2	5.9	6.4	6.1	6.1	5.6	5.8
Maharashtra	5.8	5.9	5.7	5.5	5.4	5.5	6.6	6.2	5.9	6.0	6.2	6.1	4.7	5.5	5.4	4.9	4.4	4.8
Odisha	7.6	7.8	7.4	7.3	7.1	7.3	7.9	8.5	8.1	7.8	7.4	7.9	6.3	7.1	6.8	6.7	5.8	6.8
Punjab	6.2	6.0	7.0	6.6	6.6	7.2	6.9	6.4	7.7	7.4	8.0	7.9	5.1	5.4	6.2	5.7	4.7	6.3
Rajasthan	6.3	6.1	6.0	5.9	5.7	5.6	6.7	6.7	6.6	6.4	6.0	6.3	5.2	5.4	5.3	5.3	4.9	4.9
Tamil Nadu	6.7	6.4	6.7	6.5	6.1	6.1	7.6	7.2	7.5	7.4	7.4	7.1	6	5.5	5.8	5.5	4.9	5.1
Telangana	6.5	6.1	6.6	6.3	6.1	6.0	7.5	6.7	7.2	6.9	7.2	6.6	4.9	5.4	6.0	5.6	4.3	5.3
Uttar Pradesh	7.2	6.9	6.7	6.6	6.5	6.5	7.7	7.0	6.9	6.8	6.9	6.7	5.7	6.7	6.5	6.4	5.3	6.2
Uttarakhand	6.4	6.7	6.7	6.2	6.0	6.3	6.8	7.9	7.8	6.9	6.4	7.0	5.6	5.5	5.5	5.4	5.1	5.5
West Bengal	5.9	5.8	5.8	5.6	5.3	5.5	5.8	6.1	6.0	6.3	5.2	6.2	6.2	5.5	5.5	5.0	5.5	4.7

**Table 14: Annual estimates of Infant mortality rate by sex, India and bigger States/UTs, 2015-20**

India & bigger States/Uts	Total						Male						Female					
	2015	2016	2017	2018	2019	2020	2015	2016	2017	2018	2019	2020	2015	2016	2017	2018	2019	2020
<b>India</b>	<b>37</b>	<b>34</b>	<b>33</b>	<b>32</b>	<b>30</b>	<b>28</b>	<b>35</b>	<b>33</b>	<b>32</b>	<b>32</b>	<b>30</b>	<b>28</b>	<b>39</b>	<b>36</b>	<b>34</b>	<b>33</b>	<b>31</b>	<b>28</b>
Andhra Pradesh	37	34	32	29	25	24	36	33	31	30	25	24	38	35	33	29	26	24
Assam	47	44	44	41	40	36	47	43	41	40	38	35	47	45	46	44	41	37
Bihar	42	38	35	32	29	27	36	31	34	30	26	26	50	46	37	35	33	29
Chhattisgarh	41	39	38	41	40	38	40	39	39	42	40	35	41	38	37	39	40	41
Delhi	18	18	16	13	11	12	18	18	17	14	10	12	19	17	16	12	12	12
Gujarat	33	30	30	28	25	23	33	31	30	29	26	24	34	30	30	27	24	21
Haryana	36	33	30	30	27	28	36	31	28	31	28	29	37	35	31	29	26	27
Himachal Pradesh	28	25	23	19	19	17	28	23	22	19	24	23	27	26	23	20	15	12
Jammu & Kashmir	26	24	23	22	20	17	25	24	22	22	20	16	27	25	23	23	21	18
Jharkhand	32	29	29	30	27	25	30	27	25	27	25	24	35	31	33	34	29	26
Karnataka	28	24	25	23	21	19	26	22	24	21	20	18	30	27	26	25	22	20
Kerala	12	10	10	7	6	6	10	9	9	9	6	10	13	11	10	5	7	3
Madhya Pradesh	50	47	47	48	46	43	51	49	48	51	49	44	48	44	45	46	43	43
Maharashtra	21	19	19	19	17	16	19	18	18	19	16	15	22	19	19	18	15	
Odisha	46	44	41	40	38	36	45	44	40	40	38	35	47	44	41	39	38	36
Punjab	23	21	21	20	19	18	22	20	20	21	19	18	24	21	22	20	19	19
Rajasthan	43	41	38	37	35	32	40	39	37	37	36	31	47	44	40	38	35	33
Tamil Nadu	19	17	16	15	15	13	19	18	17	16	15	13	19	17	16	14	14	13
Telangana	34	31	29	27	23	21	33	31	28	27	24	21	34	30	29	26	22	22
Uttar Pradesh	46	43	41	43	41	38	44	41	39	43	40	37	48	45	43	44	42	38
Uttarakhand	34	38	32	31	27	24	31	36	35	33	27	24	38	41	29	28	28	24
West Bengal	26	25	24	22	20	19	25	24	23	22	20	20	28	26	24	22	20	18

**Table 15: Annual estimates of Total Fertility rate by residence, India and bigger States/UTs, 2015-20**

India & bigger States/Uts	Total						Rural					Urban						
	2015	2016	2017	2018	2019	2020	2015	2016	2017	2018	2019	2020	2015	2016	2017	2018	2019	2020
<b>India</b>	<b>2.3</b>	<b>2.3</b>	<b>2.2</b>	<b>2.2</b>	<b>2.1</b>	<b>2.0</b>	<b>2.5</b>	<b>2.5</b>	<b>2.4</b>	<b>2.4</b>	<b>2.3</b>	<b>2.2</b>	<b>1.8</b>	<b>1.8</b>	<b>1.7</b>	<b>1.7</b>	<b>1.7</b>	<b>1.6</b>
Andhra Pradesh	1.7	1.7	1.6	1.6	1.5	1.5	1.8	1.7	1.7	1.7	1.6	1.5	1.6	1.5	1.5	1.5	1.4	1.4
Assam	2.3	2.3	2.3	2.2	2.2	2.1	2.4	2.4	2.4	2.4	2.3	2.2	1.6	1.6	1.6	1.6	1.5	1.4
Bihar	3.2	3.3	3.2	3.2	3.1	3.0	3.3	3.4	3.3	3.3	3.2	3.1	2.5	2.5	2.4	2.5	2.4	2.3
Chhattisgarh	2.5	2.5	2.4	2.4	2.3	2.2	2.7	2.7	2.6	2.6	2.5	2.4	1.9	1.9	1.8	1.8	1.7	1.7
Delhi	1.7	1.6	1.5	1.5	1.5	1.4	1.8	1.8	1.6	1.5	1.5	1.4	1.7	1.6	1.5	1.5	1.5	1.4
Gujarat	2.2	2.2	2.2	2.1	2.1	2.0	2.5	2.5	2.4	2.4	2.3	2.2	1.9	1.9	1.8	1.8	1.8	1.7
Haryana	2.2	2.3	2.2	2.2	2.1	2.0	2.4	2.4	2.4	2.4	2.3	2.2	2.0	2.0	1.9	1.9	1.9	1.7
Himachal Pradesh	1.7	1.7	1.6	1.6	1.6	1.5	1.7	1.7	1.7	1.7	1.6	1.5	1.2	1.2	1.1	1.1	1.1	1.1
Jammu & Kashmir	1.6	1.7	1.6	1.6	1.5	1.5	1.9	1.9	1.8	1.8	1.7	1.6	1.0	1.2	1.2	1.2	1.1	1.1
Jharkhand	2.7	2.6	2.5	2.5	2.4	2.4	2.9	2.9	2.7	2.7	2.6	2.6	2.1	2.0	1.9	1.9	1.8	1.8
Karnataka	1.8	1.8	1.7	1.7	1.7	1.6	1.9	1.9	1.8	1.8	1.7	1.7	1.7	1.6	1.6	1.6	1.5	1.4
Kerala	1.8	1.8	1.7	1.7	1.6	1.5	1.8	1.8	1.7	1.7	1.6	1.5	1.8	1.8	1.7	1.7	1.6	1.5
Madhya Pradesh	2.8	2.8	2.7	2.7	2.7	2.6	3.0	3.1	3.0	3.0	2.9	2.8	2.1	2.1	2.1	2.1	2.0	1.9
Maharashtra	1.8	1.8	1.7	1.7	1.6	1.5	2.0	1.9	1.8	1.8	1.7	1.6	1.6	1.6	1.5	1.5	1.4	1.4
Odisha	2.0	2.0	1.9	1.9	1.8	1.8	2.1	2.1	2.0	2.0	1.9	1.9	1.4	1.4	1.3	1.3	1.3	1.2
Punjab	1.7	1.7	1.6	1.6	1.5	1.5	1.7	1.7	1.7	1.7	1.6	1.6	1.5	1.6	1.5	1.5	1.4	1.4
Rajasthan	2.7	2.7	2.6	2.5	2.5	2.4	2.8	2.8	2.7	2.7	2.6	2.5	2.3	2.3	2.2	2.2	2.1	2.0
Tamil Nadu	1.6	1.6	1.6	1.6	1.5	1.4	1.7	1.7	1.6	1.6	1.5	1.4	1.6	1.6	1.6	1.6	1.5	1.5
Telangana	1.8	1.7	1.7	1.6	1.6	1.5	1.9	1.8	1.7	1.7	1.7	1.6	1.6	1.6	1.6	1.5	1.5	1.5
Uttar Pradesh	3.1	3.1	3.0	2.9	2.9	2.7	3.4	3.4	3.2	3.1	3.1	2.9	2.4	2.4	2.4	2.4	2.4	2.3
Uttarakhand	2.0	1.9	1.9	1.8	1.9	1.8	2.0	1.9	1.9	1.8	1.9	1.8	1.8	1.7	1.8	1.8	1.8	1.7
West Bengal	1.6	1.6	1.6	1.5	1.5	1.4	1.7	1.7	1.7	1.7	1.6	1.5	1.2	1.3	1.3	1.2	1.2	1.1

**Table 16: Sex ratio at birth (female per 1000 male) by residence, India and bigger States/UTs, 2014-16 to 2018-20**

India & bigger States/Uts	Total					Rural					Urban				
	2014-16	2015-17	2016-18	2017-19	2018-20	2014-16	2015-17	2016-18	2017-19	2018-20	2013-15	2014-16	2015-17	2017-19	2018-20
<b>India</b>	<b>898</b>	<b>896</b>	<b>899</b>	<b>904</b>	<b>907</b>	<b>902</b>	<b>898</b>	<b>900</b>	<b>904</b>	<b>907</b>	<b>888</b>	<b>890</b>	<b>897</b>	<b>906</b>	<b>910</b>
Andhra Pradesh	913	916	920	931	926	923	928	930	938	930	888	885	898	917	919
Assam	896	915	925	928	923	898	918	927	929	923	880	891	905	918	930
Bihar	908	900	895	894	895	912	904	896	893	894	871	865	883	902	897
Chhattisgarh	963	961	958	956	958	995	985	976	972	970	833	862	881	891	910
Delhi	857	850	844	865	860	917	926	960	953	972	856	848	841	862	857
Gujarat	848	855	866	870	877	867	865	866	863	882	820	838	865	881	869
Haryana	832	833	843	865	870	835	828	840	862	868	824	844	847	871	874
Himachal Pradesh	917	918	930	949	950	921	920	932	951	952	852	878	891	902	920
Jammu & Kashmir	906	917	927	918	921	903	919	930	920	918	919	910	917	915	930
Jharkhand	918	916	923	916	914	927	927	932	920	915	882	876	888	902	910
Karnataka	935	929	924	915	916	965	958	949	941	942	883	879	881	873	871
Kerala	959	948	957	968	974	972	965	967	980	973	946	931	947	955	975
Madhya Pradesh	922	916	925	927	919	913	908	914	915	908	957	950	968	973	960
Maharashtra	876	881	880	881	876	872	886	878	884	881	882	875	881	877	870
Odisha	948	938	933	931	925	959	946	940	935	928	871	881	891	907	907
Punjab	893	886	890	891	897	876	874	878	874	874	921	905	908	918	932
Rajasthan	857	856	871	879	911	862	858	874	882	914	838	851	860	869	901
Tamil Nadu	915	907	908	915	917	926	919	913	913	902	903	896	903	918	930
Telangana	901	897	901	899	892	940	922	918	912	903	841	859	875	879	875
Uttar Pradesh	882	878	880	894	905	871	862	865	881	890	923	938	934	943	960
Uttarakhand	850	841	840	848	844	857	849	851	862	853	832	816	810	812	821
West Bengal	937	939	941	944	936	938	943	947	948	941	932	925	923	928	920

\* : Includes in Andhra Pradesh

**Table 17: Percent of live births where the mothers received medical attention at delivery either at Government hospitals or at Private hospitals, India and bigger States/UTs, 2015-20**

India & bigger States/Uts	Total						Rural						Urban					
	2015	2016	2017	2018	2019	2020	2015	2016	2017	2018	2019	2020	2015	2016	2017	2018	2019	2020
<b>India</b>	<b>79.3</b>	<b>80.8</b>	<b>81.9</b>	<b>82.5</b>	<b>82.8</b>	<b>82.6</b>	<b>74.2</b>	<b>80.8</b>	<b>77.4</b>	<b>78.1</b>	<b>78.5</b>	<b>78.2</b>	<b>93.5</b>	<b>94.2</b>	<b>94.4</b>	<b>94.7</b>	<b>95.0</b>	<b>95.0</b>
Andhra Pradesh	95.5	96.6	97.3	97.4	97.8	97.6	93.6	96.6	96.5	96.6	97.1	96.8	99.8	99.8	99.6	99.8	99.9	99.9
Assam	79.3	81.1	82.3	82.8	83.2	83.3	77.6	81.1	80.7	81.2	81.6	81.7	94.7	95.4	96.0	96.4	96.7	96.6
Bihar	66.1	68.0	68.9	70.3	70.9	70.8	63.4	68.0	66.5	67.9	68.3	68.2	89.3	90.0	91.0	91.5	92.0	91.7
Chhattisgarh	73.6	75.5	76.1	77.0	77.3	77.3	70.2	75.5	72.8	73.7	74.2	74.1	86.1	88.6	89.1	90.1	90.3	90.4
Delhi	93.5	94.8	95.3	95.8	96.4	95.9	92.4	94.8	94.9	96.5	97.0	97.2	93.6	94.9	95.4	95.8	96.3	95.9
Gujarat	92.2	93.4	93.9	94.6	95.1	94.9	87.0	93.4	90.5	91.6	92.0	92.0	99.4	99.5	99.5	99.6	99.9	99.6
Haryana	81.8	83.6	84.7	85.6	86.0	85.9	79.4	83.6	82.9	83.8	84.2	84.1	86.5	87.3	88.2	89.0	89.4	89.3
Himachal Pradesh	75.4	76.8	78.5	78.9	79.2	79.3	74.3	76.8	77.5	77.9	78.2	78.3	95.2	95.8	96.2	96.5	96.9	96.7
Jammu & Kashmir	84.8	86.9	87.7	89.0	89.4	89.4	82.0	86.9	84.7	86.4	86.9	87.0	96.6	97.0	97.0	97.1	97.4	97.3
Jharkhand	58.3	59.3	60.9	61.7	62.4	62.3	54.2	59.3	56.6	57.4	58.0	57.9	88.0	90.3	91.3	91.8	92.2	92.2
Karnataka	96.5	97.1	97.3	97.6	97.8	97.7	94.7	97.1	95.9	96.3	96.4	96.4	99.4	99.6	99.6	99.7	99.8	99.6
Kerala	99.7	99.7	99.7	99.8	99.8	99.9	99.7	99.7	99.8	99.8	99.8	99.8	99.8	99.7	99.7	99.7	99.8	99.8
Madhya Pradesh	80.4	81.7	82.1	83.1	83.5	83.5	76.1	81.7	77.9	79.1	79.5	79.6	96.3	96.9	97.2	97.6	98.1	97.8
Maharashtra	96.0	96.2	96.8	97.0	97.3	97.3	93.6	96.2	94.8	95.2	95.7	95.6	99.5	99.4	99.6	99.6	99.8	99.7
Odisha	78.3	79.8	80.5	81.0	81.3	81.3	75.9	79.8	78.6	79.0	79.3	79.2	93.1	93.3	93.6	93.9	94.3	94.2
Punjab	87.5	88.3	89.3	89.7	90.1	90.0	82.9	88.3	85.6	86.0	86.3	86.3	93.7	94.2	94.7	95.0	95.5	95.3
Rajasthan	86.7	87.6	88.2	88.5	88.7	88.7	84.9	87.6	86.6	86.9	87.2	87.2	93.0	93.4	93.7	94.0	94.3	94.3
Tamil Nadu	95.2	95.5	95.8	96.0	96.2	96.2	90.7	95.5	91.9	92.2	92.6	92.6	99.6	99.6	99.7	99.8	99.8	99.9
Telangana	92.0	93.4	93.9	94.2	94.6	94.6	89.5	93.4	92.0	92.4	92.8	92.9	95.6	96.6	97.0	97.2	97.7	97.6
Uttar Pradesh	63.2	66.0	67.2	67.6	68.1	67.7	59.0	66.0	63.1	63.5	63.9	63.9	80.0	80.9	82.0	82.3	82.8	82.8
Uttarakhand	69.5	71.8	72.5	73.1	73.4	73.5	67.1	71.8	70.0	70.6	71.0	70.9	76.2	78.5	79.4	79.9	80.3	80.5
West Bengal	83.4	84.7	85.6	86.1	86.3	86.2	80.0	84.7	82.4	82.9	83.2	83.1	93.3	94.1	94.5	94.9	95.3	95.2

**Table 18: Percent of deaths where medical attention received before death was either at Government hospitals or at Private hospitals, India and bigger States/UTs, 2015-20**

India & bigger States/Uts	Total						Rural						Urban					
	2015	2016	2017	2018	2019	2020	2015	2016	2017	2018	2019	2020	2015	2016	2017	2018	2019	2020
<b>India</b>	<b>44.4</b>	<b>46.2</b>	<b>47.0</b>	<b>47.8</b>	<b>48.5</b>	<b>48.8</b>	<b>39.6</b>	<b>41.5</b>	<b>42.4</b>	<b>43.2</b>	<b>44.1</b>	<b>44.6</b>	<b>57.2</b>	<b>58.7</b>	<b>59.5</b>	<b>60.4</b>	<b>61.0</b>	<b>61.5</b>
Andhra Pradesh	45.4	45.2	46.2	47.2	47.9	48.8	41.2	42.0	43.0	43.9	44.8	45.4	56.6	57.9	58.7	60.0	60.2	60.9
Assam	32.8	33.7	34.7	35.6	36.6	37.3	31.3	32.0	33.0	33.9	34.8	35.4	41.9	44.9	45.8	46.6	47.6	48.4
Bihar	29.0	30.6	31.3	32.1	33.4	34.0	26.7	28.1	28.8	29.6	30.8	31.3	46.5	49.1	49.7	50.6	51.8	52.2
Chhattisgarh	36.7	38.6	39.5	40.1	40.9	41.0	32.3	33.4	34.4	35.0	36.0	36.6	58.8	59.9	60.5	61.2	62.3	62.9
Delhi	64.1	64.9	65.7	66.7	67.7	68.3	39.3	39.9	40.6	41.5	43.1	43.7	64.6	65.5	66.3	67.4	68.8	69.3
Gujarat	42.8	43.1	44.1	44.8	45.7	45.8	34.6	36.3	37.4	38.2	38.9	39.4	56.9	57.7	58.4	59.0	59.3	59.8
Haryana	34.2	35.9	36.6	37.3	38.6	39.6	32.9	34.8	35.5	36.3	37.4	38.4	36.8	38.8	39.5	40.1	41.2	42.0
Himachal Pradesh	65.3	65.7	66.3	66.8	67.6	68.2	65.2	65.6	66.1	66.7	67.5	68.1	66.7	67.8	68.6	69.3	70.1	70.5
Jammu & Kashmir	54.3	55.1	56.0	56.8	57.4	55.3	46.6	47.2	48.2	49.1	50.0	50.3	73.3	74.7	75.2	75.8	76.2	76.4
Jharkhand	31.4	32.8	33.8	34.8	36.0	37.0	27.4	28.8	29.8	30.7	31.8	33.0	57.5	58.4	59.3	60.2	61.3	61.8
Karnataka	46.9	48.9	49.8	50.8	51.5	52.3	41.7	42.8	43.7	44.7	45.6	46.2	63.1	64.9	65.7	66.8	67.7	68.2
Kerala	76.5	77.4	78.5	79.6	80.7	80.7	83.5	83.9	85.1	86.2	87.1	87.8	69.7	71.0	72.0	73.0	74.2	74.9
Madhya Pradesh	53.6	54.4	55.1	55.9	57.0	57.8	48.4	49.7	50.3	51.1	52.0	52.6	70.4	71.2	72.1	73.0	74.1	74.5
Maharashtra	46.9	48.2	49.1	49.9	50.4	50.8	41.0	42.6	43.4	44.2	45.1	45.6	59.6	60.9	61.9	63.0	63.8	64.3
Odisha	44.6	46.1	47.0	47.7	48.7	49.3	43.3	44.9	45.8	46.4	47.4	48.2	54.1	54.5	55.4	56.2	57.2	57.8
Punjab	52.9	55.1	55.7	56.4	57.2	56.7	47.9	50.6	51.1	51.7	52.6	53.0	62.6	63.5	64.2	65.1	65.8	66.0
Rajasthan	42.6	47.3	48.1	49.1	49.6	50.2	40.0	45.2	46.0	47.0	47.8	48.4	51.5	53.7	54.6	55.6	56.6	57.0
Tamil Nadu	43.0	45.2	46.2	46.9	47.7	47.6	34.1	36.3	37.2	38.0	38.9	39.4	54.1	55.3	56.3	57.0	58.1	58.5
Telangana	41.4	43.4	44.1	44.9	45.6	45.5	37.9	38.4	39.1	39.8	40.6	41.1	54.1	55.5	56.1	57.0	57.8	58.3
Uttar Pradesh	45.6	48.1	49.0	49.8	50.6	50.7	43.8	46.3	47.2	48.0	48.7	49.1	53.3	54.3	55.3	56.3	57.5	57.9
Uttarakhand	51.3	53.1	54.1	55.0	55.8	56.3	50.4	52.5	53.4	54.4	55.2	55.7	54.3	55.0	56.1	57.1	58.0	58.5
West Bengal	41.9	44.1	44.9	45.6	46.3	46.1	33.5	37.2	37.9	38.8	40.1	40.5	57.1	58.0	58.9	59.3	59.7	60.1

## **OFFICERS AND STAFFS ASSOCIATED WITH THE REPORT**

**Shri Sanjeev Kumar, Addl. Registrar General**

**Shri Shivaji Narasu Patil, Joint Director**

**Smt. Jasleen Kaur Rekhi, Senior Research Officer**

**Shri Deepak Ghatak, Deputy Director (IT)**

**Shri Mukesh Kumar Mahawar, Assistant Director (IT)**

**Shri Ravi Kant, Statistical Investigator Grade-I**

**Shri Nand Lal, Sr. Supervisor**

