



सत्यमेव जयते

SAMPLE REGISTRATION SYSTEM STATISTICAL REPORT 2018



**OFFICE OF THE REGISTRAR GENERAL &
CENSUS COMMISSIONER, INDIA
MINISTRY OF HOME AFFAIRS
GOVERNMENT OF INDIA
NEW DELHI**

**SAMPLE REGISTRATION SYSTEM
STATISTICAL REPORT 2018**

**OFFICE OF THE REGISTRAR GENERAL &
CENSUS COMMISSIONER, INDIA
MINISTRY OF HOME AFFAIRS
GOVERNMENT OF INDIA
NEW DELHI**

P R E F A C E

The Sample Registration System (SRS) in India is carried out by the Office of Registrar General & Census Commissioner, India with an objective of providing reliable annual estimates of birth rate, death rate, infant mortality rate and various other fertility and mortality indicators. SRS is one of the largest demographic surveys in the world covering about 8.1 million population. It serves as the main source of information on fertility and mortality both at the State and National levels. Apart from the large sample size and geographic spread in most of the Districts, the system has a unique feature of dual recording, which involves continuous enumeration and retrospective half-yearly surveys. The continuous enumeration and retrospective surveys are followed by the process of matching of the two records and subsequent field verification of unmatched and partially matched events. The system provides for a cross check on the correctness and completeness of the events of birth and death listed by the two independent functionaries.

2. Based on the dual record system, the SRS has been providing reliable estimates of fertility and mortality indicators on a regular basis from 1971 onwards. It includes data on population composition by broad age groups, sex and marital status. Apart from the crude birth rate, various other fertility indicators like Total Fertility Rate, Age-specific fertility rate, General fertility rate, mean age of fertility and many more are also estimated under SRS. All these indicators have been included in this report. For providing information on mortality, various indicators like crude death rate, infant mortality rate, under-five mortality rate, age-specific death rates, neo-natal mortality rate etc. have also been included in this report. Certain other indicators of demographic interest such as mean age at effective marriage for females, interval between current and previous live birth and also distribution of live births by birth order have continued to form part of the SRS report. The sex ratio at birth has also been estimated in this Report as in the past. The indicators in this report are brought out for India and bigger States/UTs (with population 10 million and above) separately for rural and urban areas.

3. The SRS sample is revised every ten years based on the latest census frame. The present Report is the fifth in the series that has been prepared based on data collected from new SRS sample units selected from 2011 Census frame. Apart from the fertility and mortality indicators, this Report includes data on crude birth rate, crude death rate and infant mortality rates at Natural Division (group of contiguous districts) level.

4. The SRS has been a joint effort of the Central and State Governments. This study has been made possible with the active involvement of staff and officers of the Directorates of Census Operations, Map Division and the SRS Wing of the Vital Statistics Division at the headquarters. I am thankful to all of them for their efforts and support.

New Delhi

June, 2020

(VIVEK JOSHI)

Registrar General & Census Commissioner of India

CONTENTS

	Page
List of statements	ix- xii
List of charts	xiii-xviii
Definitions	xix-xx
Figures at a glance, India – 2018	xxi-xxiii
National level trends for few core indicators 2013-18	xxv
Executive Summary	xxvii-xxviii
Map - Birth rate by NSS Natural Division, 2018	xxix
Map - Death rate by NSS Natural Division, 2018	xxxi
Map - Infant mortality rate by NSS Natural Division, 2018	xxxiii
Chapter 1- Introduction	1-9
Chapter 2 - Population Composition	11-46
Chapter 3 - Estimates of Fertility Indicators	47-119
Chapter 4 - Estimates of Mortality Indicators	121-183

Detailed Tables

1.	Percentage distribution of estimated population by age-group, sex and residence, 2018	187-198
2.	Percentage distribution of population by sex, marital status and age-group, 2018	199-221
3.	Fertility Indicators, 2018	222-228
4.	Fertility indicators by level of education of women, 2018	229-251
5.	Percentage distribution of live births by order of birth, 2018	252-258
6.	Percentage distribution of current live births by birth interval, 2018	259-260
7.	Percentage distribution of current live births by birth interval and birth order, 2018	261-267
8.	Age-specific death rate by sex and residence, 2018	268-290
9.	Child (Aged 0-4 years) and infant mortality indicators, 2018	268-290
10.	Percentage distribution of deaths to total deaths by residence, sex and age-group, 2018	291-302
11.	Birth rate, death rate and infant mortality rate by NSSO natural division, 2018	303-305

Tables on Trend

12.	Annual estimates of Birth rate by residence, India and bigger States/UTs, 2013-18	309
13.	Annual estimates of Death rate by sex, India and bigger States/UTs, 2013-18	310
14.	Annual estimates of Infant mortality rate by sex, India and bigger States/UTs, 2013-18	311
15.	Annual estimates of Total Fertility rate by residence, India and bigger States/UTs, 2013-18	312
16.	Sex ratio at birth (female per 1000 male) by residence, India and bigger States/UTs, 2012-14 to 2016-18	313
17.	Percent of live births where the mothers received medical attention at delivery either at Government hospitals or at Private hospitals, India and bigger States/UTs, 2013-18	314
18.	Percent of deaths where medical attention received before death was either at Government hospitals or at Private hospitals, India and bigger States/UTs, 2013-18	315

Annexure

I	Map of natural divisions	319
II	List of natural divisions along with their districts	321-335

LIST OF STATEMENTS

		Page
General		
1	Number of sample units at different replacement period	2
2	Number of sample units and population covered, India, States and union territories, 2018	5
Population Composition		
3	Percentage distribution of population by broad age groups to total population by sex and residence, India, 2018	12
4	Percentage of population in the age group 0-4 years to total population by sex and residence, India and bigger States/UTs, 2018	15
5	Percentage of population in the age group 0-14 years to total population by sex and residence, India and bigger States/UTs, 2018	17
6	Percentage of population in the age group 15-59 years to total population by sex and residence, India and bigger States/UTs, 2018	19
7	Percentage of population in the age group 60 years and above to total population by sex and residence, India and bigger States/UTs, 2018	21
8	Percentage distribution of population by marital status and sex, India and bigger States/UTs, 2018	23
9	Percentage distribution of population age 10+ by marital status and sex, India and bigger States/UTs, 2018	27
10	Percentage distribution of female age 10+ by marital status and residence, India and bigger States/UTs, 2018	31
11	Percentage distribution of female age 15+ by marital status and residence, India and bigger States/UTs, 2018	35
12	Percentage of females by age at effective marriage and by residence, India and bigger States/UTs, 2018	39
13	Mean age at effective marriage of female by residence, India and bigger States/UTs, 2018	43

Fertility Indicators		Page
14	CBR (Crude birth rate) by residence, India and bigger States/UTs, 2018	48
15	Percent change in average crude birth rate between 2006-08 and 2016-18 by residence, India and bigger States/UTs	51
16	Sex ratio (female per 1000 male) at birth by residence, India and bigger States/UTs 2016-18	56
17	GFR (General fertility rate) by residence, India and bigger States/UTs, 2018	58
18	Percentage change in average GFR (General fertility rate) between 2006-08 and 2016-18, by residence, India and bigger States/UTs	61
19	ASFRs (Age specific fertility rates) by residence, 2018	66
20	Percentage change in age specific fertility rates by residence between 2006-08 and 2016-18, India	68
21	ASFRs (Age specific fertility rates), India and bigger States/UTs, 2018	73
22	Percentage distribution of cumulative fertility by age group, India and bigger States/UTs, 2018	74
23	Mean age of fertility and associated standard deviation, India and bigger States/UTs, 2018	76
24	TFR (Total fertility rate) by residence, India and bigger States/UTs, 2018	78
25	Percentage change in average TFR (Total fertility rate) between 2006-08 and 2016-18 by residence, India and bigger States/UTs	81
26	GRR (Gross reproduction rate) by residence, India and bigger States/UTs, 2018	86
27	ASMFRs (Age specific marital fertility rates) by residence, India 2018	88
28	ASMFRs (Age specific marital fertility rates) India and bigger States/UTs, 2018	90
29	TMFRs (Total marital fertility rates) by residence, India and bigger States/UTs, 2018	91

		Page
30	Percentage change in average Total Marital Fertility rate (TMFR) between 2006-08 and 201-18 by residence, India and bigger States/UTs	93
31	Percentage female population in the age group 15-49 by level of education, India and bigger States/UTs, 2018	98
32	GFR (General fertility rate) by level of education of women, India and bigger States/UTs, 2018	99
33	ASFR (Age specific fertility rate) by level of education of women and residence, India, 2018	100
34	TFR (Total fertility rate) by level of education of women, India and bigger States/UTs, 2018	104
35	Percentage distribution of current live births by birth order, India and bigger States/UTs, 2018	106
36	Percentage distribution of current live births by birth order and residence, India and bigger States/UTs, 2018	108
37	Percentage distribution of second and higher order live births by interval, India and bigger States/UTs, 2018	111
38	Percentage distribution of second and higher order live births by interval and residence, India and bigger States/UTs, 2018	113
39	Percentage distribution of live births by type of medical attention received by the mother at delivery by residence, India and bigger States/UTs, 2018	116

Mortality Indicators

40	CDR (Crude death rate) by residence, India and bigger States/UTs, 2018	122
41	Percentage change in average crude death rate between 2006-08 and 2016-18, by residence, India and bigger States/UTs	125
42	CDR (Crude death rate) by sex and residence, India, 2018	130
43	CDR (Crude death rate) by sex, India and bigger States/UTs, 2018	131
44	Percentage distribution of deaths by broad age groups, India and bigger States/UTs, 2018	133
45	Percentage of infant deaths to total deaths by residence, India and bigger States/UTs, 2018	135

		Page
46	IMR (Infant mortality rate) by sex and residence, India and bigger States/UTs, 2018	137
47	Percentage change in average IMR (Infant mortality rate) between 2006-08 and 2016-18 by residence, India and bigger States/UTs	142
48	Neo-natal mortality rate and percentage share of neo-natal deaths to infant deaths by residence, India and bigger States/UTs, 2018	147
49	Early neo-natal mortality rate and percentage share of early neo-natal deaths to infant deaths by residence, India and bigger States/UTs, 2018	151
50	Peri-natal mortality rate and Still birth rates by residence, India and bigger States/UTs, 2018	155
51	Percentage of deaths in the age group 0-4 years to total deaths by residence, India and bigger States/UTs, 2018	158
52	Estimated death rate for children age 0-4 years by sex and residence, India and bigger States/UTs, 2018	160
53	Under-five Mortality Rate by sex and residence, India and bigger States/UTs, 2018	164
54	Death rates for children age 5-14 years by sex and residence, India and bigger States/UTs, 2018	168
55	Death rate for persons age 15-59 years by sex and residence, India and bigger States/UTs, 2018	172
56	Death rate for persons age 60 years and above by sex and residence, India and bigger States/UTs, 2018	176
57	Percentage distribution of deaths by type of medical attention received before death by residence, India and bigger States/UTs, 2018	180

LIST OF CHARTS

	Page
1. Flow chart	9
2. Percentage distribution of population by broad age-groups and residence, India, 2018	13
3. Population Pyramid, India, 2018	14
4. Percentage of child population (0-4 years) to total population by residence, India and bigger States/UTs, 2018	16
5. Percentage of population age 0-14 years to total population by residence, India and bigger States/UTs, 2018	18
6. Percentage of population age 15-59 years to total population by residence, India and bigger States/UTs, 2018	20
7. Percentage of population age 60+ to total population by residence, India and bigger States/UTs, 2018	22
8. Percentage distribution of population by marital status, India and bigger states/UTs, 2018	24
9. Percentage distribution of MALE population by marital status, India and bigger states/UTs, 2018	25
10. Percentage distribution of FEMALE population by marital status, India and bigger states/UTs, 2018	26
11. Percentage distribution of population aged 10+ by marital status, India and bigger states/UTs, 2018	28
12. Percentage distribution of MALE population aged 10+ by marital status, India and bigger states/UTs, 2018	29
13. Percentage distribution of FEMALE population aged 10+ by marital status, India and bigger states/UTs, 2018	30
14. Percentage distribution of female aged 10+ by marital status India and bigger states/UTs, 2018	32
15. Percentage distribution of female aged 10+ by marital status India and bigger states/UTs, 2018 –RURAL	33
16. Percentage distribution of female aged 10+ by marital status India and bigger states/UTs, 2018 – URBAN	34
17. Percentage distribution of female aged 15+ by marital status India and	36

	bigger states/UTs, 2018	
18.	Percentage distribution of female aged 15+ by marital status India and bigger states/UTs, 2018 –RURAL	37
19.	Percentage distribution of female aged 15+ by marital status India and bigger states/UTs, 2018- URBAN	38
20.	Female by age at Effective Marriage, India and bigger States/UTs, 2018	40
21.	Female by age at Effective Marriage, India and bigger States/UTs, 2018 – RURAL	41
22.	Female by age at Effective Marriage, India and bigger States/UTs, 2018 – URBAN	42
23.	Mean age at effective marriage of female, India and bigger States/UTs, 2018	44
24.	Mean Age at Effective Marriage of Female, India and bigger States/UTs, 2018 – RURAL	45
25.	Mean Age at Effective Marriage of Female, India and bigger States/UTs, 2018 - URBAN	46
26.	CBR (Crude birth rate) by residence, India and bigger States/UTs, 2018	49
27.	Distribution of bigger States/UTs by values of birth rate for rural and urban areas, 2018	50
28.	Average birth rate between 2006-08 and 2016-18, India and bigger states/UTs	52
29.	Average birth rate between 2006-08 and 2016-18, India and bigger states/UTs -RURAL	53
30.	Average birth rate between 2006-08 and 2016-18, India and bigger states/UTs - URBAN	54
31.	Per cent change in average birth rate between 2006-08 and 2016-18 by residence, India and bigger states/UTs	55
32.	Sex ratio at birth by residence, India and bigger States, 2016-2018	57
33.	GFR (General fertility rate) by residence, India and bigger States/UTs, 2018	59
34.	Distribution of bigger States/UTs by values of GFR (General fertility rate) for rural and urban areas, 2018	60
35.	GFR (General Fertility Rate) between 2006-08 and 2016-18, India and bigger States/UTs	62
36.	GFR (General Fertility Rate) between 2006-08 and 2016-18, India and bigger States/UTs -RURAL	63
37.	GFR (General Fertility Rate) between 2006-08 and 2016-18, India and bigger States/UTs - URBAN	64

38.	Percent change in average GFR (General Fertility Rate) between, 2006-08 and 2016-18 by residence, India and bigger States/UTs	65
39.	ASFRs (Age-specific fertility rates) by residence, India, 2018	67
40.	Age specific fertility rates, India: 2006-08 and 2016-18	69
41.	Per cent change in age specific fertility rates between 2006-08 and 2016-18, India -RURAL	70
42.	Per cent change in age specific fertility rates between 2006-08 and 2016-18, India -URBAN	71
43.	Per cent change in age specific fertility rates by residence between 2006-08 and 2016-18, India	72
44.	Per cent distribution of cumulative fertility by residence, 2018	75
45.	Mean age of fertility, India and bigger states/UTs, 2018	77
46.	TFR (Total fertility rate) by residence, India and bigger States/UTs, 2018	79
47.	Distribution of bigger States/UTs by values of TFR (Total fertility rate) for rural and urban areas, 2018	80
48.	Total fertility rate (TFR) between 2006-08 and 2016-18, India and bigger States/UTs	82
49.	Total fertility rate (TFR) between 2006-08 and 2016-18, India and bigger States/UTs - RURAL	83
50.	Total fertility rate (TFR) between 2006-08 and 2016-18, India and bigger States/UTs - URBAN	84
51.	Per cent change in average Total fertility rate (TFR) between 2006-08 and 2016-18 by residence, India and bigger States/UTs	85
52.	Gross reproduction rate (GRR) by residence, India and bigger states/UTs, 2018	87
53.	Age specific marital fertility rates (ASMFRs) by residence, India, 2018	89
54.	Total marital fertility rate (TMFRs) by residence, India and bigger states/UTs, 2018	92
55.	Average Total Marital fertility rate (TMFR) between 2006-08 and 2016-18, India and bigger States/UTs	94
56.	Average Total Marital fertility rate (TMFR) between 2006-08 and 2016-18, India and bigger States/UTs -RURAL	95
57.	Average Total Marital fertility rate (TMFR) between 2006-08 and 2016-18, India and bigger States/UTs - URBAN	96

58.	Percent change in average Total Marital fertility rate (TMFR) between 2006-08 and 2016-18, India and bigger States/UTs	97
59.	Age specific fertility rate by level of education of women, India, 2018	101
60.	Age specific fertility rate by level of education of women, India, 2018 -RURAL	102
61.	Age specific fertility rate by level of education of women, India, 2018 -URBAN	103
62.	Total fertility rate by level of education of women, India, 2018	105
63.	Percentage distribution of current live births by birth order, 2018	107
64.	Percentage distribution of current live births by birth order - RURAL	109
65.	Percentage distribution of current live births by birth order - URBAN	110
66.	Percentage distribution of second and higher order live births by interval, 2018	112
67.	Percentage distribution of second and higher order live births by interval- RURAL	114
68.	Percentage distribution of second and higher order live births by interval-URBAN	115
69.	Distribution of live births by type of Medical Attention received by the mother at delivery	117
70.	Distribution of live births by type of Medical Attention received by the mother at delivery - RURAL	118
71.	Distribution of live births by type of Medical Attention received by the mother at delivery - URBAN	119
72.	CDR (Crude death rate) by residence, India and bigger States/UTs, 2018	123
73.	Distribution of bigger States/UTs by values of death rate for rural and urban areas, 2018	124
74.	Average Death rate between 2006-08 and 2016-18, India and bigger States/UTs	126
75.	Average Death rate between 2006-08 and 2016-18, India and bigger States/UTs -RURAL	127
76.	Average Death rate between 2006-08 and 2016-18, India and bigger States/UTs - URBAN	128
77.	Per cent change in average death rates between 2006-08 and 2016-18, India and bigger States/UTs	129
78.	Crude death rates by sex and residence, India, 2018	130
79.	Crude death rates by sex, India and bigger States/UTs, 2018	132
80.	Distribution of deaths by broad age groups India and bigger States/UTs, 2018	134
81.	Percentage of Infant deaths to total deaths by residence, 2018	136
82.	Infant mortality rates by sex, India and major states, 2018	138

83.	Infant mortality rates by sex, India and major states, 2018 -RURAL	139
84.	Infant mortality rates by sex, India and major states, 2018 -URBAN	140
85.	Distribution of bigger States/UTs by IMR (Infant mortality rate) for rural and urban areas, 2018	141
86.	Average Infant mortality rate between 2006-08 and 2016-18, India and bigger States/UTs, 2018	143
87.	Average Infant mortality rate between 2006-08 and 2016-18, India and bigger States/UTs -RURAL	144
88.	Average Infant mortality rate between 2006-08 and 2016-18, India and bigger States/UTs - URBAN	145
89.	Per cent change in average Infant mortality rates between 2006-08 and 2016-18, India and bigger States/UTs	146
90.	Neo-natal mortality rates and percentage share of neo-natal deaths to infant deaths, India and bigger States/UTs, 2018	148
91.	Neo-natal mortality rates and percentage share of neo-natal deaths to infant deaths, India and bigger States/UTs, 2018 - RURAL	149
92.	Neo-natal mortality rates and percentage share of neo-natal deaths to infant deaths by residence, India and bigger States/UTs, 2018 - URBAN	150
93.	Early neo-natal mortality rates and percentage share of early neo-natal deaths to infant deaths, India and bigger States/UTs, 2018	152
94.	Early neo-natal mortality rates and percentage share of early neo-natal deaths to infant deaths, India and bigger States/UTs, 2018 - RURAL	153
95.	Early neo-natal mortality rates and percentage share of early neo-natal deaths to infant deaths, India and bigger States/UTs, 2018 - URBAN	154
96.	Perinatal mortality rates, India & bigger States/UTs, 2018	156
97.	Still birth rates, India & bigger States/UTs, 2018	157
98.	Percentage of deaths in the age group 0-4 years to total deaths, India and bigger States/UTs	159
99.	Estimated death rate for children age 0-4 years by sex, 2018	161
100.	Estimated death rate for children age0-4 years by sex, 2018 – RURAL	162
101.	Estimated death rate for children age0-4 years by sex, 2018 - URBAN	163
102.	Under-five Mortality Rates (U5MR) by sex, India & bigger States/UTs, 2018	165

103.	Under-five Mortality Rates (U5MR) by sex, India & bigger States/UTs, 2018- RURAL	166
104.	Under-five Mortality Rates (U5MR) by sex, India & bigger States/UTs, 2018-URBAN	167
105.	Death rates for children aged 5-14 years by sex, India and bigger States/UTs, 2018	169
106.	Death rates for children aged 5-14 years by sex, India and bigger States/UTs, 2018 - RURAL	170
107.	Death rates for children aged 5-14 years by sex, India and bigger States/UTs, 2018 - URBAN	171
108.	Death rates for Persons aged 15-59 years by sex, India and bigger States/UTs, 2018	173
109.	Death rates for Persons aged 15-59 years by sex, India and bigger States/UTs, 2018 - RURAL	174
110.	Death rates for Persons aged 15-59 years by sex, India and bigger States/UTs, 2018 - URBAN	175
111.	Death rates for Persons aged 60 years and above by sex, India and bigger States/UTs, 2018	177
112.	Death rates for Persons aged 60 years and above by sex, India and bigger States/UTs, 2018 - RURAL	178
113.	Death rates for Persons aged 60 years and above by sex, India and bigger States/UTs, 2018 - URBAN	179
114.	Distribution of deaths by Type of Medical Attention received before death, India & bigger States/UTs, 2018	181
115.	Distribution of deaths by Type of Medical Attention received before death, India & bigger States/UTs, 2018 - RURAL	182
116.	Distribution of deaths by Type of Medical Attention received before death, India & bigger States/UTs, 2018 - URBAN	183

DEFINITIONS

Crude birth rate (CBR)	=	$\frac{\text{Number of live births during the year}}{\text{Mid-year population}} \times 1000$
Age-specific fertility rate (ASFR)	=	$\frac{\text{Number of live births in a particular age-group}}{\text{Mid-year female population of the same age-group}} \times 1000$
General fertility rate (GFR)	=	$\frac{\text{Number of live births in a year}}{\text{Mid-year female population in the age-group(15-49) years}} \times 1000$
Total fertility rate (TFR)	=	$\frac{5 \times \sum_{15-19}^{45-49} \text{ASFR}}{1000}$
Gross reproduction rate (GRR)	=	$\frac{5 \times \sum_{15-19}^{45-49} \text{ASFR for female live births}}{1000}$
Age-specific marital fertility rate (ASMFR)	=	$\frac{\text{Number of live births in a particular age-group}}{\text{Mid-year married female population of thesame age-group}} \times 1000$
General marital fertility rate (GMFR)	=	$\frac{\text{Number of live births in a year}}{\text{Mid-year married female population in theage-group (15-49) year}} \times 1000$
Total marital fertility rate (TMFR)	=	$\frac{5 \times \sum_{15-19}^{45-49} \text{ASMFR}}{1000}$
Crude death rate (CDR)	=	$\frac{\text{Number of deaths during the year}}{\text{Mid-year population}} \times 1000$

$$\text{Age-specific mortality rate (ASMR)} = \frac{\text{Number of deaths in a particular age-group}}{\text{Mid-year population of the same age-group}} \times 1000$$

Under-five Mortality Rate = The under-five mortality is the probability (${}_5q_0$) that a child born in a specific year or time period will die before reaching the age of five, subject to current age specific mortality rates. It is expressed as a rate per 1,000 live births.

$$\text{Infant mortality rate (IMR)} = \frac{\text{Number of infant deaths during the year}}{\text{Number of live births during the year}} \times 1000$$

Infant mortality rate comprises of two parts viz. Neo-natal mortality rate and Post neo-natal mortality rate. The neo-natal mortality rate also comprises of two parts viz. Early neo-natal mortality rate and late neo-natal mortality rate. These are defined as:

$$\text{Neo-natal mortality rate (NMR)} = \frac{\text{Number of infant deaths of < than 29 days during the year}}{\text{Number of live births during the year}} \times 1000$$

$$\text{Early neo-natal mortality rate} = \frac{\text{Number of infant deaths of < than 7 days during the year}}{\text{Number of live births during the year}} \times 1000$$

$$\text{Late neo-natal mortality rate} = \frac{\text{Number of infant deaths of 7 days to < than 29 days during the year}}{\text{Number of live births during the year}} \times 1000$$

$$\text{Post neo-natal mortality rate (PNMR)} = \frac{\text{Number of infant deaths of 29 days to < than one year during the year}}{\text{Number of live births during the year}} \times 1000$$

$$\text{Peri-natal mortality rate (PMR)} = \frac{\text{Number of still births and infant deaths of < than 7 days during the year}}{\text{Number of live births and still births during the year}} \times 1000$$

$$\text{Still birth rate (SBR)} = \frac{\text{Number of still births during the year}}{\text{Number of live births and still births during the year}} \times 1000$$

FIGURES AT A GLANCE, INDIA - 2018

Item	Total	Rural	Urban
I. Percentage distribution of population by broad age groups			
0-14	25.9	27.5	22.6
15-59	66.0	64.5	69.1
60+	8.1	8.0	8.3
II. Fertility Indicators			
Crude Birth Rate	20.0	21.6	16.7
General Fertility Rate	70.4	77.4	56.7
Age-specific Fertility Rate			
15-19	12.2	13.5	8.4
20-24	122.9	135.9	91.5
25-29	146.4	160.1	119.1
30-34	94.7	101.3	81.7
35-39	36.9	40.7	30.2
40-44	12.7	14.8	9.1
45-49	4.4	5.5	2.4
Total Fertility Rate	2.2	2.4	1.7
Gross Reproduction Rate	1.0	1.1	0.8
General Marital Fertility Rate	109.2	119.1	89.3
Total Marital Fertility Rate	4.9	5.1	4.4
Mean age at effective marriage for females	22.3	21.8	23.4
III. Total Fertility Rate by level of education of the mother			
Illiterate	3.0	3.2	2.2
Literate	2.1	2.3	1.7
Without any formal education	2.5	2.6	2.1
Below primary	2.9	3.0	2.4
Primary	2.5	2.7	2.1
Middle	2.2	2.3	1.8
Class X	1.9	2.0	1.7
Class XII	1.8	1.9	1.6
Graduate and above	1.7	1.9	1.5
IV. Percentage distribution of live births by birth order			
1	49.5	47.3	55.2
2	29.9	29.5	30.7
3	12.6	13.7	9.8
4+	8.1	9.5	4.3


FIGURES AT A GLANCE, INDIA - 2018

Item	Total	Rural	Urban
V. Percentage distribution of Current live births by birth interval (in months)			
10-12	1.6	1.6	1.7
12-18	7.8	8.2	6.4
18-24	13.8	14.7	11.3
24-30	14.3	15.4	10.9
30-36	12.9	13.5	11.1
36+	49.6	46.7	58.6
VI. Mortality Indicators			
Crude Death Rate	6.2	6.7	5.1
Percentage of infant deaths to total deaths	10.5	11.6	7.4
Percentage of deaths of less than one week to total infant deaths	54.6	56.9	44.9
Under-five Mortality Rate	36	40	26
Infant Mortality Rate	32	36	23
Neo-natal mortality rate	23	27	14
Early neo-natal mortality rate	18	20	10
Late neo-natal mortality rate	6	6	3
Post neo-natal mortality rate	9	9	9
Peri-natal Mortality Rate	22	25	14
Still Birth Rate	4	4	4
VII. Percentage distribution of births by type of medical attention at delivery			
Government Hospital	54.5	53.8	56.3
Private Hospital	28.0	24.2	38.4
Qualified Professional	9.7	11.6	4.5
Untrained Functionary and Others	7.8	10.3	0.8
VIII. Percentage distribution of deaths by type of medical attention before death			
Government Hospital	29.4	27.1	35.4
Private Hospital	18.5	16.1	24.9
Qualified Professional	33.0	33.7	31.0
Untrained Functionary and Others	19.2	23.1	8.7

FIGURES AT A GLANCE, NATURAL DIVISIONS - 2018

Indicators	State	Natural Division	Max./Min.	Values
Birth rate				
	Uttar Pradesh	Eastern	Maximum	29.3
	Kerala	Southern	Minimum	11.9
Death rate				
	Chattisgarh	Southern Chhattisgarh	Maximum	8.9
	Jammu & Kashmir	Outer Hills	Minimum	4.5
Infant mortality rate				
	Madhya Pradesh	Northern	Maximum	54
	Kerala	Southern	Minimum	7

Trend of Birth rate, Death rate, Infant Mortality rate, Total Fertility rate, Sex ratio at Birth and Sex ratio of children (0-4 age group), India



EXECUTIVE SUMMARY


The Sample Registration System (SRS) is the largest demographic survey in the country mandated to provide annual estimates of fertility as well as mortality indicators at the State and National level. The present Report contains data on fertility and mortality indicators for the year 2018 for India and bigger States/UTs. The estimates are segregated by residence and also by gender, wherever required.


2. The salient features of the report are as summarized below.


- ❖ The Crude Birth Rate (CBR) at the National level during 2018 stands at 20.0 exhibiting a decline of 0.2 points over 2017. The maximum CBR has been reported in Bihar (26.2) and the minimum in Kerala (13.9).
- ❖ There has been a decline of 1.4 points in the CBR for the country from 2013 to 2018. The corresponding decline in rural CBR is 1.3 points and in urban CBR 0.6 points.
- ❖ The Crude Death Rate (CDR) for the country is 6.2 in 2018. The maximum CDR has been reported for Chhattisgarh (8.0) and the minimum for Delhi (3.3).
- ❖ During the last five years, the decline in National CDR has been to the tune of 0.8 points. The corresponding decline in female CDR is 0.7 points whereas in male CDR it is 0.9 points.
- ❖ The Infant Mortality Rate (IMR) has also registered 1-point decline to 32 in 2018 from 33 in 2017 at the National level. The maximum IMR has been observed in Madhya Pradesh (48) and the minimum in Kerala (7).
- ❖ IMR for the country has come down to 32 in 2018 from 40 in 2013, a decline of 8 points over last 5 years and an annual average decline of about 1.6 points. The corresponding decline in rural IMR has been to the tune of 8 points (44 in 2013 to 36 in 2018) against a decline of 4 points in urban IMR (27 in 2013 to 23 in 2018). Both the gender have shown decline in the period 2013-18.
- ❖ Despite this decline, one in every 31 infants at the National level, one in every 28 infants in rural areas and one in every 43 infants in urban areas still die within one year of life.
- ❖ In 2018, U5MR for the country has shown a decline of 1 point over 2017 (36 in 2018 against 37 in 2017). There has been a decline of 2 points in female U5MR during the period, while the male U5MR has remained same.
- ❖ Sex Ratio at Birth for the country has gone up by 3 points to 899 in 2016-18 from 896 in 2015-2017. Chhattisgarh has reported the highest Sex Ratio at Birth (958) while Uttarakhand, the lowest (840).
- ❖ Total Fertility Rate (TFR) for the country is stable at 2.2 in 2018 and 2017. During 2018, Bihar has reported the highest TFR (3.2) while Delhi and West Bengal have reported the lowest TFR (1.5). It is noteworthy that the

replacement level TFR, viz. 2.1, has been attained by Delhi (1.5), West Bengal (1.5), Tamil Nadu (1.6), Andhra Pradesh (1.6), Jammu & Kashmir (1.6), Punjab (1.6), Himachal Pradesh (1.6), Telangana (1.6), Maharashtra (1.7), Kerala (1.7), Karnataka (1.7), Uttarakhand (1.8), Odisha (1.9) and Gujarat (2.1).

- ❖ At present, a rural woman (having a TFR of 2.4) at the National level would have about one child more than an urban woman (having a TFR of 1.7), on an average.
- ❖ During 2013-2018, there has been a decline of 0.1 point in TFR at the National level. The corresponding decline in rural and urban TFRs has also been to the extent of 0.1 point.
- ❖ In case of about 82.5 percent live births, the mothers have received the medical attention at delivery either at Government hospital or at Private hospital in 2018 against the 81.8 percent in 2017.
- ❖ There has been an increase of 0.8 percentage points in 2018 (47.8) over 2017 (47) in case of deaths where the deceased have received medical attention before death, either at Government hospital or at Private hospital. There has been an increase of about 8.6 percentage points in deaths where the deceased had received medical attention before death in hospitals during 2013-2018 (last 5 years).







CHAPTER - 1

INTRODUCTION

Registration of births and deaths is an important source for demographic data for socio-economic development and population control in developing countries. The data on population growth, fertility and mortality serves as the prime constituent for population projections. Apart from these vital indicators, an adequate evaluation of a number of programs in the health sector, including family planning, maternal and reproductive health, immunization programs, is dependent upon the availability of accurate, up-to-date fertility and mortality data. In India, the need for dependable demographic data was felt soon after independence heralding the era of five-year planning. The registration of births and deaths started on voluntary basis and there was no uniformity in statistical returns resulting in both under-registration and incomplete coverage. In order to unify the Civil Registration activities, the Registration of Births & Deaths Act, 1969 was enacted. Despite having the registration of birth & death compulsory under the statute, the level of registration of births and deaths under the Act has continued to be far from satisfactory in several States/UTs. With a view to generate reliable and continuous data on these indicators, the Office of Registrar General, India, initiated the scheme of sample registration of births and deaths in India popularly known as Sample Registration System (SRS) in 1964-65 on a pilot basis and on full scale from 1969-70. The SRS since then has been providing data on a regular basis.

1.2 The demographic scenario in the country has been undergoing a change since the inception of SRS; however, the profile and rate of change is not uniform across all the States/UTs. Overall, the crude birth rate in the country has come down from 36.9 per one thousand population in 1971 to 20.0 in 2018, whereas the crude death rate has declined from 14.9 to a low of 6.2 in the same period. The infant mortality rate, which is an important indicator of the health status of the country, has registered a significant decline from 129 per one thousand live births in 1971 to 32 in 2018. During the period, the total fertility rate of the country has declined from 5.2 to 2.2. To fulfill its objective of monitoring the changes in vital indicators, the SRS sampling units are retained for about ten years, making it a panel household survey.

1.3 Various methods based on the application of sampling techniques have been tried and tested in many developing countries. Such methods include single and multi-round retrospective surveys and the dual record system. The SRS in India is based on a dual record system. The field investigation under Sample Registration System consists of continuous enumeration of births and deaths in a sample of villages/urban blocks by a resident part-time enumerator, and an independent six-monthly retrospective survey by a full-time supervisor. The data obtained through these two sources are matched. The unmatched and partially matched events are re-verified in the field to get an unduplicated count of correct events. The advantage of this procedure, in addition to elimination of errors of duplication, is that it leads to a quantitative assessment of the sources of distortion in the two sets of records making it a self-evaluating technique.

1.4 The revision of SRS sampling frame is undertaken every ten years based on the results of latest census. While changing the sample, modifications in the sampling design; wider representation of population; overcoming the limitations in the existing scheme; meeting the additional requirements etc. are taken into account. The first replacement was carried out in 1977-78 and the last being in 2014. Whereas the replacement of samples in earlier years was undertaken in phases spread over 2-3 years, the replacements in 2004 and 2014 were done in one go within a year. The following table provides the sample size in different replacement period.

Statement 1
Number of sample units at different replacement period

Residence	1969-70	1977-78	1983-85	1993-95	2004	2014
Rural	2432	3684	4176	4436	4433	4961
Urban	1290	1738	1846	2235	3164	3892
Total	3722	5422	6022	6671	7597	8853

1.5 The earlier sample was based on the reliability of birth rate at the State level, whereas the 2004 and 2014 sample is estimated using IMR reliability at natural division level. The present report ‘SRS Statistical Report, 2018’ is based on the latest sample from Census 2011 frame.

1.6 The main objective of SRS is to provide reliable estimates of birth rate, death rate and infant mortality rate at the natural division level for major States and at the State level for smaller States. Natural divisions are National Sample Survey (NSS) classified group of contiguous administrative districts with distinct geographical and other natural characteristics. It also provides data for other measures of fertility and mortality including total fertility, infant and child mortality rate at higher geographical levels.

Structure of the Sample Registration System

1.8 The main components of SRS are:

- (i) Base-line survey of the sample units to obtain demographic details of the usual resident population of the sample areas;
- (ii) Continuous (longitudinal) enumeration of vital events pertaining to usual resident population by the enumerator;
- (iii) Independent retrospective half-yearly surveys for recording births and deaths which occurred during the half-year under reference and up-dating the Houselist, Household schedule and the list of women in the reproductive age group along with their pregnancy status by the Supervisor;
- (iv) Matching of events recorded during continuous enumeration and those listed in course of half- yearly survey;
- (v) Field verification of unmatched and partially matched events; and
- (vi) Filling of Verbal Autopsy Forms for finalized deaths.

1.9 **Baseline Survey:** The base-line survey is carried out prior to the start of continuous enumeration. This involves preparation of a notional map of the area to be surveyed, house numbering and house listing and filling of a household schedule. The supervisor prepares a notional map with the help of the enumerator showing important landmarks and location of the houses to be covered in the sample unit. Subsequently, a list of houses/households to be covered by the sample in the House List (Form-1) is prepared and the Household Schedule (Form-2) is filled in. In the Household Schedule (Form-2), the residential status and other demographic particulars of each individual residing in the household viz. identification code, name, sex, date of birth, age, educational/marital status and relation to head of household, etc. are recorded. The inmates of public institutions like hotels, inns, schools and hospitals are excluded, but households living permanently within the compound of such institutions are covered. A list of all women in the reproductive span along with their pregnancy status is also prepared in Form 3 at the time of the base line survey.

1.10 **Continuous enumeration:** The enumerator maintains a Birth Record (Form 4) and a Death Record (Form 5) in respect of his/her area. The enumerator is expected to record all births and deaths occurring within the sample unit, as well as those of the usual residents occurring outside the sample unit. The events in respect of visitors occurring within the sample unit are also listed, but these are not taken into account while calculating rates. Thus, the events to be netted by the enumerator are those pertaining to: (i) usual residents inside the sample unit; (ii) usual residents outside the sample unit; (iii) in-migrants present; (iv) in-migrants absent; and (v) visitors inside the sample unit.

1.11 For ensuring complete netting, the enumerator uses different sources to get information of the occurrence of vital events in the sample unit. These include the help of the village priest, barber, village headman, midwife and such other functionaries. The enumerators maintain contact with these informants at frequent intervals and collect information about the occurrence of births and deaths. On being informed about the occurrence of an event, the enumerator visits the concerned household and records the prescribed particulars. The enumerator also keeps in touch with other socially important persons and visits local or nearby hospitals, nursing homes, cremation or burial grounds, at frequent intervals to keep updated about the occurrence of events. Besides, enumerator maintains and updates a list of all women in the reproductive span along with their pregnancy status, which helps in better netting of all the births. Despite all these efforts, the enumerator may miss information about some of the events and is, therefore, required to visit all the households once a month in urban area and once in a quarter in rural areas so as to ensure that all the events have been recorded.

1.12 **Half-yearly survey:** Half-yearly survey is carried out independently in each sample unit by a full-time supervisor. The supervisor belonging to the statistical cadre of the State Census Directorates (either a Compiler or a Sr. Compiler or a Statistical Investigator or any suitable official) visits each household in the sample unit and records the particulars of births and deaths in Forms 9 & 10 respectively in respect of all the usual residents and visitors (only those occurring within the sample unit) which had occurred during the half-yearly period (January-June or July-December) under reference. Simultaneously, the house-list, the household schedule and the pregnancy status of women are updated by making entries of changes, if any. While carrying out this survey the supervisor does not have access to the birth and death records of the enumerator for the same periods which are withdrawn from the field before the supervisor's visit for the half yearly survey. The Half Yearly Surveys are retrospective in nature and therefore the first HYS for reference period January-June of a year takes place in July- November period of that year and the Second HYS pertaining to July-December of a year takes place in January-May of the subsequent Year.

1.13 **Matching:** On completion of the half-yearly survey, the events captured in the Forms 9 & 10 (filled-in by the supervisors) are compared with those in the Forms 4 & 5 (filled-in by the enumerators). This is done at the office of Directorate of Census Operations for all States except for rural areas of Kerala and Maharashtra, where it is done at the Directorate of Economics and Statistics of the respective States. Selected important entries in the enumerator's and supervisor's record are matched item by item and events are classified as fully matched, partially matched and unmatched. The items generally considered for matching for birth events are: Identification code of the head of Household and mother, Relationship of the mother to head, date of live birth, month in case of still birth/abortion, sex in case of live birth /still birth and the items considered for death events are: identification code of the head of household and mother in infant death, relationship of the deceased to head, date of death and sex of the deceased.

1.14 Field verification of unmatched and partially matched events: Every unmatched or partially matched event is verified by a visit to the concerned household. This is done either by a third person or jointly by the supervisor and the enumerator, depending upon the availability of staff.

Sample design

1.15 The Sample design adopted for SRS is a uni-stage stratified simple random sample without replacement except in stratum II (larger villages) of rural areas, where two stage stratification has been applied. In rural areas of bigger States/UTs (population with ten million or more as per Census 2011), the NSS natural division is the first level of geographical stratification. The overall stratification in rural areas has been done on size of villages with villages having population less than 2,000 forming Stratum I and villages with population 2,000 or more forming Stratum II. Smaller villages with population less than 200 were excluded from the sampling frame in such a manner that the total population of villages so excluded did not exceed 2 per cent of the total population of the State. The number of sample villages in each State was allocated to the substrata proportionally to their size (population). The villages within each size stratum were ordered by the female literacy rate based on the Census 2011 data, and three equal size substrata were established. The sample villages within each substratum were selected at random with equal probability. In the case of villages of Stratum II, each sample village with a population of 2,000 or more was subdivided into two or more segments in a way that none of the segments cut across the Census Enumeration Blocks (CEBs) and the population of each segment formed by grouping the contiguous CEBs was approximately equal and did not exceed 2000. A frame of segments was then prepared and the selection of segments was done at random at the second sampling stage for the SRS enumeration.

1.16 In urban areas, the categories of towns/cities have been divided into four strata based on the size classes in contrast to the six strata in the earlier sampling frame. Towns with population less than one lakh have been placed under stratum I, towns/cities with population one lakh or more but less than 5 lakhs under stratum II, towns/cities with population 5 lakh or more under stratum III and four metro cities of Delhi, Mumbai, Chennai and Kolkata as separate strata viz. stratum IV. The sampling unit in urban area is a Census Enumeration Block. The Census Enumeration Blocks within each size stratum were ordered by the female literacy rate based on the Census 2011 data, and three equal size substrata were established. The sample Census Enumeration Block within each substratum was selected at random with equal probability. A simple random sample of these enumeration blocks has been selected within each sub-strata without replacement from each of the size classes of towns/cities in each State/Union Territory.

Sample size

1.17 The Infant Mortality is the decisive indicator for estimation of sample size. The permissible level of error has been taken as within 15 prse (percentage relative standard error) at Natural Division level in respect of major States having population more than 10 million as per Census 2011. For minor States, 15 prse has been fixed at the total State level. By and large the above criteria have been followed. However, there have been a few exceptions on account of operational constraints. Half Yearly survey 2018 was conducted in 8847 sample units, covering about 8 million sample population.

Statement 2
Number of sample units and population covered
India, States and Union Territories, 2018

India/States/ Union Territories	Number of sample units			Population covered (in'000)		
	Total	Rural	Urban	Total	Rural	Urban
India	8847	4961	3886	8079	5912	2167
Bigger States/UTs						
1. Andhra Pradesh	325	198	127	337	268	69
2. Assam	300	90	210	223	110	113
3. Bihar	330	200	130	374	295	79
4. Chhattisgarh	158	73	85	117	72	45
5. Delhi	198	10	188	140	16	124
6. Gujarat	478	231	247	427	295	132
7. Haryana	256	144	112	243	183	60
8. Jammu & Kashmir	350	226	124	284	233	51
9. Jharkhand	210	91	119	160	97	63
10. Karnataka	511	361	150	495	414	81
11. Kerala	280	175	105	368	314	54
12. Madhya Pradesh	448	285	163	408	312	96
13. Maharashtra	662	306	356	525	351	174
14. Odisha	405	290	115	360	296	64
15. Punjab	249	130	119	212	148	64
16. Rajasthan	350	236	114	337	277	60
17. Tamil Nadu	545	235	310	527	338	189
18. Telangana	224	121	103	215	157	58
19. Uttar Pradesh	500	328	172	527	423	104
20. Uttarakhand	374	195	179	296	187	109
21. West Bengal	555	304	251	556	424	132
Smaller States						
1. Arunachal Pradesh	65	50	15	44	33	11
2. Goa	95	45	50	91	67	24
3. Himachal Pradesh	210	155	55	118	91	27
4. Manipur	165	120	45	150	123	27
5. Meghalaya	130	95	35	84	64	20
6. Mizoram	45	25	20	36	24	12
7. Nagaland	50	35	15	35	25	10
8. Sikkim	65	50	15	62	50	12
9. Tripura	90	65	25	112	96	16
Union Territories						
1. Andaman & Nicobar Islands	55	37	18	48	38	10
2. Chandigarh	40	5	35	35	11	24
3. Dadra & Nagar Haveli	35	15	20	41	27	14
4. Daman & Diu	25	15	10	29	22	7
5. Lakshadweep	14	2	12	14	4	10
6. Puducherry	55	18	37	49	27	22

Note: 'Total' population may not add up to 'Rural' and 'Urban' population due to rounding.

Estimation procedure

1.18 For major States, estimates of population, births, deaths and infant deaths are generated for rural/urban areas separately at the natural division level. For smaller States, these estimates are generated for rural/urban areas separately at the State level. The estimates of birth, death and infant death rates are obtained as the ratios of the 'estimated births to estimated population', 'estimated deaths to estimated population' and 'estimated infant deaths to estimated births' respectively expressed in terms of per thousand.

Organization

1.19 From 1995, the SRS is being implemented mainly through the Directorates of Census Operations in both rural and urban areas. However, in the States of Kerala and Maharashtra the implementation of field work and their monitoring for rural units has been entrusted to the Directorate of Economics & Statistics of the respective State Government and the urban units to the Directorate of Census Operations.

1.20 For continuous enumeration, there is a resident part-time enumerator for each of the sample unit, who is usually an anganwadi worker/teacher and is paid honorarium for this work. The independent retrospective half-yearly surveys are carried out by the full-time supervisors who are the regular staff of the State Directorate of Census Operations. One supervisor is usually assigned a set of 10 to 12 sample units for conducting half-yearly surveys. Each State headquarters has a complement of staff necessary for planning and organizing various field operations, imparting training to the field staff, effecting proper supervision and control, ensuring regular flow of returns from the field, forwarding of various returns to the Office of the Registrar General, India and for undertaking certain minimum tabulations.

1.21 At the National level, the Vital Statistics Division of the office of the Registrar General, India coordinates the implementation work, formulates and prescribes necessary standards, provides necessary instructions and guidance, undertakes tabulation, analysis and dissemination of data.

Training and Supervision

1.22 Before the commencement of work, requisite training is imparted to the enumerators to make them understand their role and responsibility. This is followed by trainings at periodic intervals to clarify the doubts and also to keep the enumerators update with the improvements introduced in the system from time to time. Besides, they are also provided with a manual of instructions for day-to-day consultation to remove the difficulties in course of work. Supervisors are also given necessary training with a view to enabling them to carry out the half-yearly surveys properly and efficiently. They are also provided with a manual of instructions named "Instruction cum operating Manual" for this purpose. In addition to these, various State officials associated with the implementation of the SRS are also given necessary training. The detailed instructions and guidance, with regard to the various stages of work, to these officials have also been explained in the Instruction cum operating Manual.

1.23 Supervision of the field work is an important component of SRS. The supervisory level officials such as the Investigator, Assistant Director, Deputy Director, Joint Director and Director undertake this. Officers at the State headquarters undertake visits to sample units and inspect the work at the field level. Officers of Vital Statistics Division in the headquarters also undertake surprise checks and visits in SRS units for control of the quality of work.

Data collection

1.24 In the baseline survey, which is conducted jointly by both the enumerator and the supervisor, the data is being collected in Forms 1, 2 and 3 and Form 0 is also filled at the end of survey in a unit. The baseline survey is a decennial exercise which takes place after availability of new frame through latest census. The data collection in the field is carried out by the enumerators for continuous enumeration and supervisors for retrospective survey. Half Yearly Survey is conducted by the full-time supervisor. In Half Yearly Survey, besides updating the Forms 1, 2 and 3, the details of births and deaths occurred in the sample units in the reference period are also collected in Forms 9 and 10 respectively.

Introduction of Automation in SRS

1.25 The quality of data collection is of paramount importance in any survey especially in Sample Registration System considering its focus on data of births, deaths, infant deaths, details of pregnancy etc which are to be collected with utmost care. Towards fulfilling this objective, dual record system has been in practice in SRS apart from other quality measures in the field. To take the credibility and efficiency of the field survey to greatest heights, it was the endeavor of the Office of the Registrar, India, to implement full automation in Sample Registration System. Accordingly from Baseline 2014 onwards the entire process of data collection and processing has been automated. This pioneering step of a paper-less survey, for the first time in the history of SRS, can be viewed as greatly contributed to the recent Digital India initiatives of the Government of India.

1.26 In the automated procedure, the supervisor is now carrying a hand held device to the sample units and the data is collected directly to the machine saving time and cost of survey with efficiency. A dedicated server is installed at all the Directorates of Census Operations (DCO) to enable the activities like file creation, download and upload of files, generation of various Forms etc. The Directorate of Census Operation after finalizing the data directly uploads it on the central server which makes the system almost paper less as there is no need to send finalized results in paper format. At the Head Quarters validations are undertaken before preparing the vital rates.

SRS Forms and their flow

1.27 For collecting information on population and vital events various forms/schedules have been prescribed under the SRS. Depending upon various operations under the system, the following 17 types of forms are in use:

A. Baseline Survey Forms

- Form 1: House List
- Form 2: Household Schedule
- Form 3: Pregnancy Status of women

B. Continuous Enumeration Forms

- Form 4: Outcome of Pregnancy recorded by Enumerator (January-June/July-December)
- Form 5: Deaths recorded by Enumerator (January-June/July-December)
- Form 6: Monthly report of Outcome of Pregnancy
- Form 7: Monthly report of Deaths

C. Half yearly Survey Forms

- Form 9: Outcome of Pregnancy recorded by Supervisor (January-June/July-December)
- Form 10: Deaths recorded by Supervisor (January-June/July-December)
- Form 15: Distribution of usual resident population by age, sex and marital status (as on 1st July/1st January)

Form 16: Distribution of Female population by broad age groups and levels of education (as on 1st July/1st January)

Form 17: Number of females who got married by age at effective marriage (January-June/July-December)

D. Compilation/Tabulation Forms

Form 8: Consolidated monthly report on births and deaths

Form 11: Finalized list of Outcome of Pregnancy (January-June/July-December)


Form 12: Finalized list of Deaths (January-June/July-December)

Form 13: Results of the HYS for Outcome of Pregnancy (January-June/July-December)

Form 14: Results of the HYS for Deaths (January-June/July-December)

1.28 The enumerator records the details of each birth and death event occurred during the reference period in Forms 4 and 5 respectively on a continuous basis. A monthly report on births and deaths (Forms 6 and 7) is required to be sent by the enumerators to the State headquarters in the first week of the following month. The relevant entries of birth and death records in monthly report are copied from six monthly records and sent to the State headquarter. On the basis of the monthly reports received from the sample units, the State headquarters are required to prepare a consolidated monthly report (Form 8) and forward the same to the Office of the Registrar General, India by the end of the following month. The monthly reports for the individual units remain at the State headquarters. The supervisor records the details of each birth and death event occurring during the six-month reference period in Forms 9 and 10 respectively. After matching of each birth and death event recorded in Forms 4 and 5 with those in Forms 9 and 10 and verification of partially and unmatched events in the field, finalized Forms 11 and 12 are prepared after necessary corrections and inclusion of additional events recorded during the survey. These forms are sent to the Office of the Registrar General, India along with the half-yearly survey results in Forms 13, 14, 15, 16 and 17. The processes of matching, re verification, generation of Forms 11 to 17 are now automated leading to less time consumption for data processing and more time for data collection in the field leading to improvement in quality of data. Flow chart of SRS returns is shown in Chart 1. Due to automation most of the errors in terms of wrong classification of sex or invalid coding, not legible details are taken care of. We do not get birth and death without sex classification or without essential details as the application does not allow for such omission /commission.

Chart 1: Flow Chart



CHAPTER - 2

POPULATION COMPOSITION

The data on population by age and sex is vital for demographers, health administrators etc. for planning and evaluation of various developmental and health programs. The classification of rural/urban, sex and marital status by age unveils the characteristics of population composition and provides disaggregated data for target-oriented projects. Being one of the most important demographic characteristics, data on age is collected and updated in both half-yearly surveys of SRS for all the members of the household covered in the sample units.

2.2 As per available data from SRS, there has been a gradual decline in the share of population in the age group 0-14 from 41.2 to 38.1 per cent during 1971 to 1981 and 36.3 to 25.9 percent during 1991 to 2018, whereas, the proportion of economically active population (15-59 years) has increased from 53.4 to 56.3 percent during 1971 to 1981 and 57.7 to 66.0 percent during 1991 to 2018. On account of better education, health facilities and increase in life expectancy, the percentage of elderly population (60+) has gone up from 5.3 to 5.7 percent and 6.0 to 8.1 percent respectively during the periods under reference. Marital status and Female mean age at marriage are essential constituents to monitor fertility and population growth. The data on marital status has been included in SRS from 1991, whereas on Female mean age at marriage from 1990. There is a marginal increase in the proportion of married Females from 45.7 in 1991 to 49.5 in 2018, whereas the proportion of widowed/divorced/separated females has decreased from 8.1 in 1991 to 5.5 in 2018. The mean age at effective marriage for Females has increased from 19.3 years in 1990 to 22.3 years in 2018.

2.3 This chapter provides data on percentage distribution of population by age, sex and residence for all broad age groups from 0-4, 0-14, 15-59 and 60+ for India and bigger States/UTs. It also includes data on percentage distribution of population by marital status for total population, 10+ and 15+ ages by sex and residence. The State-wise variations in Female age at effective marriage and their corresponding proportions have also been presented in this chapter.

2.4 Instances of age heaping, under reporting and over reporting have been observed in different age groups and at single age. Accordingly, corrective actions have been taken to rectify such instances.

Age composition

2.5 Age composition by residence and broad age groups 0-14, 15-59 and 60+ for the year 2018 at the National level is shown below in Statement 3. The age group 0-14 is further sub-categorized into the age groups 0-4, 5-9 and 10-14. It is observed that for most of the age groups, Male-Female differences in the age distribution of population are negligible except in the combined age-group of 0-14, 15-59, 60+, 15-64 & 65+. In the age-group 0-14, Male population is about one percent more than Female, whereas in the older age-groups 15-59, 60+, 15-64 and 65+, percentage of Females are more than that of Males by 0.6, 0.6, 0.6 and 0.5 percentage points. The proportion of young children in the age group 0-4 and also the proportion of population in the age group 0-14 are higher in rural areas than in urban areas both for Males and Females. A higher proportion of Males and Females in the working age group 15-59 live in urban areas as compared to rural areas. Chart 2 gives pictorial presentation of data shown in Statement 3. Table 1 gives percentage distribution of estimated population by quinquennial age groups, sex and residence for India and bigger States/UTs. The population pyramid of India is presented in Chart 3.

Statement 3

Percentage distribution of Population by broad age groups to Total Population by sex and residence, India, 2018

Residence	Sex	Broad age groups (years)							
		0-4	5-9	10-14	0-14	15-59	60+	15-64	65+
Total	Total	8.0	8.6	9.3	25.9	66.0	8.1	69.0	5.1
	Male	8.2	8.8	9.5	26.4	65.7	7.8	68.7	4.9
	Female	7.8	8.4	9.1	25.3	66.3	8.4	69.3	5.4
Rural	Total	8.6	9.1	9.8	27.5	64.5	8.0	67.4	5.1
	Male	8.8	9.3	10.0	28.1	64.3	7.6	67.1	4.9
	Female	8.4	8.9	9.6	27.0	64.7	8.4	67.6	5.4
Urban	Total	6.8	7.6	8.2	22.6	69.1	8.3	72.3	5.1
	Male	6.9	7.8	8.4	23.1	68.7	8.2	71.9	5.0
	Female	6.6	7.4	8.0	22.0	69.6	8.4	72.7	5.3

Note: Total percentage may not add to 100 on account of rounding in broad age groups

Chart 2 : Percentage distribution of population by broad age groups and residence, India, 2018





Chart 3: Population pyramid, India, 2018




2.6 Percentage share of population in the selected age groups for bigger States/UTs by residence and sex are given in Statements 4 to 7. Statement 4 gives the percentage of population below 5 years of age. At the National level, 6.8 percent population in urban areas constitutes below 5 years of age as against 8.6 percent for rural areas. Sex differences in the share of child population at the national level are negligible both in rural and urban areas. The difference in the share of male child population to female child is maximum (about 1 percent higher) in rural areas of Uttarakhand. Among the bigger States/UTs, the percentage of child population in rural areas varies from 5.3 in Telangana to 11.9 in Bihar. In urban areas, such variation is from 5.4 in Himachal Pradesh to 10.6 in Uttarakhand. Chart 4 shows the pictorial presentation of percentage of child population for bigger States/UTs.

Statement 4

Percentage of Population in the age group 0-4 years to Total Population by sex and residence, India and bigger States/UTs, 2018

India and bigger States/UTs	Total			Rural			Urban		
	Total	Male	Female	Total	Male	Female	Total	Male	Female
India	8.0	8.2	7.8	8.6	8.8	8.4	6.8	6.9	6.6
Andhra Pradesh	5.6	5.6	5.7	5.8	5.7	5.8	5.4	5.4	5.4
Assam	8.8	8.9	8.6	9.1	9.3	9.0	6.9	6.9	6.8
Bihar	11.5	11.8	11.2	11.9	12.1	11.6	9.1	9.4	8.9
Chhattisgarh	9.0	9.1	9.0	9.5	9.5	9.4	7.6	7.7	7.5
Delhi	6.5	6.6	6.5	6.5	6.0	7.1	6.5	6.6	6.5
Gujarat	7.5	7.7	7.2	7.9	8.2	7.6	6.9	7.1	6.7
Haryana	8.2	8.5	7.9	8.6	9.0	8.1	7.6	7.7	7.4
Himachal Pradesh	6.2	6.4	6.0	6.3	6.5	6.1	5.4	5.3	5.5
Jammu & Kashmir	6.4	6.6	6.2	6.8	7.0	6.7	5.6	5.9	5.3
Jharkhand	9.1	9.2	8.9	9.8	10.0	9.6	6.9	7.0	6.8
Karnataka	7.2	7.4	7.1	7.3	7.5	7.2	7.0	7.2	6.9
Kerala	6.7	7.1	6.3	6.9	7.2	6.6	6.4	6.9	5.9
Madhya Pradesh	9.4	9.4	9.4	9.9	9.8	9.9	8.1	8.2	7.9
Maharashtra	7.6	7.9	7.4	8.3	8.6	7.9	6.9	7.0	6.8
Odisha	7.3	7.4	7.1	7.4	7.5	7.2	6.9	6.9	6.8
Punjab	6.1	6.2	6.0	6.2	6.3	6.2	5.9	6.0	5.7
Rajasthan	9.2	9.5	8.9	9.7	10.1	9.3	7.7	7.8	7.6
Tamil Nadu	6.3	6.4	6.1	6.8	7.0	6.6	5.8	5.9	5.7
Telangana	5.9	6.1	5.7	5.3	5.3	5.2	6.9	7.2	6.5
Uttar Pradesh	8.5	8.7	8.2	9.0	9.3	8.7	6.9	7.1	6.6
Uttarakhand	10.5	10.9	10.2	10.5	11.0	10.1	10.6	10.6	10.6
West Bengal	7.0	7.1	6.9	7.5	7.7	7.4	5.7	5.8	5.7

Chart 4: Percentage of child population (0-4 years) to total population by residence, India and bigger States,/UTs 2018




2.7 Percentage of population of age less than 15 years for India and bigger States/UTs by sex and residence is given below in Statement 5. At the National level, 27.5 percent of rural population in the year 2018 is below 15 years of age against 22.6 percent for urban areas. Percentage of population below 15 years of age in rural areas varies from 19.8 in Andhra Pradesh and Telangana to 34.8 in Bihar. In urban areas, it varies from 17.9 in Jammu & Kashmir to 29.6 in Bihar. Chart 5 gives the pictorial presentation of percentage of persons below 15 years of age for bigger States/UTs by residence.

Statement 5

Percentage of Population in the age group 0-14 years to Total Population by sex and residence, India and bigger States/UTs, 2018

India and bigger States/UTs	Total			Rural			Urban		
	Total	Male	Female	Total	Male	Female	Total	Male	Female
India	25.9	26.4	25.3	27.5	28.1	27.0	22.6	23.1	22.0
Andhra Pradesh	19.8	19.9	19.7	19.8	19.9	19.7	19.7	19.7	19.7
Assam	27.7	28.1	27.3	28.9	29.4	28.5	20.5	20.8	20.3
Bihar	34.2	34.6	33.6	34.8	35.4	34.3	29.6	29.8	29.4
Chhattisgarh	28.3	28.5	28.0	29.3	29.4	29.2	25.1	25.8	24.4
Delhi	23.7	23.6	23.7	23.3	22.9	23.8	23.7	23.6	23.7
Gujarat	24.9	25.7	24.1	26.4	27.1	25.7	23.1	24.0	22.2
Haryana	26.1	27.2	24.9	27.0	28.0	25.8	24.7	25.9	23.3
Himachal Pradesh	21.9	23.0	20.8	22.1	23.3	20.9	20.3	20.3	20.2
Jammu & Kashmir	21.2	21.9	20.6	22.7	23.3	22.1	17.9	18.6	17.1
Jharkhand	29.7	30.4	28.9	31.2	32.1	30.2	24.9	25.1	24.8
Karnataka	23.2	23.7	22.7	23.4	23.9	22.8	22.9	23.3	22.5
Kerala	21.2	22.8	19.8	21.6	23.2	20.2	20.8	22.4	19.4
Madhya Pradesh	29.6	29.8	29.4	30.9	30.9	30.9	25.9	26.6	25.2
Maharashtra	24.0	24.7	23.3	26.0	26.8	25.1	21.7	22.1	21.2
Odisha	23.6	23.8	23.3	23.9	24.1	23.7	21.9	22.3	21.6
Punjab	20.7	21.4	19.9	20.9	21.6	20.0	20.4	21.0	19.7
Rajasthan	29.0	30.0	27.9	30.3	31.3	29.2	25.3	26.2	24.5
Tamil Nadu	20.4	20.9	19.9	21.7	22.4	21.0	19.2	19.5	18.9
Telangana	20.8	21.1	20.5	19.8	20.1	19.6	22.2	22.6	21.9
Uttar Pradesh	28.8	29.3	28.3	30.0	30.4	29.6	25.0	25.8	24.2
Uttarakhand	29.0	29.9	28.0	29.7	30.9	28.4	27.2	27.4	26.9
West Bengal	22.6	22.7	22.5	24.4	24.5	24.2	18.6	18.7	18.6

Chart 5: Percentage of population age 0-14 years to total population by residence, India and bigger States/UTs, 2018




2.8 Statement 6 given below provides percentage of population in the working age group 15-59 years for India and bigger States/UTs by sex and residence. At the National level, the age group 15-59 contributes 64.5 percent in rural areas and 69.1 percent population in urban areas. In rural areas, the percentage varies from 59.2 in Bihar to 70.6 in Telangana. In urban areas, the same varies from 62.4 in Bihar to 72.5 percent in Andhra Pradesh. Chart 6 gives the pictorial presentation of percentage of population in the age group 15-59 years for bigger States/UTs by residence.

Statement 6

Percentage of Population in the working age group 15-59 years by sex and residence, India and bigger States/UTs, 2018

India and bigger States/UTs	Total			Rural			Urban		
	Total	Male	Female	Total	Male	Female	Total	Male	Female
India	66.0	65.7	66.3	64.5	64.3	64.7	69.1	68.7	69.6
Andhra Pradesh	70.8	70.4	71.1	70.0	69.6	70.4	72.5	72.4	72.7
Assam	65.9	65.2	66.6	64.9	64.3	65.6	71.2	70.2	72.2
Bihar	59.6	59.0	60.2	59.2	58.6	59.8	62.4	61.9	62.9
Chhattisgarh	64.8	65.0	64.5	63.5	63.9	63.2	68.8	68.5	69.1
Delhi	69.9	70.2	69.5	70.5	71.5	69.4	69.9	70.2	69.5
Gujarat	66.7	66.8	66.6	64.9	65.1	64.6	69.0	68.8	69.1
Haryana	66.7	66.1	67.4	65.6	65.1	66.2	68.5	67.7	69.2
Himachal Pradesh	67.1	66.3	67.9	66.7	65.8	67.6	70.9	70.8	71.0
Jammu & Kashmir	69.7	69.1	70.4	68.6	68.0	69.2	72.2	71.4	73.0
Jharkhand	63.9	63.5	64.4	62.6	62.0	63.3	67.9	68.1	67.7
Karnataka	68.7	68.7	68.8	68.1	68.2	68.0	69.7	69.4	70.0
Kerala	65.8	65.0	66.5	65.1	64.3	65.8	66.5	65.8	67.2
Madhya Pradesh	63.3	63.4	63.1	62.0	62.4	61.6	66.8	66.4	67.2
Maharashtra	67.0	66.8	67.3	64.1	64.0	64.1	70.6	70.2	71.1
Odisha	66.4	66.0	66.8	65.7	65.3	66.1	69.7	69.1	70.3
Punjab	69.3	69.0	69.7	68.3	68.0	68.7	70.7	70.4	71.1
Rajasthan	63.8	63.7	64.0	62.6	62.6	62.7	67.3	67.0	67.7
Tamil Nadu	68.6	68.2	69.0	67.8	67.4	68.2	69.3	69.0	69.7
Telangana	71.1	70.8	71.4	70.6	70.3	70.8	71.9	71.4	72.4
Uttar Pradesh	64.4	64.2	64.5	63.1	63.1	63.1	68.2	67.6	68.8
Uttarakhand	62.5	62.2	62.8	61.2	60.8	61.7	65.8	65.9	65.7
West Bengal	68.8	68.7	68.9	68.1	68.4	67.8	70.4	69.6	71.3

Chart 6: Percentage of population age 15-59 years to total population by residence, India and bigger States/UTs, 2018




2.9 Percentage of aged persons (60 years and above) for India and bigger States/UTs by sex and residence is given below in Statement 7. At the National level, percentage of aged (60+) population is 8.1. Composition of 60+ aged female population is higher than males in all of the bigger States/UTs except Andhra Pradesh, Assam, Bihar, Jammu & Kashmir, Odisha and Telangana. In rural areas, population in the age group 60+ constitutes 8.0 percent of the total population and variation in aged population ranges from 6.0 percent in Bihar to 13.3 percent in Kerala. The proportion of aged population in urban areas is 8.3 percent. The Pictorial presentation of percentage of old age population by residence for bigger States/UTs is given in Chart 7.

Statement 7

Percentage of Population in the age group 60 years and above to Total Population by sex and residence, India and bigger States/UTs, 2018

India and bigger States/UTs	Total			Rural			Urban		
	Total	Male	Female	Total	Male	Female	Total	Male	Female
India	8.1	7.8	8.4	8.0	7.6	8.4	8.3	8.2	8.4
Andhra Pradesh	9.4	9.7	9.2	10.2	10.5	9.9	7.7	8.0	7.5
Assam	6.5	6.8	6.1	6.1	6.4	5.9	8.3	9.1	7.5
Bihar	6.3	6.3	6.2	6.0	6.0	5.9	8.0	8.3	7.7
Chhattisgarh	6.9	6.4	7.4	7.2	6.7	7.7	6.1	5.7	6.6
Delhi	6.5	6.2	6.8	6.2	5.7	6.8	6.5	6.2	6.8
Gujarat	8.4	7.5	9.2	8.7	7.8	9.7	7.9	7.2	8.7
Haryana	7.2	6.7	7.7	7.3	6.8	7.9	6.9	6.3	7.4
Himachal Pradesh	11.0	10.7	11.3	11.2	10.9	11.5	8.9	8.9	8.8
Jammu & Kashmir	9.1	9.1	9.0	8.6	8.6	8.6	10.0	10.1	9.8
Jharkhand	6.4	6.2	6.7	6.2	5.9	6.5	7.2	6.9	7.5
Karnataka	8.1	7.6	8.6	8.6	7.9	9.3	7.4	7.3	7.5
Kerala	12.9	12.2	13.7	13.3	12.5	14.0	12.6	11.8	13.3
Madhya Pradesh	7.1	6.8	7.5	7.1	6.7	7.5	7.3	7.0	7.6
Maharashtra	9.0	8.5	9.4	10.0	9.2	10.8	7.7	7.7	7.7
Odisha	10.0	10.2	9.8	10.4	10.6	10.2	8.4	8.6	8.1
Punjab	10.0	9.6	10.4	10.8	10.4	11.3	8.9	8.5	9.3
Rajasthan	7.2	6.3	8.1	7.1	6.1	8.2	7.3	6.8	7.8
Tamil Nadu	11.0	10.9	11.1	10.5	10.2	10.8	11.5	11.5	11.4
Telangana	8.1	8.1	8.1	9.6	9.6	9.6	5.9	6.0	5.8
Uttar Pradesh	6.8	6.5	7.2	6.9	6.5	7.3	6.8	6.6	7.0
Uttarakhand	8.5	7.8	9.2	9.1	8.3	9.9	7.0	6.7	7.4
West Bengal	8.6	8.5	8.6	7.5	7.1	8.0	10.9	11.7	10.1

Chart 7: Percentage of population aged 60+ to total population by residence, India and bigger States/UTs, 2018



Marital Status

2.10 Besides age, the other important demographic characteristic collected and subsequently updated during each half yearly survey of the SRS is the marital status. Distribution of the population by marital status is thus available from SRS.

2.11 Statement 8 given below shows the percentage distribution of population by sex and marital status for India and bigger States/UTs for the year 2018. During this year, 50.3 percent of the population at the National level is reported as never married. Married population constitutes 46.3 percent of the total population whereas widowed/divorced/separated constitutes 3.5 percent. The proportion of W/D/S female population is higher than males at the National level as well as in all the bigger States/UTs. The gap is significantly wide (around 8 percentage points) in respect of Kerala. Andhra Pradesh (53.5) recorded the highest percentage of married population whereas the lowest was recorded for Bihar (39.9). Married Females recorded a higher percentage as compared to Males at the National level and similarly for all of the bigger States/UTs. The percentage distribution of population by sex, marital status and age-group for urban and rural areas of India and bigger States/UTs is detailed in Table-2. Charts 8, 9 and 10 show the distribution of population by marital status of India and bigger States/UTs for Person, Male and Female respectively.

Statement 8

Percentage distribution of Population by Marital Status and sex, India and bigger States/UTs, 2018

India and bigger States/UTs	Never married			Married			W/D/S		
	Total	Male	Female	Total	Male	Female	Total	Male	Female
India	50.3	55.2	45.1	46.3	43.2	49.5	3.5	1.6	5.5
Andhra Pradesh	41.5	46.4	36.5	53.5	51.3	55.7	5.0	2.3	7.8
Assam	53.3	57.4	48.8	43.7	41.2	46.4	3.0	1.4	4.8
Bihar	58.4	62.5	53.9	39.9	36.5	43.7	1.7	1.0	2.4
Chhattisgarh	50.0	53.7	46.4	45.6	44.2	47.0	4.4	2.1	6.6
Delhi	52.0	55.6	47.9	45.4	43.2	47.9	2.6	1.2	4.2
Gujarat	47.6	52.1	42.8	48.7	46.1	51.5	3.7	1.8	5.7
Haryana	49.4	54.5	43.6	48.3	44.2	52.8	2.3	1.3	3.6
Himachal Pradesh	44.4	50.3	38.7	51.2	48.1	54.3	4.4	1.7	7.0
Jammu & Kashmir	55.4	58.6	52.1	42.5	40.3	44.9	2.0	1.2	3.0
Jharkhand	55.0	59.9	49.7	42.7	39.0	46.6	2.3	1.0	3.7
Karnataka	47.4	54.1	40.4	47.7	44.4	51.1	4.9	1.5	8.5
Kerala	43.0	51.0	35.7	51.5	47.7	55.0	5.4	1.2	9.3
Madhya Pradesh	51.0	55.3	46.4	45.4	42.6	48.5	3.6	2.1	5.2
Maharashtra	48.9	54.6	42.7	47.6	44.0	51.5	3.5	1.4	5.9
Odisha	47.2	51.7	42.5	48.6	46.5	50.8	4.2	1.8	6.8
Punjab	48.5	53.6	42.7	48.5	44.7	52.9	3.0	1.8	4.5
Rajasthan	50.7	55.2	45.9	46.5	43.5	49.7	2.8	1.3	4.4
Tamil Nadu	43.2	48.8	37.4	51.1	48.8	53.4	5.7	2.3	9.2
Telangana	46.0	51.5	40.2	49.6	46.7	52.6	4.4	1.7	7.1
Uttar Pradesh	56.0	60.1	51.7	41.6	38.3	45.1	2.4	1.5	3.2
Uttarakhand	53.7	61.0	46.1	42.8	37.6	48.3	3.5	1.4	5.6
West Bengal	46.3	51.6	40.9	49.9	47.2	52.8	3.8	1.3	6.3

Note: Total may not add to 100 due to rounding off.

W/D/S- Widowed/Divorced/Separated

Chart 8: Percentage distribution of population by marital status, India and bigger States/UTs, 2018




Chart 9: Percentage distribution of MALE population by marital status, India and bigger States/UTs, 2018





Chart 10: Percentage distribution of FEMALE population by marital status, India and bigger States/UTs, 2018



2.12 Persons below 10 years of age, in the SRS, are being treated as unmarried. Marital distribution of population would be more meaningful if such percentages are worked out for persons of age 10 years and above. Statement 9 given below provides percentage distribution of population for age 10 years and above by marital status and sex for India and bigger States/UTs. At the National level, the percentage share of married population is 55.5. Among the bigger States/UTs Jammu & Kashmir (49.2) recorded the lowest percentage of married population whereas the highest percentage was recorded for Andhra Pradesh (61.1). Charts 11, 12 and 13 show the distribution of population aged 10 years and above by marital status of India and bigger States/UTs for Person, Male and Female respectively.

Statement 9
Percentage distribution of Population aged 10+ by Marital Status and sex
India and bigger States/UTs, 2018

India and bigger States/UTs	Never married			Married			W/D/S		
	Total	Male	Female	Total	Male	Female	Total	Male	Female
India	40.4	46.0	34.4	55.5	52.1	59.1	4.1	1.9	6.5
Andhra Pradesh	33.2	38.7	27.4	61.1	58.6	63.7	5.7	2.7	8.9
Assam	43.1	48.1	37.9	53.2	50.3	56.3	3.7	1.7	5.8
Bihar	46.2	51.3	40.8	51.6	47.4	56.1	2.2	1.3	3.1
Chhattisgarh	38.7	43.0	34.3	56.0	54.4	57.6	5.4	2.6	8.1
Delhi	43.7	47.9	39.0	53.3	50.7	56.2	3.0	1.4	4.9
Gujarat	37.9	42.9	32.6	57.7	55.0	60.7	4.4	2.2	6.8
Haryana	39.0	44.7	32.6	58.2	53.7	63.1	2.8	1.5	4.3
Himachal Pradesh	35.6	41.9	29.5	59.4	56.2	62.5	5.1	1.9	8.0
Jammu & Kashmir	48.5	51.9	45.0	49.2	46.8	51.6	2.3	1.3	3.4
Jharkhand	44.6	50.3	38.4	52.6	48.4	57.0	2.8	1.3	4.5
Karnataka	38.1	45.8	30.1	56.1	52.5	59.9	5.8	1.8	10.0
Kerala	34.1	42.8	26.3	59.6	55.8	63.0	6.3	1.4	10.6
Madhya Pradesh	39.5	44.8	33.9	56.0	52.6	59.7	4.4	2.6	6.4
Maharashtra	39.6	46.1	32.6	56.3	52.3	60.5	4.2	1.6	6.9
Odisha	37.8	43.0	32.5	57.2	54.8	59.6	5.0	2.1	7.9
Punjab	40.8	46.5	34.3	55.7	51.5	60.6	3.5	2.1	5.1
Rajasthan	39.2	44.3	33.7	57.4	54.1	60.9	3.4	1.6	5.4
Tamil Nadu	34.7	41.0	28.3	58.7	56.3	61.2	6.6	2.7	10.5
Telangana	37.8	44.0	31.5	57.1	53.9	60.3	5.0	2.0	8.2
Uttar Pradesh	46.2	51.0	41.1	50.9	47.1	55.0	2.9	1.9	3.9
Uttarakhand	42.4	51.1	33.6	53.2	47.1	59.5	4.3	1.8	6.9
West Bengal	37.3	43.3	31.1	58.3	55.2	61.5	4.4	1.5	7.4

Note: Total may not add to 100 due to rounding off.

W/D/S- Widowed/Divorced/Separated

Chart 11: Percentage distribution of population aged 10+ by marital status, India and bigger States/UTs, 2018




Chart 12: Percentage distribution of MALE population aged 10+ by marital status, India and bigger States/UTs, 2018





Chart 13: Percentage distribution of FEMALE population aged 10+ by marital status, India and bigger States/UTs, 2018



2.13 Statement 10 placed below shows the percentage distribution of Females aged 10 years and more by marital status and residence. At the National level, 59.1 percent of such females are married. Among the bigger States/UTs the lowest percentage of married females is found to be in Jammu & Kashmir (51.6) and the highest in Andhra Pradesh (63.7). Percentage of never married Females in the bigger States/UTs varies from 26.3 in Kerala to 45.0 in Jammu & Kashmir. The percentage of females in the category "Widowed/Divorced/Separated" varies from 3.1 in Bihar to 10.6 in Kerala. Charts 14, 15 and 16 show the distribution of female population aged 10 years and above by marital status of India and bigger States/UTs for Total, Rural and Urban areas respectively.

Statement 10
Percentage distribution of Females aged 10+ by Marital Status and residence
India and bigger States/UTs, 2018

India and bigger States/UTs	Never married			Married			W/D/S		
	Total	Rural	Urban	Total	Rural	Urban	Total	Rural	Urban
India	34.4	34.7	33.9	59.1	59.0	59.2	6.5	6.3	6.9
Andhra Pradesh	27.4	26.3	29.7	63.7	64.4	62.1	8.9	9.3	8.1
Assam	37.9	38.4	35.1	56.3	56.0	58.0	5.8	5.6	7.0
Bihar	40.8	40.9	39.8	56.1	56.2	55.9	3.1	2.9	4.3
Chhattisgarh	34.3	34.0	35.1	57.6	57.6	57.6	8.1	8.4	7.2
Delhi	39.0	35.9	39.0	56.2	59.4	56.1	4.9	4.7	4.9
Gujarat	32.6	32.4	32.8	60.7	60.6	60.8	6.8	7.0	6.5
Haryana	32.6	32.9	32.1	63.1	62.8	63.6	4.3	4.3	4.4
Himachal Pradesh	29.5	29.0	35.4	62.5	62.8	59.3	8.0	8.3	5.3
Jammu & Kashmir	45.0	46.2	42.4	51.6	50.6	53.8	3.4	3.2	3.9
Jharkhand	38.4	38.3	38.9	57.0	57.3	56.3	4.5	4.4	4.8
Karnataka	30.1	29.0	31.7	59.9	60.1	59.7	10.0	10.9	8.6
Kerala	26.3	26.0	26.6	63.0	63.3	62.8	10.6	10.7	10.6
Madhya Pradesh	33.9	33.6	34.7	59.7	60.2	58.6	6.4	6.2	6.8
Maharashtra	32.6	32.4	32.9	60.5	60.7	60.2	6.9	6.9	6.9
Odisha	32.5	32.1	33.9	59.6	59.9	58.3	7.9	8.0	7.7
Punjab	34.3	34.0	34.8	60.6	60.6	60.5	5.1	5.4	4.7
Rajasthan	33.7	34.0	32.9	60.9	60.7	61.4	5.4	5.3	5.7
Tamil Nadu	28.3	29.3	27.4	61.2	60.1	62.1	10.5	10.6	10.5
Telangana	31.5	29.3	34.8	60.3	61.2	59.0	8.2	9.4	6.2
Uttar Pradesh	41.1	40.6	42.6	55.0	55.6	53.2	3.9	3.9	4.2
Uttarakhand	33.6	31.9	38.0	59.5	60.8	56.1	6.9	7.3	5.9
West Bengal	31.1	31.6	30.2	61.5	61.5	61.6	7.4	7.0	8.3

Note: Total may not add to 100 due to rounding off.

W/D/S- Widowed/Divorced/Separated

Chart 14: Percentage distribution of female aged 10+ by marital status, India and bigger States/UTs, 2018






Chart 15: Percentage distribution of female aged 10+ by marital status, India and bigger States/UTs, 2018 -RURAL



**Chart 16: Percentage distribution of female aged 10+ by marital status
India and bigger States/UTs, 2018 - URBAN**



2.14 Statement 11 given below presents the marital distribution of female population aged 15 years and above by residence. At the National level, 66.3 percent of females aged 15+ are married, the proportion being 66.8 percent in rural and 65.3 percent in urban areas. Among the bigger States/UTs, percentage of such married females varies from 56.6 in Jammu & Kashmir to 70.3 in Haryana. The percentage of never married females varies from 19.8 in Kerala to 39.7 in Jammu & Kashmir. The maximum percentage of Widowed/Divorced/Separated females is 11.6 in Kerala and the minimum is 3.6 in Bihar. Charts 17, 18 and 19 show the distribution of female population aged 15 years and above by marital status of India and bigger States/UTs for Total, Rural and Urban areas respectively.

Statement 11
Percentage distribution of Females aged 15+ by Marital Status and residence
India and bigger States/UTs, 2018

India and bigger States/UTs	Never married			Married			W/D/S		
	Total	Rural	Urban	Total	Rural	Urban	Total	Rural	Urban
India	26.4	26.1	27.1	66.3	66.8	65.3	7.3	7.1	7.6
Andhra Pradesh	20.9	19.8	23.2	69.4	70.1	67.9	9.7	10.2	8.9
Assam	29.6	29.6	29.5	63.8	64.0	62.9	6.6	6.4	7.6
Bihar	30.5	30.5	30.6	65.9	66.1	64.4	3.6	3.4	5.0
Chhattisgarh	25.5	24.7	27.9	65.3	65.7	64.1	9.2	9.6	8.0
Delhi	31.7	29.1	31.7	62.8	65.7	62.8	5.5	5.2	5.5
Gujarat	24.6	23.7	25.6	67.8	68.4	67.2	7.6	7.9	7.2
Haryana	24.9	24.8	25.0	70.3	70.4	70.2	4.8	4.8	4.8
Himachal Pradesh	22.5	21.9	29.0	68.6	69.0	65.1	8.8	9.1	5.9
Jammu & Kashmir	39.7	40.5	38.1	56.6	56.0	57.8	3.7	3.5	4.2
Jharkhand	29.3	28.7	31.0	65.5	66.2	63.6	5.2	5.1	5.5
Karnataka	22.9	21.8	24.7	66.1	66.2	65.8	11.0	12.0	9.5
Kerala	19.8	19.5	20.1	68.6	68.9	68.4	11.6	11.6	11.6
Madhya Pradesh	24.0	22.9	26.9	68.6	69.8	65.6	7.3	7.2	7.6
Maharashtra	25.2	24.1	26.5	67.1	68.1	65.9	7.7	7.7	7.6
Odisha	24.9	24.4	27.5	66.2	66.7	64.1	8.8	8.9	8.5
Punjab	28.4	28.0	29.0	66.0	66.1	65.9	5.6	5.9	5.1
Rajasthan	24.9	24.8	25.3	69.0	69.2	68.3	6.1	6.0	6.3
Tamil Nadu	21.8	22.4	21.3	66.7	65.9	67.3	11.5	11.6	11.4
Telangana	24.8	22.7	28.1	66.2	67.0	65.0	9.0	10.3	6.9
Uttar Pradesh	32.6	31.5	35.7	62.9	64.0	59.7	4.5	4.5	4.7
Uttarakhand	25.1	23.0	30.9	67.1	68.8	62.5	7.8	8.2	6.6
West Bengal	23.8	23.5	24.4	68.1	68.7	66.7	8.2	7.8	8.9

Note: Total may not add to 100 due to rounding off.

W/D/S- Widowed/Divorced/Separated

Chart 17: Percentage distribution of female aged 15+ by marital status, India and bigger States/UTs, 2018




Chart 18: Percentage distribution of female aged 15+ by marital status, India and bigger States/UTs, 2018 - RURAL





Chart 19: Percentage distribution of female aged 15+ by marital status, India and bigger States/UTs, 2018 - URBAN



2.15 In addition to the marital status of males and females, information on the number of females who got effectively married during the reference period of six months of each half yearly survey is also being collected in the SRS from 1990. Based on the information on the number of females who got effectively married during the last one year, mean age at effective marriage for female has been worked out. Statement 12 given below presents percentage distribution of such females by age at effective marriage separately for rural and urban areas. The percentage of females who got effectively married before reaching 18 years of age is 2.3 at the National level and varies from 0.9 in Kerala to 3.7 in West Bengal. Percentage of females marrying at age 21 years and above is 64.5 at the National level and varies from 49.1 in West Bengal to 86.2 in Jammu & Kashmir. About 37.4 percent of the rural females, at the National level, marry between 18 and 20 years of age compared to about 23.2 percent in urban areas. Charts 20, 21 and 22 show the distribution of females, who got effectively married during the last one year, by age at effective marriage of India and bigger States/UTs for Total, Rural and Urban areas respectively.

Statement 12

Percentage of Females by age at Effective Marriage and by residence India and bigger States/UTs, 2018

India and bigger States/UTs	Total				Rural				Urban			
	<18	18-20	21+	All ages	<18	18-20	21+	All ages	<18	18-20	21+	All ages
India	2.3	33.2	64.5	100.0	2.6	37.4	60.0	100.0	1.6	23.2	75.3	100.0
Andhra Pradesh	2.3	33.8	63.9	100.0	2.4	37.4	60.1	100.0	2.1	23.2	74.7	100.0
Assam	2.4	35.0	62.6	100.0	2.5	36.9	60.6	100.0	1.4	21.1	77.6	100.0
Bihar	3.2	37.4	59.4	100.0	3.2	39.1	57.8	100.0	3.4	27.6	69.0	100.0
Chhattisgarh	2.0	36.4	61.6	100.0	2.1	38.1	59.8	100.0	1.9	28.5	69.6	100.0
Delhi	1.3	21.6	77.1	100.0	0.0	22.2	77.8	100.0	1.3	21.6	77.1	100.0
Gujarat	2.0	30.3	67.7	100.0	2.6	34.9	62.5	100.0	1.0	22.5	76.5	100.0
Haryana	1.4	29.3	69.3	100.0	1.2	31.7	67.2	100.0	1.9	22.4	75.7	100.0
Himachal Pradesh	1.7	21.8	76.5	100.0	1.7	22.3	76.0	100.0	1.6	10.3	88.1	100.0
Jammu & Kashmir	1.5	12.3	86.2	100.0	1.8	14.1	84.1	100.0	1.2	9.8	89.0	100.0
Jharkhand	2.5	33.1	64.4	100.0	3.1	36.9	60.0	100.0	1.8	28.5	69.7	100.0
Karnataka	1.5	31.9	66.5	100.0	1.6	37.8	60.6	100.0	1.4	23.4	75.2	100.0
Kerala	0.9	25.1	74.0	100.0	1.5	27.1	71.4	100.0	0.4	23.2	76.4	100.0
Madhya Pradesh	2.5	42.4	55.1	100.0	2.7	46.2	51.0	100.0	1.7	27.2	71.2	100.0
Maharashtra	2.2	29.3	68.5	100.0	2.3	33.1	64.6	100.0	2.0	23.9	74.2	100.0
Odisha	2.9	37.4	59.7	100.0	3.1	39.1	57.8	100.0	1.6	25.8	72.5	100.0
Punjab	1.7	21.6	76.8	100.0	1.6	23.2	75.2	100.0	1.8	19.7	78.5	100.0
Rajasthan	3.5	37.5	58.9	100.0	4.0	41.2	54.8	100.0	2.4	29.0	68.6	100.0
Tamil Nadu	1.9	20.8	77.3	100.0	2.1	24.1	73.8	100.0	1.8	17.4	80.8	100.0
Telangana	1.8	35.6	62.6	100.0	2.0	39.1	58.9	100.0	1.3	29.3	69.3	100.0
Uttar Pradesh	2.1	31.0	66.9	100.0	2.4	33.9	63.7	100.0	1.1	20.6	78.4	100.0
Uttarakhand	1.7	26.7	71.6	100.0	1.8	29.0	69.2	100.0	1.3	19.5	79.2	100.0
West Bengal	3.7	47.2	49.1	100.0	3.8	51.0	45.2	100.0	3.5	33.9	62.6	100.0

Chart 20: Percentage of Females by age at Effective Marriage, India and bigger States/UTs, 2018




Chart 21: Percentage of Females by age at Effective Marriage, India and bigger States/UTs, 2018 - RURAL





Chart 22: Percentage of Females by age at Effective Marriage, India and bigger States/UTs, 2018 - URBAN



2.16 Statement 13 given below provides the mean age at effective marriage of these females by residence for India and bigger States/UTs. At the National level, the mean age at effective marriage for females in the year 2018 is 22.3 years and varies from 21.8 years in rural areas to 23.4 years in urban areas. Among the bigger States/UTs, the mean age varies from 20.9 years in West Bengal to 25.6 years in Jammu & Kashmir. Charts 23, 24 and 25 show the distribution of females, who got married in the last one year, by age at effective marriage of India and bigger States/UTs for Total, Rural and Urban areas respectively.

Statement 13

**Mean Age at Effective Marriage of Females by residence,
India and bigger States/UTs, 2018**

India and bigger States/UTs	Age at effective marriage											
	Total				Rural				Urban			
	< 18	18-20	21+	All Ages	< 18	18-20	21+	All Ages	< 18	18-20	21+	All Ages
India	16.8	19.2	24.0	22.3	16.8	19.2	23.6	21.8	16.9	19.3	24.8	23.4
Andhra Pradesh	16.9	19.3	23.8	22.1	16.9	19.3	23.6	21.8	16.9	19.2	24.1	22.8
Assam	17.0	19.0	24.0	22.1	17.0	19.0	23.7	21.8	17.0	19.2	25.5	24.0
Bihar	16.8	19.2	23.6	21.7	16.8	19.2	23.4	21.5	16.8	19.4	24.6	22.9
Chhattisgarh	16.9	19.2	23.8	22.0	16.9	19.2	23.5	21.7	17.0	19.3	24.9	23.2
Delhi	17.0	19.4	25.1	23.7	-	18.5	27.0	25.1	17.0	19.4	25.0	23.7
Gujarat	16.9	19.3	24.2	22.6	16.8	19.3	23.6	22.0	17.0	19.5	25.0	23.7
Haryana	16.9	19.2	23.9	22.4	16.8	19.2	23.7	22.2	17.0	19.4	24.4	23.2
Himachal Pradesh	16.8	19.1	25.1	23.6	16.9	19.1	25.0	23.5	16.5	19.5	26.2	25.4
Jammu & Kashmir	17.0	19.3	26.7	25.6	17.0	19.3	25.9	24.8	17.0	19.3	27.7	26.8
Jharkhand	17.0	19.3	25.8	23.4	17.0	19.1	25.1	22.6	17.0	19.5	26.6	24.4
Karnataka	16.9	19.3	24.3	22.6	16.9	19.3	23.6	21.9	17.0	19.4	25.2	23.7
Kerala	17.0	19.1	24.6	23.2	17.0	19.0	24.6	23.0	17.0	19.2	24.7	23.4
Madhya Pradesh	16.8	19.1	23.3	21.4	16.8	19.1	22.9	21.0	16.8	19.4	24.5	23.0
Maharashtra	17.0	19.2	24.2	22.6	17.0	19.2	23.4	21.8	17.0	19.2	25.2	23.6
Odisha	16.7	19.1	24.0	21.9	16.6	19.1	23.8	21.7	16.9	19.3	25.0	23.4
Punjab	16.8	19.4	25.2	23.8	16.5	19.3	24.9	23.5	17.0	19.5	25.5	24.2
Rajasthan	16.8	19.0	23.7	21.7	16.8	18.9	23.5	21.4	17.0	19.3	24.0	22.5
Tamil Nadu	16.9	19.3	24.4	23.2	16.9	19.3	24.1	22.8	16.9	19.2	24.7	23.6
Telangana	16.9	19.3	23.5	21.9	17.0	19.2	23.3	21.6	16.9	19.4	24.0	22.5
Uttar Pradesh	17.0	19.4	23.8	22.3	17.0	19.4	23.3	21.9	17.0	19.7	25.3	24.1
Uttarakhand	16.9	19.4	23.5	22.3	17.0	19.4	23.2	22.0	16.8	19.5	24.0	23.1
West Bengal	16.7	18.9	23.1	20.9	16.7	18.9	22.6	20.5	16.8	19.1	24.3	22.3

Chart 23: Mean Age at Effective Marriage of Females, India and bigger States/UTs, 2018




Chart 24: Mean Age at Effective Marriage of Females, India and bigger States/UTs, 2018 - RURAL





Chart 25: Mean Age at Effective Marriage of Females, India and bigger States/UTs, 2018 - URBAN



CHAPTER - 3

ESTIMATES OF FERTILITY INDICATORS

Since inception, SRS has been providing data for estimating various fertility measures. The fertility indicators considered in this chapter are Crude Birth Rate, General Fertility Rate, Age Specific/Marital Fertility Rates, Total /Marital Fertility Rates and Gross Reproduction Rate. Apart from this, the chapter includes sex ratio at birth. To examine the changes in the levels of fertility during the last decade, the average values of these fertility indicators for the years 2016-18 are compared with that for 2006-08.

3.2 The crude birth rate (CBR) at all India level had declined from 36.9 in 1971 to 33.9 in 1981, registering a fall of about 8 per cent. During 1991-2018, the decline has been about 32 percent, from 29.5 to 20.0. The rural-urban differential has also narrowed over these years. However, the CBR has continued to be higher in rural areas compared to urban areas in the last three decades. The total fertility rate (TFR) has declined from 5.2 to 4.5 during 1971 to 1981 and from 3.6 to 2.2 during 1991 to 2018. The TFR in rural areas has declined from 5.4 to 2.4 from 1971 to 2018 whereas the corresponding decline in urban areas has been from 4.1 to 1.7 during the same period. In 2018, around 82.5 percent of the deliveries were institutional which includes Government as well as private hospitals. The percentage of institutional deliveries in urban areas is 94.7 as against about 78.1 percent recorded in rural areas.

3.3 The data on most of the fertility indicators has been presented by age, sex and residence for all bigger States/UTs and India. This chapter also includes data on fertility by level of education, order of birth, birth interval and medical attention at birth.

3.4 Apart from the fertility indicators at State and National levels, the SRS report 2018 also provides estimates of birth rates at sub-State, viz. NSS Natural Division Level. NSS natural divisions have been formed taking into consideration the geography of the State and by grouping contiguous districts having similar topography, population density, cropping pattern and rainfall etc. The Table 11 of this report contains data on birth rate besides death and infant mortality rate for 71 Natural Divisions of 22 bigger States/UTs.

3.5 Statement 14 below provides the Crude Birth Rate (CBR) by residence for India and bigger States/UTs for the year 2018. The CBR at national level is 20.0 varying from 21.6 in rural to 16.7 in urban areas. Andhra Pradesh, Delhi, Gujarat, Himachal Pradesh, Jammu & Kashmir, Karnataka, Kerala, Maharashtra, Odisha, Punjab, Tamil Nadu, Telangana, Uttarakhand and West Bengal are the States having birth rate below 20. On the other hand, Bihar has the highest birth rate in rural areas (26.8) followed by Uttar Pradesh (26.6); whereas Uttar Pradesh has the highest birth rate in urban areas (22.5) followed by Bihar (21.9). The lowest CBR was recorded in rural areas of Kerala (13.8) and in urban areas of Himachal Pradesh (10.3). Based on the figures in the Statement 14 given below, the graphical representation of birth rate of bigger States/UTs by residence is depicted in Chart 26. Chart 27 gives the distribution of bigger States/UTs by values of birth rate for rural and urban areas.

Statement 14

CBR (Crude Birth Rate) by residence, India and bigger States/UTs, 2018

India and bigger States/UTs	Total	Rural	Urban
India	20.0	21.6	16.7
Andhra Pradesh	16.0	16.4	15.3
Assam	21.1	22.2	14.6
Bihar	26.2	26.8	21.9
Chhattisgarh	22.5	24.0	17.8
Delhi	14.7	16.2	14.7
Gujarat	19.7	21.6	17.4
Haryana	20.3	21.7	18.0
Himachal Pradesh	15.7	16.2	10.3
Jammu & Kashmir	15.4	17.0	11.7
Jharkhand	22.6	24.0	18.1
Karnataka	17.2	18.1	15.9
Kerala	13.9	13.8	14.0
Madhya Pradesh	24.6	26.6	19.1
Maharashtra	15.6	15.9	15.2
Odisha	18.2	19.2	13.4
Punjab	14.8	15.3	14.0
Rajasthan	24.0	24.9	21.3
Tamil Nadu	14.7	14.8	14.6
Telangana	16.9	17.2	16.5
Uttar Pradesh	25.6	26.6	22.5
Uttarakhand	16.7	16.8	16.4
West Bengal	15.0	16.5	11.5

Chart 26: Crude Birth Rate by residence, India and bigger States/UTs, 2018





Chart 27: Distribution of bigger States/UTs by values of Birth Rate for rural and urban areas, 2018



3.6 Statement 15 below provides the percentage change in average crude birth rate between the periods 2006-08 and 2016-18 for India and bigger States/UTs separately for rural and urban areas. At the national level, the rate of decline in birth rate is 12.6 percent. The rate of decline in average birth rate varies from 18.0 percent in Jammu & Kashmir to 4.1 percent in Kerala. Such decline in rural areas is from 20.1 percent in Uttarakhand to 4.7 percent in Kerala. The 3-year average crude birth rate has declined in both rural and urban areas of all bigger States/UTs. Charts 28, 29 and 30 depict the average birth rate between 2006-08 and 2016-18 of India and bigger States/UTs for Total, Rural and Urban areas respectively. Chart 31 shows the percentage change in average birth rate between 2006-08 and 2016-18 by residence for India and bigger States/UTs.

Statement 15

Percentage change in average Crude Birth Rate between 2006-08 and 2016-18 by residence, India and bigger States/UTs

India and bigger States/UTs	Total			Rural			Urban		
	2006-08	2016-18	% Change	2006-08	2016-18	% Change	2006-08	2016-18	% Change
India	23.1	20.2	-12.6	24.8	21.8	-12.1	18.6	16.8	-9.7
Andhra Pradesh*	18.7	16.6	-11.2	19.5	16.9	-13.3	16.7	16.2	-3.0
Assam	24.3	21.3	-12.3	25.7	22.5	-12.5	15.5	14.8	-4.5
Bihar	29.4	26.2	-10.9	30.2	27.0	-10.6	22.8	20.8	-8.8
Chhattisgarh	26.7	22.7	-15.0	28.1	24.1	-14.2	19.6	18.0	-8.2
Delhi	18.3	15.1	-17.5	19.9	16.6	-16.6	18.1	15.1	-16.6
Gujarat	23.0	19.9	-13.5	24.5	21.8	-11.0	20.7	17.5	-15.5
Haryana	23.4	20.5	-12.4	24.6	21.9	-11.0	20.8	18.2	-12.5
Himachal Pradesh	18.0	15.8	-12.2	18.6	16.3	-12.4	12.4	10.4	-16.1
Jammu & Kashmir	18.9	15.5	-18.0	20.2	17.1	-15.3	14.1	11.8	-16.3
Jharkhand	26.0	22.7	-12.7	27.8	24.2	-12.9	18.9	18.2	-3.7
Karnataka	20.0	17.4	-13.0	21.2	18.3	-13.7	17.7	16.1	-9.0
Kerala	14.7	14.1	-4.1	14.8	14.1	-4.7	14.5	14.2	-2.1
Madhya Pradesh	28.5	24.7	-13.3	30.6	26.6	-13.1	21.5	19.3	-10.2
Maharashtra	18.2	15.7	-13.7	18.8	16.0	-14.9	17.3	15.4	-11.0
Odisha	21.6	18.4	-14.8	22.5	19.4	-13.8	16.1	13.6	-15.5
Punjab	17.6	14.9	-15.3	18.2	15.5	-14.8	16.5	14.1	-14.5
Rajasthan	27.9	24.1	-13.6	29.2	25.0	-14.4	23.7	21.5	-9.3
Tamil Nadu	16.0	14.9	-6.9	16.2	15.0	-7.4	15.7	14.8	-5.7
Uttar Pradesh	29.6	25.7	-13.2	30.5	26.8	-12.1	25.5	22.5	-11.8
Uttarakhand	20.5	16.9	-17.6	21.4	17.1	-20.1	16.9	16.3	-3.6
West Bengal	17.9	15.2	-15.1	20.0	16.7	-16.5	12.5	11.7	-6.4

* Andhra Pradesh includes Telangana.

Chart 28: Average birth rate between 2006-08 & 2016-18 , India and bigger States/UTs




Chart 29: Average birth rate between 2006-08 & 2016-18, India and bigger States/UTs -RURAL




Chart 30: Average birth rate between 2006-08 & 2016-18, India and bigger States/UTs - URBAN





Chart 31: Per cent change in average birth rate between 2006-08 & 2016-18 by residence, India and bigger States/UTs




3.7 The Statement 16 below presents sex ratio at birth during the period 2016-18. The sex ratio at birth for the country for the period 2016-18 (3-years average) has been estimated at 899. At National level, it is 900 in rural areas and 897 in urban areas. Among the bigger States/UTs, the sex ratio at birth varies from 958 in Chhattisgarh to 840 in Uttarakhand. In the rural areas, the highest and the lowest sex ratio at birth are in the States of Chhattisgarh (976) and Haryana (840) respectively. The sex ratio at birth in urban areas varies from 968 in Madhya Pradesh to 810 in Uttarakhand. Chart 32 depicts the variation in sex ratio at birth by residence among bigger States/UTs in the country.

Statement 16

**Sex ratio (female per 1000 male) at birth by residence,
India and bigger States/UTs, 2016-2018**

India and bigger States/UTs	Total	Rural	Urban
India	899	900	897
Andhra Pradesh	920	930	898
Assam	925	927	905
Bihar	895	896	883
Chhattisgarh	958	976	881
Delhi	844	960	841
Gujarat	866	866	865
Haryana	843	840	847
Himachal Pradesh	930	932	891
Jammu & Kashmir	927	930	917
Jharkhand	923	932	888
Karnataka	924	949	881
Kerala	957	967	947
Madhya Pradesh	925	914	968
Maharashtra	880	878	881
Odisha	933	940	891
Punjab	890	878	908
Rajasthan	871	874	860
Tamil Nadu	908	913	903
Telangana	901	918	875
Uttar Pradesh	880	865	934
Uttarakhand	840	851	810
West Bengal	941	947	923

Chart 32: Sex ratio at birth by residence, India and bigger States/UTs, 2016-2018



3.9 Estimates of General Fertility Rate (GFR), a refined measure of fertility, being defined as the number of live births per thousand women in the reproductive age group 15-49 years, is a useful tool for measuring fertility. The GFR for all-India and bigger States/UTs are given below in Statement 17 separately for rural and urban areas. At the national level, 70.4 children were born to every thousand women aged 15-49 years. This number varies from 56.7 in urban areas to 77.4 in rural areas. Among the bigger States/UTs, GFR varies from 48.6 in Kerala to 99.8 in Bihar. Chart 33 gives a pictorial comparison of bigger States/UTs by level of GFR. It can be seen that GFR in rural areas of Kerala is just higher than urban areas with a difference of 0.3. Chart 34 gives the distribution of bigger States/UTs by values of GFR for rural and urban areas.

Statement 17

GFR (General Fertility Rate) by residence, India and bigger States/UTs, 2018

India and bigger States/UTs	Total	Rural	Urban
India	70.4	77.4	56.7
Andhra Pradesh	53.5	55.5	49.4
Assam	73.4	77.7	49.2
Bihar	99.8	102.5	82.8
Chhattisgarh	78.7	85.2	58.9
Delhi	50.3	57.1	50.1
Gujarat	70.1	78.5	60.2
Haryana	72.7	78.7	63.2
Himachal Pradesh	53.7	55.4	34.7
Jammu & Kashmir	50.4	56.3	37.6
Jharkhand	80.8	86.7	63.4
Karnataka	57.8	61.4	52.4
Kerala	48.6	48.7	48.4
Madhya Pradesh	91.2	100.5	67.3
Maharashtra	55.1	59.4	50.4
Odisha	63.4	67.6	44.6
Punjab	52.3	54.7	49.1
Rajasthan	86.0	90.5	73.7
Tamil Nadu	51.2	52.0	50.6
Telangana	55.0	56.9	52.2
Uttar Pradesh	91.4	96.7	76.4
Uttarakhand	61.5	62.4	59.2
West Bengal	50.0	55.0	38.5

Chart 33: General fertility rate (GFR) by residence, India & bigger States/UTs, 2018





Chart 34: Distribution of bigger States/UTs by values of General Fertility Rate (GFR) for rural and urban areas, 2018



3.10 Changes in the average level of General Fertility Rate (GFR) between 2006-08 and 2016-18 for India and bigger States/UTs are shown below in Statement 18. At the all India level, a decline of 19.8 percent in GFR has been registered during the decade and it varies from 20.1 percent in rural to 14.1 percent in urban areas. Among the bigger States/UTs, the percentage decline in GFR varies from 26.8 in Jammu & Kashmir to 4.8 in Kerala. Charts 35, 36 and 37 depict the average GFR between 2006-08 and 2016-18 of India and bigger States/UTs for Total, Rural and Urban areas respectively. Chart 38 shows the percentage change in average GFR between 2006-08 and 2016-18 by residence for India and bigger States/UTs.


Statement 18

Percent change in average GFR (General Fertility Rate) between 2006-08 and 2016-18 by residence, India and bigger States/UTs

India and bigger States/UTs	Total			Rural			Urban		
	2006-08	2016-18	% Change	2006-08	2016-18	% Change	2006-08	2016-18	% Change
India	90.3	72.4	-19.8	99.6	79.6	-20.1	67.6	58.1	-14.1
Andhra Pradesh*	66.4	55.8	-16.0	70.6	57.7	-18.3	56.8	52.4	-7.7
Assam	92.1	75.6	-17.9	99.7	80.1	-19.7	52.9	50.6	-4.3
Bihar	124.7	101.2	-18.8	131.1	104.9	-20.0	85.2	78.9	-7.4
Chhattisgarh	102.5	80.2	-21.8	111.2	86.9	-21.9	68.9	60.0	-12.9
Delhi	69.3	52.8	-23.8	75.9	60.5	-20.3	68.1	52.6	-22.8
Gujarat	88.4	72.0	-18.6	96.1	80.6	-16.1	76.9	61.8	-19.6
Haryana	90.9	75.1	-17.4	97.1	81.2	-16.4	77.4	65.1	-15.9
Himachal Pradesh	63.8	55.0	-13.8	66.2	56.7	-14.4	42.4	35.4	-16.5
Jammu & Kashmir	70.8	51.8	-26.8	77.7	58.2	-25.1	48.6	38.3	-21.2
Jharkhand	107.6	82.7	-23.1	117.2	88.7	-24.3	72.2	64.6	-10.5
Karnataka	71.6	59.6	-16.8	78.0	63.3	-18.8	60.8	54.1	-11.0
Kerala	52.3	49.8	-4.8	52.7	50.1	-4.9	51.2	49.5	-3.3
Madhya Pradesh	112.3	91.7	-18.3	123.2	100.8	-18.2	77.0	68.2	-11.4
Maharashtra	68.8	56.8	-17.4	74.4	61.0	-18.0	62.0	52.0	-16.1
Odisha	80.8	64.7	-19.9	85.2	68.9	-19.1	56.2	45.5	-19.0
Punjab	66.6	53.9	-19.1	70.0	56.5	-19.3	61.2	50.4	-17.6
Rajasthan	116.3	87.8	-24.5	125.4	92.4	-26.3	90.7	75.2	-17.1
Tamil Nadu	56.6	52.4	-7.4	59.0	53.5	-9.3	53.5	51.3	-4.1
Uttar Pradesh*	124.2	93.3	-24.9	131.5	98.8	-24.9	97.1	77.4	-20.3
West Bengal	66.8	51.7	-22.6	75.8	56.9	-24.9	44.5	39.8	-10.6

*: Andhra Pradesh and Uttar Pradesh include Telangana and Uttarakhand respectively

Chart 35: GFR (General Fertility Rate) between 2006-08 & 2016-18, India and bigger States/UTs



**Chart 36: GFR (General Fertility Rate) between 2006-08 & 2016-18,
India and bigger States/UTs -RURAL**




Chart 37: GFR (General Fertility Rate) between 2006-08 & 2016-18, India and bigger States/UTs - URBAN





Chart 38: Percent change in average GFR (General Fertility Rate) between, 2006-08 & 2016-18 by residence, India and bigger States/UTs



Fertility by age of women

3.11 Age of women is an important factor affecting the fertility levels. On the basis of data on births to women by specific age groups in the reproductive span 15-49 years as available from SRS, age specific fertility rates have been calculated. Statement 19 below presents the age specific fertility rates for India by residence.


3.12 The data reveals that fertility in all the age groups is higher in rural areas than in urban areas. This distribution of age-specific fertility by residence is presented in chart 39. The fertility reaches the peak in the age group 25-29 and declines thereafter, irrespective of the place of residence. ASFR curve for urban areas falls under the ASFR curve of rural areas. Both Rural and Urban ASFR curves have declined very steeply after attaining peak for age 25-29.

Statement 19

ASFRs (Age Specific Fertility Rates) by residence, India, 2018

Age Groups	Total	Rural	Urban
15-19	12.2	13.5	8.4
20-24	122.9	135.9	91.5
25-29	146.4	160.1	119.1
30-34	94.7	101.3	81.7
35-39	36.9	40.7	30.2
40-44	12.7	14.8	9.1
45-49	4.4	5.5	2.4

Chart 39: Age-Specific Fertility Rates by residence, India, 2018



3.13 The percentage change in age specific fertility rate during the last decade is presented below in Statement 20 separately for rural and urban areas. The data pertains to changes in the age specific fertility rates for the quinquennial age groups based on average value for three years period viz. 2006-08 and 2016-18 for all-India.

3.14 During the last decade, the fertility declined in the older age groups in rural areas while it increased for the corresponding age groups in urban areas. The decline in fertility is slower in the middle age groups 20-34 for both the areas. At the national level, fertility has declined in all age-groups except in the age-group 30-34. Charts 40, 41 and 42 depict the average Age-Specific Fertility Rates of India between 2006-08 and 2016-18 for Total, Rural and Urban areas respectively. Chart 43 shows the percentage change in average Age-Specific Fertility Rates between 2006-08 and 2016-18 by residence.

Statement 20

Percent change in Age Specific Fertility Rates by residence between 2006-08 and 2016-18, India

Age group	Total			Rural			Urban		
	2006-08	2016-18	% Change	2006-08	2016-18	% Change	2006-08	2016-18	% Change
15-19	42.7	12.0	-71.9	49.2	13.6	-72.4	24.6	7.8	-68.3
20-24	207.3	131.8	-36.4	227.2	147.1	-35.3	158.6	97.2	-38.7
25-29	161.5	156.5	-3.1	173.3	170.6	-1.6	134.2	129.5	-3.5
30-34	75.9	90.2	18.8	83.7	97.2	16.1	56.5	77.4	37.0
35-39	33.4	33.2	-0.6	39.7	36.6	-7.8	18.7	27.1	44.9
40-44	13.2	11.6	-12.1	16.5	13.5	-18.2	5.5	8.3	50.9
45-49	5.0	4.0	-20.0	6.6	4.8	-27.3	1.6	2.4	50.0

Chart 40: Age specific fertility rates, India: 2006-08 and 2016-18




Chart 41: Age specific fertility rates between : 2006-08 and 2016-18, India - RURAL




Chart 42: Age specific fertility rates between : 2006-08 and 2016-18, India - URBAN





Chart 43: Per cent change in age specific fertility rates by residence between : 2006-08 and 2016-18, India



3.15 The fertility pattern by age groups in different States is presented below in Statement 21. Except for Andhra Pradesh, Maharashtra and West Bengal where fertility reached its peak in the age group 20-24 and Jammu & Kashmir where fertility reached its peak in the age group 30-34, the highest fertility in all the other bigger States/UTs has been attained in the age group 25-29. Fertility, however, declines from age 30 in all the bigger States/UTs, except Jammu & Kashmir where it declines from age 35. The ASFR in the younger age group 15-19 varies from 3.1 in Jammu & Kashmir to 33.4 in West Bengal. In the age group 30-34, the variation in the level of ASFR is from 46.8 in Andhra Pradesh to 171.4 in Bihar. The rural-urban levels in ASFR for bigger States/UTs are shown in Table 3.

Statement 21

ASFRs (Age Specific Fertility Rates), India and bigger States/UTs, 2018

India and bigger States/UTs	15-19	20-24	25-29	30-34	35-39	40-44	45-49
India	12.2	122.9	146.4	94.7	36.9	12.7	4.4
Andhra Pradesh	10.2	124.3	110.5	46.8	16.1	6.6	2.8
Assam	22.0	104.1	136.6	112.5	51.1	16.1	6.2
Bihar	11.9	139.7	219.7	171.4	59.9	22.8	6.6
Chhattisgarh	15.1	157.6	163.2	96.2	36.1	10.6	2.3
Delhi	3.2	74.1	114.7	65.7	24.6	8.0	1.7
Gujarat	10.9	135.5	153.6	82.5	28.1	8.8	3.4
Haryana	5.0	118.3	169.1	91.4	33.7	10.6	7.0
Himachal Pradesh	11.5	80.9	117.3	79.3	26.5	4.5	1.4
Jammu & Kashmir	3.1	39.8	84.2	104.2	60.3	19.8	6.5
Jharkhand	13.9	139.2	162.9	108.4	44.9	23.5	4.6
Karnataka	7.9	102.2	120.7	76.7	22.8	5.9	3.2
Kerala	11.9	88.2	111.6	83.5	29.3	6.2	0.7
Madhya Pradesh	15.5	165.6	198.8	102.7	42.2	13.0	4.0
Maharashtra	8.8	119.1	107.2	69.0	21.1	6.1	1.6
Odisha	10.3	112.8	129.2	78.5	28.9	11.8	2.7
Punjab	4.5	78.7	109.0	76.8	32.4	9.9	3.5
Rajasthan	9.0	154.0	187.6	100.1	39.0	11.8	6.0
Tamil Nadu	8.6	95.6	122.7	64.3	19.3	3.1	1.3
Telangana	7.0	112.5	117.5	59.1	16.6	7.4	2.5
Uttar Pradesh	8.5	124.9	189.1	147.8	72.8	28.7	10.4
Uttarakhand	5.5	93.6	133.7	77.9	34.9	9.6	3.5
West Bengal	33.4	115.0	69.9	56.6	18.5	7.9	3.5


3.16 The percentage distribution of cumulative fertility by woman's age is shown below in Statement 22 for India and bigger States/UTs for the year 2018. The percentage share of fertility by woman in the age group 15-19 varies from 0.9 in Jammu & Kashmir to 10.7 in West Bengal. By the age 34, the percentage share of cumulative fertility varies from 79.7 in Jammu & Kashmir to 94.0 in Telangana. The percentage share in cumulative fertility for women by the age 39 years varies from 94.9 in Jammu & Kashmir to 99.0 in Tamil Nadu. Chart 44 gives percentage cumulative age specific fertility rate for India by residence.

Statement 22

**Percentage distribution of cumulative fertility by age group,
India and bigger States/UTs, 2018**

India and bigger States/UTs	15-19	15-24	15-29	15-34	15-39	15-44	15-49
India	2.9	35.5	71.8	90.9	97.5	99.4	100.0
Andhra Pradesh	2.6	43.2	80.6	93.7	98.1	99.5	100.0
Assam	5.1	32.6	65.2	88.4	97.0	99.3	100.0
Bihar	2.7	30.9	69.1	91.0	97.6	99.5	100.0
Chhattisgarh	3.3	41.0	76.1	92.3	98.3	99.7	100.0
Delhi	1.0	27.8	70.3	91.8	98.1	99.7	100.0
Gujarat	2.5	37.5	75.5	93.1	98.1	99.5	100.0
Haryana	1.1	33.5	74.4	91.8	97.6	99.1	100.0
Himachal Pradesh	2.9	30.5	69.9	92.0	98.7	99.7	100.0
Jammu & Kashmir	0.9	15.6	49.0	79.7	94.9	98.9	100.0
Jharkhand	3.3	36.1	71.0	89.9	96.7	99.5	100.0
Karnataka	2.0	35.2	73.5	93.3	98.3	99.5	100.0
Kerala	3.5	29.3	63.9	89.4	98.1	99.8	100.0
Madhya Pradesh	3.1	39.4	76.8	92.7	98.2	99.6	100.0
Maharashtra	2.5	40.5	74.5	93.4	98.5	99.7	100.0
Odisha	2.7	35.4	72.6	92.0	97.8	99.6	100.0
Punjab	1.4	28.2	66.6	89.4	97.2	99.3	100.0
Rajasthan	1.9	38.5	76.4	92.6	98.1	99.4	100.0
Tamil Nadu	2.3	33.4	74.7	93.7	99.0	99.7	100.0
Telangana	1.9	39.3	78.2	94.0	98.1	99.6	100.0
Uttar Pradesh	1.9	29.8	66.0	87.0	96.1	99.1	100.0
Uttarakhand	1.6	32.7	72.3	91.5	98.2	99.6	100.0
West Bengal	11.1	55.9	81.7	95.1	98.2	99.4	100.0

Chart 44: Per cent distribution of cumulative fertility by residence, India, 2018




3.17 The difference in the pattern of child bearing can be measured in terms of the mean age of fertility, which describes the age pattern of fertility of synthetic cohort of hypothetical group of women viewed as having, in their lifetime, similar fertility experience recorded in a calendar year. The mean age of fertility has been calculated from the age specific fertility rates. The associated standard deviations are also shown. The States having lower values of standard deviation [obviously] recorded higher concentration of fertility about the mean age as compared to those with higher values. Statement 23 below shows the mean age of fertility for India and bigger States/UTs. At the National level, the mean age of fertility is 28.4 years and varies from 26.7 years in West Bengal to 31.7 years in Jammu & Kashmir with standard deviation 5.8, 6.4 and 6.0 respectively. Chart 45 shows the mean age of fertility of India and bigger States/UTs by residence.

Statement 23

Mean age of Fertility and associated Standard Deviation, India and bigger States/UTs, 2018

India and bigger States/UTs	Mean age of fertility			Standard deviation		
	Total	Rural	Urban	Total	Rural	Urban
India	28.4	28.4	28.5	5.8	5.9	5.6
Andhra Pradesh	27.0	26.8	27.4	5.4	5.5	5.3
Assam	29.1	29.0	29.8	6.3	6.3	6.5
Bihar	29.3	29.4	28.2	5.7	5.8	5.2
Chhattisgarh	27.7	27.6	28.2	5.5	5.5	5.6
Delhi	28.6	28.1	28.6	5.4	5.4	5.4
Gujarat	27.8	27.5	28.2	5.5	5.5	5.4
Haryana	28.5	28.7	28.2	5.6	5.6	5.7
Himachal Pradesh	28.2	28.2	29.3	5.4	5.4	4.9
Jammu & Kashmir	31.7	31.6	32.1	6.0	5.9	6.2
Jharkhand	28.7	28.8	28.6	6.1	6.1	6.1
Karnataka	28.0	27.4	29.1	5.4	5.1	5.8
Kerala	28.3	28.5	28.0	5.5	5.7	5.3
Madhya Pradesh	27.9	27.6	29.1	5.6	5.5	5.7
Maharashtra	27.5	27.1	28.0	5.4	5.2	5.6
Odisha	28.2	28.2	27.7	5.7	5.8	5.4
Punjab	29.0	29.0	29.2	5.8	5.8	5.6
Rajasthan	28.1	28.2	28.0	5.6	5.7	5.2
Tamil Nadu	27.6	27.5	27.7	5.0	5.1	5.0
Telangana	27.5	27.1	28.1	5.4	5.3	5.4
Uttar Pradesh	29.9	29.8	30.4	6.2	6.2	5.9
Uttarakhand	28.7	28.4	29.4	5.6	5.6	5.7
West Bengal	26.7	26.7	27.0	6.4	6.6	5.9

Chart 45: Mean age of fertility, India and bigger States/UTs, 2018



3.18 The cumulative value of the age specific fertility rates at the end of the child bearing ages gives a measure of fertility known as Total Fertility Rate (TFR). TFR indicates the average number of children expected to be born per woman during her entire span of reproductive period assuming that the age specific fertility rates, to which she is exposed to, continue to be the same and that there is no mortality. The TFRs worked out on the basis of the ASFRs for the year 2018 are given below in Statement 24 for India and bigger States/UTs separately for rural and urban areas. The TFR for India in the year 2018 was 2.2 per woman and varies from 2.4 in rural areas to 1.7 in urban areas. Among the bigger States/UTs, it varies from 1.5 in Delhi and West Bengal to 3.2 in Bihar. For rural areas, it varies from 1.5 in Delhi to 3.3 in Bihar. For urban areas, such variation is from 1.1 in Himachal Pradesh to 2.5 in Bihar. Chart 46 presents levels of TFR by residence for India and bigger States/UTs. Distribution of bigger States/UTs by values of TFR in rural and urban areas is shown in Chart 47.

Statement 24

TFR (Total Fertility Rate) by residence, India and bigger States/UTs, 2018

India and bigger States/UTs	Total	Rural	Urban
India	2.2	2.4	1.7
Andhra Pradesh	1.6	1.7	1.5
Assam	2.2	2.4	1.6
Bihar	3.2	3.3	2.5
Chhattisgarh	2.4	2.6	1.8
Delhi	1.5	1.5	1.5
Gujarat	2.1	2.4	1.8
Haryana	2.2	2.4	1.9
Himachal Pradesh	1.6	1.7	1.1
Jammu & Kashmir	1.6	1.8	1.2
Jharkhand	2.5	2.7	1.9
Karnataka	1.7	1.8	1.6
Kerala	1.7	1.7	1.7
Madhya Pradesh	2.7	3.0	2.1
Maharashtra	1.7	1.8	1.5
Odisha	1.9	2.0	1.3
Punjab	1.6	1.7	1.5
Rajasthan	2.5	2.7	2.2
Tamil Nadu	1.6	1.6	1.6
Telangana	1.6	1.7	1.5
Uttar Pradesh	2.9	3.1	2.4
Uttarakhand	1.8	1.8	1.8
West Bengal	1.5	1.7	1.2

Note: Rounded off to one decimal point.

Chart 46: Total fertility rate (TFR) by residence, India and bigger States/UTs, 2018





Chart 47: Distribution of bigger States/UTs by values of TFR (Total Fertility Rate) for rural and urban areas, 2018



3.19 Statement 25 below presents the percentage change in the average level of TFR between the periods 2006-08 and 2016-18 in India and bigger States/UTs. During the period TFR has declined by 18.5 percent at the National level. Among the bigger States/UTs, the decline varies from 27.3 percent in Jammu & Kashmir to 0.0% in Kerala. All bigger States/UTs have shown decline in both rural and urban areas except in Kerala and in the urban areas of Assam and Tamil Nadu, where the average TFR in 2016-18 is at par with that in 2006-08.

3.20 Among bigger States/UTs, Andhra Pradesh, Delhi, Himachal Pradesh, Jammu & Kashmir, Karnataka, Kerala, Maharashtra, Odisha, Punjab, Tamil Nadu and West Bengal have the average TFR below 2.0 during 2016-18. Charts 48, 49 and 50 depict the average TFR between 2006-08 and 2016-18 of India and bigger States/UTs for Total, Rural and Urban areas respectively. Chart 51 shows the percentage change in average TFR between 2006-08 and 2016-18 by residence for India and bigger States/UTs.


Statement 25

Percent change in average TFR (Total Fertility Rate) between 2006-08 and 2016-18 by residence, India and bigger States/UTs


India and bigger States/UTs	Total			Rural			Urban		
	2006-08	2016-18	% Change	2006-08	2016-18	% Change	2006-08	2016-18	% Change
India	2.7	2.2	-18.5	3.0	2.4	-20.0	2.0	1.7	-15.0
Andhra Pradesh*	1.9	1.6	-15.8	2.0	1.7	-15.0	1.6	1.5	-6.3
Assam	2.7	2.3	-14.8	2.9	2.4	-17.2	1.6	1.6	0.0
Bihar	3.8	3.2	-15.8	4.0	3.3	-17.5	2.6	2.4	-7.7
Chhattisgarh	3.1	2.4	-22.6	3.4	2.6	-23.5	2.1	1.9	-9.5
Delhi	2.0	1.5	-25.0	2.1	1.6	-23.8	2.0	1.5	-25.0
Gujarat	2.6	2.2	-15.4	2.9	2.4	-17.2	2.2	1.8	-18.2
Haryana	2.6	2.2	-15.4	2.8	2.4	-14.3	2.3	1.9	-17.4
Himachal Pradesh	2.0	1.6	-20.0	2.0	1.7	-15.0	1.4	1.1	-21.4
Jammu & Kashmir	2.2	1.6	-27.3	2.5	1.8	-28.0	1.5	1.2	-20.0
Jharkhand	3.3	2.5	-24.2	3.6	2.8	-22.2	2.2	2.0	-9.1
Karnataka	2.1	1.7	-19.0	2.3	1.8	-21.7	1.7	1.6	-5.9
Kerala	1.7	1.7	0.0	1.7	1.7	0.0	1.7	1.7	0.0
Madhya Pradesh	3.3	2.7	-18.2	3.7	3.0	-18.9	2.3	2.1	-8.7
Maharashtra	2.0	1.7	-15.0	2.2	1.9	-13.6	1.8	1.6	-11.1
Odisha	2.4	1.9	-20.8	2.5	2.0	-20.0	1.7	1.4	-17.6
Punjab	2.0	1.6	-20.0	2.1	1.7	-19.0	1.8	1.5	-16.7
Rajasthan	3.4	2.6	-23.5	3.7	2.7	-27.0	2.6	2.2	-15.4
Tamil Nadu	1.7	1.6	-5.9	1.7	1.6	-5.9	1.6	1.6	0.0
Uttar Pradesh*	3.9	3.0	-23.1	4.1	3.2	-22.0	3.0	2.4	-20.0
West Bengal	1.9	1.6	-15.8	2.2	1.7	-22.7	1.4	1.3	-7.1

* Andhra Pradesh and Uttar Pradesh include Telangana and Uttarakhand respectively.

Chart 48: Total fertility rate (TFR) between 2006-08 and 2016-18, India and bigger States/UTs



**Chart 49: Total fertility rate (TFR) between 2006-08 and 2016-18,
India and bigger States/UTs -RURAL**



**Chart 50: Total fertility rate (TFR) between 2006-08 and 2016-18,
India and bigger States/UTs-URBAN**





Chart 51: Per cent change in average Total fertility rate (TFR) between 2006-08 and 2016-18 by residence, India and bigger States/UTs




3.21 Another refined measure of fertility which accounts for future mothers is the Gross Reproduction Rate (GRR). It measures the average number of female children a woman is expected to give birth during her entire reproductive span conforming to the age specific fertility rates (ASFRs) for a given year, if there is no mortality. The estimated value of GRR for India in the year 2018 is 1.0 and varies from 0.8 in urban areas to 1.1 in rural areas. Values of GRR by residence for India and bigger States/UTs for the year 2018 are presented below in Statement 26. Chart 52 presents levels of GRR by residence for India and bigger States/UTs.

Statement 26

GRR (Gross Reproduction Rate) by residence, India and bigger States/UTs, 2018

India and bigger States/UTs	Total	Rural	Urban
India	1.0	1.1	0.8
Andhra Pradesh	0.8	0.8	0.7
Assam	1.1	1.1	0.7
Bihar	1.5	1.6	1.2
Chhattisgarh	1.1	1.2	0.9
Delhi	0.6	0.8	0.6
Gujarat	1.0	1.1	0.8
Haryana	1.0	1.1	0.9
Himachal Pradesh	0.8	0.8	0.5
Jammu & Kashmir	0.8	0.9	0.6
Jharkhand	1.2	1.3	0.9
Karnataka	0.8	0.9	0.7
Kerala	0.9	0.8	0.9
Madhya Pradesh	1.3	1.4	1.0
Maharashtra	0.8	0.8	0.7
Odisha	0.9	1.0	0.7
Punjab	0.7	0.8	0.7
Rajasthan	1.2	1.3	1.1
Tamil Nadu	0.8	0.8	0.8
Telangana	0.8	0.8	0.8
Uttar Pradesh	1.4	1.4	1.2
Uttarakhand	0.8	0.8	0.8
West Bengal	0.7	0.8	0.6

Chart 52: Gross Reproduction Rate (GRR) by residence, India and bigger States/UTs, 2018



Marital Fertility


3.22 Marriage is an important event in the social life of any population. In India, population censuses and large-scale demographic sample surveys invariably collect data on the marital status of population separately for males and females. Age at effective marriage of females is a key factor that influences fertility. Marital distribution of the population enumerated through SRS and the age at effective marriage of females has been discussed in Chapter 2. Based on the distribution of live births by age of married females, age specific marital fertility rates (ASMFRs) are calculated. Statement 27 below provides the estimates of the ASMFRs for India separately for rural and urban areas for the year 2018. Marital fertility is higher in rural areas than in urban areas in all the age groups. A perceptible decline in marital fertility is seen for females aged 30 years and above both in rural and urban areas. Chart 53 depicts ASMFRs by residence for India in 2018.

Statement 27

ASMFRs (Age Specific Marital Fertility Rates) by residence, India, 2018

Age group	(Per thousand)		
	Total	Rural	Urban
15-19	322.7	332.4	289.7
20-24	299.8	309.0	273.6
25-29	190.9	199.0	173.2
30-34	103.4	109.2	92.6
35-39	39.5	43.2	32.7
40-44	13.7	15.9	9.9
45-49	4.9	6.1	2.7

Chart 53: Age specific marital fertility rates (ASMFRs) by residence, India, 2018



3.23 Values of the age specific marital fertility rates (ASMFR) for the year 2018 in bigger States/UTs are given below in Statement 28. It is observed that the age pattern of marital fertility is almost similar to the pattern of age specific fertility. ASMFR is at peak level in the age group 20-24 at the national level and in majority of the bigger States/UTs. There is significant decline in marital fertility for women aged 30 years onwards, for all major States.

Statement 28

ASMFRs (Age Specific Marital Fertility Rates), India and bigger States/UTs, 2018

India and bigger States/UTs	15-19	20-24	25-29	30-34	35-39	40-44	45-49
India	322.7	299.8	190.9	103.4	39.5	13.7	4.9
Andhra Pradesh	204.3	267.0	138.1	51.1	17.3	7.3	3.2
Assam	612.9	249.6	183.3	129.0	57.0	18.0	7.1
Bihar	380.5	350.2	260.1	177.9	61.3	23.6	6.9
Chhattisgarh	390.9	350.1	205.9	106.5	39.6	11.7	2.6
Delhi	291.9	277.0	183.9	76.5	26.4	8.4	1.9
Gujarat	394.3	330.2	198.1	89.1	29.5	9.4	3.7
Haryana	195.1	261.7	208.0	95.6	34.8	11.1	7.5
Himachal Pradesh	301.5	215.9	156.8	86.2	27.8	4.7	1.6
Jammu & Kashmir	313.0	280.3	212.8	150.7	71.6	21.5	6.9
Jharkhand	486.5	329.8	211.9	119.8	48.4	25.0	4.9
Karnataka	180.5	207.3	153.0	85.0	25.1	6.7	3.8
Kerala	515.1	235.2	138.8	89.3	31.4	6.8	0.8
Madhya Pradesh	264.2	322.7	234.7	108.9	44.4	13.9	4.4
Maharashtra	200.3	272.9	147.2	78.6	23.0	6.7	1.8
Odisha	215.7	246.1	168.4	87.4	31.8	13.1	3.0
Punjab	250.0	291.9	178.1	90.5	34.6	10.6	3.8
Rajasthan	229.7	329.6	219.0	103.9	40.4	12.4	6.4
Tamil Nadu	225.6	253.7	162.8	70.8	21.0	3.4	1.5
Telangana	192.4	271.2	156.4	64.8	18.0	8.1	2.9
Uttar Pradesh	395.9	424.3	260.8	159.4	75.7	30.0	11.0
Uttarakhand	33.3	203.9	184.8	84.5	36.7	10.2	3.8
West Bengal	584.7	230.2	87.8	62.7	20.0	8.6	3.9


3.24 Like TFR, Total Marital Fertility Rate (TMFR) is the cumulative value of age specific marital fertility rates at the end of the reproductive period. It indicates the average number of children expected to be born per married woman during the entire span of her reproductive period, if the ASMFRs continue to be the same and if there is no mortality. The TMFRs worked out on the basis of ASMFRs for the year 2018 are given below in Statement 29 for India and bigger States/UTs separately for rural and urban areas. The TMFR for India is found to be 4.9 and varies from 4.4 in urban areas to 5.1 in rural areas. The TMFR is 5 and above in Assam, Bihar, Chhattisgarh, Gujarat, Jammu & Kashmir, Jharkhand, Kerala and Uttar Pradesh. Chart 54 presents the TMFRs by residence for India and bigger States/UTs.

Statement 29

TMFRs (Total Marital Fertility Rates) by residence, India and bigger States/UTs, 2018

India and bigger States/UTs	Total	Rural	Urban
India	4.9	5.1	4.4
Andhra Pradesh	3.4	3.8	2.8
Assam	6.3	6.4	5.2
Bihar	6.3	6.3	6.2
Chhattisgarh	5.5	5.9	4.4
Delhi	4.3	5.2	4.3
Gujarat	5.3	5.4	5.1
Haryana	4.1	3.8	5.3
Himachal Pradesh	4.0	4.0	2.4
Jammu & Kashmir	5.3	6.1	3.8
Jharkhand	6.1	6.0	7.0
Karnataka	3.3	3.4	3.1
Kerala	5.1	4.5	5.9
Madhya Pradesh	5.0	5.2	4.1
Maharashtra	3.7	3.6	3.8
Odisha	3.8	3.9	3.4
Punjab	4.3	4.4	4.2
Rajasthan	4.7	4.8	4.5
Tamil Nadu	3.7	3.8	3.6
Telangana	3.6	3.5	3.6
Uttar Pradesh	6.8	6.7	7.6
Uttarakhand	2.8	2.6	4.8
West Bengal	5.0	5.2	4.1

Chart 54: Total marital fertility rate (TMFRs) by residence, India and bigger States/UTs, 2018



3.25 Statement 30 below presents the percentage change in the average level of TMFR between the period 2006-08 and 2016-18 in India and bigger States/UTs. Among the bigger States/UTs, Himachal Pradesh and Karnataka have witnessed a decline of about 12.5 percent. Charts 55, 56 and 57 depict the average TMFR between 2006-08 and 2016-18 of India and bigger States/UTs for Total, Rural and Urban areas respectively. Chart 58 shows the percentage change in average TMFR between 2006-08 and 2016-18 by residence for India and bigger States/UTs.

Statement 30

Percentage change in average Total Marital Fertility Rate (TMFR) between 2006-08 and 2016-18, by residence, India and bigger States/UTs

India and bigger States/UTs	Total			Rural			Urban		
	2006-08	2016-18	% Change	2006-08	2016-18	% Change	2006-08	2016-18	% Change
India	4.4	4.8	9.1	4.5	5.0	11.1	3.9	4.2	7.7
Andhra Pradesh*	3.5	3.7	5.7	3.5	3.9	11.4	3.2	3.3	3.1
Assam	5.5	5.7	3.6	5.7	5.8	1.8	4.0	4.7	17.5
Bihar	5.0	6.2	24.0	5.1	6.3	23.5	4.5	6.0	33.3
Chhattisgarh	4.9	5.4	10.2	5.1	5.7	11.8	4.0	4.2	5.0
Delhi	4.0	4.3	7.5	3.5	4.2	20.0	4.1	4.3	4.9
Gujarat	4.0	5.0	25.0	4.2	5.2	23.8	3.6	4.6	27.8
Haryana	4.3	4.1	-4.7	4.3	4.1	-4.7	4.4	4.3	-2.3
Himachal Pradesh	4.8	4.2	-12.5	4.8	4.2	-12.5	4.2	2.9	-31.0
Jammu & Kashmir	5.0	5.3	6.0	5.3	5.9	11.3	3.9	4.3	10.3
Jharkhand	4.8	5.5	14.6	5.0	5.5	10.0	4.0	6.1	52.5
Karnataka	4.0	3.5	-12.5	4.1	3.6	-12.2	3.7	3.4	-8.1
Kerala	3.8	4.6	21.1	3.8	4.4	15.8	4.1	5.0	22.0
Madhya Pradesh	4.8	5.2	8.3	5.1	5.4	5.9	4.0	4.2	5.0
Maharashtra	3.5	3.7	5.7	3.4	3.8	11.8	3.5	3.6	2.9
Odisha	4.2	4.1	-2.4	4.3	4.2	-2.3	3.6	3.6	0.0
Punjab	4.1	4.2	2.4	4.2	4.3	2.4	3.9	4.2	7.7
Rajasthan	4.6	4.7	2.2	4.8	4.7	-2.1	4.0	4.4	10.0
Tamil Nadu	3.9	3.8	-2.6	3.9	4.0	2.6	3.9	3.7	-5.1
Uttar Pradesh*	5.5	6.3	14.5	5.6	6.2	10.7	5.5	7.1	29.1
West Bengal	3.5	4.1	17.1	3.6	4.3	19.4	3.0	3.4	13.3

*: Andhra Pradesh and Uttar Pradesh include Telangana and Uttarakhand respectively

Chart 55: Average Total Marital fertility rate (TMFR) between 2006-08 & 2016-18, India and bigger States/UTs




Chart 56: Average Total Marital fertility rate (TMFR) between 2006-08 & 2016-18, India and bigger States/UTs - RURAL




Chart 57: Average Total Marital fertility rate (TMFR) between 2006-08 & 2016-18, India and bigger States/UTs - URBAN





Chart 58: Per cent change in average Total Marital fertility rate (TMFR) between 2006-08 & 2016-18, India and bigger States/UTs



Fertility by level of education of the women

3.26 Education, more precisely the female education, has a direct impact on fertility. To ascertain levels of fertility by educational status of the women, three indicators viz. general fertility rate, age-specific fertility rate and total fertility rate by educational status of the women have been worked out separately for rural and urban areas. These are discussed in the subsequent paragraphs.

3.27 Statement 31 below indicates the percentage of female population in the age group 15-49 by level of education, at the National level and for the bigger States/UTs. At the National level, 13.0 percent of the female population is reported 'Illiterate' as against 87.0 percent in the 'Literate' category. About 18.9 percent have education up to Class X, 12.5 percent women have education level of Class XII, and only 9.8 percent have reported education level of graduate and above. Among the illiterates, Kerala 0.5 has the lowest and Bihar 23.5 the highest percentage of illiterate women.

Statement 31

Percentage of female population in the age group 15-49 by level of education, India and bigger States/UTs, 2018

India and bigger States/UTs	Educational level of women								
	Illiterate	Literate							
		Total literate	Without any formal education	Below primary	Primary	Middle	Class X	Class XII	Graduate and above
India	13.0	87.0	4.9	7.2	13.9	19.8	18.9	12.5	9.8
Andhra Pradesh	13.5	86.5	5.1	7.7	14.7	17.0	22.0	12.0	7.9
Assam	10.1	89.9	6.1	12.0	18.7	26.2	16.6	6.8	3.6
Bihar	23.5	76.5	9.3	8.3	14.3	18.6	15.4	6.6	4.0
Chhattisgarh	17.0	83.0	5.1	5.3	13.8	23.1	15.2	12.9	7.8
Delhi	7.8	92.2	2.8	3.5	12.3	16.3	17.7	17.9	21.6
Gujarat	13.2	86.8	2.2	7.8	19.3	19.1	17.3	12.3	8.7
Haryana	10.6	89.4	5.3	10.9	12.2	16.6	19.8	14.5	10.2
Himachal Pradesh	1.2	98.8	1.3	2.2	8.7	13.8	25.3	31.6	15.8
Jammu & Kashmir	14.3	85.7	4.3	3.7	7.8	17.1	27.3	16.9	8.7
Jharkhand	22.6	77.4	7.2	5.9	12.9	20.9	16.0	8.6	5.8
Karnataka	4.8	95.2	2.5	6.0	13.2	19.2	28.3	14.8	11.1
Kerala	0.5	99.5	0.3	1.8	4.7	18.1	26.9	25.9	21.8
Madhya Pradesh	16.9	83.1	5.0	7.6	17.2	24.4	14.0	8.0	6.9
Maharashtra	4.0	96.0	3.1	5.7	11.3	20.2	26.4	16.6	12.8
Odisha	10.2	89.8	4.9	9.6	15.7	22.9	19.2	10.3	7.2
Punjab	7.8	92.2	5.0	7.1	11.4	16.5	23.3	17.6	11.4
Rajasthan	20.0	80.0	8.4	7.0	13.6	15.4	14.3	11.3	10.0
Tamil Nadu	3.2	96.8	1.8	6.1	11.2	17.9	24.0	18.4	17.3
Telangana	15.1	84.9	7.7	3.9	9.9	15.7	20.9	14.3	12.5
Uttar Pradesh	20.3	79.7	4.8	7.1	14.5	19.0	14.1	11.6	8.7
Uttarakhand	9.3	90.7	4.3	3.3	11.1	18.9	19.4	17.9	15.9
West Bengal	10.1	89.9	6.9	10.8	17.6	24.6	15.9	7.6	6.4

3.28 Statement 32 below presents the estimates of General Fertility Rate (GFR) by educational status of the women for India and bigger States/UTs. It is apparent from the Statement that there is a difference between the GFRs of the Illiterate and Literate women with the latter depicting lower levels of GFR at the National level.

Statement 32
General Fertility Rate by level of education of women, India and bigger States/UTs, 2018

India and bigger States/UTs	Educational level of women								
	Illiterate	Literate							
		Total literate	Without any formal education	Below primary	Primary	Middle	Class X	Class XII	Graduate and above
India	73.7	70.3	70.6	84.2	77.0	66.6	63.2	68.4	73.7
Andhra Pradesh	29.3	57.5	31.6	39.7	47.5	52.4	70.8	68.8	67.0
Assam	47.4	76.5	54.3	78.5	87.6	71.8	73.8	85.5	79.6
Bihar	121.3	93.5	126.8	128.6	89.8	78.2	80.2	83.6	94.6
Chhattisgarh	43.4	86.8	40.9	132.7	99.7	84.4	84.8	74.4	94.7
Delhi	47.7	50.8	33.0	94.6	51.3	42.8	49.4	45.3	57.5
Gujarat	56.0	72.5	63.5	104.1	83.7	73.5	66.3	54.5	57.4
Haryana	60.1	74.7	65.8	88.6	75.9	62.7	72.2	79.9	79.9
Himachal Pradesh	30.7	54.2	9.7	23.3	27.1	33.0	44.7	67.1	84.9
Jammu & Kashmir	46.9	51.0	52.8	94.8	69.1	49.8	45.2	43.0	52.1
Jharkhand	91.2	77.9	89.0	159.5	111.1	66.4	59.7	47.2	44.3
Karnataka	31.7	59.5	33.4	51.5	58.4	70.7	57.8	55.0	61.7
Kerala	34.9	48.9	0.0	14.7	12.5	19.3	39.8	58.4	84.9
Madhya Pradesh	82.5	93.5	82.6	113.1	118.0	87.4	64.2	100.7	91.2
Maharashtra	40.4	56.0	41.8	38.1	55.5	52.5	57.7	66.6	55.8
Odisha	45.5	66.2	54.7	82.0	79.7	68.3	54.8	56.2	61.1
Punjab	35.3	54.0	25.0	40.4	64.0	61.0	55.2	53.2	53.9
Rajasthan	100.5	83.0	96.8	180.2	119.0	84.5	43.4	54.7	40.7
Tamil Nadu	11.9	52.8	21.5	20.4	28.7	36.4	57.6	59.4	86.1
Telangana	35.2	58.6	41.1	59.6	54.4	48.8	67.0	60.3	68.5
Uttar Pradesh	87.4	92.8	97.0	101.4	86.3	83.5	84.7	101.7	116.1
Uttarakhand	54.9	62.7	60.5	72.2	71.5	54.6	51.5	60.9	80.6
West Bengal	25.1	53.1	25.3	46.2	61.1	59.1	57.6	52.9	38.1

3.29 Statement 33 below presents, at the National level, age specific fertility rates by level of education of women separately for rural and urban areas. Fertility attains the peak in the age-group 25-29 years both in the rural and urban areas for illiterate as well as literate female population. On an average, 'Illiterate' women have higher levels of age-specific fertility rates than the 'Literate'. Within the 'Literate' group there is a general decline in the fertility rates with the increase in the educational status both in the rural and urban areas, barring a few exceptions. Charts 59, 60 and 61 depict the Age Specific Fertility Rate by level of education of women for Total, Rural and Urban areas respectively.

Statement 33

Age Specific Fertility Rate by level of education of women and residence, India, 2018

Age group	Educational level of women								
	Illiterate	Literate							
		Total literate	Without any formal education	Below primary	Primary	Middle	Class X	Class XII	Graduate and above
	Total								
15-19	30.0	11.7	20.2	20.2	16.4	10.4	8.1	10.6	0.0
20-24	187.2	119.3	151.1	218.6	190.0	143.0	104.7	71.4	86.7
25-29	196.1	141.0	166.2	176.7	164.0	151.6	143.4	126.6	103.7
30-34	113.4	91.1	96.8	104.4	90.7	88.4	78.5	97.1	95.1
35-39	49.2	34.0	39.3	39.7	32.2	29.8	30.2	35.9	39.0
40-44	17.6	11.2	17.8	13.4	12.0	9.7	10.0	7.9	8.3
45-49	6.1	3.8	4.3	5.8	2.7	4.4	3.3	4.1	1.5
	Rural								
15-19	32.9	13.1	21.6	22.2	18.7	11.7	8.6	11.5	0.0
20-24	198.3	132.8	157.1	228.3	194.9	149.0	111.6	84.1	100.4
25-29	205.5	154.3	171.3	182.9	175.0	159.7	150.8	135.3	115.9
30-34	119.8	97.2	104.3	110.3	97.8	94.6	83.4	103.3	99.2
35-39	52.2	36.9	40.0	40.4	35.0	33.9	34.6	40.2	43.4
40-44	18.7	13.0	16.0	13.6	13.3	12.6	11.7	8.5	12.7
45-49	7.1	4.7	5.2	6.5	3.0	6.1	3.2	3.7	2.1
	Urban								
15-19	16.2	8.3	15.4	12.6	9.6	7.0	7.0	9.3	0.0
20-24	135.6	90.7	126.4	182.2	173.2	123.5	88.7	52.7	75.0
25-29	148.1	118.3	146.7	155.8	132.4	130.6	130.2	114.2	95.7
30-34	81.6	81.9	68.9	85.6	72.5	75.5	71.5	90.6	93.3
35-39	34.2	29.8	36.5	37.2	25.3	22.5	24.8	32.2	37.5
40-44	12.6	8.7	24.1	12.7	9.3	5.0	8.3	7.5	7.0
45-49	1.8	2.5	1.2	3.9	2.2	1.7	3.4	4.3	1.4

Chart 59: Age specific fertility rate by level of education of women, India, 2018






Chart 60: Age specific fertility rate by level of education of women, India, 2018 - RURAL



**Chart 61: Age specific fertility rate by level of education of women, India, 2018 -
URBAN**




3.30 Total fertility rates by education levels of the women for India and bigger States/UTs are presented below in Statement 34. At the National level, total fertility rate for the women having educational status 'Illiterate' for 2018 is 3.0. This is much higher than the 'Literate' group of women. Among the 'Literate' (2.1); there is, in general, a gradual decline of TFR with the increase in the level of education. Chart 62 presents, at the National level, total fertility rate by level of education of women separately for rural and urban areas for the year 2018. The TFR by levels of education of the women for India and bigger States/UTs by place of residence are given in Table-4.

Statement 34

Total Fertility Rate by level of education of women, India and bigger States/UTs, 2018

India and Bigger States/UTs	Educational level of women								
	Illiterate	Literate							
		Total literate	Without any formal education	Below primary	Primary	Middle	Class X	Class XII	Graduate and above
India	3.0	2.1	2.5	2.9	2.5	2.2	1.9	1.8	1.7
Andhra Pradesh	1.5	1.6	1.6	2.0	1.9	1.8	1.8	1.5	1.4
Assam	1.6	2.3	1.8	2.6	2.6	2.2	2.1	2.3	2.2
Bihar	4.0	3.0	3.7	4.1	3.3	3.1	2.5	2.1	2.1
Chhattisgarh	2.7	2.5	2.5	4.4	3.2	2.7	2.4	1.8	2.3
Delhi	2.2	1.5	1.1	3.1	1.9	1.6	1.6	1.2	1.4
Gujarat	2.5	2.1	2.1	3.1	2.6	2.3	2.0	1.5	1.4
Haryana	2.6	2.2	2.1	3.1	2.8	2.2	2.2	1.9	1.8
Himachal Pradesh	1.7	1.6	0.7	1.7	1.5	1.6	1.6	1.6	1.8
Jammu & Kashmir	1.7	1.6	2.0	3.1	2.5	1.8	1.5	1.2	1.1
Jharkhand	3.4	2.3	2.8	5.2	3.8	2.2	1.7	1.4	1.2
Karnataka	1.8	1.7	1.6	2.3	2.1	2.1	1.7	1.5	1.3
Kerala	1.8	1.7	0.0	1.3	1.4	1.2	1.8	1.6	2.1
Madhya Pradesh	4.1	2.6	4.0	3.6	3.3	2.5	2.1	3.0	2.2
Maharashtra	1.9	1.7	1.5	1.6	2.2	1.9	1.7	1.7	1.3
Odisha	2.1	1.9	2.2	2.7	2.3	2.0	1.7	1.7	1.4
Punjab	1.8	1.6	0.8	1.4	2.3	2.2	1.8	1.4	1.3
Rajasthan	4.0	2.3	4.0	4.9	3.0	2.3	1.6	2.5	0.9
Tamil Nadu	1.4	1.6	1.3	1.3	1.5	1.6	1.8	1.6	1.8
Telangana	1.9	1.6	1.4	2.5	2.2	1.8	1.8	1.4	1.5
Uttar Pradesh	3.2	2.9	3.2	3.8	3.1	3.0	2.8	2.6	2.6
Uttarakhand	2.4	1.8	2.5	2.3	2.2	1.8	1.7	1.5	1.8
West Bengal	1.2	1.6	1.0	1.7	1.9	1.7	1.5	1.3	1.0

Chart 62: Total Fertility Rate by level of education of women, India, 2018



Birth order


3.31 Information on order of the live birth and interval between current and previous live births are also collected in SRS from 1990 onwards. These provide useful information on spacing of children and level of fertility. The estimated percentages on order of live birth and birth interval for India and bigger States/UTs are given in Tables 5, 6 and 7. Based on these tables, State-wise comparative Statements are presented below.

3.32 The percentage distribution of live births by birth order for India and bigger States/UTs for the year 2018 is presented below in Statement 35. It is observed 49.5 percent of the current live births in India are first order births, and 29.9 percent of total births are second order births. The fourth and higher order births account for 8.1 percent of the total births. Among the bigger States/UTs, the percentage share of first order birth varies from 34.1 percent in Bihar to 68.8 percent in Jammu & Kashmir. On the other hand, the percentage share of fourth and higher order births varies from 0.6 percent in Tamil Nadu to 17.4 percent in Bihar. Chart 63 shows the percentage distribution of current live births by birth order for India and bigger States/UTs.

Statement 35
Percentage distribution of current live births by Birth Order,
India and bigger States/UTs, 2018

India and bigger States/UTs	Birth order			
	1 st	2 nd	3 rd	4 th & above
India	49.5	29.9	12.6	8.1
Andhra Pradesh	57.7	35.7	5.5	1.1
Assam	53.9	27.8	12.7	5.5
Bihar	34.1	28.9	19.6	17.4
Chhattisgarh	41.3	36.0	15.5	7.2
Delhi	54.9	29.5	10.6	5.0
Gujarat	61.3	26.5	8.0	4.1
Haryana	47.3	31.4	13.7	7.6
Himachal Pradesh	52.9	37.3	7.3	2.4
Jammu & Kashmir	68.8	18.8	8.1	4.3
Jharkhand	42.7	31.2	16.7	9.3
Karnataka	49.6	36.5	10.5	3.4
Kerala	46.1	39.1	11.2	3.6
Madhya Pradesh	42.2	34.2	14.4	9.2
Maharashtra	59.6	29.4	8.7	2.4
Odisha	48.8	34.0	12.1	5.2
Punjab	67.6	22.2	7.7	2.4
Rajasthan	45.9	30.5	14.0	9.6
Tamil Nadu	58.6	34.9	5.9	0.6
Telangana	56.8	32.6	9.1	1.5
Uttar Pradesh	45.9	26.3	15.0	12.8
Uttarakhand	43.6	33.3	14.9	8.2
West Bengal	66.4	24.1	7.1	2.3

Chart 63: Percentage distribution of current live births by birth order, India and bigger States/UTs, 2018



3.33 Statement 36 below presents the percentage distribution of current live births by birth order and residence for India and bigger States/UTs. It may be observed that the percentage of current live births for ‘first’ and ‘second’ order taken together is generally higher for urban areas if compared to the rural areas for bigger States/UTs except Delhi, Maharashtra, Punjab, Telangana and West Bengal. For ‘third’, ‘fourth & above’ order live births, the percentage contribution at National level is significantly higher in rural areas (23.2) compared to urban areas (14.1). Charts 64 and 65 depict the percentage distribution of current live births by birth order for rural and urban areas respectively.

Statement 36

Percentage distribution of current live births by Birth Order and residence, India and bigger States/UTs, 2018

India and bigger States/UTs	Birth order							
	Rural				Urban			
	1 st	2 nd	3 rd	4 th & above	1 st	2 nd	3 rd	4 th & above
India	47.3	29.5	13.7	9.5	55.2	30.7	9.8	4.3
Andhra Pradesh	58.3	34.7	5.9	1.1	56.3	38.2	4.5	0.9
Assam	52.9	27.8	13.3	6.0	62.8	28.1	7.7	1.5
Bihar	33.5	28.6	19.9	18.0	39.4	31.2	17.6	11.9
Chhattisgarh	39.7	35.3	16.6	8.4	48.0	39.1	10.9	1.9
Delhi	61.4	23.2	12.6	2.8	54.7	29.7	10.5	5.1
Gujarat	58.3	27.3	9.1	5.3	66.0	25.4	6.3	2.3
Haryana	45.5	31.6	13.6	9.4	51.0	31.1	14.0	3.9
Himachal Pradesh	52.8	37.3	7.4	2.5	54.5	37.2	7.2	1.1
Jammu & Kashmir	67.0	19.9	8.1	5.1	74.8	15.3	8.3	1.7
Jharkhand	41.7	31.0	17.2	10.0	46.8	32.2	14.7	6.4
Karnataka	48.1	35.7	12.0	4.2	52.2	37.8	8.0	2.0
Kerala	45.9	38.5	12.5	3.1	46.2	39.7	10.0	4.1
Madhya Pradesh	41.1	33.3	15.6	10.1	46.4	37.7	9.9	6.0
Maharashtra	59.5	29.8	8.3	2.4	59.7	28.8	9.1	2.3
Odisha	48.0	33.8	12.5	5.7	54.4	34.8	9.3	1.5
Punjab	67.4	23.0	7.5	2.1	68.1	21.0	8.2	2.8
Rajasthan	44.0	30.5	14.8	10.7	52.3	30.3	11.4	6.0
Tamil Nadu	58.1	33.5	7.3	1.0	59.0	36.2	4.6	0.2
Telangana	56.8	32.6	9.1	1.5	56.8	32.6	9.1	1.5
Uttar Pradesh	44.2	26.3	15.5	14.0	52.1	26.4	13.3	8.1
Uttarakhand	43.8	32.5	14.9	8.8	43.3	35.5	14.9	6.4
West Bengal	66.1	24.9	6.9	2.1	67.5	21.5	7.7	3.2

Chart 64: Percentage distribution of current live births by birth order, India and bigger States/UTs, 2018 - RURAL





Chart 65: Percentage distribution of current live births by birth order, India and bigger States/UTs, 2018 - URBAN



Birth interval


3.34 The percentage distribution of second and higher order live births by interval between current and previous live birth is shown below in Statement 37 for India and bigger States/UTs for the year 2018. At the National level, 1.6 percent of the live births occur within one year from the previous live birth. Such percentage varies from 0.4 in Kerala to 3.2 in Jammu & Kashmir. The percentage of births beyond three years of birth interval from the previous live birth for India is 49.6. It varies from 37.1 in Bihar to 73.7 in West Bengal. Chart 66 presents the percentage distribution of second and higher order live births by interval for India and bigger States/UTs.

Statement 37

Percentage distribution of second and higher order live births by interval, India and bigger States/UTs, 2018

India and bigger States/UTs	Interval between current and previous live birth (in months)			
	10-12	12-24	24-36	36+
India	1.6	21.6	27.2	49.6
Andhra Pradesh	1.6	28.3	31.4	38.7
Assam	1.2	9.4	19.3	70.1
Bihar	1.6	29.9	31.3	37.1
Chhattisgarh	1.3	15.9	30.3	52.5
Delhi	0.5	10.6	19.6	69.3
Gujarat	1.7	21.4	26.9	50.0
Haryana	2.6	24.8	24.7	47.9
Himachal Pradesh	1.3	19.1	25.0	54.6
Jammu & Kashmir	3.2	20.5	24.3	52.0
Jharkhand	0.8	19.7	36.4	43.1
Karnataka	0.9	23.4	27.4	48.3
Kerala	0.4	9.8	17.8	72.0
Madhya Pradesh	2.1	28.4	31.9	37.6
Maharashtra	1.3	19.8	26.2	52.7
Odisha	0.8	8.6	20.7	69.9
Punjab	2.3	18.5	23.5	55.0
Rajasthan	2.6	25.3	30.9	41.2
Tamil Nadu	1.1	21.0	28.0	49.8
Telangana	1.8	27.2	27.3	43.5
Uttar Pradesh	1.4	20.5	25.5	52.6
Uttarakhand	2.4	17.8	26.5	53.4
West Bengal	2.3	7.8	16.4	73.7

Chart 66: Percentage distribution of second and higher order live births by interval, India and bigger States/UTs, 2018



3.35 Statement 38 below presents the percentage distribution of second and higher order live births by interval between current and previous live birth separately for rural and urban areas. At the National level, 1.6 percent of live births have been reported within an interval of one year for rural areas and 1.7 percent in urban areas. More than 75 percent of births have birth interval of 24 and more months both in rural and urban areas. Charts 67 and 68 give the percentage distribution of second and higher order live births by interval for rural and urban areas respectively.

Statement 38

Percentage distribution of second and higher order live births by interval and residence, India and bigger States/UTs, 2018

India and bigger States/UTs	Interval between current and previous live birth (in months)							
	Rural				Urban			
	10-12	12-24	24-36	36+	10-12	12-24	24-36	36+
India	1.6	22.9	28.9	46.7	1.7	17.6	22.1	58.6
Andhra Pradesh	1.6	28.1	34.6	35.7	1.4	28.9	24.0	45.7
Assam	1.3	9.7	19.4	69.7	1.0	5.9	18.6	74.3
Bihar	1.6	30.1	31.3	36.9	1.7	28.2	31.3	38.9
Chhattisgarh	0.8	16.9	31.8	50.5	3.5	11.3	22.8	62.4
Delhi	1.6	8.0	27.5	60.7	0.5	10.7	19.4	69.5
Gujarat	1.6	23.0	30.2	45.1	1.9	18.2	20.6	59.4
Haryana	3.2	26.1	27.2	43.5	1.1	22.0	19.1	57.8
Himachal Pradesh	1.3	19.3	25.5	53.9	1.7	14.5	17.0	66.8
Jammu & Kashmir	3.3	19.4	24.6	52.7	2.6	25.6	23.2	48.6
Jharkhand	0.8	20.2	36.9	42.1	0.9	17.0	34.1	47.9
Karnataka	0.9	27.9	30.8	40.5	1.1	15.0	21.1	62.8
Kerala	0.5	10.0	18.0	71.5	0.3	9.7	17.5	72.5
Madhya Pradesh	2.1	30.9	33.7	33.3	2.2	17.7	24.4	55.7
Maharashtra	1.6	21.5	30.1	46.9	0.9	17.6	21.2	60.3
Odisha	0.7	8.8	21.4	69.0	1.4	7.0	14.8	76.8
Punjab	1.3	23.0	25.5	49.2	3.8	11.4	20.4	64.1
Rajasthan	2.5	26.9	32.0	38.6	2.9	19.3	26.4	51.3
Tamil Nadu	1.0	24.4	30.9	43.6	1.1	17.9	25.4	55.6
Telangana	2.0	30.2	27.7	39.9	1.5	24.2	26.9	47.1
Uttar Pradesh	1.2	20.7	27.3	50.8	2.5	19.5	18.2	59.8
Uttarakhand	2.8	19.6	27.8	49.8	1.2	12.7	22.8	63.3
West Bengal	2.7	7.9	16.4	72.9	0.8	7.6	16.3	76.5

Chart 67: Percentage distribution of second and higher order live births by interval, India and bigger States/UTs, 2018- RURAL





Chart 68: Percentage distribution of second and higher order live births by interval, India and bigger States/UTs, 2018-URBAN



Medical attention at delivery

3.36 While recording details of every outcome of pregnancy during continuous enumeration and half yearly survey, the enumerators and supervisors are required to enquire about the type of medical attention received by the mother at the time of delivery/abortion of the new born. From 2004 onwards, the options on types of medical attention received by the mother at delivery have been modified to capture the deliveries specifically at private hospital/nursing homes. The new options include 'Government Hospital', 'Private Hospital', 'Qualified professional', 'Untrained functionary and others' in comparison to 'Institutional'; 'Doctor, Nurse or trained midwife'; 'Traditional birth attendants'; and 'relatives or others' adopted till 1991 SRS sample. Statement 39 below gives the percentage distribution of live births recorded in the year 2018 by type of medical attention received by the mother at the time of delivery for India and bigger States/UTs separately by rural and urban areas. At the National level, 54.5 percent births were attended by Government Hospitals and vary from 53.8 percent in rural areas to 56.3 percent in urban areas. Among the bigger States/UTs, it varies from 40.0 percent in Jharkhand and Punjab to 70.8 percent in Rajasthan. About 28.0 percent of births occurred at Private Hospital. Medical attention by qualified professionals constitutes 9.7 percent of total deliveries whereas untrained and others constitute 7.8 percent. More than three fourth of deliveries are occurring in institutions and conducted by the qualified professional. Charts 69, 70 and 71 depict the percentage distribution of live births by type of Medical Attention received by the mother for Total, Rural and Urban areas respectively.

Statement 39

Percentage distribution of live births by type of Medical Attention received by the mother at delivery by residence, India and bigger States/UTs, 2018

India and bigger States/UTs	Govt. Hospital			Private Hospital			Qualified professional			Untrained functionary and others		
	Total	Rural	Urban	Total	Rural	Urban	Total	Rural	Urban	Total	Rural	Urban
India	54.5	53.8	56.3	28.0	24.2	38.4	9.7	11.6	4.5	7.8	10.3	0.8
Andhra Pradesh	53.9	56.7	46.0	43.5	39.9	53.8	2.4	3.2	0.1	0.2	0.2	0.1
Assam	55.0	53.9	64.0	27.8	27.3	32.4	12.3	13.4	3.4	4.9	5.4	0.2
Bihar	46.2	45.5	52.5	24.1	22.4	39.0	10.7	11.2	6.7	19.0	20.9	1.8
Chhattisgarh	49.9	47.0	61.3	27.2	26.7	28.8	17.2	19.3	8.8	5.8	7.0	1.1
Delhi	64.1	66.0	64.0	31.7	30.5	31.7	4.1	3.0	4.1	0.1	0.5	0.1
Gujarat	47.3	49.2	44.0	47.3	42.3	55.5	4.8	7.4	0.4	0.6	1.0	0.0
Haryana	44.1	46.1	40.4	41.5	37.7	48.6	13.1	14.7	10.1	1.3	1.5	0.9
Himachal Pradesh	60.8	59.7	80.4	18.1	18.2	16.1	17.3	18.1	3.0	3.8	4.0	0.5
Jammu & Kashmir	70.0	66.4	81.3	18.9	20.0	15.8	6.4	7.7	2.7	4.6	6.0	0.2
Jharkhand	40.0	38.1	52.9	21.7	19.3	38.9	17.0	18.9	3.7	21.3	23.7	4.5
Karnataka	66.3	70.1	60.4	31.3	26.2	39.3	1.9	3.1	0.2	0.4	0.6	0.2
Kerala	44.9	50.1	39.2	54.9	49.7	60.5	0.1	0.1	0.2	0.1	0.1	0.1
Madhya Pradesh	57.2	53.6	70.1	25.9	25.5	27.4	9.7	11.8	2.0	7.2	9.0	0.4
Maharashtra	55.7	54.8	57.0	41.3	40.4	42.5	2.6	4.2	0.3	0.4	0.6	0.1
Odisha	63.2	62.0	70.7	17.8	17.0	23.2	9.3	9.8	5.6	9.8	11.2	0.5
Punjab	40.0	40.4	39.5	49.7	45.6	55.5	9.7	13.1	4.8	0.6	0.9	0.2
Rajasthan	70.8	70.3	72.5	17.7	16.6	21.5	9.9	11.1	5.7	1.6	2.0	0.3
Tamil Nadu	61.5	65.6	57.4	34.5	26.6	42.4	3.7	7.4	0.1	0.2	0.4	0.1
Telangana	50.0	52.8	45.2	44.2	39.6	52.1	3.4	4.8	0.9	2.4	2.7	1.8
Uttar Pradesh	48.3	47.7	50.7	19.2	15.9	31.6	18.6	19.2	16.1	13.9	17.3	1.6
Uttarakhand	51.8	53.5	47.0	21.3	17.1	32.9	18.2	19.2	15.3	8.8	10.2	4.8
West Bengal	67.9	68.0	67.6	18.2	14.9	27.3	6.3	7.3	3.5	7.6	9.8	1.6

Chart 69: Distribution of live births by type of Medical Attention received by the mother at delivery, India and bigger States/UTs, 2018




Chart 70: Distribution of live births by type of Medical Attention received by the mother at delivery, India and bigger States/UTs, 2018 - RURAL





Chart 71: Distribution of live births by type of Medical Attention received by the mother at delivery, India and bigger States/UTs, 2018 - URBAN



CHAPTER – 4

ESTIMATES OF MORTALITY INDICATORS

Mortality is one of the basic components of population change and the related data is essential for demographic studies and public health administration. It is the principal ingredient for population projections and life tables. Information on death events recorded in SRS is used to estimate mortality indicators. The various measures of mortality published under SRS are Crude Death Rate (CDR), Under-five Mortality Rate (U5MR), Infant Mortality Rate (IMR) and its components, Age Specific Mortality Rates (ASMR), Still Birth Rate (SBR) and Peri-Natal Mortality Rate (PMR).

4.2 SRS has continued to provide data for estimating various mortality measures since its inception. The crude death rate at all India level has declined significantly from 14.9 to 12.5 during 1971 to 1981 and thereafter from 9.8 to 6.2 during 1991 to 2018. The decline has been steeper in rural areas as compared to urban areas. The infant mortality rate, which plays an important role in health planning, has shown a considerable decline from 129 per 1000 live births in 1971 to 110 in 1981 and from 80 in 1991 to 32 in 2018. The child mortality rate has depicted a perceptible decline from 51.9 in 1971 to 41.2 in 1981 and from 26.5 in 1991 to 8.9 in 2018. In 2018, about 47.8 percent of the deaths were institutional and 52.2 percent received medical attention other than in institutions.

4.3 Apart from the all India scenario, this chapter presents data on mortality indicators for bigger States/UTs by sex, residence and broad age-groups. Besides Under-five mortality rate, it includes data on infant mortality and its components viz., neo-natal mortality and post neo-natal, peri-natal mortality and changes in mortality over the last decade. It also includes data on medical attention before death.

4.4 Apart from the mortality indicators at State and National levels, this report also includes estimates of death rates at sub-State, viz. NSS Natural Division Level. The Table 11 in the annexure to this report contains data on death rate and infant mortality rate besides birth rate for 71 Natural Divisions of 22 bigger States/UTs.

4.5 Statement 40 below provides the Crude Death Rate (CDR) by residence for India and bigger States/UTs for the year 2018. The CDR at national level is 6.2 varying from 6.7 in rural to 5.1 in urban areas. Among the bigger States/UTs, it varies from 3.3 in Delhi to 8.0 in Chhattisgarh. The CDR of the rural areas is higher than that of the urban areas in all the bigger States/UTs, except for West Bengal. The States having death rate higher than or equal to the National level are Telangana 6.3, Karnataka 6.3, Assam 6.4, Tamil Nadu 6.5, Punjab 6.6, Uttar Pradesh 6.6, Madhya Pradesh 6.7, Andhra Pradesh 6.7, Kerala 6.9, Himachal Pradesh 6.9, Odisha 7.3 and Chhattisgarh 8.0. The graphical representation of death rate of bigger States/UTs by residence is depicted in Chart 72. Distribution of bigger States/UTs by level of CDR in rural and urban areas is shown in Chart 73. The estimated age-specific death rate by sex and residence for India and bigger States/UTs has been detailed in Table 8.

Statement 40

CDR (Crude Death Rates) by residence, India and bigger States/UTs, 2018

India and bigger States/UTs	Total	Rural	Urban
India	6.2	6.7	5.1
Andhra Pradesh	6.7	7.4	5.0
Assam	6.4	6.6	5.1
Bihar	5.8	5.9	5.1
Chhattisgarh	8.0	8.6	6.3
Delhi	3.3	3.7	3.3
Gujarat	5.9	6.3	5.3
Haryana	5.9	6.6	4.9
Himachal Pradesh	6.9	7.1	4.8
Jammu & Kashmir	4.9	5.1	4.2
Jharkhand	5.4	5.7	4.5
Karnataka	6.3	7.2	4.8
Kerala	6.9	7.1	6.7
Madhya Pradesh	6.7	7.1	5.5
Maharashtra	5.5	6.3	4.5
Odisha	7.3	7.6	5.9
Punjab	6.6	7.7	5.1
Rajasthan	5.9	6.1	5.0
Tamil Nadu	6.5	7.8	5.3
Telangana	6.3	7.5	4.5
Uttar Pradesh	6.6	7.0	5.3
Uttarakhand	6.2	6.5	5.3
West Bengal	5.6	5.6	5.7

Chart 72: Crude death rates by residence, India and bigger States/UTs, 2018





Chart 73: Distribution of bigger States/UTs by values of death rate for rural and urban areas, 2018



4.6 Statement 41 given below shows the percentage change in the level of Crude Death Rate between the period 2006-08 and 2016-18 for India and bigger States/UTs. During this period CDR in India has declined by 14.9 percent. In Kerala, average CDR have shown marginal increase during 2006-08 to 2016-18 period, which could possibly be due to the changes in age structure of the population.


Statement 41

Percentage change in average Crude Death Rate between 2006-08 and 2016-2018, by residence, India and bigger States/UTs


India and bigger States/UTs	Total			Rural			Urban		
	2006-08	2016-18	% Change	2006-08	2016-18	% Change	2006-08	2016-18	% Change
India	7.4	6.3	-14.9	8.0	6.8	-15.0	6.0	5.2	-13.3
Andhra Pradesh*	7.4	6.7	-9.5	8.1	7.6	-6.2	5.8	4.8	-17.2
Assam	8.6	6.5	-24.4	9.1	6.8	-25.3	5.7	5.1	-10.5
Bihar	7.5	5.9	-21.3	7.6	6.0	-21.1	6.2	5.3	-14.5
Chhattisgarh	8.1	7.7	-4.9	8.5	8.2	-3.5	6.4	6.0	-6.3
Delhi	4.7	3.7	-21.3	5.2	4.1	-21.2	4.7	3.7	-21.3
Gujarat	7.1	6.1	-14.1	8.1	6.6	-18.5	5.7	5.4	-5.3
Haryana	6.7	5.9	-11.9	7.1	6.4	-9.9	5.7	5.0	-12.3
Himachal Pradesh	7.1	6.8	-4.2	7.3	7.0	-4.1	4.8	4.4	-8.3
Jammu & Kashmir	5.8	4.9	-15.5	6.0	5.1	-15.0	4.9	4.3	-12.2
Jharkhand	7.3	5.5	-24.7	7.7	5.8	-24.7	5.7	4.6	-19.3
Karnataka	7.3	6.5	-11.0	8.3	7.6	-8.4	5.5	4.9	-10.9
Kerala	6.7	7.1	6.0	6.8	7.2	5.9	6.4	7.0	9.4
Madhya Pradesh	8.7	6.9	-20.7	9.4	7.3	-22.3	6.2	5.6	-9.7
Maharashtra	6.7	5.7	-14.9	7.4	6.6	-10.8	5.7	4.6	-19.3
Odisha	9.2	7.5	-18.5	9.5	7.8	-17.9	6.9	6.0	-13.0
Punjab	7.0	6.5	-7.1	7.7	7.3	-5.2	5.9	5.4	-8.5
Rajasthan	6.8	6.0	-11.8	7.1	6.3	-11.3	6.1	5.1	-16.4
Tamil Nadu	7.4	6.5	-12.2	8.2	7.5	-8.5	6.3	5.6	-11.1
Uttar Pradesh	8.5	6.7	-21.2	9.0	7.2	-20.0	6.6	5.4	-18.2
Uttarakhand	6.6	6.5	-1.5	6.9	6.8	-1.4	5.5	5.6	1.8
West Bengal	6.3	5.7	-9.5	6.2	5.7	-8.1	6.4	5.9	-7.8

* Andhra Pradesh includes Telangana.

Chart 74: Average Death rate between 2006-08 and 2016-18, India and bigger States/UTs



**Chart 75: Average Death rate between 2006-08 and 2016-18,
India and bigger States/UTs -RURAL**



**Chart 76: Average Death rate between 2006-08 and 2016-18,
India and bigger States/UTs - URBAN**





Chart 77: Percentage change in average death rates between 2006-08 and 2016-18, India and bigger States/UTs




4.7 Statement 42 given below presents the estimated Crude Death Rate for India by residence separately for males and females. It is observed that female death rate is lower than male death rate both in rural and urban areas. Chart 78 represents the crude death rate by sex and residence for India.

Statement 42

Crude Death Rate by sex and residence, India, 2018

Residence	Total	Males	Females
Total	6.2	6.6	5.7
Rural	6.7	7.2	6.2
Urban	5.1	5.5	4.7




4.8 Crude death rates for males and females in the bigger States/UTs are shown below in Statement 43. It is observed that male death rate exceeds female death rate in all bigger States/UTs except Bihar and Jharkhand.

Statement 43

Crude Death Rate by sex, India and bigger States/UTs, 2018

India and bigger States/UTs	Total	Males	Females
India	6.2	6.6	5.7
Andhra Pradesh	6.7	7.4	5.9
Assam	6.4	6.9	5.8
Bihar	5.8	5.7	6.0
Chhattisgarh	8.0	8.4	7.7
Delhi	3.3	3.6	3.1
Gujarat	5.9	6.6	5.1
Haryana	5.9	6.9	4.8
Himachal Pradesh	6.9	8.3	5.5
Jammu & Kashmir	4.9	5.6	4.1
Jharkhand	5.4	4.9	6.0
Karnataka	6.3	6.8	5.8
Kerala	6.9	7.9	5.9
Madhya Pradesh	6.7	7.2	6.1
Maharashtra	5.5	6.0	4.9
Odisha	7.3	7.8	6.7
Punjab	6.6	7.4	5.7
Rajasthan	5.9	6.4	5.3
Tamil Nadu	6.5	7.4	5.5
Telangana	6.3	6.9	5.6
Uttar Pradesh	6.6	6.8	6.4
Uttarakhand	6.2	6.9	5.4
West Bengal	5.6	6.3	5.0

Chart 79: Crude Death Rates by sex, India and bigger States/UTs, 2018



4.9 Statement 44 given below provides the percentage distribution of deaths by broad age groups for India and bigger States/UTs. At the National level, 10.5 percent of the deaths are of infant deaths (<1 year) whereas 56.0 percent of the deaths pertain to persons aged 60 years and above. Toddlers (1-4 years) account for 1.1 percent of the deaths. The percentage of infant deaths to total deaths varies from a low 1.4 percent in Kerala to a high of 17.9 percent in Madhya Pradesh. Percentage contribution of deaths from persons aged 60 years and above varies from 47.0 in Assam to 77.8 in Kerala. The percentage distribution of deaths to total deaths, by residence, sex and age-group at the National level and for the bigger States/UTs are given in Table 10.


Statement 44

Percentage distribution of deaths by broad age groups, India and bigger States/UTs, 2018

India and bigger States/UTs	Broad age-groups					
	<1	1-4	0-4	5-14	15-59	60+
India	10.5	1.1	11.5	1.5	31.0	56.0
Andhra Pradesh	7.0	0.6	7.7	1.0	37.7	53.6
Assam	13.7	1.6	15.3	0.7	37.0	47.0
Bihar	14.4	1.8	16.1	2.7	19.9	61.3
Chhattisgarh	11.5	1.0	12.5	1.6	35.0	50.9
Delhi	5.7	2.2	7.9	2.0	35.1	54.9
Gujarat	9.3	0.8	10.1	1.1	33.0	55.8
Haryana	10.3	1.7	12.0	1.5	36.0	50.6
Himachal Pradesh	4.0	1.3	5.2	0.7	24.5	69.5
Jammu & Kashmir	7.0	0.2	7.3	1.3	33.9	57.6
Jharkhand	12.6	1.4	14.0	1.5	31.3	53.2
Karnataka	6.3	1.2	7.5	1.2	33.7	57.6
Kerala	1.4	0.6	2.0	0.5	19.7	77.8
Madhya Pradesh	17.9	2.2	20.0	2.2	28.8	49.0
Maharashtra	5.5	0.7	6.2	1.0	32.2	60.6
Odisha	9.9	0.8	10.7	1.6	30.0	57.7
Punjab	4.6	0.4	5.0	1.0	37.2	56.8
Rajasthan	15.2	1.0	16.2	2.0	31.2	50.6
Tamil Nadu	3.4	0.5	3.9	0.7	33.8	61.6
Telangana	7.2	0.6	7.7	1.4	36.9	54.0
Uttar Pradesh	16.7	1.0	17.7	2.0	30.1	50.2
Uttarakhand	8.3	0.8	9.1	1.4	31.0	58.5
West Bengal	5.8	1.1	6.9	0.9	29.9	62.3

Note: Total may not add up to 100 due to rounding off.

Chart 80: Distribution of deaths by broad age groups India and bigger States/UTs, 2018




4.10 The percentage share of infant deaths to total deaths by residence is shown below in Statement 45 for India and bigger States/UTs. At the National level, such share in the year 2018 is 10.5 percent and varies from 11.6 percent in rural areas to 7.4 percent in urban areas. In rural areas, Kerala registered 1.8 percent, the lowest percentage share of infant deaths as compared to 19.4 in Madhya Pradesh. In urban areas, the variation is from 1.1 percent in Kerala to 14.8 percent in Uttar Pradesh.

Statement 45

**Percentage of Infant Deaths to total deaths by residence
India and bigger States/UTs, 2018**

India and bigger States/UTs	Total	Rural	Urban
India	10.5	11.6	7.4
Andhra Pradesh	7.0	7.3	6.4
Assam	13.7	14.7	5.8
Bihar	14.4	14.6	12.7
Chhattisgarh	11.5	11.8	9.9
Delhi	5.7	3.4	5.8
Gujarat	9.3	11.2	6.5
Haryana	10.3	10.7	9.2
Himachal Pradesh	4.0	4.0	3.9
Jammu & Kashmir	7.0	7.6	5.4
Jharkhand	12.6	13.1	10.4
Karnataka	6.3	6.2	6.6
Kerala	1.4	1.8	1.1
Madhya Pradesh	17.9	19.4	12.4
Maharashtra	5.5	6.0	4.7
Odisha	9.9	10.4	7.0
Punjab	4.6	4.3	5.3
Rajasthan	15.2	16.4	11.0
Tamil Nadu	3.4	3.4	3.4
Telangana	7.2	6.9	7.8
Uttar Pradesh	16.7	17.2	14.8
Uttarakhand	8.3	8.1	9.0
West Bengal	5.8	6.6	4.1

Chart 81: Percentage of Infant deaths to total deaths by residence, 2018



4.11 Statement 46 given below presents Infant Mortality Rate (IMR) by sex and residence for the year 2018 for India and bigger States/UTs. Infant Mortality Rate is defined as the infant deaths (less than one year) per thousand live births. At the National level, IMR is reported to be 32 and varies from 36 in rural areas to 23 in urban areas. Among the bigger States/UTs, it varies from 7 in Kerala to 48 in Madhya Pradesh. Female infants experienced a higher mortality than male infants at the national level and States except Andhra Pradesh, Chhattisgarh, Delhi, Gujarat, Haryana, Kerala, Madhya Pradesh, Odisha, Punjab, Tamil Nadu, Telangana and Uttarakhand. Charts 82, 83 and 84 provide the values of IMR by residence for India and bigger States/UTs for total, rural and urban areas respectively. Distribution of bigger States by level of IMR in rural and urban areas is shown in Chart 85. The estimates on child and infant mortality indicators by residence have been detailed in Table 9.

Statement 46

Infant Mortality Rates by sex and residence, India and bigger States/UTs, 2018

India and bigger States/UTs	Total			Rural			Urban		
	Total	Males	Females	Total	Males	Females	Total	Males	Females
India	32	32	33	36	36	36	23	22	23
Andhra Pradesh	29	30	29	33	34	32	21	20	22
Assam	41	40	44	44	42	46	20	20	21
Bihar	32	30	35	32	30	35	30	26	34
Chhattisgarh	41	42	39	42	44	40	35	34	36
Delhi	13	14	12	8	16	0	13	14	12
Gujarat	28	29	27	33	34	32	20	21	19
Haryana	30	31	29	33	34	31	25	24	25
Himachal Pradesh*	19	19	20	20	19	20	14	15	12
Jammu & Kashmir	22	22	23	23	23	24	20	19	20
Jharkhand	30	27	34	31	28	35	26	24	28
Karnataka	23	21	25	25	23	26	20	18	22
Kerala	7	9	5	9	8	10	5	11	0
Madhya Pradesh	48	51	46	52	54	49	36	37	35
Maharashtra	19	19	19	24	23	25	14	14	13
Odisha	40	40	39	41	41	40	31	31	30
Punjab	20	21	20	21	21	21	19	20	19
Rajasthan	37	37	38	41	40	41	26	24	28
Tamil Nadu	15	16	14	18	19	17	12	13	12
Telangana	27	27	26	30	31	29	21	19	23
Uttar Pradesh	43	43	44	46	45	46	35	32	38
Uttarakhand	31	33	28	31	34	28	29	29	30
West Bengal	22	22	22	22	23	22	20	18	22

*Based on three-year period 2016-18

Chart 82: Infant mortality rates by sex, India and bigger States/UTs, 2018




Chart 83: Infant mortality rates by sex, India and bigger States/UTs, 2018-RURAL




Chart 84: Infant mortality rates by sex, , India and bigger States/UTs, 2018, -URBAN





Chart 85: Distribution of bigger States/UTs by Infant Mortality Rate for rural and urban areas, 2018



4.12 The percentage change in the average level of infant mortality between 2006-08 and 2016-18 is given below in Statement 47. During this period, IMR, at the National level, declined by 40.3 percent. Among the bigger States/UTs, the decline varies from 54.5 percent in Jammu & Kashmir to 25.3 percent in Uttarakhand. In the rural areas, decline in IMR varies from 63.9 percent in Delhi to 32.2 percent in Chhattisgarh. In urban areas, the highest decline in IMR during the period has been 56.4 percent in Delhi.


Statement 47

Percent change in average Infant Mortality Rates between 2006-08 and 2016-18 by residence, India and bigger States/UTs


India and Bigger States/UTs	Total			Rural			Urban		
	2006-08	2016-18	% Change	2006-08	2016-18	% Change	2006-08	2016-18	% Change
India	55.4	33.1	-40.3	60.5	36.8	-39.2	37.3	22.9	-38.6
Andhra Pradesh*	54.2	30.3	-44.1	60.2	34.2	-43.2	37.3	22.7	-39.1
Assam	65.6	43.1	-34.3	68.1	45.4	-33.3	40.7	21.2	-47.9
Bihar	57.8	35.1	-39.3	59.1	35.7	-39.6	43.7	29.8	-31.8
Chhattisgarh	59.0	39.5	-33.1	60.6	41.1	-32.2	49.0	32.6	-33.5
Delhi	36.1	15.7	-56.5	40.7	14.7	-63.9	35.3	15.4	-56.4
Gujarat	51.7	29.3	-43.3	60.3	35.5	-41.1	35.8	20.2	-43.6
Haryana	55.4	30.8	-44.4	59.7	33.2	-44.4	43.9	25.6	-41.7
Himachal Pradesh	47.0	22.2	-52.8	48.5	22.5	-53.6	25.9	15.9	-38.6
Jammu & Kashmir	50.5	23.0	-54.5	53.0	24.0	-54.7	37.7	20.5	-45.6
Jharkhand	47.8	29.4	-38.5	50.5	30.8	-39.0	31.9	23.8	-25.4
Karnataka	46.5	24.0	-48.4	52.0	26.1	-49.8	34.6	20.3	-41.3
Kerala	13.1	8.9	-32.1	13.9	9.4	-32.4	10.7	8.5	-20.6
Madhya Pradesh	72.2	47.3	-34.5	76.8	50.7	-34.0	49.8	33.5	-32.7
Maharashtra	34.2	19.1	-44.2	40.9	23.4	-42.8	24.4	13.7	-43.9
Odisha	71.0	41.4	-41.7	73.4	42.9	-41.6	51.1	32.4	-36.6
Punjab	42.7	20.8	-51.3	47.0	22.2	-52.8	34.8	18.6	-46.6
Rajasthan	64.9	38.9	-40.1	71.4	42.4	-40.6	39.7	28.0	-29.5
Tamil Nadu	34.5	16.1	-53.3	37.1	18.9	-49.1	30.9	13.6	-56.0
Uttar Pradesh	68.9	42.5	-38.3	72.5	45.0	-37.9	50.8	33.9	-33.3
Uttarakhand	45.0	33.6	-25.3	51.9	35.1	-32.4	23.6	29.5	25.0
West Bengal	36.8	23.5	-36.1	38.6	23.8	-38.3	29.1	21.5	-26.1

* Andhra Pradesh includes Telangana.

**Chart 86: Average Infant Mortality Rate between 2006-08 & 2016-18,
India and bigger States/UTs**



**Chart 87: Average Infant Mortality Rate between 2006-08 & 2016-18,
India and bigger States/UTs -RURAL**



**Chart 88: Average Infant Mortality Rate between 2006-08 & 2016-18,
India and bigger States/UTs - URBAN**





Chart 89: Percentage change in average Infant mortality rates between 2006-08 & 2016-18, India and bigger States/UTs



4.13 Statement 48 given below presents the neo-natal (less than 29 days) mortality rate and the percentage of neo-natal deaths to infant deaths for the year 2018 both at the National and State levels. At the National level, the neo-natal mortality rate is 23 and ranges from 14 in urban areas to 27 in rural areas. Among the bigger States/UTs, neo-natal mortality ranges from 5 in Kerala to 35 in Madhya Pradesh. The percentage of neo-natal deaths to total infant deaths is 71.7 percent at the National level and varies from 60.1 percent in urban areas to 74.4 percent in rural areas. Among the bigger States/UTs, Odisha (79.4 percent) registered the highest percentage of neo-natal deaths to infant deaths and the lowest in Assam (51.4 percent).

Statement 48

Neo-Natal Mortality Rates and percentage share of Neo-Natal Deaths to Infant Deaths by residence, India and bigger States, 2018

India and Bigger States/UTs	Neo-natal mortality rate			Percentage of Neo-natal deaths to Infant deaths		
	Total	Rural	Urban	Total	Rural	Urban
India	23	27	14	71.7	74.4	60.1
Andhra Pradesh	21	25	10	70.8	77.5	46.0
Assam	21	22	12	51.4	51.0	60.3
Bihar	25	26	20	78.7	80.1	66.3
Chhattisgarh	29	30	22	70.1	71.3	63.8
Delhi	10	8	10	74.8	100.0	74.4
Gujarat	19	24	11	69.2	74.7	55.2
Haryana	22	24	16	72.5	75.1	65.9
Himachal Pradesh*	13	13	9	68.4	68.6	63.4
Jammu & Kashmir	17	18	14	75.4	76.3	71.7
Jharkhand	21	22	14	68.0	71.2	52.6
Karnataka	16	20	10	70.6	80.2	49.9
Kerala	5	6	4	73.1	69.5	79.5
Madhya Pradesh	35	38	23	71.8	73.4	63.1
Maharashtra	13	18	8	68.4	74.2	55.6
Odisha	31	33	22	79.4	80.2	72.5
Punjab	13	13	11	61.2	62.4	59.2
Rajasthan	26	29	15	70.6	72.8	59.4
Tamil Nadu	10	14	6	65.3	76.2	50.8
Telangana	19	21	14	69.7	70.1	68.9
Uttar Pradesh	32	34	21	73.2	75.8	60.9
Uttarakhand	22	23	21	73.2	73.3	73.1
West Bengal	16	17	12	72.3	75.8	59.6

*Based on three-year period 2016-18

Chart 90: Neo-natal mortality rates and percentage share of neo-natal deaths to infant deaths, India and bigger States/UTs, 2018




Chart 91: Neo-natal mortality rates and percentage share of neo-natal deaths to infant deaths, India and bigger States/UTs, 2018 - RURAL





Chart 92: Neo-natal mortality rates and percentage share of neo-natal deaths to infant deaths by residence, India and bigger States/UTs, 2018 - URBAN



4.14 Early neo-natal mortality rate, i.e. number of infant deaths less than seven days of life per thousand live births, forms an important component of infant mortality rate and more specifically of the neo-natal mortality rate. Statement 49 given below presents the early neo-natal mortality rate along with the percentage of early neo-natal deaths to the total infant deaths. At the National level, the early neo-natal mortality rate for the year 2018 has been estimated at 18 and ranges from 20 in rural areas to 10 in urban areas. Among the bigger States/UTs, early neonatal mortality rate ranges from 5 in Kerala to 26 in Madhya Pradesh. The percentage of early neo-natal deaths to the total infant deaths during the year 2018, at the National level, has been 54.6 and it varies from 56.9 in rural areas to 44.9 in urban areas. In this indicator, in most of the States, rural proportion is relatively higher than the urban proportion except for Assam, Chhattisgarh, Delhi, Kerala, Punjab and Uttarakhand. Among the bigger States/UTs the percentage for total, varies from 37.2 in Assam to 65.7 in Delhi.

Statement 49

Early Neo-Natal Mortality rates and percentage share of Early Neo-Natal Deaths to Infant Deaths by residence, India and bigger States/UTs, 2018

India and Bigger States/UTs	Early neo-natal mortality rate			Percentage of Early neo-natal deaths to Infant deaths		
	Total	Rural	Urban	Total	Rural	Urban
India	18	20	10	54.6	56.9	44.9
Andhra Pradesh	15	19	7	51.7	57.1	31.9
Assam	15	16	8	37.2	37.2	37.5
Bihar	20	20	14	61.8	63.5	47.3
Chhattisgarh	22	23	19	54.5	54.4	55.5
Delhi	9	4	9	65.7	50.0	66.0
Gujarat	15	18	9	52.5	55.2	45.7
Haryana	15	17	11	50.7	52.7	45.4
Himachal Pradesh*	10	10	6	50.9	51.1	44.9
Jammu & Kashmir	12	13	9	53.4	55.2	46.8
Jharkhand	17	19	10	56.5	60.1	39.1
Karnataka	12	16	7	54.2	62.7	35.7
Kerala	5	5	4	64.7	56.5	79.5
Madhya Pradesh	26	27	19	52.8	53.0	51.8
Maharashtra	10	14	6	52.7	58.6	40.1
Odisha	24	25	16	59.9	60.7	53.3
Punjab	9	9	9	43.2	40.6	47.4
Rajasthan	20	23	12	54.2	55.7	46.5
Tamil Nadu	7	10	4	47.9	57.2	35.7
Telangana	13	16	9	49.3	53.2	40.9
Uttar Pradesh	24	27	15	56.4	59.2	43.5
Uttarakhand	17	17	18	55.6	53.5	61.6
West Bengal	12	13	9	53.2	55.7	44.3

*Based on three-year period 2016-18

Chart 93: Early neo-natal mortality rates and percentage share of early neo-natal deaths to infant deaths, India and bigger States/UTs, 2018




Chart 94: Early neo-natal mortality rates and percentage share of early neo-natal deaths to infant deaths, India and bigger States/UTs, 2018 - RURAL





Chart 95: Early neo-natal mortality rates and percentage share of early neo-natal deaths to infant deaths, India and bigger States/UTs, 2018 - URBAN



4.15 Statement 50 given below presents the peri-natal mortality rate and still birth rate for the year 2018 by residence, for India and bigger States/UTs. Peri-natal mortality rate (PMR) is defined as the number of still births and infant deaths of less than 7 days per one thousand live births (LB) and still births (SB) taken together during the year. The still birth rate (SBR) is estimated as the ratio of the number of still births per one thousand live births (LB) and still births (SB) during the year. At the National level, peri-natal mortality rate has been estimated to be 22 and ranges from 25 in rural areas to 14 in urban areas. Among the bigger States/UTs, Kerala (10) and Odisha (34) are the extremes. The estimate of still birth rate for the year 2018, at the National level is 4. Among the bigger States/UTs, the highest level of still birth rate has been estimated for Odisha (10) and the lowest for Jammu & Kashmir, and Jharkhand (1). Still births are extremely difficult to capture and there is a room for considerable improvement in netting the events.

Statement 50

Peri-Natal Mortality Rates and Still Birth Rates by residence, India and bigger States/UTs, 2018

India and Bigger States/UTs	Peri-natal mortality rate			Still birth rate		
	Total	Rural	Urban	Total	Rural	Urban
India	22	25	14	4	4	4
Andhra Pradesh	18	21	11	3	2	5
Assam	17	18	10	2	2	2
Bihar	22	22	16	2	2	2
Chhattisgarh	32	33	27	9	10	8
Delhi	13	4	13	5	0	5
Gujarat	19	23	11	4	5	2
Haryana	21	23	18	6	6	7
Himachal Pradesh*	16	17	11	7	7	5
Jammu & Kashmir	13	14	10	1	1	1
Jharkhand	18	20	11	1	1	1
Karnataka	18	22	10	5	7	3
Kerala	10	9	11	5	4	7
Madhya Pradesh	30	32	24	5	5	5
Maharashtra	15	20	8	5	6	3
Odisha	34	35	25	10	11	9
Punjab	14	13	14	5	4	5
Rajasthan	26	28	21	6	6	9
Tamil Nadu	11	15	8	4	5	3
Telangana	15	18	10	2	2	1
Uttar Pradesh	28	30	18	3	3	3
Uttarakhand	24	24	25	8	8	7
West Bengal	17	17	16	5	5	7

*Based on three-year period 2016-18

Chart 96: Perinatal Mortality Rates, India & bigger States/UTs, 2018





Chart 97: Still Birth Rates , India & bigger States/UTs, 2018




4.16 Percentage share of deaths to children below age five to total deaths by residence for India and bigger States/UTs is shown below in Statement 51. At the National level, such percentage is 11.5 and it varies from 12.8 in rural areas to 8.2 in urban areas. Among the bigger States/UTs, the variation is from 2.0 in Kerala to 20.0 in Madhya Pradesh. In rural areas, it varies from 2.1 in Kerala to 21.9 in Madhya Pradesh, and in urban areas, it is 1.9 in Kerala to 15.7 in Uttar Pradesh.

Statement 51

**Percentage of Deaths in the age group 0-4 years to total Deaths
by residence, India and bigger States/UTs, 2018**

India and bigger States/UTs	Total	Rural	Urban
India	11.5	12.8	8.2
Andhra Pradesh	7.7	7.9	7.0
Assam	15.3	16.5	6.3
Bihar	16.1	16.4	13.7
Chhattisgarh	12.5	12.9	10.7
Delhi	7.9	6.9	8.0
Gujarat	10.1	12.2	6.9
Haryana	12.0	12.5	10.8
Himachal Pradesh	5.2	5.3	4.7
Jammu & Kashmir	7.3	7.9	5.5
Jharkhand	14.0	14.6	11.4
Karnataka	7.5	7.4	7.8
Kerala	2.0	2.1	1.9
Madhya Pradesh	20.0	21.9	13.4
Maharashtra	6.2	7.0	4.8
Odisha	10.7	11.1	7.8
Punjab	5.0	4.5	5.9
Rajasthan	16.2	17.2	12.7
Tamil Nadu	3.9	4.1	3.7
Telangana	7.7	7.5	8.3
Uttar Pradesh	17.7	18.2	15.7
Uttarakhand	9.1	8.7	10.4
West Bengal	6.9	7.8	5.1

Chart 98: Percentage of deaths in the age group 0-4 years to total deaths, India and bigger States/UTs, 2018



4.17 The death rates for children below age 5 by residence are given below in Statement 52 separately for males and females. At the National level, child mortality rate is estimated at 8.9 and it varies from 9.9 in rural areas to 6.1 in urban areas. Among the bigger States/UTs, this varies from 2.1 in Kerala to 14.2 in Madhya Pradesh. Charts 99 to 101 depict the estimated death rate for children aged 0-4 years by sex for India and Bigger States/UTs, for total, rural and urban areas respectively.

Statement 52

**Estimated Death Rates for Children aged 0-4 years by sex and residence
India and bigger States/UTs, 2018**

India and bigger States/UTs	Total			Rural			Urban		
	Total	Male	Female	Total	Male	Female	Total	Male	Female
India	8.9	8.7	9.0	9.9	9.8	10.0	6.1	5.8	6.6
Andhra Pradesh	9.0	9.6	8.5	10.1	10.9	9.3	6.5	6.3	6.7
Assam	11.1	10.2	12.1	11.9	10.9	13.0	4.6	4.6	4.7
Bihar	8.2	7.5	8.9	8.2	7.6	8.9	7.6	6.7	8.8
Chhattisgarh	11.1	11.6	10.6	11.6	12.5	10.8	8.9	8.1	9.6
Delhi	4.1	4.4	3.7	3.9	5.8	2.0	4.1	4.3	3.7
Gujarat	8.0	8.3	7.5	9.8	10.4	9.2	5.3	5.5	5.2
Haryana	8.7	8.3	9.1	9.6	9.3	10.0	6.9	6.4	7.6
Himachal Pradesh	5.8	6.8	4.8	5.9	6.9	5.0	4.2	5.5	2.8
Jammu & Kashmir	5.5	5.2	5.8	6.0	5.7	6.2	4.2	3.7	4.7
Jharkhand	8.4	7.3	9.6	8.6	7.4	9.8	7.5	6.5	8.6
Karnataka	6.5	6.2	6.9	7.2	6.9	7.6	5.3	5.0	5.7
Kerala	2.1	2.2	2.0	2.1	2.2	2.1	2.0	2.1	1.8
Madhya Pradesh	14.2	14.8	13.6	15.7	16.7	14.7	9.2	8.7	9.7
Maharashtra	4.5	4.3	4.6	5.3	5.1	5.5	3.2	3.1	3.3
Odisha	10.7	10.8	10.6	11.5	11.6	11.4	6.7	6.9	6.6
Punjab	5.4	5.4	5.4	5.6	5.6	5.5	5.1	5.0	5.3
Rajasthan	10.3	9.9	10.8	10.9	10.5	11.3	8.3	7.7	9.0
Tamil Nadu	4.0	4.1	3.9	4.7	4.8	4.5	3.3	3.4	3.3
Telangana	8.2	8.0	8.5	10.7	11.6	9.8	5.4	4.1	6.8
Uttar Pradesh	13.8	13.5	14.2	14.2	14.1	14.4	12.1	10.9	13.5
Uttarakhand	5.3	5.6	5.0	5.3	5.8	4.8	5.2	5.1	5.3
West Bengal	5.6	5.5	5.6	5.8	5.8	5.7	5.0	4.7	5.3

Chart 99: Death rate for children age 0-4 years by sex, India and bigger States/UTs, 2018




Chart 100: Death rate for children age 0-4 years by sex, India and bigger States/UTs, 2018 - RURAL





Chart 101: Death rate for children age 0-4 years by sex, India and bigger States/UTs, 2018 - URBAN



4.18 The Under-five mortality rates by residence are given below in Statement 53 separately for males and females. At the National level, under-five mortality rate is estimated at 36 and it varies from 40 in rural areas to 26 in urban areas. Among the bigger States/UTs, it varies from 10 in Kerala to 56 in Madhya Pradesh. On an average, the Under-five mortality rates of female are higher than that of male except in Andhra Pradesh, Chhattisgarh, Delhi, Gujarat, Kerala, Madhya Pradesh, Odisha, Punjab, Tamil Nadu and Uttarakhand.

Statement 53

**Under-Five Mortality Rates (U5MR) by sex and residence,
India and bigger States/UTs, 2018**

India & bigger States/UTs	Total			Rural			Urban		
	Total	Male	Female	Total	Male	Female	Total	Male	Female
India	36	36	37	40	40	41	26	24	27
Andhra Pradesh	33	34	32	37	39	36	24	23	25
Assam	47	44	51	50	46	54	23	23	22
Bihar	37	34	39	37	35	40	32	30	35
Chhattisgarh	45	46	45	47	48	45	38	35	42
Delhi	19	19	18	17	24	10	19	19	18
Gujarat	31	32	29	37	38	35	21	22	21
Haryana	36	36	36	39	39	39	30	28	32
Himachal Pradesh*	23	22	25	23	22	25	17	17	17
Jammu & Kashmir	23	23	23	24	24	24	20	19	21
Jharkhand	34	30	39	36	31	41	29	26	33
Karnataka	28	26	30	30	30	31	24	21	28
Kerala	10	11	9	11	11	10	9	11	9
Madhya Pradesh	56	58	53	60	63	57	39	40	39
Maharashtra	22	21	23	27	26	29	15	14	15
Odisha	44	44	43	45	45	45	35	37	32
Punjab	23	23	22	23	23	22	22	22	22
Rajasthan	40	40	41	43	43	43	31	30	32
Tamil Nadu	17	18	17	22	22	21	14	14	13
Telangana	30	29	30	35	36	33	23	19	27
Uttar Pradesh	47	46	48	49	48	50	38	36	40
Uttarakhand	33	34	32	33	35	31	33	31	34
West Bengal	26	26	26	27	27	26	25	24	27

*Based on three-year period 2016-18

Chart 102: Under-five Mortality Rates (U5MR) by sex , India & bigger States/UTs, 2018




Chart 103: Under-five Mortality Rates (U5MR) by sex , India & bigger States/UTs, 2018- RURAL





Chart 104: Under-five Mortality Rates (U5MR) by sex , India & bigger States/UTs, 2018 - URBAN



4.19 Death rates for children in the age group 5-14 are given below in Statement 54. As revealed by the data, at the National level, the death rate in this age group is estimated to be 0.5. Rural-urban differentials are small at the national level and for many States/UTs. Among the bigger States/UTs, the lowest death rate of 0.2 in this age group is registered in Assam and Kerala; and the highest in Odisha, Madhya Pradesh, Bihar and Chhattisgarh at 0.7.

Statement 54

**Death Rates for Children aged 5-14 years by sex and residence
India and bigger States/UTs, 2018**

India and bigger States/UTs	Total			Rural			Urban		
	Total	Male	Female	Total	Male	Female	Total	Male	Female
India	0.5	0.5	0.5	0.6	0.5	0.6	0.4	0.4	0.4
Andhra Pradesh	0.5	0.5	0.4	0.4	0.5	0.4	0.5	0.4	0.7
Assam	0.2	0.2	0.2	0.2	0.2	0.2	0.3	0.5	0.2
Bihar	0.7	0.6	0.8	0.7	0.6	0.8	0.6	0.4	0.8
Chhattisgarh	0.7	0.9	0.5	0.7	1.0	0.4	0.7	0.7	0.7
Delhi	0.4	0.5	0.3	0.8	0.7	0.9	0.4	0.5	0.3
Gujarat	0.4	0.3	0.4	0.5	0.4	0.5	0.2	0.2	0.2
Haryana	0.5	0.5	0.5	0.4	0.5	0.3	0.5	0.4	0.8
Himachal Pradesh	0.3	0.2	0.4	0.3	0.2	0.4	0.8	0.5	1.1
Jammu & Kashmir	0.4	0.4	0.4	0.4	0.4	0.5	0.4	0.4	0.4
Jharkhand	0.4	0.3	0.5	0.4	0.3	0.5	0.4	0.3	0.6
Karnataka	0.5	0.4	0.5	0.6	0.5	0.6	0.3	0.3	0.3
Kerala	0.2	0.3	0.2	0.2	0.3	0.2	0.3	0.3	0.3
Madhya Pradesh	0.7	0.8	0.6	0.8	1.0	0.6	0.5	0.3	0.7
Maharashtra	0.3	0.3	0.4	0.3	0.2	0.4	0.4	0.5	0.4
Odisha	0.7	0.9	0.6	0.8	1.0	0.5	0.6	0.5	0.7
Punjab	0.4	0.4	0.5	0.4	0.4	0.5	0.4	0.4	0.5
Rajasthan	0.6	0.5	0.7	0.6	0.6	0.7	0.5	0.4	0.6
Tamil Nadu	0.3	0.4	0.2	0.3	0.4	0.3	0.2	0.3	0.2
Telangana	0.6	0.5	0.7	0.8	0.8	0.8	0.2	0.0	0.4
Uttar Pradesh	0.6	0.5	0.8	0.7	0.5	0.9	0.4	0.4	0.5
Uttarakhand	0.5	0.5	0.5	0.4	0.5	0.4	0.6	0.4	0.8
West Bengal	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.2	0.4

Chart 105: Death rates for children aged 5-14 years by sex, India and bigger States/UT, 2018




Chart 106: Death rates for children aged 5-14 years by sex, India and bigger States/UT, 2018 - RURAL





Chart 107: Death rates for children aged 5-14 years by sex, India and bigger States/UT, 2018 - URBAN



4.20 Death rates in the age group 15-59, by sex and residence, are given below in Statement 55. At the National level, death rate in this age group is estimated to be 2.9 and it varies from 3.2 in rural areas to 2.3 in urban areas. The female death rate is lower than that of males in all the bigger States/UTs in 2018.

Statement 55

**Death Rates for persons aged 15-59 years by sex and residence
India and bigger States/UTs, 2018**

India and bigger States/UTs	Total			Rural			Urban		
	Total	Male	Female	Total	Male	Female	Total	Male	Female
India	2.9	3.4	2.4	3.2	3.7	2.6	2.3	2.8	1.9
Andhra Pradesh	3.5	4.2	2.9	4.0	4.7	3.3	2.6	3.2	2.0
Assam	3.6	3.9	3.2	3.8	4.0	3.5	2.7	3.4	1.9
Bihar	1.9	2.0	1.9	2.0	2.1	1.9	1.6	1.8	1.4
Chhattisgarh	4.3	4.7	4.0	4.8	5.0	4.5	3.1	3.6	2.6
Delhi	1.7	1.9	1.4	2.1	2.1	2.1	1.7	1.9	1.4
Gujarat	2.9	3.5	2.2	3.4	4.4	2.3	2.4	2.6	2.1
Haryana	3.2	4.2	2.1	3.5	4.6	2.3	2.7	3.5	1.8
Himachal Pradesh	2.5	3.3	1.7	2.6	3.4	1.8	1.9	2.4	1.3
Jammu & Kashmir	2.4	2.9	1.8	2.7	3.2	2.2	1.6	2.0	1.2
Jharkhand	2.7	2.7	2.6	2.9	2.9	2.8	2.1	2.2	1.9
Karnataka	3.1	3.6	2.5	3.6	4.5	2.7	2.3	2.4	2.2
Kerala	2.1	2.8	1.4	1.9	2.7	1.2	2.2	2.9	1.5
Madhya Pradesh	3.0	3.7	2.3	3.2	4.0	2.4	2.5	3.0	2.1
Maharashtra	2.6	3.3	2.0	3.0	3.7	2.3	2.2	2.8	1.5
Odisha	3.3	3.9	2.7	3.4	4.0	2.9	2.6	3.4	1.9
Punjab	3.5	4.5	2.4	4.1	5.3	2.6	2.8	3.4	2.2
Rajasthan	2.9	3.5	2.2	3.0	3.8	2.3	2.4	2.7	2.0
Tamil Nadu	3.2	4.2	2.1	3.9	5.2	2.6	2.6	3.4	1.8
Telangana	3.2	3.9	2.5	4.1	5.0	3.2	2.0	2.4	1.5
Uttar Pradesh	3.1	3.2	2.9	3.4	3.5	3.2	2.3	2.5	2.1
Uttarakhand	3.1	3.8	2.3	3.2	4.0	2.4	2.7	3.2	2.1
West Bengal	2.4	2.9	1.9	2.5	2.9	2.0	2.4	3.0	1.9

Chart 108: Death rates for Persons aged 15-59 years by sex, India and bigger States/UT, 2018




Chart 109: Death rates for Persons aged 15-59 years by sex, India and bigger States/UT, 2018 - RURAL





Chart 110: Death rates for Persons aged 15-59 years by sex, India and bigger States/UT, 2018-URBAN



4.21 Death rates for persons aged 60 years and above by sex and residence are given below in Statement 56. At the National level, death rate in this age group is estimated to be 42.6 and males have higher mortality rate (45.9) than females (39.5). This difference exists in both rural and urban areas. The death rate for this age group, among the bigger States/UTs, varies from 28.3 in Delhi to 58.9 in Chhattisgarh.

Statement 56

Death Rates for persons aged 60 years and above by sex and residence, India and bigger States/UTs, 2018

India and bigger States/UTs	Total			Rural			Urban		
	Total	Male	Female	Total	Male	Female	Total	Male	Female
India	42.6	45.9	39.5	45.9	49.9	42.1	36.1	38.0	34.0
Andhra Pradesh	37.9	39.2	36.4	38.8	40.4	37.0	35.3	35.7	34.9
Assam	46.5	49.9	42.4	49.5	54.4	43.9	33.6	31.9	35.8
Bihar	57.1	54.4	60.1	60.4	57.7	63.4	41.0	39.1	43.2
Chhattisgarh	58.9	63.7	54.7	60.0	64.4	56.2	54.6	61.0	48.8
Delhi	28.3	30.3	26.3	30.0	32.7	27.2	28.3	30.2	26.3
Gujarat	39.2	46.9	32.6	37.9	47.3	30.0	41.0	46.3	36.1
Haryana	41.9	49.7	34.3	45.9	53.9	37.9	35.1	42.4	28.1
Himachal Pradesh	43.6	52.4	35.4	44.2	53.4	35.7	35.8	39.7	31.7
Jammu & Kashmir	31.0	35.5	26.2	32.5	37.2	27.5	28.0	32.1	23.7
Jharkhand	44.9	40.1	49.7	48.5	41.5	55.4	35.4	36.6	34.2
Karnataka	44.7	49.2	40.6	48.6	53.1	44.6	37.8	42.6	33.0
Kerala	41.2	48.3	35.4	42.3	48.6	37.1	40.0	48.0	33.6
Madhya Pradesh	45.6	48.6	42.8	47.3	50.3	44.4	41.2	43.9	38.4
Maharashtra	37.3	40.4	34.2	38.8	43.9	34.0	34.9	35.2	34.7
Odisha	41.9	42.3	41.5	41.9	42.7	41.0	42.4	40.2	44.8
Punjab	37.3	40.2	34.4	41.4	43.0	39.7	30.7	35.5	25.6
Rajasthan	41.4	49.0	35.1	42.9	53.2	34.6	37.2	38.1	36.3
Tamil Nadu	36.1	38.5	33.7	45.3	48.2	42.5	28.6	30.8	26.2
Telangana	41.7	43.4	39.9	40.5	44.4	36.5	44.7	41.3	48.4
Uttar Pradesh	48.4	52.9	44.0	50.9	56.0	45.9	40.9	43.7	37.9
Uttarakhand	42.2	49.4	35.9	42.5	49.7	36.3	41.4	48.4	34.5
West Bengal	41.0	44.4	37.5	45.7	52.7	39.2	33.5	32.8	34.4

Chart 111: Death rates for Persons aged 60 years and above by sex, India and bigger States/UT, 2018




Chart 112: Death rates for Persons aged 60 years and above by sex, India and bigger States/UT, 2018 - RURAL





Chart 113: Death rates for Persons aged 60 years and above by sex, India and bigger States/UT, 2018 - URBAN



Medical attention before death

4.22 The type of medical attention received before death is also collected in the SRS. In the new samples from 2004 onwards, the options on types of medical attention received before death have been modified to capture the deaths occurred specifically at private hospital/nursing homes. The options include 'Government Hospital', 'Private Hospital', 'Qualified professional', 'Untrained functionary' and 'others'. The options for the sample based on 1991 sample were 'Institutional'; 'Medical attention other than institution'; and 'No medical attention'. Statement 57 given below presents the percentage distribution of deaths by type of medical attention received before death for India and bigger States/UTs separately for rural and urban areas for the year 2018. At the National level, 29.4 percent of the deaths occurred at Government Hospitals and varies from 27.1 percent in rural areas to 35.4 percent in urban areas. Among the bigger States/UTs, Himachal Pradesh 51.0 has the highest percentage of deaths in Government Hospitals and Bihar (19.9) has the lowest. Deaths in private hospitals account for 18.5 percent and it varies from 11.9 percent in Jammu & Kashmir and West Bengal to 36.8 percent in Kerala. About 19.2 percent deaths were attended by untrained functionaries and others.

Statement 57

Percent distribution of deaths by Type of Medical Attention received before death by residence, India and bigger States/UTs, 2018

India and bigger States/UTs	Government Hospital			Private Hospital			Qualified professional			Untrained functionary & others		
	Total	Rural	Urban	Total	Rural	Urban	Total	Rural	Urban	Total	Rural	Urban
India	29.4	27.1	35.4	18.5	16.1	24.9	33.0	33.7	31.0	19.2	23.1	8.7
Andhra Pradesh	25.4	23.8	31.5	21.8	20.1	28.5	32.6	32.6	32.4	20.2	23.5	7.6
Assam	20.4	19.0	29.8	15.1	14.9	16.8	52.2	52.7	49.2	12.2	13.4	4.2
Bihar	19.9	18.9	27.4	12.2	10.7	23.2	41.3	41.4	40.3	26.6	29.0	9.1
Chhattisgarh	25.5	21.6	41.3	14.7	13.4	19.9	27.7	27.7	27.6	32.2	37.3	11.2
Delhi	49.5	25.2	50.2	17.2	16.3	17.2	23.8	43.7	23.3	9.4	14.8	9.3
Gujarat	25.7	21.8	34.0	19.1	16.4	25.0	45.5	48.0	40.1	9.7	13.8	0.9
Haryana	21.1	20.9	21.8	16.2	15.4	18.3	50.4	51.3	48.2	12.2	12.4	11.7
Himachal Pradesh	51.0	51.5	41.7	15.8	15.2	27.6	28.5	28.9	21.3	4.7	4.4	9.4
Jammu & Kashmir	44.9	38.0	61.9	11.9	11.1	13.9	31.7	34.9	24.0	11.4	16.0	0.2
Jharkhand	20.2	17.8	35.0	14.6	12.9	25.2	31.2	30.7	34.0	34.1	38.6	5.8
Karnataka	31.4	28.3	39.5	19.4	16.4	27.3	15.5	17.8	9.6	33.7	37.5	23.6
Kerala	42.8	46.3	39.3	36.8	39.9	33.7	15.4	7.0	23.7	5.0	6.8	3.3
Madhya Pradesh	37.3	34.6	46.9	18.6	16.5	26.1	26.0	26.1	25.6	18.1	22.8	1.4
Maharashtra	30.4	27.4	37.3	19.5	16.8	25.7	37.1	39.1	32.6	12.9	16.7	4.4
Odisha	29.9	28.9	36.4	17.8	17.5	19.8	15.4	15.0	18.2	36.9	38.6	25.6
Punjab	20.1	20.5	19.5	36.3	31.2	45.6	40.8	44.1	34.8	2.7	4.2	0.1
Rajasthan	35.3	34.6	37.5	13.8	12.4	18.1	35.3	34.7	37.2	15.6	18.3	7.2
Tamil Nadu	26.3	23.1	30.0	20.6	14.9	27.0	22.3	21.8	22.9	30.7	40.2	20.1
Telangana	23.9	21.7	29.2	21.0	18.1	27.8	35.2	35.7	34.0	19.9	24.5	9.0
Uttar Pradesh	29.1	29.3	28.3	20.7	18.7	28.0	39.8	39.4	41.1	10.4	12.6	2.6
Uttarakhand	31.9	32.2	30.8	23.2	22.2	26.3	37.1	36.7	38.4	7.8	8.9	4.5
West Bengal	33.7	29.7	41.8	11.9	9.1	17.5	40.9	41.1	40.4	13.5	20.1	0.3

Chart 114: Distribution of deaths by Type of Medical Attention received before death, India & bigger States/UTs, 2018




Chart 115: Distribution of deaths by Type of Medical Attention received before death, India & bigger States/UTs, 2018 - RURAL





Chart 116: Distribution of deaths by Type of Medical Attention received before death, India & bigger States/UTs, 2018 - URBAN



DETAILED TABLES

Table 1**Percent distribution of estimated population by age-group, sex and residence, 2018**

Age group	Total			Rural			Urban		
	Total	Males	Females	Total	Males	Females	Total	Males	Females
India									
0-4	8.0	8.2	7.8	8.6	8.8	8.4	6.8	6.9	6.6
5-9	8.6	8.8	8.4	9.1	9.3	8.9	7.6	7.8	7.4
10-14	9.3	9.5	9.1	9.8	10.0	9.6	8.2	8.4	8.0
15-19	10.2	10.4	10.0	10.7	11.0	10.5	9.2	9.4	9.0
20-24	10.8	10.5	11.0	11.0	10.8	11.2	10.4	10.1	10.6
25-29	10.1	9.9	10.2	9.8	9.8	9.9	10.6	10.2	11.0
30-34	8.4	8.5	8.4	8.0	8.0	7.9	9.4	9.4	9.4
35-39	7.3	7.2	7.3	6.9	6.8	7.0	8.0	8.0	8.1
40-44	6.2	6.2	6.2	5.8	5.8	5.9	6.9	7.0	6.9
45-49	5.3	5.3	5.3	5.1	5.1	5.1	5.8	5.8	5.8
50-54	4.2	4.3	4.2	3.9	4.0	3.8	4.9	4.9	5.0
55-59	3.5	3.4	3.6	3.2	3.1	3.5	3.9	4.0	3.9
60-64	3.0	2.9	3.0	2.9	2.8	3.0	3.2	3.2	3.1
65-69	2.1	2.1	2.2	2.1	2.0	2.2	2.1	2.2	2.1
70-74	1.4	1.3	1.5	1.4	1.3	1.5	1.4	1.4	1.5
75-79	0.9	0.8	0.9	0.9	0.8	0.9	0.8	0.8	0.9
80-84	0.5	0.4	0.5	0.4	0.4	0.5	0.5	0.4	0.5
85+	0.3	0.2	0.3	0.3	0.3	0.3	0.3	0.2	0.3
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0

Note : Total may not add up to 100 due to rounding off.

Table 1

Percent distribution of estimated population by age-group, sex and residence, 2018

Age group	Total			Rural			Urban		
	Total	Males	Females	Total	Males	Females	Total	Males	Females
Andhra Pradesh									
0-4	5.6	5.6	5.7	5.8	5.7	5.8	5.4	5.4	5.4
5-9	6.9	6.9	6.9	6.9	6.9	6.9	6.9	6.9	6.9
10-14	7.3	7.4	7.2	7.2	7.4	7.1	7.4	7.4	7.4
15-19	8.6	8.8	8.4	8.5	8.8	8.3	8.6	8.7	8.5
20-24	10.4	10.2	10.7	10.5	10.4	10.5	10.3	9.6	11.0
25-29	10.7	10.3	11.0	10.4	10.1	10.8	11.1	10.8	11.5
30-34	9.1	9.1	9.2	8.8	8.8	8.9	9.7	9.7	9.8
35-39	8.7	8.6	8.8	8.4	8.3	8.6	9.3	9.3	9.3
40-44	7.3	7.5	7.1	7.1	7.3	7.0	7.6	7.9	7.2
45-49	6.2	6.4	5.9	6.2	6.4	6.0	6.0	6.4	5.6
50-54	5.5	5.3	5.7	5.4	5.2	5.6	5.6	5.5	5.8
55-59	4.4	4.4	4.4	4.5	4.4	4.6	4.2	4.4	4.1
60-64	3.5	3.4	3.5	3.6	3.5	3.8	3.1	3.1	3.0
65-69	2.7	2.9	2.4	2.9	3.1	2.6	2.1	2.3	2.0
70-74	1.7	1.8	1.6	1.9	2.0	1.8	1.3	1.3	1.2
75-79	0.9	0.9	0.8	0.9	1.0	0.9	0.7	0.8	0.7
80-84	0.5	0.4	0.5	0.5	0.5	0.6	0.3	0.3	0.4
85+	0.3	0.3	0.3	0.3	0.3	0.3	0.2	0.1	0.2
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0

Assam

0-4	8.8	8.9	8.6	9.1	9.3	9.0	6.9	6.9	6.8
5-9	9.0	9.1	8.9	9.4	9.5	9.3	6.8	6.8	6.7
10-14	9.9	10.0	9.7	10.4	10.5	10.2	6.9	7.0	6.8
15-19	9.9	9.8	10.1	10.2	10.0	10.4	8.3	8.3	8.3
20-24	10.8	10.1	11.5	11.0	10.3	11.8	9.5	9.1	10.0
25-29	9.9	9.5	10.4	9.9	9.4	10.3	10.3	9.7	10.9
30-34	8.8	8.7	9.0	8.7	8.5	8.9	9.6	9.5	9.8
35-39	7.4	7.4	7.4	7.1	7.2	7.1	8.9	8.8	9.0
40-44	6.4	6.7	6.1	6.2	6.5	5.9	7.4	7.5	7.2
45-49	5.2	5.5	4.9	5.0	5.4	4.6	6.4	6.4	6.4
50-54	4.0	4.3	3.7	3.7	4.0	3.3	5.9	5.8	6.1
55-59	3.4	3.3	3.5	3.1	2.9	3.3	4.9	5.2	4.5
60-64	2.4	2.5	2.3	2.3	2.3	2.2	3.2	3.7	2.8
65-69	1.7	1.8	1.6	1.6	1.6	1.5	2.3	2.5	2.1
70-74	1.1	1.2	1.0	1.0	1.1	0.9	1.3	1.4	1.2
75-79	0.7	0.7	0.7	0.7	0.7	0.7	0.8	0.8	0.7
80-84	0.3	0.4	0.3	0.3	0.3	0.3	0.4	0.5	0.4
85+	0.2	0.2	0.2	0.2	0.2	0.2	0.3	0.3	0.3
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0

Note : Total may not add up to 100 due to rounding off.

Table 1

Percent distribution of estimated population by age-group, sex and residence, 2018

Age group	Total			Rural			Urban		
	Total	Males	Females	Total	Males	Females	Total	Males	Females
Bihar									
0-4	11.5	11.8	11.2	11.9	12.1	11.6	9.1	9.4	8.9
5-9	11.1	11.2	10.9	11.3	11.5	11.1	9.7	9.7	9.6
10-14	11.6	11.6	11.5	11.7	11.8	11.6	10.8	10.8	10.8
15-19	12.2	12.2	12.3	12.4	12.4	12.5	10.8	10.7	10.9
20-24	10.8	10.6	11.0	10.7	10.5	11.0	11.3	11.3	11.4
25-29	9.4	9.3	9.5	9.4	9.3	9.5	9.4	9.4	9.4
30-34	7.0	7.0	7.0	6.9	6.9	6.9	7.7	7.7	7.7
35-39	6.0	6.0	5.9	5.9	6.0	5.9	6.3	6.2	6.3
40-44	4.6	4.5	4.6	4.4	4.4	4.5	5.5	5.6	5.4
45-49	4.1	3.9	4.4	4.1	3.9	4.3	4.1	3.8	4.4
50-54	3.1	3.1	3.1	3.0	3.0	3.0	3.7	3.7	3.8
55-59	2.5	2.5	2.5	2.3	2.3	2.3	3.6	3.5	3.6
60-64	2.3	2.4	2.2	2.2	2.3	2.1	3.1	3.1	3.1
65-69	1.7	1.7	1.7	1.6	1.6	1.6	2.2	2.2	2.1
70-74	1.0	1.1	1.0	1.0	1.0	1.0	1.3	1.4	1.2
75-79	0.7	0.6	0.7	0.6	0.6	0.7	0.8	0.9	0.7
80-84	0.3	0.3	0.3	0.3	0.3	0.3	0.4	0.4	0.4
85+	0.2	0.2	0.2	0.2	0.2	0.2	0.3	0.3	0.3
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0

Chhattisgarh

0-4	9.0	9.1	9.0	9.5	9.5	9.4	7.6	7.7	7.5
5-9	9.5	9.6	9.4	9.8	9.8	9.8	8.8	9.2	8.4
10-14	9.7	9.8	9.6	10.0	10.1	10.0	8.7	8.9	8.5
15-19	10.0	10.1	9.9	10.1	10.3	9.9	9.8	9.7	9.9
20-24	10.8	10.7	10.9	10.8	10.8	10.9	10.7	10.6	10.8
25-29	9.6	9.6	9.7	9.4	9.4	9.4	10.3	10.2	10.4
30-34	8.0	8.3	7.7	7.8	8.2	7.3	8.7	8.6	8.8
35-39	7.4	7.4	7.3	7.1	7.2	7.1	8.1	8.1	8.2
40-44	6.1	5.9	6.2	5.8	5.6	6.0	7.0	7.1	6.9
45-49	5.6	5.5	5.8	5.5	5.4	5.6	6.2	6.0	6.3
50-54	4.0	4.2	3.9	3.8	4.0	3.7	4.7	4.9	4.5
55-59	3.2	3.1	3.2	3.1	3.0	3.2	3.3	3.3	3.2
60-64	2.6	2.6	2.5	2.6	2.8	2.5	2.4	2.3	2.5
65-69	2.1	2.0	2.2	2.2	2.1	2.3	1.8	1.7	2.0
70-74	1.2	0.9	1.5	1.3	0.9	1.6	1.1	1.1	1.1
75-79	0.6	0.6	0.7	0.7	0.6	0.8	0.5	0.4	0.5
80-84	0.2	0.2	0.3	0.2	0.2	0.3	0.3	0.2	0.3
85+	0.2	0.1	0.2	0.2	0.1	0.2	0.1	0.1	0.2
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0

Note : Total may not add up to 100 due to rounding off.

Table 1

Percent distribution of estimated population by age-group, sex and residence, 2018

Age group	Total			Rural			Urban		
	Total	Males	Females	Total	Males	Females	Total	Males	Females
Delhi									
0-4	6.5	6.6	6.5	6.5	6.0	7.1	6.5	6.6	6.5
5-9	8.1	8.1	8.1	8.4	8.2	8.6	8.1	8.1	8.1
10-14	9.0	8.9	9.1	8.4	8.7	8.1	9.0	8.9	9.1
15-19	9.7	9.8	9.6	9.4	10.1	8.7	9.7	9.8	9.6
20-24	11.2	10.9	11.4	12.6	13.2	11.8	11.1	10.9	11.4
25-29	11.4	11.2	11.7	13.9	13.9	13.9	11.3	11.1	11.6
30-34	10.3	10.3	10.2	9.9	9.4	10.5	10.3	10.3	10.2
35-39	8.2	8.3	8.1	7.9	8.3	7.5	8.2	8.3	8.1
40-44	6.7	6.8	6.5	5.8	5.7	6.0	6.7	6.9	6.6
45-49	5.2	5.4	5.0	4.6	4.4	4.9	5.2	5.4	5.0
50-54	4.0	4.1	3.9	3.3	3.4	3.1	4.0	4.1	3.9
55-59	3.2	3.4	3.1	3.1	3.2	3.0	3.2	3.4	3.1
60-64	2.6	2.6	2.7	2.4	2.3	2.6	2.6	2.6	2.7
65-69	1.7	1.8	1.7	1.5	1.4	1.6	1.7	1.8	1.7
70-74	1.0	0.9	1.1	1.0	1.0	1.0	1.0	0.9	1.1
75-79	0.6	0.6	0.7	0.6	0.4	0.8	0.6	0.6	0.7
80-84	0.3	0.3	0.4	0.4	0.4	0.4	0.3	0.3	0.4
85+	0.2	0.1	0.3	0.3	0.2	0.4	0.2	0.1	0.3
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0

Gujarat

0-4	7.5	7.7	7.2	7.9	8.2	7.6	6.9	7.1	6.7
5-9	8.2	8.5	8.0	8.7	8.8	8.6	7.7	8.1	7.2
10-14	9.2	9.5	9.0	9.9	10.1	9.6	8.5	8.7	8.3
15-19	9.7	9.9	9.5	10.3	10.5	10.0	9.0	9.2	8.9
20-24	10.4	10.3	10.5	10.6	10.4	10.8	10.1	10.1	10.2
25-29	10.1	10.1	10.1	9.5	9.5	9.5	10.8	10.7	11.0
30-34	9.1	9.4	8.7	8.2	8.7	7.8	10.1	10.3	9.9
35-39	7.3	7.4	7.3	6.7	6.8	6.7	8.1	8.0	8.2
40-44	6.6	6.6	6.6	6.3	6.3	6.3	6.9	6.9	6.9
45-49	5.5	5.4	5.6	5.4	5.4	5.4	5.6	5.4	5.8
50-54	4.5	4.5	4.5	4.3	4.3	4.3	4.7	4.7	4.6
55-59	3.5	3.4	3.8	3.5	3.2	3.8	3.6	3.5	3.7
60-64	3.1	2.9	3.3	3.2	3.0	3.4	3.0	2.8	3.2
65-69	2.1	1.9	2.4	2.3	2.1	2.6	1.9	1.7	2.1
70-74	1.5	1.3	1.6	1.5	1.3	1.7	1.4	1.3	1.5
75-79	0.9	0.8	1.0	0.9	0.8	1.1	0.9	0.8	1.0
80-84	0.4	0.4	0.5	0.4	0.3	0.5	0.5	0.4	0.5
85+	0.3	0.2	0.4	0.3	0.2	0.4	0.3	0.2	0.4
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0

Note : Total may not add up to 100 due to rounding off.

Table 1

Percent distribution of estimated population by age-group, sex and residence, 2018

Age group	Total			Rural			Urban		
	Total	Males	Females	Total	Males	Females	Total	Males	Females
Haryana									
0-4	8.2	8.5	7.9	8.6	9.0	8.1	7.6	7.7	7.4
5-9	8.8	9.2	8.4	9.0	9.3	8.8	8.5	9.1	7.9
10-14	9.1	9.6	8.6	9.4	9.8	8.9	8.6	9.2	8.0
15-19	10.1	10.4	9.8	10.4	10.7	10.1	9.6	9.9	9.3
20-24	11.5	11.1	11.9	11.7	11.3	12.2	11.1	10.9	11.3
25-29	10.6	10.7	10.5	10.3	10.5	10.1	11.1	11.0	11.2
30-34	8.4	8.5	8.2	8.2	8.4	8.0	8.7	8.8	8.6
35-39	7.2	7.0	7.5	7.1	6.9	7.4	7.4	7.2	7.7
40-44	6.3	6.1	6.6	6.2	6.1	6.4	6.5	6.1	6.9
45-49	5.3	5.2	5.3	5.0	5.0	5.1	5.7	5.7	5.6
50-54	4.2	4.1	4.3	3.9	3.8	3.9	4.7	4.6	4.9
55-59	3.1	2.9	3.3	2.8	2.4	3.1	3.6	3.6	3.7
60-64	2.6	2.4	2.7	2.5	2.3	2.6	2.7	2.6	2.8
65-69	1.9	1.7	2.0	1.9	1.8	2.1	1.8	1.6	1.9
70-74	1.2	1.1	1.4	1.3	1.2	1.4	1.1	1.0	1.3
75-79	0.7	0.7	0.8	0.8	0.8	0.9	0.6	0.6	0.7
80-84	0.5	0.4	0.5	0.5	0.5	0.5	0.4	0.4	0.5
85+	0.3	0.2	0.3	0.3	0.3	0.4	0.2	0.1	0.3
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0

Himachal Pradesh

0-4	6.2	6.4	6.0	6.3	6.5	6.1	5.4	5.3	5.5
5-9	7.5	8.0	7.0	7.6	8.1	7.0	6.8	6.8	6.9
10-14	8.2	8.6	7.8	8.2	8.6	7.8	8.0	8.2	7.8
15-19	8.2	8.8	7.7	8.2	8.8	7.6	8.5	8.3	8.8
20-24	9.7	8.8	10.6	9.8	8.8	10.7	9.3	9.2	9.4
25-29	10.0	9.5	10.4	10.0	9.6	10.5	9.3	8.9	9.7
30-34	8.6	8.5	8.6	8.5	8.5	8.5	9.3	8.9	9.7
35-39	7.7	7.6	7.8	7.6	7.5	7.7	8.5	8.0	8.9
40-44	6.8	6.7	6.9	6.7	6.6	6.7	8.3	8.3	8.4
45-49	5.8	5.9	5.6	5.7	5.8	5.6	6.8	7.5	6.2
50-54	5.6	5.6	5.5	5.5	5.5	5.5	6.1	6.7	5.6
55-59	4.8	4.9	4.7	4.8	4.8	4.8	4.7	5.1	4.3
60-64	3.7	3.8	3.6	3.8	3.9	3.7	3.1	3.2	2.9
65-69	2.7	2.6	2.7	2.7	2.6	2.7	2.4	2.4	2.3
70-74	1.9	1.9	1.9	1.9	1.9	2.0	1.4	1.5	1.4
75-79	1.2	1.1	1.3	1.2	1.1	1.3	1.0	1.0	1.0
80-84	0.9	0.8	1.0	0.9	0.8	1.0	0.6	0.5	0.7
85+	0.6	0.5	0.7	0.7	0.6	0.8	0.4	0.3	0.5
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0

Note : Total may not add up to 100 due to rounding off.

Table 1

Percent distribution of estimated population by age-group, sex and residence, 2018

Age group	Total			Rural			Urban		
	Total	Males	Females	Total	Males	Females	Total	Males	Females
Jammu & Kashmir									
0-4	6.4	6.6	6.2	6.8	7.0	6.7	5.6	5.9	5.3
5-9	7.0	7.3	6.8	7.6	7.9	7.3	5.8	5.9	5.6
10-14	7.8	7.9	7.6	8.3	8.5	8.2	6.5	6.7	6.2
15-19	9.6	9.8	9.4	10.2	10.3	10.1	8.2	8.6	7.9
20-24	11.3	11.1	11.6	11.7	11.3	12.0	10.5	10.4	10.6
25-29	11.9	11.3	12.5	11.8	11.4	12.4	12.1	11.3	12.9
30-34	9.2	9.1	9.3	8.9	8.9	9.0	10.0	9.8	10.2
35-39	7.7	7.6	7.9	7.4	7.3	7.6	8.5	8.3	8.7
40-44	6.4	6.5	6.4	6.1	6.2	6.0	7.1	7.0	7.2
45-49	5.3	5.2	5.5	4.9	4.9	5.0	6.2	6.0	6.4
50-54	4.6	4.7	4.5	4.2	4.3	4.0	5.4	5.4	5.4
55-59	3.6	3.8	3.4	3.3	3.5	3.2	4.2	4.5	3.8
60-64	3.1	3.0	3.2	3.0	2.9	3.1	3.4	3.3	3.4
65-69	2.3	2.4	2.2	2.2	2.3	2.1	2.5	2.7	2.4
70-74	1.5	1.5	1.5	1.4	1.4	1.3	1.7	1.7	1.8
75-79	1.1	1.1	1.1	1.0	1.0	1.1	1.1	1.2	1.1
80-84	0.6	0.6	0.5	0.5	0.5	0.5	0.7	0.7	0.7
85+	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.4	0.5
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0

Jharkhand

0-4	9.1	9.2	8.9	9.8	10.0	9.6	6.9	7.0	6.8
5-9	9.8	10.1	9.4	10.2	10.5	9.8	8.6	8.8	8.3
10-14	10.8	11.0	10.6	11.3	11.6	10.9	9.5	9.3	9.7
15-19	11.3	11.6	11.1	11.8	12.1	11.5	10.0	10.1	9.9
20-24	10.9	10.7	11.1	10.9	10.7	11.1	10.7	10.7	10.8
25-29	9.9	9.7	10.0	9.5	9.4	9.6	10.9	10.6	11.2
30-34	8.1	8.0	8.2	7.7	7.5	7.9	9.3	9.4	9.1
35-39	7.0	6.9	7.1	6.7	6.7	6.8	7.8	7.7	7.9
40-44	5.6	5.6	5.7	5.4	5.3	5.5	6.5	6.6	6.4
45-49	4.8	4.8	4.8	4.6	4.6	4.7	5.4	5.5	5.3
50-54	3.5	3.6	3.3	3.2	3.4	3.1	4.2	4.2	4.1
55-59	2.8	2.6	3.1	2.7	2.3	3.1	3.2	3.3	3.0
60-64	2.5	2.4	2.5	2.4	2.3	2.4	2.8	2.7	2.9
65-69	1.9	1.8	1.9	1.8	1.7	1.8	2.1	2.1	2.2
70-74	1.1	1.0	1.3	1.2	1.0	1.3	1.1	1.0	1.1
75-79	0.5	0.5	0.5	0.4	0.4	0.5	0.7	0.6	0.7
80-84	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.4
85+	0.1	0.1	0.2	0.1	0.1	0.1	0.2	0.1	0.2
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0

Note : Total may not add up to 100 due to rounding off.

Table 1

Percent distribution of estimated population by age-group, sex and residence, 2018

Age group	Total			Rural			Urban		
	Total	Males	Females	Total	Males	Females	Total	Males	Females
Karnataka									
0-4	7.2	7.4	7.1	7.3	7.5	7.2	7.0	7.2	6.9
5-9	7.8	8.0	7.7	8.0	8.2	7.7	7.7	7.6	7.7
10-14	8.1	8.3	7.9	8.1	8.2	7.9	8.2	8.5	7.9
15-19	9.1	9.3	8.9	9.4	9.6	9.2	8.7	8.9	8.5
20-24	11.0	10.6	11.4	11.3	11.3	11.4	10.4	9.5	11.3
25-29	11.0	10.8	11.2	10.8	10.8	10.8	11.2	10.7	11.6
30-34	9.2	9.3	9.1	8.7	8.7	8.7	9.9	10.1	9.7
35-39	7.6	7.7	7.6	7.3	7.2	7.3	8.2	8.4	8.0
40-44	6.8	6.8	6.8	6.6	6.5	6.7	7.1	7.2	7.0
45-49	5.7	5.7	5.8	5.7	5.5	5.8	5.8	5.9	5.7
50-54	4.7	4.9	4.5	4.6	4.8	4.3	4.9	5.0	4.7
55-59	3.7	3.7	3.7	3.7	3.7	3.7	3.5	3.6	3.5
60-64	3.1	3.0	3.2	3.2	3.0	3.4	2.9	3.1	2.8
65-69	2.3	2.2	2.3	2.4	2.2	2.5	2.1	2.1	2.1
70-74	1.2	1.1	1.4	1.4	1.2	1.6	1.0	0.9	1.1
75-79	0.9	0.8	1.0	1.0	0.9	1.1	0.7	0.7	0.7
80-84	0.4	0.4	0.5	0.5	0.4	0.5	0.4	0.3	0.4
85+	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.1	0.3
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0

Kerala

0-4	6.7	7.1	6.3	6.9	7.2	6.6	6.4	6.9	5.9
5-9	6.9	7.4	6.4	7.0	7.5	6.6	6.7	7.2	6.3
10-14	7.7	8.4	7.1	7.7	8.5	7.0	7.7	8.3	7.2
15-19	8.2	8.6	7.8	8.1	8.6	7.7	8.3	8.7	7.9
20-24	7.9	8.1	7.9	7.9	8.0	7.8	8.0	8.1	8.0
25-29	8.0	7.7	8.3	8.0	7.5	8.5	8.0	7.8	8.1
30-34	7.9	7.7	8.2	7.8	7.5	8.1	8.1	7.9	8.2
35-39	7.6	7.3	7.9	7.5	7.2	7.8	7.8	7.4	8.1
40-44	7.4	7.1	7.6	7.2	6.9	7.5	7.5	7.3	7.7
45-49	7.3	7.1	7.5	7.2	7.1	7.4	7.3	7.1	7.6
50-54	6.2	6.3	6.1	6.1	6.2	5.9	6.3	6.3	6.2
55-59	5.3	5.2	5.3	5.2	5.2	5.2	5.3	5.2	5.4
60-64	4.6	4.6	4.6	4.6	4.6	4.7	4.6	4.7	4.4
65-69	3.2	3.1	3.2	3.2	3.3	3.2	3.1	2.9	3.3
70-74	2.2	2.1	2.4	2.2	2.0	2.4	2.3	2.2	2.3
75-79	1.5	1.3	1.8	1.6	1.4	1.8	1.5	1.2	1.7
80-84	0.9	0.7	1.0	0.9	0.8	1.1	0.8	0.6	0.9
85+	0.6	0.4	0.7	0.6	0.5	0.8	0.5	0.3	0.6
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0

Note : Total may not add up to 100 due to rounding off.

Table 1

Percent distribution of estimated population by age-group, sex and residence, 2018

Age group	Total			Rural			Urban		
	Total	Males	Females	Total	Males	Females	Total	Males	Females
Madhya Pradesh									
0-4	9.4	9.4	9.4	9.9	9.8	9.9	8.1	8.2	7.9
5-9	9.5	9.6	9.5	9.9	9.9	9.9	8.6	8.8	8.3
10-14	10.7	10.8	10.5	11.1	11.2	11.1	9.3	9.6	8.9
15-19	10.7	11.1	10.2	10.9	11.3	10.5	10.1	10.5	9.6
20-24	11.1	10.9	11.2	11.2	11.1	11.2	10.8	10.6	11.1
25-29	9.5	9.4	9.6	9.2	9.3	9.2	10.3	9.9	10.7
30-34	8.0	8.1	7.9	7.7	7.8	7.6	8.8	8.8	8.8
35-39	6.5	6.5	6.6	6.3	6.2	6.3	7.3	7.2	7.4
40-44	5.8	5.9	5.7	5.6	5.8	5.5	6.4	6.4	6.5
45-49	4.7	4.7	4.7	4.5	4.5	4.4	5.3	5.2	5.4
50-54	3.9	3.9	3.9	3.7	3.7	3.7	4.3	4.2	4.3
55-59	3.1	3.0	3.2	2.9	2.7	3.1	3.5	3.6	3.5
60-64	2.7	2.5	2.8	2.6	2.5	2.8	2.8	2.6	2.9
65-69	1.8	1.7	1.9	1.7	1.6	1.9	1.9	1.9	1.9
70-74	1.3	1.2	1.4	1.3	1.2	1.4	1.3	1.2	1.3
75-79	0.8	0.9	0.7	0.8	0.9	0.8	0.7	0.7	0.7
80-84	0.4	0.4	0.4	0.4	0.3	0.4	0.4	0.4	0.5
85+	0.2	0.2	0.3	0.2	0.2	0.2	0.2	0.2	0.3
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0

Maharashtra

0-4	7.6	7.9	7.4	8.3	8.6	7.9	6.9	7.0	6.8
5-9	7.8	8.0	7.5	8.3	8.6	8.0	7.1	7.3	6.9
10-14	8.6	8.8	8.4	9.4	9.7	9.2	7.7	7.8	7.5
15-19	9.5	9.7	9.3	10.1	10.3	9.8	8.8	8.9	8.7
20-24	10.2	10.1	10.3	10.3	10.2	10.4	10.1	10.0	10.3
25-29	10.1	9.9	10.2	9.2	9.4	9.0	11.1	10.5	11.7
30-34	8.9	8.8	8.9	7.7	7.7	7.8	10.2	10.2	10.3
35-39	7.8	7.8	7.7	7.0	7.0	7.1	8.6	8.8	8.5
40-44	6.6	6.7	6.6	6.1	6.2	6.0	7.3	7.2	7.3
45-49	5.7	5.6	5.7	5.6	5.6	5.6	5.8	5.8	5.8
50-54	4.6	4.6	4.6	4.3	4.3	4.4	4.9	5.0	4.8
55-59	3.7	3.6	3.9	3.7	3.4	4.0	3.8	3.9	3.8
60-64	3.2	3.1	3.3	3.3	3.0	3.5	3.1	3.1	3.1
65-69	2.3	2.2	2.4	2.6	2.4	2.9	2.0	2.1	1.8
70-74	1.7	1.5	1.9	2.0	1.7	2.2	1.3	1.2	1.4
75-79	1.0	1.0	1.0	1.2	1.2	1.2	0.7	0.8	0.7
80-84	0.5	0.5	0.5	0.6	0.6	0.6	0.4	0.4	0.4
85+	0.3	0.3	0.4	0.4	0.3	0.4	0.2	0.1	0.3
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0

Note : Total may not add up to 100 due to rounding off.

Table 1

Percent distribution of estimated population by age-group, sex and residence, 2018

Age group	Total			Rural			Urban		
	Total	Males	Females	Total	Males	Females	Total	Males	Females
Odisha									
0-4	7.3	7.4	7.1	7.4	7.5	7.2	6.9	6.9	6.8
5-9	7.8	7.9	7.7	7.9	8.0	7.8	7.3	7.4	7.1
10-14	8.5	8.5	8.5	8.7	8.6	8.7	7.8	7.9	7.7
15-19	9.6	9.6	9.7	9.7	9.7	9.7	9.3	9.2	9.3
20-24	10.2	9.7	10.8	10.2	9.7	10.8	10.4	10.1	10.7
25-29	10.1	9.5	10.7	10.1	9.5	10.7	10.4	9.6	11.2
30-34	8.8	8.6	9.1	8.7	8.5	9.0	9.4	9.0	9.8
35-39	7.5	7.6	7.4	7.3	7.5	7.2	8.3	8.2	8.4
40-44	6.1	6.4	5.8	5.9	6.2	5.6	7.1	7.5	6.8
45-49	5.4	5.7	5.1	5.3	5.5	5.0	5.9	6.5	5.4
50-54	4.5	4.8	4.3	4.4	4.7	4.1	5.0	5.2	4.9
55-59	4.0	4.1	4.0	4.1	4.1	4.0	3.9	4.0	3.7
60-64	3.5	3.7	3.3	3.6	3.8	3.4	3.2	3.4	2.9
65-69	2.3	2.4	2.2	2.4	2.5	2.3	1.8	1.9	1.6
70-74	1.8	1.7	1.9	1.9	1.8	1.9	1.5	1.5	1.6
75-79	1.0	1.0	1.1	1.1	1.1	1.1	0.8	0.8	0.7
80-84	0.9	0.9	0.9	0.9	0.9	0.9	0.8	0.7	0.8
85+	0.5	0.5	0.5	0.5	0.5	0.5	0.4	0.3	0.4
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0

Punjab

0-4	6.1	6.2	6.0	6.2	6.3	6.2	5.9	6.0	5.7
5-9	6.9	7.1	6.7	6.9	7.2	6.7	6.9	7.0	6.8
10-14	7.7	8.1	7.2	7.7	8.1	7.2	7.7	8.1	7.2
15-19	9.1	9.6	8.6	9.4	10.0	8.7	8.8	9.1	8.5
20-24	10.9	11.0	10.7	11.0	11.2	10.8	10.7	10.7	10.7
25-29	10.9	10.7	11.2	10.8	10.6	11.1	11.1	10.9	11.3
30-34	9.3	9.2	9.4	9.0	8.8	9.1	9.7	9.7	9.7
35-39	7.6	7.5	7.6	7.3	7.1	7.5	8.0	8.1	7.8
40-44	6.6	6.3	6.8	6.4	6.1	6.7	6.8	6.7	7.0
45-49	5.9	5.7	6.1	5.8	5.6	6.2	6.0	5.9	6.0
50-54	5.1	4.8	5.3	4.8	4.7	4.9	5.5	5.0	5.9
55-59	4.0	4.0	4.0	3.8	3.9	3.8	4.2	4.2	4.2
60-64	3.2	3.1	3.3	3.2	3.0	3.3	3.1	3.1	3.2
65-69	2.4	2.4	2.5	2.6	2.5	2.7	2.2	2.2	2.2
70-74	1.9	1.8	2.1	2.1	2.0	2.3	1.6	1.5	1.8
75-79	1.2	1.2	1.3	1.4	1.4	1.4	1.0	1.0	1.1
80-84	0.7	0.7	0.7	0.9	0.9	0.8	0.6	0.5	0.6
85+	0.5	0.4	0.6	0.6	0.6	0.7	0.3	0.2	0.3
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0

Note : Total may not add up to 100 due to rounding off.

Table 1

Percent distribution of estimated population by age-group, sex and residence, 2018

Age group	Total			Rural			Urban		
	Total	Males	Females	Total	Males	Females	Total	Males	Females
Rajasthan									
0-4	9.2	9.5	8.9	9.7	10.1	9.3	7.7	7.8	7.6
5-9	9.8	10.0	9.5	10.2	10.4	9.9	8.7	9.0	8.4
10-14	10.0	10.5	9.5	10.4	10.9	9.9	8.9	9.4	8.5
15-19	10.7	11.1	10.4	11.0	11.4	10.7	9.9	10.2	9.5
20-24	11.5	11.1	11.8	11.7	11.4	12.0	10.8	10.4	11.2
25-29	10.0	10.0	10.0	9.7	9.7	9.7	10.8	10.8	10.8
30-34	8.2	8.4	8.0	7.9	8.2	7.6	9.0	8.9	9.0
35-39	7.0	7.0	7.0	6.8	6.7	6.8	7.6	7.9	7.4
40-44	5.5	5.4	5.6	5.2	5.2	5.3	6.3	6.1	6.5
45-49	4.7	4.6	4.9	4.5	4.4	4.7	5.2	5.2	5.3
50-54	3.4	3.5	3.3	3.1	3.3	2.9	4.3	4.1	4.4
55-59	2.8	2.6	3.1	2.6	2.4	2.9	3.5	3.4	3.6
60-64	2.6	2.4	2.7	2.5	2.4	2.7	2.7	2.6	2.7
65-69	1.8	1.6	2.1	1.8	1.5	2.2	1.7	1.7	1.8
70-74	1.3	1.1	1.5	1.3	1.0	1.6	1.3	1.1	1.5
75-79	0.8	0.7	1.0	0.8	0.7	1.0	0.9	0.8	0.9
80-84	0.4	0.4	0.5	0.4	0.3	0.5	0.6	0.5	0.6
85+	0.2	0.2	0.3	0.2	0.2	0.3	0.2	0.1	0.3
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0

Tamil Nadu

0-4	6.3	6.4	6.1	6.8	7.0	6.6	5.8	5.9	5.7
5-9	6.7	6.8	6.6	7.0	7.2	6.8	6.4	6.5	6.4
10-14	7.4	7.6	7.2	7.9	8.2	7.6	7.0	7.1	6.8
15-19	8.1	8.4	7.8	8.5	8.9	8.2	7.7	7.9	7.5
20-24	9.3	8.9	9.7	9.9	9.5	10.3	8.7	8.4	9.1
25-29	9.7	9.4	10.0	10.1	10.0	10.1	9.4	8.8	9.9
30-34	9.0	9.2	8.8	8.6	8.9	8.2	9.3	9.4	9.3
35-39	8.1	8.0	8.2	7.7	7.6	7.7	8.5	8.5	8.6
40-44	7.3	7.4	7.3	6.8	6.7	7.0	7.8	8.0	7.5
45-49	6.5	6.6	6.3	6.3	6.1	6.4	6.6	7.0	6.3
50-54	5.8	5.7	5.9	5.2	5.3	5.1	6.4	6.1	6.7
55-59	4.8	4.6	4.9	4.7	4.3	5.1	4.8	4.9	4.8
60-64	4.0	4.0	3.9	3.7	3.7	3.7	4.2	4.3	4.1
65-69	3.0	2.9	3.0	3.0	2.8	3.2	3.0	3.1	2.9
70-74	1.9	1.9	1.9	1.7	1.7	1.8	2.1	2.1	2.1
75-79	1.2	1.1	1.2	1.2	1.2	1.3	1.1	1.1	1.1
80-84	0.6	0.6	0.6	0.5	0.5	0.5	0.7	0.6	0.7
85+	0.4	0.3	0.4	0.4	0.3	0.4	0.4	0.4	0.4
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0

Note : Total may not add up to 100 due to rounding off.

Table 1

Percent distribution of estimated population by age-group, sex and residence, 2018

Age group	Total			Rural			Urban		
	Total	Males	Females	Total	Males	Females	Total	Males	Females
Telangana									
0-4	5.9	6.1	5.7	5.3	5.3	5.2	6.9	7.2	6.5
5-9	7.2	7.3	7.0	6.9	7.1	6.8	7.5	7.5	7.4
10-14	7.7	7.8	7.7	7.6	7.7	7.6	7.9	7.9	7.9
15-19	9.9	10.2	9.6	9.9	10.2	9.6	9.9	10.1	9.6
20-24	11.5	11.6	11.4	11.7	12.1	11.1	11.2	10.7	11.8
25-29	11.1	10.9	11.4	10.9	10.8	10.9	11.5	10.9	12.1
30-34	9.1	9.0	9.2	8.5	8.3	8.7	9.9	9.9	9.9
35-39	8.1	7.8	8.5	7.9	7.5	8.2	8.6	8.3	8.8
40-44	7.2	7.3	7.1	7.0	7.0	6.9	7.5	7.6	7.3
45-49	5.8	6.1	5.4	5.8	6.0	5.5	5.8	6.2	5.3
50-54	4.7	4.4	5.1	5.0	4.5	5.5	4.3	4.2	4.4
55-59	3.7	3.6	3.8	4.0	3.7	4.3	3.3	3.5	3.0
60-64	3.0	2.9	3.0	3.4	3.3	3.6	2.3	2.3	2.2
65-69	2.3	2.4	2.3	2.7	2.7	2.8	1.8	2.0	1.6
70-74	1.5	1.5	1.4	1.8	2.0	1.7	0.9	1.0	0.9
75-79	0.7	0.7	0.7	0.9	0.9	0.9	0.5	0.5	0.5
80-84	0.4	0.4	0.4	0.5	0.5	0.5	0.3	0.3	0.3
85+	0.2	0.2	0.3	0.3	0.2	0.3	0.1	0.1	0.2
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0

Uttar Pradesh

0-4	8.5	8.7	8.2	9.0	9.3	8.7	6.9	7.1	6.6
5-9	9.8	9.9	9.7	10.2	10.3	10.2	8.6	8.9	8.4
10-14	10.5	10.6	10.4	10.8	10.9	10.7	9.5	9.8	9.2
15-19	12.1	12.3	11.8	12.4	12.7	12.1	11.0	11.1	10.9
20-24	11.8	11.6	11.9	11.7	11.6	11.8	11.9	11.6	12.2
25-29	10.3	10.3	10.2	9.9	10.1	9.7	11.4	11.0	11.8
30-34	7.8	8.0	7.5	7.5	7.7	7.2	8.6	8.7	8.4
35-39	6.5	6.4	6.7	6.3	6.1	6.5	7.3	7.3	7.2
40-44	5.4	5.3	5.5	5.3	5.1	5.4	5.9	6.0	5.8
45-49	4.5	4.4	4.6	4.4	4.3	4.5	4.9	4.8	5.1
50-54	3.4	3.4	3.3	3.2	3.2	3.1	3.9	3.9	4.0
55-59	2.7	2.4	3.0	2.5	2.2	2.8	3.3	3.2	3.3
60-64	2.5	2.4	2.7	2.5	2.4	2.6	2.6	2.6	2.7
65-69	1.8	1.7	1.9	1.8	1.7	1.9	1.8	1.7	1.8
70-74	1.2	1.1	1.2	1.2	1.1	1.3	1.2	1.2	1.1
75-79	0.8	0.7	0.9	0.8	0.7	0.9	0.7	0.7	0.8
80-84	0.3	0.3	0.3	0.3	0.3	0.4	0.3	0.3	0.3
85+	0.2	0.2	0.2	0.2	0.2	0.3	0.2	0.1	0.2
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0

Note : Total may not add up to 100 due to rounding off.

Table 1

Percent distribution of estimated population by age-group, sex and residence, 2018

Age group	Total			Rural			Urban		
	Total	Males	Females	Total	Males	Females	Total	Males	Females
Uttarakhand									
0-4	10.5	10.9	10.2	10.5	11.0	10.1	10.6	10.6	10.6
5-9	9.0	9.3	8.6	9.3	9.7	8.9	8.1	8.3	8.0
10-14	9.4	9.7	9.1	9.8	10.2	9.4	8.4	8.5	8.3
15-19	10.2	10.4	10.0	10.4	10.6	10.2	9.7	10.0	9.4
20-24	11.9	12.5	11.3	11.8	12.3	11.3	12.2	13.0	11.4
25-29	9.7	9.4	10.1	9.5	9.1	9.8	10.4	10.1	10.8
30-34	8.1	7.8	8.4	7.8	7.5	8.1	8.9	8.6	9.2
35-39	6.4	6.4	6.5	6.2	6.1	6.3	7.1	7.1	7.2
40-44	5.3	5.5	5.1	5.0	5.2	4.8	6.1	6.2	5.9
45-49	3.9	3.8	4.0	3.7	3.6	3.8	4.3	4.2	4.3
50-54	3.7	3.4	4.1	3.6	3.2	3.9	4.0	3.7	4.4
55-59	3.2	3.0	3.3	3.2	3.0	3.4	3.1	3.0	3.2
60-64	3.4	3.1	3.7	3.5	3.1	3.9	3.0	2.8	3.2
65-69	1.9	1.7	2.1	2.0	1.8	2.3	1.6	1.5	1.6
70-74	1.6	1.5	1.6	1.7	1.7	1.7	1.2	1.1	1.3
75-79	0.7	0.7	0.7	0.7	0.7	0.8	0.5	0.6	0.5
80-84	0.6	0.5	0.7	0.7	0.6	0.8	0.4	0.4	0.5
85+	0.4	0.3	0.4	0.4	0.4	0.4	0.2	0.2	0.3
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0

West Bengal

0-4	7.0	7.1	6.9	7.5	7.7	7.4	5.7	5.8	5.7
5-9	7.4	7.5	7.3	7.9	8.0	7.8	6.3	6.3	6.2
10-14	8.2	8.2	8.3	8.9	8.8	9.0	6.6	6.6	6.7
15-19	9.9	10.0	9.8	10.5	10.7	10.4	8.4	8.4	8.3
20-24	10.7	10.2	11.1	11.1	10.7	11.6	9.6	9.1	10.1
25-29	10.1	9.9	10.2	10.2	10.1	10.2	9.9	9.5	10.3
30-34	8.6	8.4	8.7	8.3	8.3	8.4	9.1	8.8	9.4
35-39	7.9	7.8	8.0	7.8	7.7	7.8	8.2	8.0	8.3
40-44	6.9	7.0	6.9	6.6	6.7	6.6	7.6	7.7	7.6
45-49	6.2	6.3	6.1	5.9	6.0	5.8	6.9	6.9	6.9
50-54	4.6	5.0	4.3	4.1	4.7	3.5	5.8	5.7	6.0
55-59	3.9	4.0	3.9	3.5	3.4	3.6	5.0	5.4	4.5
60-64	3.3	3.4	3.3	2.9	2.8	3.1	4.3	4.8	3.7
65-69	2.1	2.2	2.0	1.9	1.9	1.9	2.7	2.9	2.5
70-74	1.5	1.5	1.5	1.4	1.3	1.5	1.8	1.9	1.7
75-79	0.9	0.8	0.9	0.8	0.7	0.9	1.1	1.1	1.1
80-84	0.5	0.4	0.5	0.4	0.4	0.4	0.7	0.7	0.7
85+	0.3	0.3	0.3	0.2	0.2	0.3	0.4	0.4	0.5
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0

Note : Total may not add up to 100 due to rounding off.

Table 2**Percent distribution of population by sex, marital status and age-group, 2018**

Age group	India											
	Total				Males				Females			
	Never Married	Married	W/D/S	Total	Never Married	Married	W/D/S	Total	Never Married	Married	W/D/S	Total
	Total											
<10 yrs	16.6	0.0	0.0	16.6	17.0	0.0	0.0	17.0	16.3	0.0	0.0	16.3
10-14	9.3	0.0	0.0	9.3	9.5	0.0	0.0	9.5	9.1	0.0	0.0	9.1
15-19	10.0	0.2	0.0	10.2	10.4	0.1	0.0	10.4	9.6	0.4	0.0	10.0
20-24	7.9	2.8	0.0	10.8	9.3	1.2	0.0	10.5	6.5	4.5	0.0	11.0
25-29	4.0	6.0	0.0	10.1	5.6	4.3	0.0	9.9	2.3	7.8	0.1	10.2
30-34	1.3	7.0	0.1	8.4	2.0	6.5	0.1	8.5	0.6	7.6	0.1	8.4
35-39	0.5	6.7	0.2	7.3	0.7	6.5	0.1	7.2	0.2	6.9	0.2	7.3
40-44	0.2	5.8	0.2	6.2	0.3	5.8	0.1	6.2	0.1	5.7	0.3	6.2
45-49	0.1	4.9	0.3	5.3	0.2	5.0	0.1	5.3	0.1	4.8	0.4	5.3
50-54	0.1	3.8	0.3	4.2	0.1	4.0	0.2	4.3	0.1	3.6	0.5	4.2
55-59	0.1	3.1	0.4	3.5	0.1	3.1	0.2	3.4	0.0	3.0	0.6	3.6
60-64	0.0	2.5	0.4	3.0	0.0	2.7	0.2	2.9	0.0	2.3	0.7	3.0
65-69	0.0	1.6	0.5	2.1	0.0	1.8	0.2	2.1	0.0	1.4	0.8	2.2
70-74	0.0	1.0	0.4	1.4	0.0	1.1	0.2	1.3	0.0	0.8	0.7	1.5
75-79	0.0	0.5	0.3	0.9	0.0	0.7	0.2	0.8	0.0	0.4	0.5	0.9
80-84	0.0	0.2	0.2	0.5	0.0	0.3	0.1	0.4	0.0	0.2	0.3	0.5
85+	0.0	0.1	0.1	0.3	0.0	0.1	0.1	0.2	0.0	0.1	0.2	0.3
All ages	50.3	46.3	3.5	100.0	55.2	43.2	1.6	100.0	45.1	49.5	5.5	100.0
	Rural											
<10 Yrs	17.7	0.0	0.0	17.7	18.1	0.0	0.0	18.1	17.3	0.0	0.0	17.3
10-14	9.8	0.0	0.0	9.8	10.0	0.0	0.0	10.0	9.6	0.0	0.0	9.6
15-19	10.5	0.3	0.0	10.7	10.9	0.1	0.0	11.0	10.1	0.4	0.0	10.5
20-24	7.8	3.1	0.0	11.0	9.3	1.5	0.0	10.8	6.2	4.9	0.0	11.2
25-29	3.5	6.2	0.1	9.8	5.1	4.6	0.0	9.8	1.9	8.0	0.1	9.9
30-34	1.0	6.9	0.1	8.0	1.6	6.4	0.1	8.0	0.4	7.3	0.1	7.9
35-39	0.4	6.4	0.2	6.9	0.5	6.2	0.1	6.8	0.2	6.6	0.2	7.0
40-44	0.2	5.5	0.2	5.8	0.2	5.5	0.1	5.8	0.1	5.5	0.3	5.9
45-49	0.1	4.7	0.3	5.1	0.1	4.8	0.1	5.1	0.1	4.6	0.4	5.1
50-54	0.1	3.6	0.3	3.9	0.1	3.8	0.2	4.0	0.0	3.3	0.4	3.8
55-59	0.0	2.9	0.3	3.2	0.0	2.9	0.2	3.1	0.0	2.9	0.5	3.5
60-64	0.0	2.4	0.4	2.9	0.0	2.6	0.2	2.8	0.0	2.3	0.6	3.0
65-69	0.0	1.6	0.5	2.1	0.0	1.8	0.2	2.0	0.0	1.4	0.7	2.2
70-74	0.0	1.0	0.4	1.4	0.0	1.1	0.2	1.3	0.0	0.8	0.7	1.5
75-79	0.0	0.5	0.3	0.9	0.0	0.7	0.2	0.8	0.0	0.4	0.5	0.9
80-84	0.0	0.2	0.2	0.4	0.0	0.3	0.1	0.4	0.0	0.2	0.3	0.5
85+	0.0	0.1	0.1	0.3	0.0	0.2	0.1	0.3	0.0	0.1	0.2	0.3
All ages	51.2	45.4	3.4	100.0	56.1	42.3	1.6	100.0	46.0	48.8	5.2	100.0
	Urban											
<10 Yrs	14.4	0.0	0.0	14.4	14.7	0.0	0.0	14.7	14.0	0.0	0.0	14.0
10-14	8.2	0.0	0.0	8.2	8.4	0.0	0.0	8.4	8.0	0.0	0.0	8.0
15-19	9.1	0.1	0.0	9.2	9.4	0.0	0.0	9.4	8.8	0.3	0.0	9.0
20-24	8.2	2.1	0.0	10.4	9.3	0.8	0.0	10.1	7.1	3.6	0.0	10.6
25-29	5.1	5.5	0.0	10.6	6.7	3.5	0.0	10.2	3.4	7.5	0.1	11.0
30-34	1.9	7.4	0.1	9.4	2.7	6.6	0.0	9.4	1.0	8.2	0.1	9.4
35-39	0.7	7.2	0.2	8.0	1.0	7.0	0.1	8.0	0.4	7.4	0.3	8.1
40-44	0.3	6.4	0.2	6.9	0.4	6.4	0.1	7.0	0.2	6.3	0.4	6.9
45-49	0.2	5.3	0.3	5.8	0.3	5.4	0.1	5.8	0.1	5.2	0.5	5.8
50-54	0.1	4.4	0.4	4.9	0.2	4.5	0.2	4.9	0.1	4.3	0.6	5.0
55-59	0.1	3.4	0.4	3.9	0.1	3.7	0.2	4.0	0.1	3.1	0.7	3.9
60-64	0.1	2.7	0.5	3.2	0.1	3.0	0.2	3.2	0.0	2.3	0.8	3.1
65-69	0.0	1.6	0.5	2.1	0.0	1.9	0.2	2.2	0.0	1.3	0.8	2.1
70-74	0.0	1.0	0.4	1.4	0.0	1.2	0.2	1.4	0.0	0.8	0.7	1.5
75-79	0.0	0.5	0.3	0.8	0.0	0.7	0.1	0.8	0.0	0.3	0.5	0.9
80-84	0.0	0.2	0.2	0.5	0.0	0.3	0.1	0.4	0.0	0.1	0.3	0.5
85+	0.0	0.1	0.2	0.3	0.0	0.1	0.1	0.2	0.0	0.1	0.3	0.3
All ages	48.4	48.0	3.7	100.0	53.3	45.2	1.5	100.0	43.2	50.9	6.0	100.0

W/D/S - Widowed/Divorced/Separated.

Table 2

Percent distribution of population by sex, marital status and age-group, 2018

Andhra Pradesh

Age group	Total				Males				Females			
	Never Married	Married	W/D/S	Total	Never Married	Married	W/D/S	Total	Never Married	Married	W/D/S	Total
Total												
<10 yrs	12.5	0.0	0.0	12.5	12.5	0.0	0.0	12.5	12.6	0.0	0.0	12.6
10-14	7.3	0.0	0.0	7.3	7.4	0.0	0.0	7.4	7.2	0.0	0.0	7.2
15-19	8.3	0.2	0.0	8.6	8.7	0.1	0.0	8.8	8.0	0.4	0.0	8.4
20-24	7.4	3.0	0.0	10.4	9.1	1.1	0.0	10.2	5.7	5.0	0.0	10.7
25-29	4.0	6.6	0.1	10.7	5.9	4.4	0.0	10.3	2.1	8.8	0.1	11.0
30-34	1.2	7.8	0.2	9.1	1.8	7.2	0.1	9.1	0.5	8.4	0.2	9.2
35-39	0.4	8.1	0.3	8.7	0.6	7.9	0.1	8.6	0.2	8.2	0.4	8.8
40-44	0.1	6.8	0.3	7.3	0.2	7.1	0.1	7.5	0.1	6.4	0.6	7.1
45-49	0.1	5.6	0.5	6.2	0.1	6.1	0.2	6.4	0.1	5.1	0.7	5.9
50-54	0.1	4.8	0.6	5.5	0.1	5.0	0.2	5.3	0.0	4.7	1.0	5.7
55-59	0.0	3.8	0.6	4.4	0.0	4.0	0.3	4.4	0.0	3.5	0.9	4.4
60-64	0.0	2.8	0.6	3.5	0.0	3.1	0.3	3.4	0.0	2.5	1.0	3.5
65-69	0.0	2.0	0.7	2.7	0.0	2.5	0.4	2.9	0.0	1.4	1.0	2.4
70-74	0.0	1.1	0.6	1.7	0.0	1.5	0.3	1.8	0.0	0.7	0.8	1.6
75-79	0.0	0.5	0.3	0.9	0.0	0.7	0.2	0.9	0.0	0.3	0.5	0.8
80-84	0.0	0.2	0.2	0.5	0.0	0.3	0.1	0.4	0.0	0.2	0.3	0.5
85+	0.0	0.1	0.1	0.3	0.0	0.2	0.1	0.3	0.0	0.1	0.2	0.3
All ages	41.5	53.5	5.0	100.0	46.4	51.3	2.3	100.0	36.5	55.7	7.8	100.0
Rural												
<10 Yrs	12.6	0.0	0.0	12.6	12.6	0.0	0.0	12.6	12.7	0.0	0.0	12.7
10-14	7.2	0.0	0.0	7.2	7.4	0.0	0.0	7.4	7.1	0.0	0.0	7.1
15-19	8.3	0.2	0.0	8.5	8.7	0.1	0.0	8.8	7.9	0.4	0.0	8.3
20-24	7.3	3.1	0.0	10.5	9.2	1.2	0.0	10.4	5.3	5.2	0.0	10.5
25-29	3.7	6.7	0.1	10.4	5.6	4.5	0.0	10.1	1.8	8.9	0.1	10.8
30-34	1.0	7.7	0.2	8.8	1.5	7.2	0.1	8.8	0.4	8.3	0.2	8.9
35-39	0.3	7.9	0.3	8.4	0.4	7.7	0.1	8.3	0.2	8.0	0.4	8.6
40-44	0.1	6.7	0.3	7.1	0.2	7.0	0.1	7.3	0.1	6.4	0.6	7.0
45-49	0.1	5.7	0.4	6.2	0.1	6.2	0.2	6.4	0.1	5.2	0.7	6.0
50-54	0.0	4.8	0.6	5.4	0.1	4.9	0.2	5.2	0.0	4.7	0.9	5.6
55-59	0.0	3.8	0.6	4.5	0.0	4.0	0.3	4.4	0.0	3.6	0.9	4.6
60-64	0.0	3.0	0.7	3.6	0.0	3.2	0.3	3.5	0.0	2.7	1.0	3.8
65-69	0.0	2.1	0.7	2.9	0.0	2.7	0.4	3.1	0.0	1.5	1.1	2.6
70-74	0.0	1.3	0.6	1.9	0.0	1.7	0.3	2.0	0.0	0.8	0.9	1.8
75-79	0.0	0.5	0.4	0.9	0.0	0.7	0.2	1.0	0.0	0.3	0.5	0.9
80-84	0.0	0.3	0.2	0.5	0.0	0.4	0.1	0.5	0.0	0.2	0.4	0.6
85+	0.0	0.2	0.2	0.3	0.0	0.2	0.1	0.3	0.0	0.1	0.2	0.3
All ages	40.8	53.9	5.3	100.0	45.8	51.7	2.5	100.0	35.6	56.2	8.1	100.0
Urban												
<10 Yrs	12.3	0.0	0.0	12.3	12.3	0.0	0.0	12.3	12.3	0.0	0.0	12.3
10-14	7.4	0.0	0.0	7.4	7.4	0.0	0.0	7.4	7.4	0.0	0.0	7.4
15-19	8.4	0.3	0.0	8.6	8.7	0.1	0.0	8.7	8.0	0.5	0.0	8.5
20-24	7.7	2.6	0.0	10.3	8.9	0.8	0.0	9.6	6.4	4.5	0.0	11.0
25-29	4.7	6.3	0.0	11.1	6.7	4.1	0.0	10.8	2.7	8.7	0.1	11.5
30-34	1.5	8.1	0.1	9.7	2.3	7.4	0.1	9.7	0.8	8.8	0.2	9.8
35-39	0.5	8.5	0.2	9.3	0.8	8.4	0.1	9.3	0.3	8.6	0.4	9.3
40-44	0.2	7.0	0.3	7.6	0.3	7.5	0.1	7.9	0.1	6.5	0.6	7.2
45-49	0.1	5.5	0.5	6.0	0.1	6.1	0.2	6.4	0.1	4.8	0.8	5.6
50-54	0.1	5.0	0.6	5.6	0.1	5.2	0.2	5.5	0.1	4.7	1.0	5.8
55-59	0.1	3.6	0.5	4.2	0.1	4.0	0.2	4.4	0.0	3.2	0.9	4.1
60-64	0.0	2.4	0.6	3.1	0.1	2.8	0.2	3.1	0.0	2.1	0.9	3.0
65-69	0.0	1.5	0.6	2.1	0.0	1.9	0.3	2.3	0.0	1.1	0.9	2.0
70-74	0.0	0.8	0.4	1.3	0.0	1.1	0.2	1.3	0.0	0.5	0.7	1.2
75-79	0.0	0.5	0.3	0.7	0.0	0.7	0.2	0.8	0.0	0.3	0.4	0.7
80-84	0.0	0.2	0.2	0.3	0.0	0.2	0.1	0.3	0.0	0.1	0.2	0.4
85+	0.0	0.1	0.1	0.2	0.0	0.1	0.0	0.1	0.0	0.1	0.1	0.2
All ages	43.1	52.4	4.5	100.0	47.7	50.4	1.9	100.0	38.4	54.5	7.1	100.0

W/D/S - Widowed/Divorced/Separated.

Table 2
Percent distribution of population by sex, marital status and age-group, 2018

Assam												
Age group	Total				Males				Females			
	Never Married	Married	W/D/S	Total	Never Married	Married	W/D/S	Total	Never Married	Married	W/D/S	Total
Total												
<10 yrs	17.8	0.0	0.0	17.8	18.1	0.0	0.0	18.1	17.6	0.0	0.0	17.6
10-14	9.9	0.0	0.0	9.9	10.0	0.0	0.0	10.0	9.7	0.0	0.0	9.7
15-19	9.7	0.2	0.0	9.9	9.7	0.1	0.0	9.8	9.7	0.4	0.0	10.1
20-24	7.9	2.9	0.0	10.8	9.0	1.1	0.0	10.1	6.7	4.8	0.0	11.5
25-29	4.1	5.7	0.1	9.9	5.7	3.8	0.0	9.5	2.5	7.7	0.1	10.4
30-34	1.8	6.9	0.1	8.8	2.6	6.0	0.0	8.7	1.0	7.9	0.1	9.0
35-39	0.9	6.4	0.1	7.4	1.1	6.2	0.1	7.4	0.6	6.6	0.2	7.4
40-44	0.4	5.8	0.2	6.4	0.6	6.0	0.1	6.7	0.3	5.5	0.3	6.1
45-49	0.3	4.7	0.3	5.2	0.3	5.1	0.1	5.5	0.2	4.3	0.4	4.9
50-54	0.2	3.5	0.3	4.0	0.2	3.9	0.2	4.3	0.1	3.1	0.4	3.7
55-59	0.1	2.9	0.4	3.4	0.1	3.0	0.2	3.3	0.1	2.8	0.6	3.5
60-64	0.1	1.9	0.4	2.4	0.1	2.3	0.1	2.5	0.1	1.5	0.7	2.3
65-69	0.1	1.3	0.4	1.7	0.0	1.6	0.1	1.8	0.1	0.9	0.6	1.6
70-74	0.0	0.7	0.3	1.1	0.0	1.0	0.1	1.2	0.0	0.5	0.5	1.0
75-79	0.0	0.4	0.2	0.7	0.0	0.6	0.1	0.7	0.0	0.3	0.4	0.7
80-84	0.0	0.2	0.1	0.3	0.0	0.3	0.1	0.4	0.0	0.1	0.2	0.3
85+	0.0	0.1	0.1	0.2	0.0	0.2	0.1	0.2	0.0	0.1	0.2	0.2
All ages	53.3	43.7	3.0	100.0	57.4	41.2	1.4	100.0	48.8	46.4	4.8	100.0
Rural												
<10 Yrs	18.5	0.0	0.0	18.5	18.8	0.0	0.0	18.8	18.3	0.0	0.0	18.3
10-14	10.4	0.0	0.0	10.4	10.5	0.0	0.0	10.5	10.2	0.0	0.0	10.2
15-19	10.0	0.2	0.0	10.2	10.0	0.1	0.0	10.0	10.0	0.4	0.0	10.4
20-24	7.9	3.1	0.0	11.0	9.1	1.2	0.0	10.3	6.7	5.1	0.0	11.8
25-29	3.9	5.9	0.1	9.9	5.4	4.1	0.0	9.4	2.3	8.0	0.1	10.3
30-34	1.6	7.0	0.1	8.7	2.3	6.2	0.1	8.5	0.9	7.9	0.1	8.9
35-39	0.7	6.3	0.1	7.1	1.0	6.1	0.1	7.2	0.5	6.4	0.2	7.1
40-44	0.4	5.7	0.2	6.2	0.5	5.9	0.1	6.5	0.3	5.3	0.3	5.9
45-49	0.2	4.5	0.3	5.0	0.3	4.9	0.1	5.4	0.2	4.1	0.4	4.6
50-54	0.1	3.3	0.3	3.7	0.1	3.7	0.2	4.0	0.1	2.8	0.4	3.3
55-59	0.1	2.7	0.4	3.1	0.1	2.7	0.2	2.9	0.1	2.6	0.6	3.3
60-64	0.1	1.8	0.4	2.3	0.1	2.1	0.1	2.3	0.1	1.5	0.7	2.2
65-69	0.0	1.2	0.4	1.6	0.0	1.5	0.1	1.6	0.1	0.9	0.6	1.5
70-74	0.0	0.7	0.3	1.0	0.0	1.0	0.1	1.1	0.0	0.4	0.4	0.9
75-79	0.0	0.4	0.2	0.7	0.0	0.6	0.1	0.7	0.0	0.3	0.4	0.7
80-84	0.0	0.2	0.1	0.3	0.0	0.3	0.1	0.3	0.0	0.1	0.2	0.3
85+	0.0	0.1	0.1	0.2	0.0	0.2	0.1	0.2	0.0	0.1	0.2	0.2
All ages	54.0	43.0	2.9	100.0	58.1	40.5	1.4	100.0	49.7	45.8	4.6	100.0
Urban												
<10 Yrs	13.6	0.0	0.0	13.6	13.8	0.0	0.0	13.8	13.5	0.0	0.0	13.5
10-14	6.9	0.0	0.0	6.9	7.0	0.0	0.0	7.0	6.8	0.0	0.0	6.8
15-19	8.2	0.1	0.0	8.3	8.2	0.0	0.0	8.3	8.1	0.2	0.0	8.3
20-24	7.6	1.9	0.0	9.5	8.4	0.6	0.0	9.1	6.7	3.3	0.0	10.0
25-29	5.9	4.4	0.0	10.3	7.3	2.4	0.0	9.7	4.3	6.5	0.1	10.9
30-34	3.1	6.4	0.1	9.6	4.3	5.2	0.0	9.5	1.8	7.8	0.1	9.8
35-39	1.6	7.1	0.2	8.9	2.2	6.6	0.0	8.8	0.9	7.8	0.3	9.0
40-44	0.8	6.4	0.2	7.4	1.0	6.5	0.1	7.5	0.5	6.3	0.4	7.2
45-49	0.4	5.6	0.3	6.4	0.5	5.8	0.1	6.4	0.4	5.5	0.5	6.4
50-54	0.3	5.2	0.5	5.9	0.3	5.3	0.2	5.8	0.3	5.0	0.8	6.1
55-59	0.2	4.2	0.5	4.9	0.2	4.8	0.2	5.2	0.1	3.6	0.8	4.5
60-64	0.1	2.7	0.4	3.2	0.1	3.4	0.2	3.7	0.1	1.9	0.8	2.8
65-69	0.1	1.7	0.5	2.3	0.1	2.2	0.1	2.5	0.1	1.1	0.8	2.1
70-74	0.0	0.9	0.3	1.3	0.0	1.2	0.1	1.4	0.1	0.6	0.6	1.2
75-79	0.0	0.5	0.2	0.8	0.0	0.7	0.1	0.8	0.0	0.3	0.4	0.7
80-84	0.0	0.2	0.2	0.4	0.0	0.4	0.1	0.5	0.0	0.1	0.2	0.4
85+	0.0	0.2	0.2	0.3	0.0	0.2	0.1	0.3	0.0	0.1	0.2	0.3
All ages	48.8	47.6	3.6	100.0	53.4	45.3	1.3	100.0	43.8	50.2	6.0	100.0

W/D/S - Widowed/Divorced/Separated.

Table 2
Percent distribution of population by sex, marital status and age-group, 2018

Bihar												
Age group	Total				Males				Females			
	Never Married	Married	W/D/S	Total	Never Married	Married	W/D/S	Total	Never Married	Married	W/D/S	Total
Total												
<10 yrs	22.6	0.0	0.0	22.6	23.0	0.0	0.0	23.0	22.1	0.0	0.0	22.1
10-14	11.6	0.0	0.0	11.6	11.6	0.0	0.0	11.6	11.5	0.0	0.0	11.5
15-19	12.0	0.2	0.0	12.2	12.1	0.1	0.0	12.2	11.9	0.4	0.0	12.3
20-24	8.1	2.7	0.0	10.8	9.5	1.1	0.0	10.6	6.6	4.4	0.0	11.0
25-29	3.2	6.2	0.0	9.4	4.8	4.5	0.0	9.3	1.4	8.0	0.0	9.5
30-34	0.6	6.3	0.0	7.0	1.0	5.9	0.0	7.0	0.2	6.7	0.1	7.0
35-39	0.2	5.8	0.1	6.0	0.2	5.7	0.0	6.0	0.1	5.8	0.1	5.9
40-44	0.0	4.4	0.1	4.6	0.1	4.4	0.0	4.5	0.0	4.4	0.1	4.6
45-49	0.0	3.9	0.1	4.1	0.0	3.8	0.1	3.9	0.0	4.2	0.2	4.4
50-54	0.0	2.9	0.1	3.1	0.0	2.9	0.1	3.1	0.0	2.9	0.2	3.1
55-59	0.0	2.3	0.1	2.5	0.0	2.3	0.1	2.5	0.0	2.3	0.2	2.5
60-64	0.0	2.1	0.2	2.3	0.0	2.3	0.1	2.4	0.0	2.0	0.2	2.2
65-69	0.0	1.4	0.3	1.7	0.0	1.5	0.2	1.7	0.0	1.3	0.4	1.7
70-74	0.0	0.8	0.2	1.0	0.0	0.9	0.1	1.1	0.0	0.7	0.3	1.0
75-79	0.0	0.4	0.2	0.7	0.0	0.5	0.1	0.6	0.0	0.3	0.4	0.7
80-84	0.0	0.2	0.1	0.3	0.0	0.2	0.1	0.3	0.0	0.2	0.1	0.3
85+	0.0	0.1	0.1	0.2	0.0	0.1	0.1	0.2	0.0	0.1	0.1	0.2
All ages	58.4	39.9	1.7	100.0	62.5	36.5	1.0	100.0	53.9	43.7	2.4	100.0
Rural												
<10 Yrs	23.2	0.0	0.0	23.2	23.6	0.0	0.0	23.6	22.7	0.0	0.0	22.7
10-14	11.7	0.0	0.0	11.7	11.8	0.0	0.0	11.8	11.6	0.0	0.0	11.6
15-19	12.2	0.2	0.0	12.4	12.3	0.1	0.0	12.4	12.1	0.4	0.0	12.5
20-24	8.0	2.8	0.0	10.7	9.3	1.2	0.0	10.5	6.5	4.5	0.0	11.0
25-29	3.0	6.4	0.0	9.4	4.5	4.8	0.0	9.3	1.2	8.2	0.0	9.5
30-34	0.5	6.3	0.0	6.9	0.9	6.0	0.0	6.9	0.1	6.7	0.1	6.9
35-39	0.1	5.8	0.1	5.9	0.2	5.8	0.0	6.0	0.0	5.8	0.1	5.9
40-44	0.0	4.3	0.1	4.4	0.1	4.3	0.0	4.4	0.0	4.3	0.1	4.5
45-49	0.0	4.0	0.1	4.1	0.0	3.8	0.1	3.9	0.0	4.2	0.2	4.3
50-54	0.0	2.8	0.1	3.0	0.0	2.9	0.1	3.0	0.0	2.8	0.2	3.0
55-59	0.0	2.2	0.1	2.3	0.0	2.2	0.1	2.3	0.0	2.2	0.1	2.3
60-64	0.0	2.0	0.2	2.2	0.0	2.2	0.1	2.3	0.0	1.9	0.2	2.1
65-69	0.0	1.4	0.2	1.6	0.0	1.5	0.2	1.6	0.0	1.3	0.3	1.6
70-74	0.0	0.8	0.2	1.0	0.0	0.9	0.1	1.0	0.0	0.7	0.3	1.0
75-79	0.0	0.4	0.2	0.6	0.0	0.4	0.1	0.6	0.0	0.4	0.4	0.7
80-84	0.0	0.2	0.1	0.3	0.0	0.2	0.1	0.3	0.0	0.2	0.1	0.3
85+	0.0	0.1	0.1	0.2	0.0	0.1	0.1	0.2	0.0	0.1	0.1	0.2
All ages	58.7	39.7	1.6	100.0	62.8	36.2	1.0	100.0	54.3	43.4	2.2	100.0
Urban												
<10 Yrs	18.8	0.0	0.0	18.8	19.0	0.0	0.0	19.0	18.5	0.0	0.0	18.5
10-14	10.8	0.0	0.0	10.8	10.8	0.0	0.0	10.8	10.8	0.0	0.0	10.8
15-19	10.6	0.1	0.0	10.8	10.6	0.0	0.0	10.7	10.7	0.2	0.0	10.9
20-24	9.0	2.3	0.0	11.3	10.4	0.9	0.0	11.3	7.5	3.9	0.0	11.4
25-29	4.6	4.8	0.0	9.4	6.3	3.1	0.0	9.4	2.7	6.7	0.0	9.4
30-34	1.4	6.3	0.0	7.7	2.2	5.5	0.0	7.7	0.6	7.1	0.1	7.7
35-39	0.4	5.8	0.1	6.3	0.6	5.6	0.0	6.2	0.1	6.0	0.1	6.3
40-44	0.1	5.3	0.1	5.5	0.2	5.4	0.1	5.6	0.0	5.2	0.2	5.4
45-49	0.0	3.9	0.2	4.1	0.1	3.7	0.1	3.8	0.0	4.1	0.3	4.4
50-54	0.0	3.5	0.2	3.7	0.1	3.6	0.1	3.7	0.0	3.5	0.2	3.8
55-59	0.0	3.3	0.2	3.6	0.0	3.3	0.2	3.5	0.0	3.2	0.3	3.6
60-64	0.0	2.8	0.4	3.1	0.0	2.9	0.2	3.1	0.0	2.6	0.5	3.1
65-69	0.0	1.8	0.4	2.2	0.0	2.0	0.2	2.2	0.0	1.6	0.5	2.1
70-74	0.0	1.0	0.3	1.3	0.0	1.2	0.2	1.4	0.0	0.8	0.4	1.2
75-79	0.0	0.5	0.3	0.8	0.0	0.7	0.2	0.9	0.0	0.3	0.4	0.7
80-84	0.0	0.2	0.2	0.4	0.0	0.3	0.1	0.4	0.0	0.1	0.2	0.4
85+	0.0	0.1	0.1	0.3	0.0	0.2	0.1	0.3	0.0	0.1	0.2	0.3
All ages	55.9	41.7	2.4	100.0	60.3	38.2	1.4	100.0	51.0	45.5	3.5	100.0

W/D/S - Widowed/Divorced/Separated.

Table 2

Percent distribution of population by sex, marital status and age-group, 2018

Chhattisgarh

Age group	Total				Males				Females			
	Never Married	Married	W/D/S	Total	Never Married	Married	W/D/S	Total	Never Married	Married	W/D/S	Total
Total												
<10 yrs	18.6	0.0	0.0	18.6	18.7	0.0	0.0	18.7	18.4	0.0	0.0	18.4
10-14	9.7	0.0	0.0	9.7	9.8	0.0	0.0	9.8	9.6	0.0	0.0	9.6
15-19	9.8	0.3	0.0	10.0	10.0	0.1	0.0	10.1	9.5	0.4	0.0	9.9
20-24	7.5	3.3	0.0	10.8	9.0	1.7	0.0	10.7	5.9	4.9	0.0	10.9
25-29	3.0	6.5	0.1	9.6	4.2	5.3	0.1	9.6	1.9	7.7	0.1	9.7
30-34	0.8	7.0	0.2	8.0	1.1	7.1	0.1	8.3	0.5	6.9	0.3	7.7
35-39	0.3	6.8	0.3	7.4	0.4	6.9	0.1	7.4	0.2	6.7	0.4	7.3
40-44	0.1	5.7	0.3	6.1	0.2	5.7	0.1	5.9	0.1	5.7	0.5	6.2
45-49	0.1	5.1	0.4	5.6	0.1	5.2	0.2	5.5	0.1	5.0	0.7	5.8
50-54	0.0	3.6	0.4	4.0	0.0	4.0	0.2	4.2	0.0	3.1	0.7	3.9
55-59	0.0	2.7	0.4	3.2	0.0	2.8	0.2	3.1	0.0	2.6	0.6	3.2
60-64	0.0	2.1	0.5	2.6	0.0	2.4	0.3	2.6	0.0	1.8	0.7	2.5
65-69	0.0	1.4	0.6	2.1	0.0	1.7	0.3	2.0	0.0	1.2	1.0	2.2
70-74	0.0	0.7	0.5	1.2	0.0	0.8	0.2	0.9	0.0	0.7	0.8	1.5
75-79	0.0	0.3	0.3	0.6	0.0	0.4	0.2	0.6	0.0	0.2	0.5	0.7
80-84	0.0	0.1	0.1	0.2	0.0	0.1	0.1	0.2	0.0	0.1	0.2	0.3
85+	0.0	0.0	0.1	0.2	0.0	0.1	0.1	0.1	0.0	0.0	0.2	0.2
All ages	50.0	45.6	4.4	100.0	53.7	44.2	2.1	100.0	46.4	47.0	6.6	100.0
Rural												
<10 Yrs	19.2	0.0	0.0	19.2	19.3	0.0	0.0	19.3	19.2	0.0	0.0	19.2
10-14	10.0	0.0	0.0	10.0	10.1	0.0	0.0	10.1	10.0	0.0	0.0	10.0
15-19	9.9	0.2	0.0	10.1	10.2	0.1	0.0	10.3	9.5	0.4	0.0	9.9
20-24	7.3	3.6	0.0	10.8	8.9	1.9	0.0	10.8	5.6	5.2	0.0	10.9
25-29	2.6	6.7	0.1	9.4	3.7	5.6	0.1	9.4	1.6	7.7	0.1	9.4
30-34	0.6	7.0	0.2	7.8	0.9	7.3	0.1	8.2	0.3	6.7	0.3	7.3
35-39	0.2	6.6	0.3	7.1	0.3	6.8	0.1	7.2	0.2	6.5	0.4	7.1
40-44	0.1	5.4	0.3	5.8	0.2	5.3	0.1	5.6	0.1	5.5	0.5	6.0
45-49	0.1	5.0	0.5	5.5	0.1	5.1	0.3	5.4	0.0	4.9	0.7	5.6
50-54	0.0	3.3	0.5	3.8	0.0	3.7	0.2	4.0	0.0	2.9	0.7	3.7
55-59	0.0	2.7	0.4	3.1	0.0	2.7	0.2	3.0	0.0	2.7	0.5	3.2
60-64	0.0	2.2	0.5	2.6	0.0	2.5	0.3	2.8	0.0	1.8	0.7	2.5
65-69	0.0	1.5	0.7	2.2	0.0	1.8	0.3	2.1	0.0	1.2	1.0	2.3
70-74	0.0	0.7	0.6	1.3	0.0	0.7	0.2	0.9	0.0	0.7	0.9	1.6
75-79	0.0	0.3	0.4	0.7	0.0	0.4	0.2	0.6	0.0	0.2	0.6	0.8
80-84	0.0	0.1	0.1	0.2	0.0	0.1	0.1	0.2	0.0	0.1	0.2	0.3
85+	0.0	0.0	0.1	0.2	0.0	0.1	0.1	0.1	0.0	0.0	0.2	0.2
All ages	50.2	45.3	4.5	100.0	53.7	44.1	2.3	100.0	46.7	46.5	6.8	100.0
Urban												
<10 Yrs	16.4	0.0	0.0	16.4	16.9	0.0	0.0	16.9	15.9	0.0	0.0	15.9
10-14	8.7	0.0	0.0	8.7	8.9	0.0	0.0	8.9	8.5	0.0	0.0	8.5
15-19	9.5	0.3	0.0	9.8	9.5	0.2	0.0	9.7	9.5	0.4	0.0	9.9
20-24	8.3	2.4	0.0	10.7	9.5	1.1	0.0	10.6	7.0	3.8	0.0	10.8
25-29	4.3	5.9	0.1	10.3	5.8	4.4	0.1	10.2	2.9	7.4	0.2	10.4
30-34	1.4	7.1	0.2	8.7	2.0	6.5	0.1	8.6	0.8	7.8	0.2	8.8
35-39	0.5	7.3	0.3	8.1	0.7	7.3	0.1	8.1	0.3	7.3	0.5	8.2
40-44	0.2	6.5	0.3	7.0	0.2	6.8	0.1	7.1	0.2	6.3	0.4	6.9
45-49	0.1	5.6	0.4	6.2	0.2	5.7	0.1	6.0	0.1	5.6	0.7	6.3
50-54	0.1	4.3	0.4	4.7	0.1	4.7	0.2	4.9	0.1	3.8	0.6	4.5
55-59	0.0	2.8	0.5	3.3	0.0	3.1	0.2	3.3	0.0	2.5	0.7	3.2
60-64	0.0	1.9	0.4	2.4	0.1	2.1	0.1	2.3	0.0	1.7	0.7	2.5
65-69	0.0	1.3	0.5	1.8	0.0	1.4	0.2	1.7	0.0	1.2	0.8	2.0
70-74	0.0	0.7	0.3	1.1	0.0	0.9	0.2	1.1	0.0	0.5	0.5	1.1
75-79	0.0	0.3	0.2	0.5	0.0	0.3	0.1	0.4	0.0	0.2	0.3	0.5
80-84	0.0	0.1	0.2	0.3	0.0	0.2	0.1	0.2	0.0	0.0	0.2	0.3
85+	0.0	0.0	0.1	0.1	0.0	0.0	0.0	0.1	0.0	0.0	0.2	0.2
All ages	49.6	46.5	3.8	100.0	53.7	44.6	1.7	100.0	45.4	48.5	6.1	100.0

W/D/S - Widowed/Divorced/Separated.

Table 2

Percent distribution of population by sex, marital status and age-group, 2018

Delhi

Age group	Total				Males				Females			
	Never Married	Married	W/D/S	Total	Never Married	Married	W/D/S	Total	Never Married	Married	W/D/S	Total
	Total											
<10 yrs	14.7	0.0	0.0	14.7	14.7	0.0	0.0	14.7	14.6	0.0	0.0	14.6
10-14	9.0	0.0	0.0	9.0	8.9	0.0	0.0	8.9	9.1	0.0	0.0	9.1
15-19	9.6	0.1	0.0	9.7	9.8	0.0	0.0	9.8	9.5	0.1	0.0	9.6
20-24	9.3	1.8	0.0	11.2	10.2	0.8	0.0	10.9	8.3	3.1	0.0	11.4
25-29	6.0	5.4	0.0	11.4	7.4	3.7	0.0	11.2	4.3	7.3	0.1	11.7
30-34	2.2	8.0	0.1	10.3	3.0	7.2	0.1	10.3	1.3	8.8	0.1	10.2
35-39	0.6	7.4	0.1	8.2	0.9	7.3	0.1	8.3	0.4	7.5	0.2	8.1
40-44	0.2	6.3	0.2	6.7	0.3	6.5	0.1	6.8	0.1	6.2	0.2	6.5
45-49	0.1	4.8	0.2	5.2	0.2	5.1	0.1	5.4	0.1	4.6	0.4	5.0
50-54	0.1	3.7	0.2	4.0	0.1	3.9	0.1	4.1	0.1	3.4	0.4	3.9
55-59	0.0	2.9	0.3	3.2	0.1	3.2	0.1	3.4	0.0	2.6	0.5	3.1
60-64	0.0	2.3	0.3	2.6	0.0	2.4	0.1	2.6	0.0	2.1	0.5	2.7
65-69	0.0	1.4	0.3	1.7	0.0	1.6	0.1	1.8	0.0	1.1	0.5	1.7
70-74	0.0	0.7	0.3	1.0	0.0	0.8	0.1	0.9	0.0	0.7	0.4	1.1
75-79	0.0	0.4	0.2	0.6	0.0	0.5	0.1	0.6	0.0	0.3	0.3	0.7
80-84	0.0	0.2	0.2	0.3	0.0	0.2	0.1	0.3	0.0	0.1	0.3	0.4
85+	0.0	0.0	0.1	0.2	0.0	0.0	0.0	0.1	0.0	0.1	0.2	0.3
All ages	52.0	45.4	2.6	100.0	55.6	43.2	1.2	100.0	47.9	47.9	4.2	100.0
	Rural											
<10 Yrs	14.8	0.0	0.0	14.8	14.2	0.0	0.0	14.2	15.7	0.0	0.0	15.7
10-14	8.4	0.0	0.0	8.4	8.7	0.0	0.0	8.7	8.1	0.0	0.0	8.1
15-19	9.4	0.0	0.0	9.4	10.1	0.0	0.0	10.1	8.6	0.1	0.0	8.7
20-24	10.3	2.3	0.0	12.6	12.3	0.9	0.0	13.2	7.8	4.0	0.0	11.8
25-29	7.1	6.8	0.0	13.9	9.4	4.5	0.0	13.9	4.2	9.7	0.1	13.9
30-34	2.1	7.6	0.1	9.9	2.9	6.4	0.1	9.4	1.2	9.2	0.2	10.5
35-39	0.6	7.1	0.2	7.9	0.9	7.1	0.2	8.3	0.2	7.1	0.1	7.5
40-44	0.1	5.5	0.2	5.8	0.2	5.3	0.1	5.7	0.0	5.7	0.3	6.0
45-49	0.1	4.3	0.2	4.6	0.1	4.2	0.2	4.4	0.2	4.4	0.3	4.9
50-54	0.1	2.9	0.3	3.3	0.1	3.2	0.1	3.4	0.0	2.7	0.4	3.1
55-59	0.0	2.9	0.2	3.1	0.0	3.0	0.2	3.2	0.0	2.7	0.3	3.0
60-64	0.0	2.1	0.3	2.4	0.0	2.1	0.1	2.3	0.0	2.0	0.6	2.6
65-69	0.0	1.2	0.3	1.5	0.0	1.3	0.1	1.4	0.0	1.2	0.4	1.6
70-74	0.0	0.7	0.2	1.0	0.0	0.9	0.1	1.0	0.0	0.6	0.4	1.0
75-79	0.0	0.4	0.2	0.6	0.0	0.4	0.1	0.4	0.0	0.4	0.3	0.8
80-84	0.0	0.2	0.2	0.4	0.0	0.2	0.1	0.4	0.0	0.2	0.3	0.4
85+	0.0	0.1	0.2	0.3	0.0	0.1	0.1	0.2	0.0	0.1	0.3	0.4
All ages	53.1	44.2	2.6	100.0	59.0	39.5	1.5	100.0	46.0	50.0	4.0	100.0
	Urban											
<10 Yrs	14.7	0.0	0.0	14.7	14.7	0.0	0.0	14.7	14.6	0.0	0.0	14.6
10-14	9.0	0.0	0.0	9.0	8.9	0.0	0.0	8.9	9.1	0.0	0.0	9.1
15-19	9.6	0.1	0.0	9.7	9.8	0.0	0.0	9.8	9.5	0.1	0.0	9.6
20-24	9.3	1.8	0.0	11.1	10.1	0.8	0.0	10.9	8.4	3.0	0.0	11.4
25-29	6.0	5.4	0.0	11.3	7.4	3.7	0.0	11.1	4.3	7.2	0.1	11.6
30-34	2.2	8.0	0.1	10.3	3.0	7.3	0.1	10.3	1.3	8.8	0.1	10.2
35-39	0.6	7.4	0.1	8.2	0.9	7.3	0.1	8.3	0.4	7.5	0.2	8.1
40-44	0.2	6.4	0.2	6.7	0.3	6.5	0.1	6.9	0.1	6.2	0.2	6.6
45-49	0.1	4.9	0.2	5.2	0.2	5.1	0.1	5.4	0.1	4.6	0.4	5.0
50-54	0.1	3.7	0.2	4.0	0.1	3.9	0.1	4.1	0.1	3.4	0.4	3.9
55-59	0.0	2.9	0.3	3.2	0.1	3.2	0.1	3.4	0.0	2.6	0.5	3.1
60-64	0.0	2.3	0.3	2.6	0.0	2.4	0.1	2.6	0.0	2.1	0.5	2.7
65-69	0.0	1.4	0.3	1.7	0.0	1.6	0.1	1.8	0.0	1.1	0.5	1.7
70-74	0.0	0.7	0.3	1.0	0.0	0.8	0.1	0.9	0.0	0.7	0.4	1.1
75-79	0.0	0.4	0.2	0.6	0.0	0.5	0.1	0.6	0.0	0.3	0.3	0.7
80-84	0.0	0.2	0.2	0.3	0.0	0.2	0.1	0.3	0.0	0.1	0.3	0.4
85+	0.0	0.0	0.1	0.2	0.0	0.0	0.0	0.1	0.0	0.1	0.2	0.3
All ages	51.9	45.5	2.6	100.0	55.5	43.3	1.2	100.0	47.9	47.9	4.2	100.0

W/D/S - Widowed/Divorced/Separated.

Table 2
Percent distribution of population by sex, marital status and age-group, 2018

Gujarat

Age group	Total				Males				Females			
	Never Married	Married	W/D/S	Total	Never Married	Married	W/D/S	Total	Never Married	Married	W/D/S	Total
Total												
<10 yrs	15.7	0.0	0.0	15.7	16.2	0.0	0.0	16.2	15.2	0.0	0.0	15.2
10-14	9.2	0.0	0.0	9.2	9.5	0.0	0.0	9.5	9.0	0.0	0.0	9.0
15-19	9.5	0.2	0.0	9.7	9.8	0.1	0.0	9.9	9.2	0.3	0.0	9.5
20-24	7.4	3.0	0.0	10.4	8.5	1.7	0.0	10.3	6.2	4.3	0.0	10.5
25-29	3.5	6.5	0.0	10.1	4.7	5.3	0.0	10.1	2.2	7.9	0.1	10.1
30-34	1.2	7.8	0.1	9.1	1.8	7.5	0.1	9.4	0.5	8.1	0.1	8.7
35-39	0.4	6.8	0.2	7.3	0.7	6.5	0.1	7.4	0.2	7.0	0.2	7.3
40-44	0.2	6.1	0.2	6.6	0.4	6.1	0.1	6.6	0.1	6.2	0.3	6.6
45-49	0.2	5.0	0.3	5.5	0.2	5.0	0.1	5.4	0.1	5.0	0.4	5.6
50-54	0.1	4.0	0.3	4.5	0.1	4.1	0.2	4.5	0.1	4.0	0.4	4.5
55-59	0.0	3.2	0.3	3.5	0.1	3.1	0.2	3.4	0.0	3.2	0.5	3.8
60-64	0.0	2.6	0.5	3.1	0.0	2.7	0.2	2.9	0.0	2.5	0.7	3.3
65-69	0.0	1.6	0.5	2.1	0.0	1.7	0.2	1.9	0.0	1.5	0.8	2.4
70-74	0.0	1.0	0.4	1.5	0.0	1.1	0.2	1.3	0.0	0.9	0.7	1.6
75-79	0.0	0.5	0.4	0.9	0.0	0.6	0.2	0.8	0.0	0.4	0.6	1.0
80-84	0.0	0.2	0.2	0.4	0.0	0.3	0.1	0.4	0.0	0.2	0.4	0.5
85+	0.0	0.1	0.2	0.3	0.0	0.1	0.1	0.2	0.0	0.1	0.3	0.4
All ages	47.6	48.7	3.7	100.0	52.1	46.1	1.8	100.0	42.8	51.5	5.7	100.0
Rural												
<10 Yrs	16.6	0.0	0.0	16.6	17.0	0.0	0.0	17.0	16.2	0.0	0.0	16.2
10-14	9.9	0.0	0.0	9.9	10.1	0.0	0.0	10.1	9.6	0.0	0.0	9.6
15-19	10.0	0.3	0.0	10.3	10.3	0.2	0.0	10.5	9.6	0.4	0.0	10.0
20-24	6.9	3.7	0.0	10.6	8.0	2.4	0.0	10.4	5.7	5.1	0.0	10.8
25-29	2.7	6.7	0.1	9.5	3.7	5.7	0.0	9.5	1.6	7.8	0.1	9.5
30-34	0.9	7.2	0.1	8.2	1.4	7.1	0.1	8.7	0.3	7.3	0.1	7.8
35-39	0.4	6.2	0.2	6.7	0.6	6.1	0.1	6.8	0.1	6.4	0.2	6.7
40-44	0.2	5.9	0.2	6.3	0.3	5.8	0.2	6.3	0.1	5.9	0.3	6.3
45-49	0.1	4.9	0.3	5.4	0.2	5.0	0.2	5.4	0.1	4.8	0.5	5.4
50-54	0.1	3.9	0.3	4.3	0.1	3.9	0.2	4.3	0.0	3.9	0.4	4.3
55-59	0.0	3.1	0.3	3.5	0.0	3.0	0.2	3.2	0.0	3.2	0.5	3.8
60-64	0.0	2.7	0.5	3.2	0.0	2.8	0.2	3.0	0.0	2.6	0.8	3.4
65-69	0.0	1.8	0.6	2.3	0.0	1.9	0.2	2.1	0.0	1.7	0.9	2.6
70-74	0.0	1.0	0.5	1.5	0.0	1.1	0.2	1.3	0.0	0.9	0.8	1.7
75-79	0.0	0.5	0.4	0.9	0.0	0.6	0.2	0.8	0.0	0.5	0.6	1.1
80-84	0.0	0.2	0.2	0.4	0.0	0.3	0.1	0.3	0.0	0.2	0.3	0.5
85+	0.0	0.1	0.2	0.3	0.0	0.1	0.1	0.2	0.0	0.1	0.3	0.4
All ages	47.8	48.3	3.9	100.0	52.1	46.0	2.0	100.0	43.3	50.8	5.9	100.0
Urban												
<10 Yrs	14.6	0.0	0.0	14.6	15.2	0.0	0.0	15.2	13.9	0.0	0.0	13.9
10-14	8.5	0.0	0.0	8.5	8.7	0.0	0.0	8.7	8.3	0.0	0.0	8.3
15-19	8.9	0.1	0.0	9.0	9.1	0.0	0.0	9.2	8.7	0.1	0.0	8.9
20-24	8.0	2.1	0.0	10.1	9.1	1.0	0.0	10.1	6.9	3.3	0.0	10.2
25-29	4.5	6.3	0.0	10.8	5.9	4.8	0.0	10.7	2.9	8.0	0.1	11.0
30-34	1.5	8.5	0.1	10.1	2.2	8.0	0.1	10.3	0.8	9.0	0.1	9.9
35-39	0.6	7.4	0.1	8.1	0.8	7.1	0.1	8.0	0.2	7.7	0.2	8.2
40-44	0.3	6.4	0.2	6.9	0.4	6.4	0.1	6.9	0.1	6.5	0.3	6.9
45-49	0.2	5.2	0.2	5.6	0.2	5.1	0.1	5.4	0.1	5.3	0.4	5.8
50-54	0.1	4.2	0.3	4.7	0.2	4.3	0.2	4.7	0.1	4.1	0.4	4.6
55-59	0.0	3.2	0.4	3.6	0.1	3.3	0.2	3.5	0.0	3.1	0.5	3.7
60-64	0.0	2.5	0.4	3.0	0.0	2.6	0.2	2.8	0.0	2.4	0.7	3.2
65-69	0.0	1.4	0.5	1.9	0.0	1.5	0.2	1.7	0.0	1.3	0.8	2.1
70-74	0.0	1.0	0.4	1.4	0.0	1.1	0.2	1.3	0.0	0.8	0.7	1.5
75-79	0.0	0.5	0.4	0.9	0.0	0.6	0.2	0.8	0.0	0.3	0.6	1.0
80-84	0.0	0.2	0.3	0.5	0.0	0.3	0.1	0.4	0.0	0.1	0.4	0.5
85+	0.0	0.1	0.2	0.3	0.0	0.1	0.0	0.2	0.0	0.1	0.4	0.4
All ages	47.4	49.1	3.5	100.0	52.1	46.2	1.6	100.0	42.1	52.3	5.6	100.0

W/D/S - Widowed/Divorced/Separated.

Table 2
Percent distribution of population by sex, marital status and age-group, 2018

Age group	Haryana											
	Total				Males				Females			
	Never Married	Married	W/D/S	Total	Never Married	Married	W/D/S	Total	Never Married	Married	W/D/S	Total
	Total											
<10 yrs	17.0	0.0	0.0	17.0	17.7	0.0	0.0	17.7	16.3	0.0	0.0	16.3
10-14	9.1	0.0	0.0	9.1	9.6	0.0	0.0	9.6	8.6	0.0	0.0	8.6
15-19	9.9	0.2	0.0	10.1	10.3	0.1	0.0	10.4	9.5	0.2	0.0	9.8
20-24	8.1	3.4	0.0	11.5	9.5	1.6	0.0	11.1	6.5	5.4	0.0	11.9
25-29	3.5	7.0	0.0	10.6	4.9	5.7	0.0	10.7	1.9	8.6	0.0	10.5
30-34	0.9	7.5	0.0	8.4	1.4	7.1	0.0	8.5	0.3	7.9	0.1	8.2
35-39	0.3	6.8	0.1	7.2	0.4	6.5	0.1	7.0	0.1	7.3	0.1	7.5
40-44	0.2	6.0	0.2	6.3	0.2	5.8	0.1	6.1	0.1	6.3	0.2	6.6
45-49	0.1	5.0	0.2	5.3	0.1	5.0	0.1	5.2	0.0	4.9	0.3	5.3
50-54	0.1	3.9	0.3	4.2	0.1	3.9	0.1	4.1	0.0	3.8	0.4	4.3
55-59	0.0	2.8	0.2	3.1	0.1	2.7	0.1	2.9	0.0	2.9	0.4	3.3
60-64	0.0	2.3	0.3	2.6	0.0	2.3	0.1	2.4	0.0	2.3	0.4	2.7
65-69	0.0	1.5	0.3	1.9	0.0	1.6	0.1	1.7	0.0	1.5	0.4	2.0
70-74	0.0	0.9	0.3	1.2	0.0	1.0	0.1	1.1	0.0	0.9	0.4	1.4
75-79	0.0	0.5	0.2	0.7	0.0	0.6	0.1	0.7	0.0	0.5	0.3	0.8
80-84	0.0	0.3	0.2	0.5	0.0	0.3	0.1	0.4	0.0	0.3	0.2	0.5
85+	0.0	0.1	0.1	0.3	0.0	0.1	0.1	0.2	0.0	0.1	0.2	0.3
All ages	49.4	48.3	2.3	100.0	54.5	44.2	1.3	100.0	43.6	52.8	3.6	100.0
	Rural											
<10 Yrs	17.6	0.0	0.0	17.6	18.2	0.0	0.0	18.2	16.9	0.0	0.0	16.9
10-14	9.4	0.0	0.0	9.4	9.8	0.0	0.0	9.8	8.9	0.0	0.0	8.9
15-19	10.2	0.2	0.0	10.4	10.6	0.1	0.0	10.7	9.8	0.3	0.0	10.1
20-24	8.0	3.7	0.0	11.7	9.4	1.9	0.0	11.3	6.4	5.8	0.0	12.2
25-29	3.2	7.1	0.0	10.3	4.6	5.9	0.0	10.5	1.6	8.4	0.0	10.1
30-34	0.8	7.4	0.1	8.2	1.3	7.0	0.0	8.4	0.2	7.7	0.1	8.0
35-39	0.3	6.7	0.1	7.1	0.4	6.4	0.0	6.9	0.1	7.1	0.1	7.4
40-44	0.2	5.9	0.2	6.2	0.3	5.8	0.1	6.1	0.1	6.1	0.2	6.4
45-49	0.1	4.7	0.2	5.0	0.2	4.7	0.1	5.0	0.0	4.8	0.3	5.1
50-54	0.1	3.6	0.2	3.9	0.1	3.6	0.1	3.8	0.0	3.5	0.4	3.9
55-59	0.0	2.5	0.2	2.8	0.1	2.3	0.1	2.4	0.0	2.8	0.3	3.1
60-64	0.0	2.2	0.3	2.5	0.0	2.1	0.1	2.3	0.0	2.2	0.4	2.6
65-69	0.0	1.6	0.3	1.9	0.0	1.6	0.1	1.8	0.0	1.6	0.4	2.1
70-74	0.0	1.0	0.3	1.3	0.0	1.1	0.1	1.2	0.0	1.0	0.4	1.4
75-79	0.0	0.6	0.2	0.8	0.0	0.6	0.1	0.8	0.0	0.5	0.3	0.9
80-84	0.0	0.3	0.2	0.5	0.0	0.4	0.1	0.5	0.0	0.3	0.2	0.5
85+	0.0	0.2	0.1	0.3	0.0	0.2	0.1	0.3	0.0	0.1	0.2	0.4
All ages	50.1	47.6	2.3	100.0	55.1	43.7	1.2	100.0	44.3	52.2	3.5	100.0
	Urban											
<10 Yrs	16.1	0.0	0.0	16.1	16.7	0.0	0.0	16.7	15.3	0.0	0.0	15.3
10-14	8.6	0.0	0.0	8.6	9.2	0.0	0.0	9.2	8.0	0.0	0.0	8.0
15-19	9.5	0.1	0.0	9.6	9.9	0.1	0.0	9.9	9.1	0.1	0.0	9.3
20-24	8.2	2.8	0.0	11.1	9.6	1.3	0.0	10.9	6.7	4.6	0.0	11.3
25-29	4.1	7.0	0.0	11.1	5.5	5.4	0.0	11.0	2.4	8.8	0.0	11.2
30-34	1.0	7.7	0.0	8.7	1.5	7.3	0.0	8.8	0.5	8.1	0.1	8.6
35-39	0.3	7.0	0.1	7.4	0.5	6.6	0.1	7.2	0.1	7.4	0.1	7.7
40-44	0.2	6.2	0.2	6.5	0.2	5.8	0.1	6.1	0.1	6.6	0.2	6.9
45-49	0.1	5.3	0.2	5.7	0.1	5.4	0.1	5.7	0.0	5.2	0.4	5.6
50-54	0.0	4.4	0.3	4.7	0.1	4.4	0.1	4.6	0.0	4.5	0.4	4.9
55-59	0.1	3.3	0.3	3.6	0.1	3.3	0.2	3.6	0.0	3.2	0.5	3.7
60-64	0.0	2.4	0.3	2.7	0.0	2.5	0.2	2.6	0.0	2.3	0.5	2.8
65-69	0.0	1.4	0.3	1.8	0.0	1.5	0.1	1.6	0.0	1.4	0.5	1.9
70-74	0.0	0.8	0.3	1.1	0.0	0.8	0.1	1.0	0.0	0.8	0.4	1.3
75-79	0.0	0.4	0.2	0.6	0.0	0.5	0.1	0.6	0.0	0.4	0.3	0.7
80-84	0.0	0.3	0.2	0.4	0.0	0.3	0.1	0.4	0.0	0.2	0.2	0.5
85+	0.0	0.1	0.1	0.2	0.0	0.1	0.0	0.1	0.0	0.1	0.2	0.3
All ages	48.3	49.3	2.4	100.0	53.5	45.2	1.3	100.0	42.5	53.8	3.7	100.0

W/D/S - Widowed/Divorced/Separated.

Table 2**Percent distribution of population by sex, marital status and age-group, 2018**

Himachal Pradesh												
Age group	Total				Males				Females			
	Never Married	Married	W/D/S	Total	Never Married	Married	W/D/S	Total	Never Married	Married	W/D/S	Total
Total												
<10 yrs	13.7	0.0	0.0	13.7	14.4	0.0	0.0	14.4	13.0	0.0	0.0	13.0
10-14	8.2	0.0	0.0	8.2	8.6	0.0	0.0	8.6	7.8	0.0	0.0	7.8
15-19	8.1	0.2	0.0	8.2	8.7	0.0	0.0	8.8	7.4	0.3	0.0	7.7
20-24	7.4	2.3	0.0	9.7	8.3	0.6	0.0	8.8	6.6	4.0	0.0	10.6
25-29	4.4	5.5	0.0	10.0	6.3	3.2	0.0	9.5	2.6	7.8	0.0	10.4
30-34	1.5	7.0	0.1	8.6	2.4	6.0	0.0	8.5	0.6	7.9	0.1	8.6
35-39	0.4	7.1	0.1	7.7	0.7	6.8	0.0	7.6	0.2	7.5	0.2	7.8
40-44	0.2	6.5	0.1	6.8	0.3	6.4	0.1	6.7	0.1	6.6	0.2	6.9
45-49	0.1	5.4	0.2	5.8	0.2	5.7	0.1	5.9	0.1	5.2	0.4	5.6
50-54	0.1	5.1	0.4	5.6	0.1	5.4	0.1	5.6	0.1	4.8	0.6	5.5
55-59	0.1	4.3	0.4	4.8	0.1	4.6	0.1	4.9	0.1	4.0	0.7	4.7
60-64	0.1	3.1	0.5	3.7	0.1	3.6	0.2	3.8	0.1	2.7	0.9	3.6
65-69	0.0	2.0	0.6	2.7	0.0	2.4	0.2	2.6	0.0	1.7	1.0	2.7
70-74	0.0	1.3	0.5	1.9	0.0	1.7	0.2	1.9	0.0	1.0	0.9	1.9
75-79	0.0	0.7	0.5	1.2	0.0	0.9	0.2	1.1	0.0	0.5	0.8	1.3
80-84	0.0	0.4	0.4	0.9	0.0	0.5	0.2	0.8	0.0	0.3	0.6	1.0
85+	0.0	0.2	0.4	0.6	0.0	0.3	0.2	0.5	0.0	0.1	0.6	0.7
All ages	44.4	51.2	4.4	100.0	50.3	48.1	1.7	100.0	38.7	54.3	7.0	100.0
Rural												
<10 Yrs	13.9	0.0	0.0	13.9	14.7	0.0	0.0	14.7	13.1	0.0	0.0	13.1
10-14	8.2	0.0	0.0	8.2	8.6	0.0	0.0	8.6	7.8	0.0	0.0	7.8
15-19	8.0	0.2	0.0	8.2	8.8	0.0	0.0	8.8	7.3	0.3	0.0	7.6
20-24	7.4	2.4	0.0	9.8	8.2	0.6	0.0	8.8	6.5	4.2	0.0	10.7
25-29	4.3	5.7	0.0	10.0	6.2	3.4	0.0	9.6	2.4	8.0	0.0	10.5
30-34	1.4	7.0	0.1	8.5	2.3	6.1	0.0	8.5	0.5	7.9	0.1	8.5
35-39	0.4	7.1	0.1	7.6	0.7	6.8	0.0	7.5	0.2	7.4	0.2	7.7
40-44	0.2	6.3	0.1	6.7	0.3	6.2	0.1	6.6	0.1	6.4	0.2	6.7
45-49	0.1	5.3	0.2	5.7	0.2	5.5	0.1	5.8	0.1	5.1	0.4	5.6
50-54	0.1	5.0	0.4	5.5	0.1	5.3	0.1	5.5	0.1	4.8	0.6	5.5
55-59	0.1	4.3	0.4	4.8	0.1	4.6	0.1	4.8	0.1	4.0	0.7	4.8
60-64	0.1	3.2	0.6	3.8	0.0	3.7	0.2	3.9	0.1	2.7	0.9	3.7
65-69	0.0	2.0	0.6	2.7	0.0	2.4	0.2	2.6	0.0	1.7	1.0	2.7
70-74	0.0	1.3	0.6	1.9	0.0	1.7	0.2	1.9	0.0	1.0	0.9	2.0
75-79	0.0	0.7	0.5	1.2	0.0	0.9	0.2	1.1	0.0	0.5	0.8	1.3
80-84	0.0	0.4	0.5	0.9	0.0	0.5	0.2	0.8	0.0	0.3	0.7	1.0
85+	0.0	0.2	0.4	0.7	0.0	0.3	0.2	0.6	0.0	0.1	0.6	0.8
All ages	44.2	51.3	4.5	100.0	50.3	48.0	1.7	100.0	38.3	54.5	7.2	100.0
Urban												
<10 Yrs	12.2	0.0	0.0	12.2	12.1	0.0	0.0	12.1	12.4	0.0	0.0	12.4
10-14	8.0	0.0	0.0	8.0	8.2	0.0	0.0	8.2	7.8	0.0	0.0	7.8
15-19	8.5	0.1	0.0	8.5	8.3	0.0	0.0	8.3	8.7	0.1	0.0	8.8
20-24	8.2	1.1	0.0	9.3	8.8	0.3	0.0	9.2	7.5	1.8	0.0	9.4
25-29	5.6	3.7	0.0	9.3	6.8	2.0	0.0	8.9	4.3	5.4	0.0	9.7
30-34	2.5	6.7	0.1	9.3	3.5	5.4	0.0	8.9	1.4	8.2	0.1	9.7
35-39	0.8	7.5	0.1	8.5	1.2	6.8	0.0	8.0	0.5	8.3	0.1	8.9
40-44	0.4	7.8	0.1	8.3	0.5	7.7	0.1	8.3	0.3	8.0	0.2	8.4
45-49	0.2	6.5	0.2	6.8	0.3	7.1	0.1	7.5	0.1	5.8	0.3	6.2
50-54	0.1	5.7	0.3	6.1	0.2	6.4	0.1	6.7	0.1	5.0	0.5	5.6
55-59	0.1	4.3	0.3	4.7	0.1	4.9	0.1	5.1	0.1	3.7	0.6	4.3
60-64	0.1	2.7	0.3	3.1	0.1	3.0	0.1	3.2	0.0	2.4	0.5	2.9
65-69	0.0	1.9	0.4	2.4	0.0	2.2	0.2	2.4	0.1	1.6	0.7	2.3
70-74	0.0	1.1	0.3	1.4	0.0	1.3	0.2	1.5	0.0	0.9	0.4	1.4
75-79	0.0	0.7	0.3	1.0	0.0	0.9	0.2	1.0	0.0	0.5	0.4	1.0
80-84	0.0	0.3	0.3	0.6	0.0	0.3	0.1	0.5	0.0	0.3	0.4	0.7
85+	0.0	0.2	0.2	0.4	0.0	0.2	0.1	0.3	0.0	0.1	0.3	0.5
All ages	46.9	50.3	2.9	100.0	50.1	48.7	1.2	100.0	43.4	52.0	4.7	100.0

W/D/S - Widowed/Divorced/Separated.

Table 2
Percent distribution of population by sex, marital status and age-group, 2018

Age group	Total				Males				Females			
	Never Married	Married	W/D/S	Total	Never Married	Married	W/D/S	Total	Never Married	Married	W/D/S	Total
	Total											
<10 yrs	13.5	0.0	0.0	13.5	13.9	0.0	0.0	13.9	13.0	0.0	0.0	13.0
10-14	7.8	0.0	0.0	7.8	7.9	0.0	0.0	7.9	7.6	0.0	0.0	7.6
15-19	9.5	0.1	0.0	9.6	9.7	0.0	0.0	9.8	9.3	0.1	0.0	9.4
20-24	10.2	1.1	0.0	11.3	10.5	0.6	0.0	11.1	9.9	1.6	0.0	11.6
25-29	8.3	3.6	0.0	11.9	8.9	2.4	0.0	11.3	7.6	5.0	0.0	12.5
30-34	3.6	5.6	0.0	9.2	4.3	4.8	0.0	9.1	2.8	6.4	0.0	9.3
35-39	1.5	6.2	0.1	7.7	1.7	5.8	0.0	7.6	1.2	6.7	0.1	7.9
40-44	0.5	5.8	0.1	6.4	0.6	5.8	0.1	6.5	0.4	5.9	0.1	6.4
45-49	0.2	5.0	0.1	5.3	0.3	4.9	0.1	5.2	0.1	5.1	0.2	5.5
50-54	0.1	4.3	0.1	4.6	0.2	4.4	0.1	4.7	0.1	4.2	0.2	4.5
55-59	0.1	3.3	0.2	3.6	0.1	3.6	0.1	3.8	0.0	3.1	0.3	3.4
60-64	0.1	2.8	0.2	3.1	0.1	2.8	0.1	3.0	0.0	2.8	0.4	3.2
65-69	0.0	2.0	0.3	2.3	0.1	2.2	0.1	2.4	0.0	1.8	0.4	2.2
70-74	0.0	1.2	0.2	1.5	0.0	1.3	0.1	1.5	0.0	1.1	0.3	1.5
75-79	0.0	0.8	0.3	1.1	0.0	0.9	0.1	1.1	0.0	0.6	0.4	1.1
80-84	0.0	0.4	0.2	0.6	0.0	0.5	0.1	0.6	0.0	0.3	0.2	0.5
85+	0.0	0.3	0.2	0.5	0.1	0.3	0.1	0.5	0.0	0.2	0.3	0.5
All ages	55.4	42.5	2.0	100.0	58.6	40.3	1.2	100.0	52.1	44.9	3.0	100.0
	Rural											
<10 Yrs	14.4	0.0	0.0	14.4	14.8	0.0	0.0	14.8	13.9	0.0	0.0	13.9
10-14	8.3	0.0	0.0	8.3	8.5	0.0	0.0	8.5	8.2	0.0	0.0	8.2
15-19	10.1	0.1	0.0	10.2	10.2	0.0	0.0	10.3	10.0	0.1	0.0	10.1
20-24	10.4	1.2	0.0	11.7	10.7	0.6	0.0	11.3	10.1	1.8	0.0	12.0
25-29	7.9	4.0	0.0	11.8	8.6	2.7	0.0	11.4	7.0	5.3	0.0	12.4
30-34	3.2	5.6	0.0	8.9	3.9	4.9	0.0	8.9	2.5	6.4	0.0	9.0
35-39	1.3	6.1	0.1	7.4	1.5	5.7	0.0	7.3	1.1	6.4	0.1	7.6
40-44	0.5	5.6	0.1	6.1	0.6	5.6	0.1	6.2	0.3	5.6	0.1	6.0
45-49	0.2	4.6	0.1	4.9	0.2	4.6	0.1	4.9	0.2	4.7	0.2	5.0
50-54	0.1	3.9	0.1	4.2	0.1	4.1	0.1	4.3	0.1	3.8	0.2	4.0
55-59	0.1	3.1	0.2	3.3	0.1	3.3	0.1	3.5	0.0	2.9	0.2	3.2
60-64	0.1	2.7	0.2	3.0	0.1	2.7	0.1	2.9	0.0	2.7	0.4	3.1
65-69	0.0	1.9	0.3	2.2	0.1	2.1	0.2	2.3	0.0	1.7	0.4	2.1
70-74	0.0	1.1	0.2	1.4	0.0	1.3	0.2	1.4	0.0	1.0	0.3	1.3
75-79	0.0	0.8	0.3	1.0	0.0	0.9	0.2	1.0	0.0	0.7	0.4	1.1
80-84	0.0	0.3	0.1	0.5	0.0	0.4	0.1	0.5	0.0	0.3	0.2	0.5
85+	0.0	0.3	0.2	0.5	0.0	0.4	0.1	0.5	0.0	0.2	0.3	0.5
All ages	56.7	41.3	1.9	100.0	59.6	39.2	1.2	100.0	53.7	43.6	2.7	100.0
	Urban											
<10 Yrs	11.4	0.0	0.0	11.4	11.8	0.0	0.0	11.8	10.9	0.0	0.0	10.9
10-14	6.5	0.0	0.0	6.5	6.7	0.0	0.0	6.7	6.2	0.0	0.0	6.2
15-19	8.1	0.1	0.0	8.2	8.5	0.1	0.0	8.6	7.8	0.1	0.0	7.9
20-24	9.7	0.8	0.0	10.5	10.0	0.4	0.0	10.4	9.4	1.2	0.0	10.6
25-29	9.1	2.9	0.0	12.1	9.6	1.7	0.0	11.3	8.7	4.1	0.0	12.9
30-34	4.4	5.5	0.0	10.0	5.3	4.5	0.0	9.8	3.6	6.5	0.1	10.2
35-39	1.8	6.6	0.0	8.5	2.2	6.0	0.0	8.3	1.3	7.3	0.1	8.7
40-44	0.6	6.4	0.1	7.1	0.8	6.2	0.1	7.0	0.4	6.6	0.2	7.2
45-49	0.3	5.8	0.1	6.2	0.4	5.5	0.1	6.0	0.1	6.1	0.2	6.4
50-54	0.2	5.1	0.2	5.4	0.2	5.1	0.1	5.4	0.1	5.1	0.2	5.4
55-59	0.1	3.8	0.2	4.2	0.2	4.2	0.1	4.5	0.0	3.4	0.4	3.8
60-64	0.1	3.0	0.3	3.4	0.1	3.1	0.1	3.3	0.0	3.0	0.4	3.4
65-69	0.0	2.2	0.3	2.5	0.0	2.5	0.1	2.7	0.0	1.9	0.4	2.4
70-74	0.1	1.4	0.3	1.7	0.1	1.5	0.1	1.7	0.0	1.3	0.4	1.8
75-79	0.0	0.8	0.3	1.1	0.0	1.0	0.1	1.2	0.0	0.6	0.5	1.1
80-84	0.0	0.5	0.2	0.7	0.0	0.6	0.1	0.7	0.0	0.4	0.2	0.7
85+	0.1	0.3	0.2	0.5	0.1	0.2	0.1	0.4	0.0	0.3	0.2	0.5
All ages	52.5	45.2	2.2	100.0	56.2	42.7	1.1	100.0	48.7	47.9	3.5	100.0

W/D/S - Widowed/Divorced/Separated.

Table 2

Percent distribution of population by sex, marital status and age-group, 2018

Jharkhand												
Age group	Total				Males				Females			
	Never Married	Married	W/D/S	Total	Never Married	Married	W/D/S	Total	Never Married	Married	W/D/S	Total
	Total											
<10 yrs	18.8	0.0	0.0	18.8	19.3	0.0	0.0	19.3	18.3	0.0	0.0	18.3
10-14	10.8	0.0	0.0	10.8	11.0	0.0	0.0	11.0	10.6	0.0	0.0	10.6
15-19	11.2	0.2	0.0	11.3	11.5	0.1	0.0	11.6	10.8	0.3	0.0	11.1
20-24	8.0	2.9	0.0	10.9	9.5	1.2	0.0	10.7	6.4	4.7	0.0	11.1
25-29	4.0	5.9	0.0	9.9	5.5	4.2	0.0	9.7	2.3	7.7	0.0	10.0
30-34	1.3	6.7	0.1	8.1	1.9	6.0	0.0	8.0	0.7	7.4	0.1	8.2
35-39	0.4	6.4	0.1	7.0	0.6	6.3	0.0	6.9	0.3	6.6	0.2	7.1
40-44	0.2	5.3	0.1	5.6	0.2	5.3	0.1	5.6	0.1	5.4	0.2	5.7
45-49	0.1	4.6	0.2	4.8	0.1	4.6	0.1	4.8	0.1	4.5	0.3	4.8
50-54	0.1	3.2	0.2	3.5	0.1	3.4	0.1	3.6	0.1	2.9	0.4	3.3
55-59	0.0	2.5	0.2	2.8	0.0	2.4	0.1	2.6	0.0	2.7	0.4	3.1
60-64	0.0	2.2	0.3	2.5	0.0	2.3	0.1	2.4	0.0	2.1	0.4	2.5
65-69	0.0	1.5	0.4	1.9	0.0	1.6	0.1	1.8	0.0	1.3	0.6	1.9
70-74	0.0	0.8	0.3	1.1	0.0	0.9	0.1	1.0	0.0	0.8	0.5	1.3
75-79	0.0	0.3	0.2	0.5	0.0	0.4	0.1	0.5	0.0	0.2	0.3	0.5
80-84	0.0	0.2	0.1	0.3	0.0	0.2	0.1	0.3	0.0	0.1	0.2	0.3
85+	0.0	0.0	0.1	0.1	0.1	0.1	0.0	0.1	0.0	0.0	0.1	0.2
All ages	55.0	42.7	2.3	100.0	59.9	39.0	1.0	100.0	49.7	46.6	3.7	100.0
	Rural											
<10 Yrs	19.9	0.0	0.0	19.9	20.5	0.0	0.0	20.5	19.3	0.0	0.0	19.3
10-14	11.3	0.0	0.0	11.3	11.6	0.0	0.0	11.6	10.9	0.0	0.0	10.9
15-19	11.6	0.2	0.0	11.8	12.0	0.1	0.0	12.1	11.2	0.4	0.0	11.5
20-24	7.8	3.1	0.0	10.9	9.4	1.3	0.0	10.7	6.1	5.0	0.0	11.1
25-29	3.3	6.3	0.0	9.5	4.7	4.7	0.0	9.4	1.7	7.9	0.0	9.6
30-34	0.9	6.7	0.1	7.7	1.3	6.2	0.0	7.5	0.5	7.3	0.1	7.9
35-39	0.3	6.3	0.1	6.7	0.4	6.2	0.0	6.7	0.2	6.3	0.3	6.8
40-44	0.1	5.1	0.1	5.4	0.2	5.0	0.1	5.3	0.1	5.2	0.2	5.5
45-49	0.1	4.4	0.2	4.6	0.1	4.5	0.1	4.6	0.1	4.4	0.2	4.7
50-54	0.1	3.0	0.2	3.2	0.1	3.2	0.1	3.4	0.1	2.7	0.3	3.1
55-59	0.0	2.5	0.2	2.7	0.0	2.2	0.1	2.3	0.0	2.7	0.3	3.1
60-64	0.0	2.1	0.3	2.4	0.0	2.2	0.2	2.3	0.0	2.0	0.4	2.4
65-69	0.0	1.4	0.3	1.8	0.0	1.6	0.1	1.7	0.0	1.2	0.6	1.8
70-74	0.0	0.8	0.3	1.2	0.0	0.9	0.1	1.0	0.0	0.8	0.5	1.3
75-79	0.0	0.3	0.2	0.4	0.0	0.3	0.1	0.4	0.0	0.2	0.3	0.5
80-84	0.0	0.2	0.1	0.3	0.0	0.2	0.1	0.3	0.0	0.1	0.2	0.3
85+	0.1	0.0	0.1	0.1	0.1	0.0	0.0	0.1	0.0	0.0	0.1	0.1
All ages	55.5	42.3	2.2	100.0	60.4	38.6	1.0	100.0	50.2	46.2	3.6	100.0
	Urban											
<10 Yrs	15.5	0.0	0.0	15.5	15.8	0.0	0.0	15.8	15.1	0.0	0.0	15.1
10-14	9.5	0.0	0.0	9.5	9.3	0.0	0.0	9.3	9.7	0.0	0.0	9.7
15-19	9.8	0.1	0.0	10.0	10.0	0.0	0.0	10.1	9.7	0.2	0.0	9.9
20-24	8.7	2.1	0.0	10.7	9.8	0.8	0.0	10.7	7.3	3.5	0.0	10.8
25-29	6.1	4.8	0.0	10.9	7.8	2.8	0.0	10.6	4.1	7.0	0.0	11.2
30-34	2.6	6.6	0.1	9.3	3.8	5.6	0.0	9.4	1.2	7.7	0.1	9.1
35-39	0.8	6.9	0.1	7.8	1.1	6.5	0.1	7.7	0.4	7.3	0.2	7.9
40-44	0.3	6.0	0.1	6.5	0.4	6.1	0.1	6.6	0.2	6.0	0.2	6.4
45-49	0.2	5.0	0.2	5.4	0.2	5.2	0.1	5.5	0.1	4.8	0.4	5.3
50-54	0.1	3.8	0.3	4.2	0.1	4.0	0.1	4.2	0.1	3.5	0.4	4.1
55-59	0.1	2.8	0.3	3.2	0.1	3.1	0.2	3.3	0.0	2.5	0.5	3.0
60-64	0.0	2.5	0.3	2.8	0.0	2.5	0.1	2.7	0.1	2.4	0.5	2.9
65-69	0.0	1.7	0.4	2.1	0.0	1.8	0.2	2.1	0.0	1.5	0.7	2.2
70-74	0.0	0.8	0.2	1.1	0.0	0.9	0.1	1.0	0.0	0.7	0.4	1.1
75-79	0.0	0.5	0.2	0.7	0.0	0.5	0.1	0.6	0.0	0.4	0.4	0.7
80-84	0.0	0.2	0.1	0.3	0.0	0.2	0.0	0.3	0.0	0.2	0.2	0.4
85+	0.0	0.1	0.1	0.2	0.0	0.1	0.0	0.1	0.0	0.1	0.1	0.2
All ages	53.6	43.8	2.6	100.0	58.5	40.2	1.2	100.0	48.1	47.8	4.1	100.0

W/D/S - Widowed/Divorced/Separated.

Table 2

Percent distribution of population by sex, marital status and age-group, 2018

Karnataka												
Age group	Total				Males				Females			
	Never Married	Married	W/D/S	Total	Never Married	Married	W/D/S	Total	Never Married	Married	W/D/S	Total
	Total											
<10 yrs	15.1	0.0	0.0	15.1	15.4	0.0	0.0	15.4	14.8	0.0	0.0	14.8
10-14	8.1	0.0	0.0	8.1	8.3	0.0	0.0	8.3	7.9	0.0	0.0	7.9
15-19	8.9	0.2	0.0	9.1	9.3	0.0	0.0	9.3	8.5	0.4	0.0	8.9
20-24	7.9	3.1	0.0	11.0	9.9	0.7	0.0	10.6	5.7	5.6	0.0	11.4
25-29	4.8	6.1	0.1	11.0	7.2	3.5	0.0	10.8	2.2	8.8	0.1	11.2
30-34	1.6	7.4	0.2	9.2	2.6	6.6	0.1	9.3	0.6	8.2	0.3	9.1
35-39	0.5	6.9	0.3	7.6	0.7	6.9	0.1	7.7	0.2	6.9	0.5	7.6
40-44	0.2	6.3	0.4	6.8	0.3	6.5	0.1	6.8	0.1	6.0	0.6	6.8
45-49	0.1	5.2	0.4	5.7	0.1	5.4	0.1	5.7	0.1	4.9	0.7	5.8
50-54	0.1	4.1	0.5	4.7	0.1	4.6	0.2	4.9	0.1	3.5	0.9	4.5
55-59	0.0	3.1	0.5	3.7	0.1	3.5	0.2	3.7	0.0	2.7	0.9	3.7
60-64	0.0	2.4	0.6	3.1	0.0	2.8	0.2	3.0	0.0	2.0	1.1	3.2
65-69	0.0	1.6	0.7	2.3	0.0	2.0	0.2	2.2	0.0	1.2	1.1	2.3
70-74	0.0	0.7	0.5	1.2	0.0	0.9	0.1	1.1	0.0	0.5	0.8	1.4
75-79	0.0	0.4	0.4	0.9	0.0	0.6	0.2	0.8	0.0	0.2	0.7	1.0
80-84	0.0	0.2	0.2	0.4	0.0	0.3	0.1	0.4	0.0	0.1	0.4	0.5
85+	0.0	0.1	0.1	0.2	0.0	0.1	0.1	0.2	0.0	0.0	0.2	0.2
All ages	47.4	47.7	4.9	100.0	54.1	44.4	1.5	100.0	40.4	51.1	8.5	100.0
	Rural											
<10 Yrs	15.3	0.0	0.0	15.3	15.7	0.0	0.0	15.7	14.9	0.0	0.0	14.9
10-14	8.1	0.0	0.0	8.1	8.2	0.0	0.0	8.2	7.9	0.0	0.0	7.9
15-19	9.2	0.2	0.0	9.4	9.6	0.0	0.0	9.6	8.7	0.4	0.0	9.2
20-24	7.8	3.5	0.0	11.3	10.5	0.8	0.0	11.3	5.1	6.3	0.0	11.4
25-29	4.7	6.1	0.1	10.8	7.3	3.5	0.0	10.8	1.9	8.8	0.2	10.8
30-34	1.5	7.0	0.2	8.7	2.6	6.1	0.1	8.7	0.5	7.8	0.4	8.7
35-39	0.4	6.5	0.3	7.3	0.6	6.5	0.1	7.2	0.2	6.6	0.5	7.3
40-44	0.2	6.1	0.4	6.6	0.2	6.2	0.1	6.5	0.1	5.9	0.7	6.7
45-49	0.1	5.1	0.5	5.7	0.1	5.3	0.1	5.5	0.1	4.9	0.8	5.8
50-54	0.1	4.0	0.5	4.6	0.1	4.6	0.2	4.8	0.1	3.3	0.9	4.3
55-59	0.0	3.2	0.5	3.7	0.0	3.5	0.2	3.7	0.0	2.8	0.9	3.7
60-64	0.0	2.4	0.7	3.2	0.0	2.7	0.2	3.0	0.0	2.1	1.2	3.4
65-69	0.0	1.6	0.7	2.4	0.0	2.0	0.2	2.2	0.0	1.2	1.3	2.5
70-74	0.0	0.8	0.6	1.4	0.0	1.0	0.2	1.2	0.0	0.6	1.0	1.6
75-79	0.0	0.5	0.5	1.0	0.0	0.7	0.2	0.9	0.0	0.3	0.9	1.1
80-84	0.0	0.2	0.3	0.5	0.0	0.3	0.1	0.4	0.0	0.1	0.4	0.5
85+	0.0	0.1	0.1	0.2	0.0	0.1	0.1	0.2	0.0	0.0	0.2	0.2
All ages	47.4	47.2	5.4	100.0	55.0	43.3	1.7	100.0	39.6	51.2	9.3	100.0
	Urban											
<10 Yrs	14.7	0.0	0.0	14.7	14.9	0.0	0.0	14.9	14.6	0.0	0.0	14.6
10-14	8.2	0.0	0.0	8.2	8.5	0.0	0.0	8.5	7.9	0.0	0.0	7.9
15-19	8.5	0.2	0.0	8.7	8.8	0.0	0.0	8.9	8.1	0.3	0.0	8.5
20-24	7.9	2.5	0.0	10.4	9.0	0.5	0.0	9.5	6.7	4.5	0.1	11.3
25-29	4.9	6.2	0.1	11.2	7.1	3.6	0.0	10.7	2.7	8.9	0.1	11.6
30-34	1.7	8.0	0.1	9.9	2.7	7.4	0.0	10.1	0.7	8.7	0.2	9.7
35-39	0.6	7.4	0.2	8.2	0.9	7.5	0.0	8.4	0.3	7.3	0.4	8.0
40-44	0.2	6.5	0.3	7.1	0.3	6.8	0.1	7.2	0.2	6.2	0.6	7.0
45-49	0.2	5.3	0.4	5.8	0.2	5.6	0.1	5.9	0.1	5.0	0.6	5.7
50-54	0.2	4.2	0.5	4.9	0.3	4.6	0.1	5.0	0.2	3.7	0.9	4.7
55-59	0.1	3.0	0.5	3.5	0.1	3.4	0.1	3.6	0.1	2.6	0.9	3.5
60-64	0.1	2.4	0.5	2.9	0.1	2.9	0.1	3.1	0.1	1.9	0.9	2.8
65-69	0.0	1.5	0.5	2.1	0.0	2.0	0.2	2.1	0.1	1.1	0.9	2.1
70-74	0.0	0.7	0.4	1.0	0.0	0.8	0.1	0.9	0.0	0.5	0.6	1.1
75-79	0.0	0.4	0.3	0.7	0.0	0.6	0.1	0.7	0.0	0.1	0.5	0.7
80-84	0.0	0.2	0.2	0.4	0.0	0.2	0.1	0.3	0.0	0.1	0.3	0.4
85+	0.0	0.1	0.2	0.2	0.0	0.1	0.0	0.1	0.0	0.0	0.3	0.3
All ages	47.3	48.5	4.2	100.0	52.8	46.0	1.2	100.0	41.7	51.0	7.3	100.0

W/D/S - Widowed/Divorced/Separated.

Table 2
Percent distribution of population by sex, marital status and age-group, 2018

Age group	Kerala											
	Total				Males				Females			
	Never Married	Married	W/D/S	Total	Never Married	Married	W/D/S	Total	Never Married	Married	W/D/S	Total
	Total											
<10 yrs	13.5	0.0	0.0	13.5	14.4	0.0	0.0	14.4	12.7	0.0	0.0	12.7
10-14	7.7	0.0	0.0	7.7	8.4	0.0	0.0	8.4	7.1	0.0	0.0	7.1
15-19	8.1	0.1	0.0	8.2	8.6	0.0	0.0	8.6	7.6	0.2	0.0	7.8
20-24	6.3	1.6	0.0	7.9	7.9	0.1	0.0	8.1	4.9	2.9	0.0	7.9
25-29	3.7	4.2	0.0	8.0	6.1	1.6	0.0	7.7	1.6	6.7	0.1	8.3
30-34	1.6	6.3	0.1	7.9	2.9	4.8	0.0	7.7	0.4	7.6	0.2	8.2
35-39	0.7	6.8	0.2	7.6	1.2	6.0	0.1	7.3	0.3	7.4	0.3	7.9
40-44	0.4	6.7	0.3	7.4	0.6	6.4	0.1	7.1	0.2	7.0	0.4	7.6
45-49	0.3	6.7	0.4	7.3	0.3	6.6	0.1	7.1	0.2	6.7	0.6	7.5
50-54	0.2	5.5	0.5	6.2	0.2	6.0	0.1	6.3	0.2	5.1	0.8	6.1
55-59	0.2	4.6	0.6	5.3	0.1	5.0	0.1	5.2	0.2	4.2	1.0	5.3
60-64	0.1	3.8	0.7	4.6	0.1	4.4	0.1	4.6	0.1	3.2	1.2	4.6
65-69	0.1	2.4	0.7	3.2	0.1	2.9	0.1	3.1	0.1	2.0	1.2	3.2
70-74	0.1	1.5	0.7	2.2	0.0	1.9	0.1	2.1	0.1	1.1	1.2	2.4
75-79	0.0	0.9	0.6	1.5	0.0	1.1	0.1	1.3	0.0	0.6	1.1	1.8
80-84	0.0	0.4	0.4	0.9	0.0	0.6	0.1	0.7	0.0	0.3	0.7	1.0
85+	0.0	0.2	0.3	0.6	0.0	0.3	0.1	0.4	0.0	0.1	0.6	0.7
All ages	43.0	51.5	5.4	100.0	51.0	47.7	1.2	100.0	35.7	55.0	9.3	100.0
	Rural											
<10 Yrs	13.9	0.0	0.0	13.9	14.7	0.0	0.0	14.7	13.2	0.0	0.0	13.2
10-14	7.7	0.0	0.0	7.7	8.5	0.0	0.0	8.5	7.0	0.0	0.0	7.0
15-19	8.0	0.1	0.0	8.1	8.6	0.0	0.0	8.6	7.5	0.2	0.0	7.7
20-24	6.3	1.6	0.0	7.9	7.9	0.1	0.0	8.0	4.8	3.0	0.0	7.8
25-29	3.7	4.3	0.0	8.0	6.0	1.5	0.0	7.5	1.6	6.9	0.1	8.5
30-34	1.6	6.2	0.1	7.8	2.9	4.6	0.0	7.5	0.4	7.6	0.2	8.1
35-39	0.7	6.6	0.2	7.5	1.2	6.0	0.1	7.2	0.2	7.3	0.2	7.8
40-44	0.4	6.6	0.3	7.2	0.5	6.3	0.1	6.9	0.2	6.9	0.4	7.5
45-49	0.2	6.6	0.4	7.2	0.3	6.7	0.1	7.1	0.2	6.5	0.6	7.4
50-54	0.2	5.5	0.4	6.1	0.2	5.9	0.1	6.2	0.2	5.0	0.7	5.9
55-59	0.1	4.6	0.5	5.2	0.1	5.0	0.1	5.2	0.1	4.2	1.0	5.2
60-64	0.1	3.8	0.7	4.6	0.1	4.4	0.1	4.6	0.1	3.3	1.2	4.7
65-69	0.1	2.5	0.7	3.2	0.1	3.1	0.1	3.3	0.1	2.0	1.2	3.2
70-74	0.1	1.4	0.7	2.2	0.0	1.8	0.1	2.0	0.1	1.1	1.2	2.4
75-79	0.0	0.9	0.6	1.6	0.0	1.2	0.1	1.4	0.1	0.7	1.1	1.8
80-84	0.0	0.5	0.5	0.9	0.0	0.6	0.1	0.8	0.0	0.3	0.8	1.1
85+	0.0	0.2	0.4	0.6	0.0	0.3	0.1	0.5	0.0	0.2	0.6	0.8
All ages	43.1	51.5	5.4	100.0	51.0	47.7	1.3	100.0	35.8	55.0	9.3	100.0
	Urban											
<10 Yrs	13.1	0.0	0.0	13.1	14.1	0.0	0.0	14.1	12.2	0.0	0.0	12.2
10-14	7.7	0.0	0.0	7.7	8.3	0.0	0.0	8.3	7.2	0.0	0.0	7.2
15-19	8.2	0.1	0.0	8.3	8.7	0.0	0.0	8.7	7.7	0.2	0.0	7.9
20-24	6.4	1.6	0.0	8.0	7.9	0.1	0.0	8.1	5.0	2.9	0.0	8.0
25-29	3.8	4.1	0.0	8.0	6.2	1.6	0.0	7.8	1.6	6.5	0.0	8.1
30-34	1.6	6.4	0.1	8.1	2.9	4.9	0.0	7.9	0.4	7.7	0.2	8.2
35-39	0.7	6.9	0.2	7.8	1.2	6.1	0.1	7.4	0.3	7.6	0.3	8.1
40-44	0.4	6.8	0.3	7.5	0.7	6.5	0.1	7.3	0.2	7.1	0.4	7.7
45-49	0.3	6.7	0.3	7.3	0.4	6.6	0.1	7.1	0.2	6.9	0.6	7.6
50-54	0.2	5.5	0.5	6.3	0.3	6.0	0.1	6.3	0.2	5.2	0.8	6.2
55-59	0.2	4.5	0.6	5.3	0.2	4.9	0.1	5.2	0.2	4.2	1.0	5.4
60-64	0.1	3.8	0.7	4.6	0.1	4.5	0.1	4.7	0.1	3.2	1.2	4.4
65-69	0.1	2.3	0.7	3.1	0.1	2.7	0.1	2.9	0.1	1.9	1.2	3.3
70-74	0.1	1.5	0.7	2.3	0.0	2.0	0.1	2.2	0.1	1.0	1.2	2.3
75-79	0.0	0.8	0.6	1.5	0.0	1.0	0.1	1.2	0.0	0.6	1.1	1.7
80-84	0.0	0.4	0.4	0.8	0.0	0.5	0.1	0.6	0.0	0.2	0.7	0.9
85+	0.0	0.1	0.3	0.5	0.0	0.2	0.1	0.3	0.0	0.1	0.5	0.6
All ages	43.0	51.6	5.4	100.0	51.1	47.7	1.2	100.0	35.6	55.1	9.3	100.0

W/D/S - Widowed/Divorced/Separated.

Table 2
Percent distribution of population by sex, marital status and age-group, 2018

Age group	Madhya Pradesh											
	Total				Males				Females			
	Never Married	Married	W/D/S	Total	Never Married	Married	W/D/S	Total	Never Married	Married	W/D/S	Total
Total												
<10 yrs	18.9	0.0	0.0	18.9	19.0	0.0	0.0	19.0	18.9	0.0	0.0	18.9
10-14	10.7	0.0	0.0	10.7	10.8	0.0	0.0	10.8	10.5	0.0	0.0	10.5
15-19	10.3	0.4	0.0	10.7	10.9	0.2	0.0	11.1	9.6	0.6	0.0	10.2
20-24	7.0	4.0	0.0	11.1	8.5	2.4	0.0	10.9	5.4	5.7	0.0	11.2
25-29	2.7	6.7	0.1	9.5	3.9	5.4	0.1	9.4	1.4	8.1	0.1	9.6
30-34	0.7	7.1	0.1	8.0	1.1	6.8	0.1	8.1	0.3	7.5	0.2	7.9
35-39	0.2	6.1	0.2	6.5	0.4	6.0	0.1	6.5	0.1	6.3	0.2	6.6
40-44	0.1	5.5	0.2	5.8	0.2	5.5	0.2	5.9	0.0	5.4	0.3	5.7
45-49	0.1	4.3	0.3	4.7	0.1	4.4	0.2	4.7	0.0	4.2	0.4	4.7
50-54	0.1	3.5	0.3	3.9	0.1	3.5	0.2	3.9	0.0	3.4	0.5	3.9
55-59	0.0	2.7	0.3	3.1	0.0	2.7	0.2	3.0	0.0	2.7	0.5	3.2
60-64	0.0	2.2	0.4	2.7	0.0	2.3	0.2	2.5	0.0	2.2	0.6	2.8
65-69	0.0	1.3	0.5	1.8	0.0	1.4	0.2	1.7	0.0	1.2	0.7	1.9
70-74	0.0	0.9	0.4	1.3	0.0	1.0	0.2	1.2	0.0	0.7	0.6	1.4
75-79	0.0	0.4	0.4	0.8	0.0	0.6	0.2	0.9	0.0	0.3	0.5	0.7
80-84	0.0	0.2	0.2	0.4	0.0	0.2	0.1	0.4	0.0	0.1	0.3	0.4
85+	0.0	0.1	0.1	0.2	0.0	0.1	0.1	0.2	0.0	0.0	0.2	0.3
All ages	51.0	45.4	3.6	100.0	55.3	42.6	2.1	100.0	46.4	48.5	5.2	100.0
Rural												
<10 Yrs	19.8	0.0	0.0	19.8	19.7	0.0	0.0	19.7	19.8	0.0	0.0	19.8
10-14	11.1	0.0	0.0	11.1	11.2	0.0	0.0	11.2	11.1	0.0	0.0	11.1
15-19	10.4	0.5	0.0	10.9	11.0	0.2	0.0	11.3	9.8	0.7	0.0	10.5
20-24	6.6	4.5	0.0	11.2	8.2	2.8	0.0	11.1	4.9	6.3	0.0	11.2
25-29	2.2	7.0	0.1	9.2	3.3	5.9	0.1	9.3	0.9	8.2	0.1	9.2
30-34	0.5	7.1	0.1	7.7	0.8	6.9	0.1	7.8	0.1	7.3	0.2	7.6
35-39	0.2	5.9	0.2	6.3	0.3	5.8	0.1	6.2	0.0	6.1	0.2	6.3
40-44	0.1	5.3	0.2	5.6	0.2	5.4	0.2	5.8	0.0	5.2	0.3	5.5
45-49	0.1	4.1	0.3	4.5	0.1	4.2	0.2	4.5	0.0	4.0	0.4	4.4
50-54	0.1	3.3	0.3	3.7	0.1	3.4	0.2	3.7	0.0	3.3	0.5	3.7
55-59	0.0	2.6	0.3	2.9	0.0	2.5	0.2	2.7	0.0	2.7	0.4	3.1
60-64	0.0	2.2	0.4	2.6	0.0	2.2	0.2	2.5	0.0	2.2	0.6	2.8
65-69	0.0	1.3	0.5	1.7	0.0	1.4	0.2	1.6	0.0	1.1	0.7	1.9
70-74	0.0	0.9	0.4	1.3	0.0	0.9	0.2	1.2	0.0	0.8	0.6	1.4
75-79	0.0	0.5	0.4	0.8	0.0	0.6	0.3	0.9	0.0	0.2	0.5	0.8
80-84	0.0	0.2	0.2	0.4	0.0	0.2	0.1	0.3	0.0	0.2	0.3	0.4
85+	0.0	0.1	0.1	0.2	0.0	0.1	0.1	0.2	0.0	0.0	0.2	0.2
All ages	51.1	45.3	3.6	100.0	55.2	42.6	2.2	100.0	46.8	48.2	5.0	100.0
Urban												
<10 Yrs	16.6	0.0	0.0	16.6	17.0	0.0	0.0	17.0	16.2	0.0	0.0	16.2
10-14	9.3	0.0	0.0	9.3	9.6	0.0	0.0	9.6	8.9	0.0	0.0	8.9
15-19	9.9	0.2	0.0	10.1	10.5	0.0	0.0	10.5	9.3	0.3	0.0	9.6
20-24	8.1	2.7	0.0	10.8	9.3	1.3	0.0	10.6	6.8	4.2	0.0	11.1
25-29	4.2	6.0	0.1	10.3	5.6	4.3	0.0	9.9	2.7	7.9	0.1	10.7
30-34	1.4	7.2	0.1	8.8	2.1	6.6	0.1	8.8	0.7	7.9	0.2	8.8
35-39	0.5	6.7	0.2	7.3	0.7	6.4	0.1	7.2	0.2	6.9	0.3	7.4
40-44	0.2	5.9	0.3	6.4	0.4	5.9	0.1	6.4	0.1	6.0	0.4	6.5
45-49	0.1	4.9	0.3	5.3	0.2	4.8	0.2	5.2	0.1	4.9	0.5	5.4
50-54	0.1	3.8	0.4	4.3	0.1	3.9	0.2	4.2	0.1	3.7	0.5	4.3
55-59	0.1	3.1	0.4	3.5	0.1	3.3	0.2	3.6	0.0	2.8	0.6	3.5
60-64	0.0	2.3	0.4	2.8	0.1	2.4	0.2	2.6	0.0	2.1	0.7	2.9
65-69	0.0	1.4	0.4	1.9	0.0	1.6	0.2	1.9	0.0	1.2	0.7	1.9
70-74	0.0	0.9	0.4	1.3	0.0	1.0	0.2	1.2	0.0	0.7	0.6	1.3
75-79	0.0	0.4	0.3	0.7	0.0	0.5	0.1	0.7	0.0	0.3	0.4	0.7
80-84	0.0	0.2	0.2	0.4	0.0	0.3	0.1	0.4	0.0	0.1	0.3	0.5
85+	0.0	0.1	0.1	0.2	0.0	0.1	0.1	0.2	0.0	0.1	0.2	0.3
All ages	50.7	45.7	3.7	100.0	55.6	42.6	1.8	100.0	45.3	49.1	5.7	100.0

W/D/S - Widowed/Divorced/Separated.

Table 2

Percent distribution of population by sex, marital status and age-group, 2018

Maharashtra

Age group	Total				Males				Females			
	Never Married	Married	W/D/S	Total	Never Married	Married	W/D/S	Total	Never Married	Married	W/D/S	Total
Total												
<10 yrs	15.4	0.0	0.0	15.4	15.9	0.0	0.0	15.9	14.9	0.0	0.0	14.9
10-14	8.6	0.0	0.0	8.6	8.8	0.0	0.0	8.8	8.4	0.0	0.0	8.4
15-19	9.3	0.2	0.0	9.5	9.6	0.1	0.0	9.7	8.9	0.4	0.0	9.3
20-24	7.6	2.6	0.0	10.2	9.3	0.8	0.0	10.1	5.8	4.5	0.0	10.3
25-29	4.6	5.4	0.0	10.1	6.4	3.4	0.0	9.9	2.7	7.5	0.1	10.2
30-34	1.8	7.0	0.1	8.9	2.6	6.2	0.0	8.8	1.0	7.8	0.1	8.9
35-39	0.6	7.0	0.1	7.8	0.9	6.8	0.0	7.8	0.4	7.1	0.3	7.7
40-44	0.3	6.1	0.2	6.6	0.4	6.2	0.1	6.7	0.2	6.1	0.4	6.6
45-49	0.2	5.2	0.3	5.7	0.2	5.3	0.1	5.6	0.1	5.1	0.5	5.7
50-54	0.1	4.1	0.3	4.6	0.1	4.3	0.1	4.6	0.1	3.9	0.6	4.6
55-59	0.1	3.3	0.4	3.7	0.1	3.4	0.1	3.6	0.1	3.2	0.6	3.9
60-64	0.0	2.7	0.4	3.2	0.1	2.8	0.2	3.1	0.0	2.5	0.7	3.3
65-69	0.1	1.8	0.5	2.3	0.1	2.0	0.2	2.2	0.0	1.6	0.8	2.4
70-74	0.0	1.2	0.5	1.7	0.0	1.3	0.2	1.5	0.0	1.0	0.8	1.9
75-79	0.0	0.6	0.3	1.0	0.0	0.8	0.1	1.0	0.0	0.4	0.5	1.0
80-84	0.0	0.3	0.2	0.5	0.0	0.4	0.1	0.5	0.0	0.2	0.3	0.5
85+	0.0	0.1	0.2	0.3	0.0	0.2	0.1	0.3	0.0	0.1	0.2	0.4
All ages	48.9	47.6	3.5	100.0	54.6	44.0	1.4	100.0	42.7	51.5	5.9	100.0
Rural												
<10 Yrs	16.6	0.0	0.0	16.6	17.2	0.0	0.0	17.2	15.9	0.0	0.0	15.9
10-14	9.4	0.0	0.0	9.4	9.7	0.0	0.0	9.7	9.2	0.0	0.0	9.2
15-19	9.8	0.3	0.0	10.1	10.2	0.1	0.0	10.3	9.3	0.4	0.0	9.8
20-24	7.3	3.0	0.0	10.3	9.2	1.0	0.0	10.2	5.2	5.1	0.0	10.4
25-29	4.1	5.1	0.0	9.2	5.9	3.5	0.0	9.4	2.1	6.9	0.1	9.0
30-34	1.5	6.2	0.1	7.7	2.2	5.4	0.0	7.7	0.7	6.9	0.1	7.8
35-39	0.5	6.4	0.1	7.0	0.7	6.2	0.0	7.0	0.2	6.6	0.2	7.1
40-44	0.2	5.7	0.2	6.1	0.3	5.9	0.1	6.2	0.1	5.6	0.3	6.0
45-49	0.1	5.2	0.3	5.6	0.2	5.3	0.1	5.6	0.1	5.1	0.4	5.6
50-54	0.1	4.0	0.3	4.3	0.1	4.0	0.1	4.3	0.1	3.9	0.5	4.4
55-59	0.0	3.3	0.3	3.7	0.1	3.2	0.1	3.4	0.0	3.4	0.5	4.0
60-64	0.0	2.8	0.4	3.3	0.0	2.8	0.2	3.0	0.0	2.8	0.7	3.5
65-69	0.0	2.1	0.5	2.6	0.0	2.1	0.2	2.4	0.0	2.0	0.9	2.9
70-74	0.0	1.4	0.5	2.0	0.0	1.5	0.2	1.7	0.0	1.3	0.9	2.2
75-79	0.0	0.8	0.4	1.2	0.0	1.0	0.2	1.2	0.0	0.6	0.6	1.2
80-84	0.0	0.3	0.2	0.6	0.0	0.4	0.1	0.6	0.0	0.2	0.3	0.6
85+	0.0	0.2	0.2	0.4	0.0	0.2	0.1	0.3	0.0	0.1	0.3	0.4
All ages	49.8	46.8	3.5	100.0	55.9	42.8	1.3	100.0	43.2	51.1	5.8	100.0
Urban												
<10 Yrs	14.0	0.0	0.0	14.0	14.2	0.0	0.0	14.2	13.7	0.0	0.0	13.7
10-14	7.7	0.0	0.0	7.7	7.8	0.0	0.0	7.8	7.5	0.0	0.0	7.5
15-19	8.6	0.2	0.0	8.8	8.8	0.0	0.0	8.9	8.3	0.4	0.0	8.7
20-24	8.0	2.1	0.0	10.1	9.4	0.6	0.0	10.0	6.5	3.8	0.0	10.3
25-29	5.4	5.6	0.0	11.1	7.1	3.3	0.0	10.5	3.5	8.1	0.1	11.7
30-34	2.2	8.0	0.1	10.2	3.0	7.2	0.0	10.2	1.2	8.9	0.1	10.3
35-39	0.8	7.6	0.2	8.6	1.1	7.6	0.0	8.8	0.5	7.7	0.3	8.5
40-44	0.4	6.6	0.2	7.3	0.6	6.6	0.1	7.2	0.3	6.6	0.4	7.3
45-49	0.2	5.2	0.3	5.8	0.3	5.3	0.1	5.8	0.2	5.1	0.6	5.8
50-54	0.1	4.3	0.4	4.9	0.2	4.7	0.2	5.0	0.1	4.0	0.7	4.8
55-59	0.1	3.3	0.4	3.8	0.1	3.6	0.1	3.9	0.1	3.0	0.7	3.8
60-64	0.1	2.5	0.5	3.1	0.1	2.8	0.2	3.1	0.1	2.2	0.8	3.1
65-69	0.1	1.5	0.4	2.0	0.1	1.8	0.2	2.1	0.1	1.1	0.7	1.8
70-74	0.0	0.9	0.4	1.3	0.0	1.0	0.1	1.2	0.0	0.7	0.7	1.4
75-79	0.0	0.4	0.3	0.7	0.0	0.6	0.1	0.8	0.0	0.3	0.4	0.7
80-84	0.0	0.2	0.2	0.4	0.0	0.3	0.1	0.4	0.0	0.1	0.3	0.4
85+	0.0	0.1	0.1	0.2	0.0	0.1	0.0	0.1	0.0	0.1	0.2	0.3
All ages	47.8	48.6	3.6	100.0	53.1	45.6	1.4	100.0	42.1	51.9	6.0	100.0

W/D/S - Widowed/Divorced/Separated.

Table 2
Percent distribution of population by sex, marital status and age-group, 2018

Odisha												
Age group	Total				Males				Females			
	Never Married	Married	W/D/S	Total	Never Married	Married	W/D/S	Total	Never Married	Married	W/D/S	Total
Total												
<10 yrs	15.1	0.0	0.0	15.1	15.3	0.0	0.0	15.3	14.8	0.0	0.0	14.8
10-14	8.5	0.0	0.0	8.5	8.5	0.0	0.0	8.5	8.5	0.0	0.0	8.5
15-19	9.4	0.3	0.0	9.6	9.5	0.1	0.0	9.6	9.2	0.5	0.0	9.7
20-24	7.3	2.9	0.0	10.2	8.7	1.0	0.0	9.7	5.8	4.9	0.0	10.8
25-29	4.3	5.7	0.1	10.1	6.1	3.3	0.0	9.5	2.4	8.2	0.1	10.7
30-34	1.6	7.1	0.1	8.8	2.4	6.1	0.1	8.6	0.7	8.2	0.2	9.1
35-39	0.5	6.8	0.2	7.5	0.7	6.9	0.0	7.6	0.4	6.7	0.3	7.4
40-44	0.2	5.7	0.2	6.1	0.2	6.1	0.1	6.4	0.2	5.2	0.4	5.8
45-49	0.1	5.0	0.3	5.4	0.1	5.5	0.1	5.7	0.2	4.5	0.5	5.1
50-54	0.1	4.1	0.3	4.5	0.1	4.6	0.1	4.8	0.1	3.6	0.5	4.3
55-59	0.0	3.6	0.4	4.0	0.0	3.9	0.2	4.1	0.0	3.3	0.6	4.0
60-64	0.0	3.0	0.5	3.5	0.0	3.5	0.2	3.7	0.0	2.5	0.7	3.3
65-69	0.0	1.8	0.5	2.3	0.0	2.1	0.2	2.4	0.0	1.4	0.8	2.2
70-74	0.0	1.2	0.5	1.8	0.0	1.5	0.2	1.7	0.0	1.0	0.9	1.9
75-79	0.0	0.6	0.4	1.0	0.0	0.8	0.2	1.0	0.0	0.4	0.7	1.1
80-84	0.0	0.5	0.4	0.9	0.0	0.6	0.2	0.9	0.0	0.3	0.6	0.9
85+	0.0	0.2	0.3	0.5	0.0	0.3	0.2	0.5	0.0	0.1	0.4	0.5
All ages	47.2	48.6	4.2	100.0	51.7	46.5	1.8	100.0	42.5	50.8	6.8	100.0
Rural												
<10 Yrs	15.2	0.0	0.0	15.2	15.5	0.0	0.0	15.5	15.0	0.0	0.0	15.0
10-14	8.7	0.0	0.0	8.7	8.6	0.0	0.0	8.6	8.7	0.0	0.0	8.7
15-19	9.4	0.3	0.0	9.7	9.6	0.1	0.0	9.7	9.2	0.5	0.0	9.7
20-24	7.1	3.1	0.0	10.2	8.6	1.1	0.0	9.7	5.6	5.1	0.0	10.8
25-29	4.1	5.9	0.1	10.1	6.0	3.5	0.0	9.5	2.2	8.4	0.1	10.7
30-34	1.5	7.1	0.1	8.7	2.2	6.2	0.1	8.5	0.7	8.1	0.2	9.0
35-39	0.5	6.7	0.2	7.3	0.6	6.9	0.0	7.5	0.3	6.5	0.3	7.2
40-44	0.2	5.5	0.2	5.9	0.2	5.9	0.1	6.2	0.2	5.1	0.4	5.6
45-49	0.1	4.9	0.3	5.3	0.1	5.3	0.1	5.5	0.2	4.4	0.5	5.0
50-54	0.1	4.0	0.3	4.4	0.1	4.5	0.1	4.7	0.1	3.5	0.5	4.1
55-59	0.0	3.6	0.4	4.1	0.0	3.9	0.2	4.1	0.0	3.4	0.6	4.0
60-64	0.0	3.1	0.5	3.6	0.0	3.6	0.2	3.8	0.0	2.6	0.7	3.4
65-69	0.0	1.8	0.5	2.4	0.0	2.2	0.2	2.5	0.0	1.4	0.9	2.3
70-74	0.0	1.3	0.6	1.9	0.0	1.5	0.2	1.8	0.0	1.0	0.9	1.9
75-79	0.0	0.6	0.4	1.1	0.0	0.9	0.2	1.1	0.0	0.4	0.7	1.1
80-84	0.0	0.5	0.4	0.9	0.0	0.7	0.3	0.9	0.0	0.3	0.6	0.9
85+	0.0	0.2	0.3	0.5	0.0	0.3	0.2	0.5	0.0	0.1	0.4	0.5
All ages	47.0	48.7	4.3	100.0	51.4	46.7	1.9	100.0	42.3	50.9	6.8	100.0
Urban												
<10 Yrs	14.2	0.0	0.0	14.2	14.3	0.0	0.0	14.3	14.0	0.0	0.0	14.0
10-14	7.8	0.0	0.0	7.8	7.9	0.0	0.0	7.9	7.7	0.0	0.0	7.7
15-19	9.1	0.2	0.0	9.3	9.1	0.0	0.0	9.2	9.1	0.3	0.0	9.3
20-24	8.1	2.3	0.0	10.4	9.4	0.6	0.0	10.1	6.7	4.0	0.0	10.7
25-29	5.2	5.1	0.1	10.4	7.0	2.6	0.0	9.6	3.4	7.7	0.1	11.2
30-34	2.1	7.2	0.1	9.4	3.1	5.8	0.0	9.0	1.0	8.6	0.2	9.8
35-39	0.9	7.3	0.2	8.3	1.2	6.9	0.1	8.2	0.5	7.6	0.3	8.4
40-44	0.4	6.5	0.2	7.1	0.4	7.0	0.1	7.5	0.3	6.0	0.4	6.8
45-49	0.2	5.4	0.3	5.9	0.2	6.1	0.1	6.5	0.2	4.7	0.5	5.4
50-54	0.2	4.5	0.4	5.0	0.1	4.9	0.1	5.2	0.2	4.0	0.7	4.9
55-59	0.0	3.4	0.4	3.9	0.1	3.8	0.1	4.0	0.0	3.0	0.7	3.7
60-64	0.0	2.7	0.4	3.2	0.1	3.2	0.2	3.4	0.0	2.1	0.7	2.9
65-69	0.0	1.3	0.4	1.8	0.0	1.7	0.1	1.9	0.0	0.9	0.7	1.6
70-74	0.0	1.1	0.5	1.5	0.0	1.3	0.2	1.5	0.0	0.8	0.8	1.6
75-79	0.0	0.5	0.3	0.8	0.0	0.7	0.1	0.8	0.0	0.2	0.5	0.7
80-84	0.0	0.4	0.4	0.8	0.0	0.5	0.1	0.7	0.0	0.2	0.6	0.8
85+	0.0	0.1	0.2	0.4	0.0	0.2	0.1	0.3	0.0	0.1	0.4	0.4
All ages	48.2	47.8	4.0	100.0	53.1	45.5	1.4	100.0	43.2	50.2	6.6	100.0

W/D/S - Widowed/Divorced/Separated.

Table 2
Percent distribution of population by sex, marital status and age-group, 2018

Age group	Punjab											
	Total				Males				Females			
	Never Married	Married	W/D/S	Total	Never Married	Married	W/D/S	Total	Never Married	Married	W/D/S	Total
	Total											
<10 yrs	13.0	0.0	0.0	13.0	13.3	0.0	0.0	13.3	12.7	0.0	0.0	12.7
10-14	7.7	0.0	0.0	7.7	8.1	0.0	0.0	8.1	7.2	0.0	0.0	7.2
15-19	9.0	0.1	0.0	9.1	9.6	0.0	0.0	9.6	8.4	0.2	0.0	8.6
20-24	9.1	1.8	0.0	10.9	10.1	0.8	0.0	11.0	7.8	2.9	0.0	10.7
25-29	5.7	5.2	0.0	10.9	7.0	3.7	0.0	10.7	4.3	6.8	0.1	11.2
30-34	2.1	7.1	0.1	9.3	2.8	6.3	0.1	9.2	1.3	8.0	0.1	9.4
35-39	0.7	6.8	0.1	7.6	1.1	6.4	0.1	7.5	0.3	7.2	0.1	7.6
40-44	0.3	6.0	0.2	6.6	0.5	5.8	0.1	6.3	0.2	6.4	0.3	6.8
45-49	0.2	5.4	0.2	5.9	0.3	5.3	0.1	5.7	0.1	5.6	0.4	6.1
50-54	0.1	4.6	0.3	5.1	0.2	4.5	0.2	4.8	0.1	4.8	0.4	5.3
55-59	0.1	3.6	0.3	4.0	0.1	3.7	0.2	4.0	0.0	3.5	0.4	4.0
60-64	0.1	2.8	0.3	3.2	0.1	2.8	0.2	3.1	0.0	2.8	0.5	3.3
65-69	0.1	2.0	0.4	2.4	0.1	2.1	0.2	2.4	0.0	2.0	0.5	2.5
70-74	0.1	1.5	0.4	1.9	0.1	1.5	0.2	1.8	0.0	1.4	0.6	2.1
75-79	0.1	0.9	0.3	1.2	0.1	1.0	0.2	1.2	0.0	0.7	0.5	1.3
80-84	0.0	0.5	0.2	0.7	0.0	0.5	0.2	0.7	0.0	0.4	0.3	0.7
85+	0.0	0.2	0.2	0.5	0.0	0.2	0.1	0.4	0.0	0.2	0.3	0.6
All ages	48.5	48.5	3.0	100.0	53.6	44.7	1.8	100.0	42.7	52.9	4.5	100.0
	Rural											
<10 Yrs	13.2	0.0	0.0	13.2	13.5	0.0	0.0	13.5	12.8	0.0	0.0	12.8
10-14	7.7	0.0	0.0	7.7	8.1	0.0	0.0	8.1	7.2	0.0	0.0	7.2
15-19	9.3	0.1	0.0	9.4	10.0	0.0	0.0	10.0	8.5	0.2	0.0	8.7
20-24	9.2	1.8	0.0	11.0	10.3	0.9	0.0	11.2	7.9	2.9	0.0	10.8
25-29	5.6	5.2	0.0	10.8	6.9	3.7	0.0	10.6	4.2	6.9	0.1	11.1
30-34	1.8	7.0	0.1	9.0	2.5	6.2	0.1	8.8	1.1	7.9	0.1	9.1
35-39	0.6	6.6	0.1	7.3	1.0	6.1	0.1	7.1	0.2	7.1	0.1	7.5
40-44	0.3	5.9	0.2	6.4	0.5	5.6	0.1	6.1	0.2	6.3	0.3	6.7
45-49	0.2	5.4	0.3	5.8	0.3	5.1	0.1	5.6	0.1	5.7	0.4	6.2
50-54	0.1	4.4	0.3	4.8	0.2	4.3	0.2	4.7	0.1	4.4	0.4	4.9
55-59	0.1	3.5	0.3	3.8	0.1	3.6	0.2	3.9	0.0	3.3	0.4	3.8
60-64	0.1	2.8	0.3	3.2	0.1	2.7	0.2	3.0	0.0	2.8	0.5	3.3
65-69	0.1	2.2	0.4	2.6	0.1	2.2	0.2	2.5	0.0	2.1	0.5	2.7
70-74	0.1	1.6	0.4	2.1	0.1	1.7	0.2	2.0	0.0	1.6	0.6	2.3
75-79	0.1	1.0	0.4	1.4	0.1	1.1	0.2	1.4	0.0	0.8	0.5	1.4
80-84	0.0	0.5	0.3	0.9	0.1	0.6	0.2	0.9	0.0	0.4	0.4	0.8
85+	0.0	0.3	0.3	0.6	0.0	0.3	0.2	0.6	0.0	0.3	0.4	0.7
All ages	48.5	48.2	3.3	100.0	53.8	44.2	2.0	100.0	42.5	52.8	4.7	100.0
	Urban											
<10 Yrs	12.7	0.0	0.0	12.7	12.9	0.0	0.0	12.9	12.5	0.0	0.0	12.5
10-14	7.7	0.0	0.0	7.7	8.1	0.0	0.0	8.1	7.2	0.0	0.0	7.2
15-19	8.8	0.1	0.0	8.8	9.1	0.0	0.0	9.1	8.4	0.1	0.0	8.5
20-24	8.9	1.8	0.0	10.7	9.9	0.7	0.0	10.7	7.8	2.9	0.0	10.7
25-29	5.9	5.1	0.0	11.1	7.3	3.6	0.0	10.9	4.4	6.8	0.1	11.3
30-34	2.5	7.2	0.1	9.7	3.3	6.4	0.1	9.7	1.6	8.0	0.1	9.7
35-39	0.8	7.0	0.1	8.0	1.2	6.9	0.1	8.1	0.5	7.2	0.1	7.8
40-44	0.4	6.3	0.2	6.8	0.5	6.0	0.1	6.7	0.2	6.5	0.3	7.0
45-49	0.2	5.5	0.2	6.0	0.3	5.5	0.1	5.9	0.1	5.6	0.3	6.0
50-54	0.1	5.0	0.3	5.5	0.2	4.7	0.1	5.0	0.1	5.4	0.5	5.9
55-59	0.1	3.8	0.3	4.2	0.1	3.9	0.2	4.2	0.1	3.8	0.4	4.2
60-64	0.1	2.8	0.3	3.1	0.1	2.8	0.2	3.1	0.0	2.7	0.5	3.2
65-69	0.1	1.9	0.3	2.2	0.1	2.0	0.2	2.2	0.0	1.7	0.5	2.2
70-74	0.0	1.3	0.3	1.6	0.0	1.3	0.2	1.5	0.0	1.2	0.5	1.8
75-79	0.0	0.7	0.3	1.0	0.0	0.8	0.1	1.0	0.0	0.6	0.4	1.1
80-84	0.0	0.4	0.2	0.6	0.0	0.4	0.1	0.5	0.0	0.3	0.3	0.6
85+	0.0	0.1	0.1	0.3	0.0	0.1	0.1	0.2	0.0	0.1	0.2	0.3
All ages	48.4	48.9	2.7	100.0	53.2	45.3	1.5	100.0	43.0	53.0	4.1	100.0

W/D/S - Widowed/Divorced/Separated.

Table 2
Percent distribution of population by sex, marital status and age-group, 2018

Rajasthan												
Age group	Total				Males				Females			
	Never Married	Married	W/D/S	Total	Never Married	Married	W/D/S	Total	Never Married	Married	W/D/S	Total
Total												
<10 yrs	19.0	0.0	0.0	19.0	19.5	0.0	0.0	19.5	18.4	0.0	0.0	18.4
10-14	10.0	0.0	0.0	10.0	10.5	0.0	0.0	10.5	9.5	0.0	0.0	9.5
15-19	10.4	0.3	0.0	10.7	10.9	0.2	0.0	11.1	10.0	0.4	0.0	10.4
20-24	7.5	4.0	0.0	11.5	8.6	2.5	0.0	11.1	6.3	5.5	0.0	11.8
25-29	2.6	7.3	0.0	10.0	3.8	6.1	0.0	10.0	1.4	8.6	0.1	10.0
30-34	0.6	7.5	0.1	8.2	1.0	7.3	0.1	8.4	0.2	7.7	0.1	8.0
35-39	0.2	6.7	0.1	7.0	0.4	6.6	0.1	7.0	0.1	6.7	0.2	7.0
40-44	0.1	5.2	0.2	5.5	0.2	5.2	0.1	5.4	0.0	5.3	0.3	5.6
45-49	0.1	4.4	0.2	4.7	0.1	4.3	0.1	4.6	0.0	4.5	0.3	4.9
50-54	0.0	3.1	0.2	3.4	0.1	3.3	0.1	3.5	0.0	3.0	0.3	3.3
55-59	0.0	2.6	0.2	2.8	0.0	2.5	0.1	2.6	0.0	2.7	0.4	3.1
60-64	0.0	2.2	0.3	2.6	0.0	2.3	0.2	2.4	0.0	2.2	0.5	2.7
65-69	0.0	1.4	0.4	1.8	0.0	1.4	0.1	1.6	0.0	1.4	0.6	2.1
70-74	0.0	0.9	0.3	1.3	0.0	0.9	0.1	1.1	0.0	0.9	0.6	1.5
75-79	0.0	0.5	0.3	0.8	0.0	0.6	0.1	0.7	0.0	0.4	0.5	1.0
80-84	0.0	0.2	0.2	0.4	0.0	0.3	0.1	0.4	0.0	0.2	0.3	0.5
85+	0.0	0.1	0.1	0.2	0.0	0.1	0.0	0.2	0.0	0.1	0.2	0.3
All ages	50.7	46.5	2.8	100.0	55.2	43.5	1.3	100.0	45.9	49.7	4.4	100.0
Rural												
<10 Yrs	19.9	0.0	0.0	19.9	20.5	0.0	0.0	20.5	19.3	0.0	0.0	19.3
10-14	10.4	0.0	0.0	10.4	10.9	0.0	0.0	10.9	9.9	0.0	0.0	9.9
15-19	10.7	0.3	0.0	11.0	11.1	0.3	0.0	11.4	10.3	0.4	0.0	10.7
20-24	7.4	4.3	0.0	11.7	8.5	2.9	0.0	11.4	6.1	5.9	0.0	12.0
25-29	2.2	7.4	0.0	9.7	3.4	6.3	0.0	9.7	1.0	8.7	0.1	9.7
30-34	0.5	7.3	0.1	7.9	0.9	7.3	0.1	8.2	0.1	7.4	0.1	7.6
35-39	0.2	6.5	0.1	6.8	0.3	6.3	0.1	6.7	0.0	6.6	0.2	6.8
40-44	0.1	5.0	0.2	5.2	0.1	4.9	0.1	5.2	0.0	5.0	0.3	5.3
45-49	0.1	4.3	0.2	4.5	0.1	4.1	0.1	4.4	0.0	4.4	0.3	4.7
50-54	0.0	2.9	0.2	3.1	0.1	3.0	0.1	3.3	0.0	2.7	0.2	2.9
55-59	0.0	2.4	0.2	2.6	0.0	2.2	0.1	2.4	0.0	2.5	0.3	2.9
60-64	0.0	2.2	0.3	2.5	0.0	2.2	0.2	2.4	0.0	2.3	0.4	2.7
65-69	0.0	1.4	0.4	1.8	0.0	1.4	0.1	1.5	0.0	1.5	0.7	2.2
70-74	0.0	0.9	0.3	1.3	0.0	0.9	0.1	1.0	0.0	1.0	0.6	1.6
75-79	0.0	0.5	0.3	0.8	0.0	0.6	0.1	0.7	0.0	0.4	0.5	1.0
80-84	0.0	0.2	0.2	0.4	0.0	0.2	0.1	0.3	0.0	0.2	0.3	0.5
85+	0.0	0.1	0.1	0.2	0.0	0.1	0.1	0.2	0.0	0.1	0.2	0.3
All ages	51.5	45.8	2.7	100.0	56.0	42.7	1.3	100.0	46.7	49.0	4.3	100.0
Urban												
<10 Yrs	16.4	0.0	0.0	16.4	16.8	0.0	0.0	16.8	16.0	0.0	0.0	16.0
10-14	8.9	0.0	0.0	8.9	9.4	0.0	0.0	9.4	8.5	0.0	0.0	8.5
15-19	9.7	0.2	0.0	9.9	10.2	0.1	0.0	10.2	9.1	0.3	0.0	9.5
20-24	7.8	3.0	0.0	10.8	8.8	1.6	0.0	10.4	6.7	4.5	0.0	11.2
25-29	3.9	6.9	0.0	10.8	5.1	5.7	0.0	10.8	2.6	8.2	0.1	10.8
30-34	1.0	7.9	0.1	9.0	1.5	7.3	0.1	8.9	0.4	8.5	0.1	9.0
35-39	0.3	7.2	0.1	7.6	0.5	7.3	0.1	7.9	0.1	7.0	0.2	7.4
40-44	0.1	6.0	0.2	6.3	0.2	5.8	0.1	6.1	0.1	6.2	0.3	6.5
45-49	0.1	4.9	0.2	5.2	0.2	4.9	0.1	5.2	0.0	4.9	0.3	5.3
50-54	0.1	3.9	0.3	4.3	0.1	3.9	0.1	4.1	0.0	4.0	0.4	4.4
55-59	0.0	3.2	0.3	3.5	0.1	3.2	0.1	3.4	0.0	3.1	0.5	3.6
60-64	0.0	2.3	0.3	2.7	0.0	2.5	0.1	2.6	0.0	2.2	0.5	2.7
65-69	0.0	1.4	0.3	1.7	0.0	1.5	0.1	1.7	0.0	1.2	0.6	1.8
70-74	0.0	0.9	0.4	1.3	0.0	1.0	0.1	1.1	0.0	0.9	0.6	1.5
75-79	0.0	0.5	0.3	0.9	0.0	0.6	0.1	0.8	0.0	0.4	0.5	0.9
80-84	0.0	0.3	0.3	0.6	0.0	0.4	0.1	0.5	0.0	0.2	0.4	0.6
85+	0.0	0.1	0.1	0.2	0.0	0.1	0.0	0.1	0.0	0.1	0.2	0.3
All ages	48.4	48.7	2.9	100.0	52.9	45.9	1.2	100.0	43.6	51.6	4.8	100.0

W/D/S - Widowed/Divorced/Separated.

Table 2
Percent distribution of population by sex, marital status and age-group, 2018

Tamil Nadu												
Age group	Total				Males				Females			
	Never Married	Married	W/D/S	Total	Never Married	Married	W/D/S	Total	Never Married	Married	W/D/S	Total
Total												
<10 yrs	13.0	0.0	0.0	13.0	13.3	0.0	0.0	13.3	12.7	0.0	0.0	12.7
10-14	7.4	0.0	0.0	7.4	7.6	0.0	0.0	7.6	7.2	0.0	0.0	7.2
15-19	7.9	0.2	0.0	8.1	8.3	0.0	0.0	8.4	7.5	0.3	0.0	7.8
20-24	7.3	2.0	0.0	9.3	8.5	0.4	0.0	8.9	6.0	3.6	0.0	9.7
25-29	4.4	5.2	0.0	9.7	6.4	2.9	0.0	9.4	2.4	7.6	0.1	10.0
30-34	1.6	7.2	0.1	9.0	2.6	6.5	0.1	9.2	0.6	8.0	0.2	8.8
35-39	0.6	7.3	0.2	8.1	1.0	7.0	0.1	8.0	0.3	7.5	0.4	8.2
40-44	0.3	6.7	0.3	7.3	0.4	6.9	0.1	7.4	0.2	6.6	0.5	7.3
45-49	0.2	5.8	0.4	6.5	0.3	6.2	0.2	6.6	0.1	5.5	0.7	6.3
50-54	0.1	5.1	0.6	5.8	0.1	5.3	0.3	5.7	0.1	4.9	0.9	5.9
55-59	0.1	4.0	0.7	4.8	0.1	4.3	0.2	4.6	0.1	3.8	1.1	4.9
60-64	0.1	3.2	0.8	4.0	0.1	3.7	0.3	4.0	0.0	2.7	1.2	3.9
65-69	0.1	2.0	0.9	3.0	0.1	2.5	0.3	2.9	0.1	1.5	1.4	3.0
70-74	0.0	1.2	0.7	1.9	0.0	1.6	0.3	1.9	0.0	0.8	1.1	1.9
75-79	0.0	0.6	0.5	1.2	0.0	0.9	0.2	1.1	0.0	0.3	0.8	1.2
80-84	0.0	0.3	0.3	0.6	0.0	0.4	0.1	0.6	0.0	0.2	0.5	0.6
85+	0.0	0.1	0.2	0.4	0.1	0.2	0.1	0.3	0.0	0.1	0.3	0.4
All ages	43.2	51.1	5.7	100.0	48.8	48.8	2.3	100.0	37.4	53.4	9.2	100.0
Rural												
<10 Yrs	13.8	0.0	0.0	13.8	14.2	0.0	0.0	14.2	13.4	0.0	0.0	13.4
10-14	7.9	0.0	0.0	7.9	8.2	0.0	0.0	8.2	7.6	0.0	0.0	7.6
15-19	8.4	0.1	0.0	8.5	8.8	0.0	0.0	8.9	8.0	0.2	0.0	8.2
20-24	7.6	2.3	0.0	9.9	9.0	0.5	0.0	9.5	6.2	4.1	0.0	10.3
25-29	4.4	5.6	0.1	10.1	6.6	3.3	0.0	10.0	2.2	7.9	0.1	10.1
30-34	1.5	6.9	0.1	8.6	2.5	6.4	0.1	8.9	0.6	7.5	0.2	8.2
35-39	0.6	6.9	0.2	7.7	0.9	6.6	0.1	7.6	0.3	7.1	0.4	7.7
40-44	0.3	6.3	0.3	6.8	0.4	6.3	0.1	6.7	0.1	6.3	0.5	7.0
45-49	0.2	5.6	0.5	6.3	0.2	5.7	0.2	6.1	0.1	5.5	0.8	6.4
50-54	0.1	4.6	0.5	5.2	0.1	5.0	0.3	5.3	0.1	4.2	0.8	5.1
55-59	0.1	3.9	0.7	4.7	0.1	4.0	0.3	4.3	0.1	3.9	1.2	5.1
60-64	0.0	3.0	0.7	3.7	0.0	3.4	0.3	3.7	0.0	2.6	1.1	3.7
65-69	0.0	2.0	0.9	3.0	0.0	2.4	0.3	2.8	0.1	1.6	1.5	3.2
70-74	0.0	1.1	0.6	1.7	0.0	1.4	0.3	1.7	0.0	0.7	1.0	1.8
75-79	0.0	0.6	0.6	1.2	0.0	0.9	0.3	1.2	0.0	0.3	0.9	1.3
80-84	0.0	0.3	0.3	0.5	0.0	0.4	0.1	0.5	0.0	0.1	0.4	0.5
85+	0.1	0.1	0.2	0.4	0.1	0.1	0.1	0.3	0.0	0.1	0.3	0.4
All ages	45.1	49.1	5.8	100.0	51.3	46.3	2.4	100.0	38.7	52.1	9.2	100.0
Urban												
<10 Yrs	12.3	0.0	0.0	12.3	12.4	0.0	0.0	12.4	12.1	0.0	0.0	12.1
10-14	7.0	0.0	0.0	7.0	7.1	0.0	0.0	7.1	6.8	0.0	0.0	6.8
15-19	7.5	0.2	0.0	7.7	7.9	0.0	0.0	7.9	7.2	0.4	0.0	7.5
20-24	6.9	1.8	0.0	8.7	8.0	0.4	0.0	8.4	5.8	3.3	0.0	9.1
25-29	4.4	4.9	0.0	9.4	6.2	2.6	0.0	8.8	2.6	7.3	0.1	9.9
30-34	1.7	7.5	0.1	9.3	2.7	6.6	0.1	9.4	0.7	8.5	0.2	9.3
35-39	0.7	7.6	0.2	8.5	1.0	7.3	0.1	8.5	0.3	8.0	0.4	8.6
40-44	0.3	7.1	0.3	7.8	0.5	7.4	0.1	8.0	0.2	6.9	0.5	7.5
45-49	0.2	6.0	0.4	6.6	0.3	6.5	0.2	7.0	0.1	5.5	0.6	6.3
50-54	0.1	5.6	0.6	6.4	0.2	5.7	0.3	6.1	0.1	5.5	1.0	6.7
55-59	0.1	4.1	0.6	4.8	0.1	4.6	0.2	4.9	0.1	3.6	1.1	4.8
60-64	0.1	3.4	0.8	4.2	0.1	4.0	0.3	4.3	0.1	2.8	1.3	4.1
65-69	0.1	2.1	0.8	3.0	0.1	2.7	0.3	3.1	0.1	1.5	1.4	2.9
70-74	0.0	1.3	0.7	2.1	0.0	1.7	0.3	2.1	0.0	0.9	1.1	2.1
75-79	0.0	0.6	0.5	1.1	0.0	0.9	0.2	1.1	0.0	0.3	0.8	1.1
80-84	0.0	0.3	0.3	0.7	0.0	0.5	0.2	0.6	0.0	0.2	0.5	0.7
85+	0.0	0.1	0.2	0.4	0.0	0.2	0.1	0.4	0.0	0.1	0.3	0.4
All ages	41.4	52.8	5.7	100.0	46.6	51.1	2.3	100.0	36.2	54.6	9.2	100.0

W/D/S - Widowed/Divorced/Separated.

Table 2
Percent distribution of population by sex, marital status and age-group, 2018

Age group	Telengana											
	Total				Males				Females			
	Never Married	Married	W/D/S	Total	Never Married	Married	W/D/S	Total	Never Married	Married	W/D/S	Total
	Total											
<10 yrs	13.1	0.0	0.0	13.1	13.4	0.0	0.0	13.4	12.8	0.0	0.0	12.8
10-14	7.7	0.0	0.0	7.7	7.8	0.0	0.0	7.8	7.7	0.0	0.0	7.7
15-19	9.7	0.2	0.0	9.9	10.1	0.1	0.0	10.2	9.2	0.3	0.0	9.6
20-24	8.7	2.8	0.0	11.5	10.7	0.9	0.0	11.6	6.6	4.7	0.0	11.4
25-29	4.8	6.3	0.0	11.1	6.8	4.1	0.0	10.9	2.7	8.6	0.1	11.4
30-34	1.2	7.7	0.1	9.1	1.8	7.1	0.0	9.0	0.6	8.4	0.2	9.2
35-39	0.4	7.5	0.3	8.1	0.5	7.3	0.1	7.8	0.2	7.8	0.4	8.5
40-44	0.1	6.7	0.3	7.2	0.2	7.0	0.1	7.3	0.1	6.4	0.5	7.1
45-49	0.1	5.3	0.4	5.8	0.1	5.8	0.2	6.1	0.0	4.7	0.7	5.4
50-54	0.0	4.2	0.5	4.7	0.0	4.1	0.2	4.4	0.0	4.2	0.9	5.1
55-59	0.0	3.2	0.5	3.7	0.1	3.4	0.2	3.6	0.0	2.9	0.9	3.8
60-64	0.0	2.4	0.5	3.0	0.0	2.7	0.2	2.9	0.0	2.2	0.8	3.0
65-69	0.0	1.7	0.6	2.3	0.0	2.1	0.3	2.4	0.0	1.4	0.9	2.3
70-74	0.0	1.0	0.5	1.5	0.0	1.3	0.2	1.5	0.0	0.7	0.7	1.4
75-79	0.0	0.4	0.3	0.7	0.0	0.6	0.2	0.7	0.0	0.2	0.5	0.7
80-84	0.0	0.2	0.2	0.4	0.0	0.3	0.1	0.4	0.0	0.1	0.3	0.4
85+	0.0	0.1	0.1	0.2	0.0	0.1	0.1	0.2	0.0	0.1	0.2	0.3
All ages	46.0	49.6	4.4	100.0	51.5	46.7	1.7	100.0	40.2	52.6	7.1	100.0
	Rural											
<10 Yrs	12.2	0.0	0.0	12.2	12.4	0.0	0.0	12.4	12.0	0.0	0.0	12.0
10-14	7.6	0.0	0.0	7.6	7.7	0.0	0.0	7.7	7.6	0.0	0.0	7.6
15-19	9.7	0.2	0.0	9.9	10.2	0.1	0.0	10.2	9.2	0.4	0.0	9.6
20-24	8.6	3.1	0.0	11.7	11.1	1.1	0.0	12.1	6.0	5.1	0.0	11.1
25-29	4.2	6.6	0.1	10.9	6.4	4.4	0.0	10.8	2.1	8.7	0.1	10.9
30-34	0.9	7.4	0.2	8.5	1.4	6.9	0.1	8.3	0.5	8.0	0.3	8.7
35-39	0.3	7.3	0.3	7.9	0.3	7.1	0.1	7.5	0.2	7.5	0.5	8.2
40-44	0.1	6.5	0.4	7.0	0.1	6.8	0.1	7.0	0.1	6.2	0.6	6.9
45-49	0.1	5.2	0.5	5.8	0.1	5.8	0.2	6.0	0.0	4.6	0.8	5.5
50-54	0.0	4.4	0.6	5.0	0.0	4.3	0.2	4.5	0.0	4.5	1.0	5.5
55-59	0.0	3.4	0.6	4.0	0.0	3.5	0.2	3.7	0.0	3.3	1.0	4.3
60-64	0.0	2.8	0.6	3.4	0.0	3.1	0.2	3.3	0.0	2.6	1.0	3.6
65-69	0.0	2.0	0.7	2.7	0.0	2.3	0.3	2.7	0.0	1.7	1.1	2.8
70-74	0.0	1.2	0.6	1.8	0.0	1.6	0.3	2.0	0.0	0.8	0.9	1.7
75-79	0.0	0.5	0.4	0.9	0.0	0.7	0.2	0.9	0.0	0.3	0.5	0.9
80-84	0.0	0.2	0.2	0.5	0.0	0.3	0.1	0.5	0.0	0.1	0.3	0.5
85+	0.0	0.1	0.1	0.3	0.0	0.2	0.1	0.2	0.0	0.1	0.2	0.3
All ages	43.9	50.9	5.2	100.0	49.8	48.0	2.1	100.0	37.8	53.9	8.3	100.0
	Urban											
<10 Yrs	14.3	0.0	0.0	14.3	14.7	0.0	0.0	14.7	13.9	0.0	0.0	13.9
10-14	7.9	0.0	0.0	7.9	7.9	0.0	0.0	7.9	7.9	0.0	0.0	7.9
15-19	9.7	0.2	0.0	9.9	10.1	0.1	0.0	10.1	9.3	0.3	0.0	9.6
20-24	8.9	2.3	0.0	11.2	10.1	0.6	0.0	10.7	7.5	4.2	0.0	11.8
25-29	5.6	5.9	0.0	11.5	7.4	3.5	0.0	10.9	3.8	8.3	0.0	12.1
30-34	1.6	8.2	0.1	9.9	2.4	7.5	0.0	9.9	0.8	9.0	0.2	9.9
35-39	0.5	7.9	0.2	8.6	0.7	7.5	0.0	8.3	0.3	8.2	0.3	8.8
40-44	0.2	7.0	0.3	7.5	0.3	7.3	0.1	7.6	0.2	6.7	0.5	7.3
45-49	0.1	5.3	0.3	5.8	0.2	5.9	0.1	6.2	0.0	4.7	0.5	5.3
50-54	0.0	3.8	0.4	4.3	0.0	4.0	0.1	4.2	0.0	3.7	0.7	4.4
55-59	0.0	2.8	0.4	3.3	0.1	3.3	0.1	3.5	0.0	2.4	0.7	3.0
60-64	0.0	1.9	0.4	2.3	0.0	2.2	0.1	2.3	0.0	1.6	0.6	2.2
65-69	0.0	1.4	0.4	1.8	0.0	1.8	0.2	2.0	0.0	0.9	0.6	1.6
70-74	0.0	0.6	0.3	0.9	0.0	0.8	0.1	1.0	0.0	0.5	0.5	0.9
75-79	0.0	0.3	0.2	0.5	0.0	0.4	0.1	0.5	0.0	0.2	0.3	0.5
80-84	0.0	0.1	0.1	0.3	0.0	0.2	0.1	0.3	0.0	0.1	0.2	0.3
85+	0.0	0.0	0.1	0.1	0.0	0.0	0.0	0.1	0.0	0.1	0.2	0.2
All ages	49.0	47.8	3.2	100.0	53.9	44.9	1.2	100.0	43.9	50.8	5.4	100.0

W/D/S - Widowed/Divorced/Separated.

Table 2

Percent distribution of population by sex, marital status and age-group, 2018

Uttar Pradesh

Age group	Total				Males				Females			
	Never Married	Married	W/D/S	Total	Never Married	Married	W/D/S	Total	Never Married	Married	W/D/S	Total
Total												
<10 yrs	18.3	0.0	0.0	18.3	18.7	0.0	0.0	18.7	17.9	0.0	0.0	17.9
10-14	10.5	0.0	0.0	10.5	10.6	0.0	0.0	10.6	10.4	0.0	0.0	10.4
15-19	11.9	0.2	0.0	12.1	12.3	0.1	0.0	12.3	11.5	0.3	0.0	11.8
20-24	9.4	2.4	0.0	11.8	10.3	1.3	0.0	11.6	8.4	3.5	0.0	11.9
25-29	4.2	6.0	0.0	10.3	5.5	4.7	0.0	10.3	2.8	7.4	0.0	10.2
30-34	1.0	6.6	0.1	7.8	1.6	6.3	0.1	8.0	0.5	7.0	0.1	7.5
35-39	0.3	6.1	0.1	6.5	0.5	5.8	0.1	6.4	0.1	6.4	0.1	6.7
40-44	0.2	5.1	0.1	5.4	0.3	5.0	0.1	5.3	0.0	5.3	0.2	5.5
45-49	0.1	4.3	0.2	4.5	0.1	4.2	0.1	4.4	0.0	4.4	0.2	4.6
50-54	0.1	3.1	0.2	3.4	0.1	3.1	0.2	3.4	0.0	3.0	0.3	3.3
55-59	0.0	2.5	0.2	2.7	0.0	2.3	0.1	2.4	0.0	2.7	0.3	3.0
60-64	0.0	2.2	0.3	2.5	0.0	2.2	0.2	2.4	0.0	2.3	0.4	2.7
65-69	0.0	1.5	0.3	1.8	0.0	1.5	0.2	1.7	0.0	1.4	0.5	1.9
70-74	0.0	0.9	0.3	1.2	0.0	0.9	0.2	1.1	0.0	0.8	0.4	1.2
75-79	0.0	0.5	0.3	0.8	0.0	0.6	0.2	0.7	0.0	0.4	0.4	0.9
80-84	0.0	0.2	0.1	0.3	0.0	0.2	0.1	0.3	0.0	0.2	0.2	0.3
85+	0.0	0.1	0.1	0.2	0.0	0.1	0.1	0.2	0.0	0.1	0.1	0.2
All ages	56.0	41.6	2.4	100.0	60.1	38.3	1.5	100.0	51.7	45.1	3.2	100.0
Rural												
<10 Yrs	19.2	0.0	0.0	19.2	19.5	0.0	0.0	19.5	18.9	0.0	0.0	18.9
10-14	10.8	0.0	0.0	10.8	10.9	0.0	0.0	10.9	10.7	0.0	0.0	10.7
15-19	12.2	0.2	0.0	12.4	12.6	0.1	0.0	12.7	11.8	0.3	0.0	12.1
20-24	9.1	2.6	0.0	11.7	10.1	1.5	0.0	11.6	8.0	3.8	0.0	11.8
25-29	3.5	6.3	0.0	9.9	4.9	5.1	0.0	10.1	2.1	7.6	0.1	9.7
30-34	0.8	6.7	0.1	7.5	1.2	6.4	0.1	7.7	0.2	6.9	0.1	7.2
35-39	0.2	5.9	0.1	6.3	0.4	5.6	0.1	6.1	0.1	6.3	0.1	6.5
40-44	0.1	5.0	0.2	5.3	0.2	4.8	0.1	5.1	0.0	5.2	0.2	5.4
45-49	0.1	4.2	0.2	4.4	0.1	4.1	0.1	4.3	0.0	4.3	0.2	4.5
50-54	0.1	2.9	0.2	3.2	0.1	3.0	0.2	3.2	0.0	2.8	0.2	3.1
55-59	0.0	2.3	0.2	2.5	0.0	2.0	0.1	2.2	0.0	2.6	0.3	2.8
60-64	0.0	2.2	0.3	2.5	0.0	2.1	0.2	2.4	0.0	2.3	0.3	2.6
65-69	0.0	1.5	0.3	1.8	0.0	1.5	0.2	1.7	0.0	1.4	0.5	1.9
70-74	0.0	0.9	0.3	1.2	0.0	0.9	0.2	1.1	0.0	0.9	0.4	1.3
75-79	0.0	0.5	0.3	0.8	0.0	0.6	0.2	0.7	0.0	0.4	0.4	0.9
80-84	0.0	0.2	0.1	0.3	0.0	0.2	0.1	0.3	0.0	0.2	0.2	0.4
85+	0.0	0.1	0.1	0.2	0.0	0.1	0.1	0.2	0.0	0.1	0.1	0.3
All ages	56.2	41.4	2.4	100.0	60.3	38.1	1.6	100.0	51.8	45.1	3.1	100.0
Urban												
<10 Yrs	15.5	0.0	0.0	15.5	15.9	0.0	0.0	15.9	15.0	0.0	0.0	15.0
10-14	9.5	0.0	0.0	9.5	9.8	0.0	0.0	9.8	9.2	0.0	0.0	9.2
15-19	11.0	0.1	0.0	11.0	11.1	0.0	0.0	11.1	10.8	0.1	0.0	10.9
20-24	10.3	1.6	0.0	11.9	10.8	0.8	0.0	11.6	9.7	2.5	0.0	12.2
25-29	6.3	5.1	0.0	11.4	7.6	3.4	0.0	11.0	4.9	6.9	0.0	11.8
30-34	1.9	6.6	0.1	8.6	2.6	6.0	0.0	8.7	1.1	7.2	0.1	8.4
35-39	0.6	6.6	0.1	7.3	0.9	6.4	0.1	7.3	0.3	6.8	0.2	7.2
40-44	0.2	5.5	0.1	5.9	0.4	5.6	0.1	6.0	0.1	5.5	0.2	5.8
45-49	0.1	4.6	0.2	4.9	0.2	4.5	0.1	4.8	0.0	4.7	0.3	5.1
50-54	0.1	3.6	0.2	3.9	0.1	3.6	0.2	3.9	0.0	3.7	0.3	4.0
55-59	0.0	3.0	0.2	3.3	0.1	3.0	0.1	3.2	0.0	3.0	0.4	3.3
60-64	0.0	2.3	0.3	2.6	0.0	2.4	0.1	2.6	0.0	2.2	0.5	2.7
65-69	0.0	1.4	0.3	1.8	0.0	1.5	0.1	1.7	0.0	1.3	0.5	1.8
70-74	0.0	0.9	0.3	1.2	0.0	1.1	0.1	1.2	0.0	0.7	0.4	1.1
75-79	0.0	0.5	0.3	0.7	0.0	0.5	0.1	0.7	0.0	0.4	0.4	0.8
80-84	0.0	0.2	0.1	0.3	0.0	0.2	0.1	0.3	0.0	0.1	0.2	0.3
85+	0.0	0.1	0.1	0.2	0.0	0.1	0.0	0.1	0.0	0.1	0.1	0.2
All ages	55.6	42.0	2.4	100.0	59.6	39.1	1.3	100.0	51.2	45.2	3.6	100.0

W/D/S - Widowed/Divorced/Separated.

Table 2
Percent distribution of population by sex, marital status and age-group, 2018

Uttarakhand												
Age group	Total				Males				Females			
	Never Married	Married	W/D/S	Total	Never Married	Married	W/D/S	Total	Never Married	Married	W/D/S	Total
Total												
<10 yrs	19.5	0.0	0.0	19.5	20.2	0.0	0.0	20.2	18.8	0.0	0.0	18.8
10-14	9.4	0.0	0.0	9.4	9.7	0.0	0.0	9.7	9.1	0.0	0.0	9.1
15-19	9.4	0.8	0.0	10.2	10.4	0.0	0.0	10.4	8.3	1.6	0.0	10.0
20-24	8.9	3.0	0.0	11.9	11.6	0.9	0.0	12.5	6.1	5.2	0.0	11.3
25-29	4.4	5.3	0.0	9.7	5.9	3.5	0.0	9.4	2.7	7.3	0.0	10.1
30-34	1.3	6.8	0.1	8.1	2.0	5.8	0.0	7.8	0.6	7.7	0.1	8.4
35-39	0.4	6.0	0.1	6.4	0.6	5.7	0.1	6.4	0.1	6.2	0.2	6.5
40-44	0.1	5.0	0.2	5.3	0.2	5.2	0.1	5.5	0.1	4.8	0.3	5.1
45-49	0.1	3.6	0.2	3.9	0.1	3.6	0.1	3.8	0.0	3.6	0.3	4.0
50-54	0.1	3.4	0.3	3.7	0.1	3.2	0.1	3.4	0.0	3.5	0.5	4.1
55-59	0.0	2.8	0.3	3.2	0.1	2.9	0.1	3.0	0.0	2.8	0.5	3.3
60-64	0.0	2.8	0.5	3.4	0.1	2.8	0.2	3.1	0.0	2.9	0.8	3.7
65-69	0.0	1.4	0.5	1.9	0.0	1.5	0.2	1.7	0.0	1.3	0.8	2.1
70-74	0.0	1.1	0.5	1.6	0.0	1.3	0.2	1.5	0.0	0.8	0.8	1.6
75-79	0.0	0.4	0.3	0.7	0.0	0.5	0.1	0.7	0.0	0.3	0.5	0.7
80-84	0.0	0.3	0.3	0.6	0.0	0.4	0.1	0.5	0.0	0.2	0.5	0.7
85+	0.0	0.1	0.2	0.4	0.0	0.2	0.1	0.3	0.0	0.1	0.3	0.4
All ages	53.7	42.8	3.5	100.0	61.0	37.6	1.4	100.0	46.1	48.3	5.6	100.0
Rural												
<10 Yrs	19.8	0.0	0.0	19.8	20.7	0.0	0.0	20.7	18.9	0.0	0.0	18.9
10-14	9.8	0.0	0.0	9.8	10.2	0.0	0.0	10.2	9.4	0.0	0.0	9.4
15-19	9.3	1.1	0.0	10.4	10.6	0.0	0.0	10.6	8.0	2.2	0.0	10.2
20-24	8.4	3.4	0.0	11.8	11.4	0.9	0.0	12.3	5.4	5.9	0.0	11.3
25-29	4.0	5.4	0.0	9.5	5.6	3.5	0.0	9.1	2.4	7.4	0.0	9.8
30-34	1.1	6.6	0.1	7.8	1.8	5.7	0.0	7.5	0.4	7.6	0.1	8.1
35-39	0.3	5.8	0.1	6.2	0.5	5.5	0.1	6.1	0.1	6.0	0.2	6.3
40-44	0.1	4.8	0.2	5.0	0.2	5.0	0.1	5.2	0.0	4.5	0.2	4.8
45-49	0.1	3.5	0.2	3.7	0.1	3.4	0.1	3.6	0.0	3.5	0.3	3.8
50-54	0.1	3.2	0.3	3.6	0.1	3.1	0.1	3.2	0.0	3.4	0.5	3.9
55-59	0.0	2.8	0.3	3.2	0.1	2.9	0.1	3.0	0.0	2.8	0.6	3.4
60-64	0.0	3.0	0.5	3.5	0.1	2.9	0.2	3.1	0.0	3.0	0.8	3.9
65-69	0.0	1.5	0.5	2.0	0.0	1.6	0.2	1.8	0.0	1.4	0.9	2.3
70-74	0.0	1.1	0.6	1.7	0.0	1.4	0.2	1.7	0.0	0.8	0.9	1.7
75-79	0.0	0.4	0.3	0.7	0.0	0.6	0.1	0.7	0.0	0.3	0.5	0.8
80-84	0.0	0.3	0.3	0.7	0.0	0.4	0.1	0.6	0.0	0.3	0.5	0.8
85+	0.0	0.2	0.2	0.4	0.0	0.2	0.1	0.4	0.0	0.1	0.3	0.4
All ages	53.1	43.2	3.7	100.0	61.3	37.2	1.5	100.0	44.8	49.3	5.9	100.0
Urban												
<10 Yrs	18.8	0.0	0.0	18.8	19.0	0.0	0.0	19.0	18.6	0.0	0.0	18.6
10-14	8.4	0.0	0.0	8.4	8.5	0.0	0.0	8.5	8.3	0.0	0.0	8.3
15-19	9.6	0.1	0.0	9.7	10.0	0.0	0.0	10.0	9.2	0.2	0.0	9.4
20-24	10.2	2.0	0.0	12.2	12.2	0.8	0.0	13.0	8.2	3.2	0.0	11.4
25-29	5.3	5.1	0.0	10.4	6.8	3.3	0.0	10.1	3.7	7.0	0.1	10.8
30-34	1.7	7.1	0.1	8.9	2.4	6.2	0.0	8.6	0.9	8.1	0.1	9.2
35-39	0.5	6.5	0.1	7.1	0.8	6.2	0.1	7.1	0.3	6.7	0.2	7.2
40-44	0.2	5.7	0.2	6.1	0.3	5.8	0.1	6.2	0.1	5.5	0.3	5.9
45-49	0.1	3.9	0.2	4.3	0.2	3.9	0.1	4.2	0.1	3.9	0.3	4.3
50-54	0.1	3.7	0.3	4.0	0.1	3.5	0.1	3.7	0.1	3.9	0.5	4.4
55-59	0.0	2.8	0.3	3.1	0.1	2.9	0.1	3.0	0.0	2.7	0.5	3.2
60-64	0.0	2.5	0.5	3.0	0.0	2.6	0.2	2.8	0.0	2.4	0.8	3.2
65-69	0.0	1.2	0.4	1.6	0.0	1.4	0.2	1.5	0.0	1.0	0.6	1.6
70-74	0.0	0.8	0.4	1.2	0.0	1.0	0.2	1.1	0.0	0.7	0.6	1.3
75-79	0.0	0.3	0.2	0.5	0.0	0.5	0.1	0.6	0.0	0.2	0.3	0.5
80-84	0.0	0.2	0.2	0.4	0.0	0.3	0.1	0.4	0.0	0.1	0.4	0.5
85+	0.0	0.1	0.2	0.2	0.0	0.1	0.1	0.2	0.0	0.0	0.3	0.3
All ages	55.1	41.9	3.0	100.0	60.3	38.4	1.3	100.0	49.5	45.7	4.8	100.0

W/D/S - Widowed/Divorced/Separated.

Table 2

Percent distribution of population by sex, marital status and age-group, 2018

Age group	West Bengal											
	Total				Males				Females			
	Never Married	Married	W/D/S	Total	Never Married	Married	W/D/S	Total	Never Married	Married	W/D/S	Total
	Total											
<10 yrs	14.4	0.0	0.0	14.4	14.6	0.0	0.0	14.6	14.2	0.0	0.0	14.2
10-14	8.2	0.0	0.0	8.2	8.2	0.0	0.0	8.2	8.3	0.0	0.0	8.3
15-19	9.6	0.3	0.0	9.9	9.9	0.1	0.0	10.0	9.2	0.6	0.0	9.8
20-24	7.3	3.4	0.0	10.7	8.9	1.3	0.0	10.2	5.5	5.6	0.0	11.1
25-29	3.8	6.2	0.1	10.1	5.6	4.3	0.0	9.9	2.0	8.2	0.1	10.2
30-34	1.4	7.0	0.1	8.6	2.2	6.2	0.0	8.4	0.7	7.9	0.2	8.7
35-39	0.6	7.1	0.2	7.9	0.9	6.9	0.1	7.8	0.3	7.4	0.3	8.0
40-44	0.3	6.4	0.2	6.9	0.4	6.5	0.1	7.0	0.2	6.3	0.3	6.9
45-49	0.2	5.7	0.3	6.2	0.3	5.9	0.1	6.3	0.2	5.5	0.5	6.1
50-54	0.2	4.2	0.3	4.6	0.2	4.7	0.1	5.0	0.1	3.7	0.5	4.3
55-59	0.1	3.5	0.4	3.9	0.1	3.7	0.2	4.0	0.1	3.2	0.6	3.9
60-64	0.1	2.7	0.5	3.3	0.1	3.1	0.1	3.4	0.1	2.3	0.9	3.3
65-69	0.0	1.6	0.5	2.1	0.1	2.0	0.1	2.2	0.0	1.1	0.9	2.0
70-74	0.0	1.0	0.5	1.5	0.0	1.3	0.2	1.5	0.0	0.7	0.8	1.5
75-79	0.0	0.5	0.4	0.9	0.0	0.7	0.1	0.8	0.0	0.3	0.6	0.9
80-84	0.0	0.2	0.2	0.5	0.0	0.4	0.1	0.4	0.0	0.1	0.4	0.5
85+	0.0	0.1	0.2	0.3	0.0	0.2	0.1	0.3	0.0	0.1	0.3	0.3
All ages	46.3	49.9	3.8	100.0	51.6	47.2	1.3	100.0	40.9	52.8	6.3	100.0
	Rural											
<10 Yrs	15.5	0.0	0.0	15.5	15.7	0.0	0.0	15.7	15.2	0.0	0.0	15.2
10-14	8.9	0.0	0.0	8.9	8.8	0.0	0.0	8.8	9.0	0.0	0.0	9.0
15-19	10.2	0.3	0.0	10.5	10.6	0.1	0.0	10.7	9.7	0.6	0.0	10.4
20-24	7.3	3.8	0.0	11.1	9.3	1.4	0.0	10.7	5.4	6.2	0.0	11.6
25-29	3.4	6.7	0.1	10.2	5.3	4.8	0.0	10.1	1.6	8.6	0.1	10.2
30-34	1.1	7.1	0.1	8.3	1.8	6.5	0.0	8.3	0.4	7.8	0.2	8.4
35-39	0.4	7.2	0.2	7.8	0.6	7.0	0.0	7.7	0.2	7.3	0.3	7.8
40-44	0.2	6.2	0.2	6.6	0.3	6.4	0.1	6.7	0.1	6.1	0.3	6.6
45-49	0.2	5.5	0.3	5.9	0.2	5.8	0.1	6.0	0.1	5.2	0.5	5.8
50-54	0.1	3.8	0.3	4.1	0.1	4.5	0.1	4.7	0.1	3.0	0.4	3.5
55-59	0.1	3.1	0.3	3.5	0.1	3.2	0.1	3.4	0.0	3.0	0.5	3.6
60-64	0.1	2.4	0.5	2.9	0.1	2.6	0.1	2.8	0.0	2.2	0.8	3.1
65-69	0.0	1.4	0.5	1.9	0.0	1.7	0.1	1.9	0.0	1.0	0.8	1.9
70-74	0.0	0.9	0.5	1.4	0.0	1.1	0.1	1.3	0.0	0.6	0.8	1.5
75-79	0.0	0.4	0.4	0.8	0.0	0.6	0.1	0.7	0.0	0.3	0.6	0.9
80-84	0.0	0.2	0.2	0.4	0.0	0.3	0.1	0.4	0.0	0.1	0.3	0.4
85+	0.0	0.1	0.1	0.2	0.0	0.1	0.0	0.2	0.0	0.0	0.2	0.3
All ages	47.5	49.0	3.4	100.0	52.9	46.1	1.0	100.0	42.0	52.1	5.9	100.0
	Urban											
<10 Yrs	12.0	0.0	0.0	12.0	12.1	0.0	0.0	12.1	11.8	0.0	0.0	11.8
10-14	6.6	0.0	0.0	6.6	6.6	0.0	0.0	6.6	6.7	0.0	0.0	6.7
15-19	8.2	0.2	0.0	8.4	8.4	0.0	0.0	8.4	7.9	0.4	0.0	8.3
20-24	7.1	2.5	0.0	9.6	8.2	0.9	0.0	9.1	5.9	4.1	0.0	10.1
25-29	4.7	5.2	0.1	9.9	6.4	3.1	0.0	9.5	3.0	7.2	0.1	10.3
30-34	2.2	6.8	0.1	9.1	3.2	5.6	0.0	8.8	1.2	8.0	0.2	9.4
35-39	1.0	7.0	0.2	8.2	1.4	6.6	0.1	8.0	0.6	7.5	0.3	8.3
40-44	0.6	6.8	0.2	7.6	0.8	6.8	0.1	7.7	0.3	6.9	0.4	7.6
45-49	0.4	6.1	0.4	6.9	0.5	6.3	0.1	6.9	0.3	6.0	0.6	6.9
50-54	0.3	5.2	0.4	5.8	0.3	5.2	0.2	5.7	0.2	5.1	0.6	6.0
55-59	0.2	4.3	0.5	5.0	0.2	4.9	0.3	5.4	0.1	3.6	0.8	4.5
60-64	0.2	3.5	0.6	4.3	0.2	4.4	0.2	4.8	0.1	2.7	1.0	3.7
65-69	0.1	2.0	0.6	2.7	0.1	2.6	0.2	2.9	0.1	1.4	1.0	2.5
70-74	0.1	1.2	0.5	1.8	0.1	1.7	0.2	1.9	0.1	0.8	0.8	1.7
75-79	0.0	0.7	0.4	1.1	0.0	0.9	0.2	1.1	0.0	0.4	0.6	1.1
80-84	0.0	0.3	0.3	0.7	0.0	0.5	0.1	0.7	0.0	0.2	0.5	0.7
85+	0.0	0.2	0.2	0.4	0.0	0.3	0.1	0.4	0.0	0.1	0.4	0.5
All ages	43.6	52.0	4.5	100.0	48.6	49.7	1.7	100.0	38.4	54.3	7.3	100.0

W/D/S - Widowed/Divorced/Separated.

Table 3**Fertility Indicators, 2018**

Indicators	Age group	Total	Rural	Urban
India				
Age specific fertility rates	15-19	12.2	13.5	8.4
	20-24	122.9	135.9	91.5
	25-29	146.4	160.1	119.1
	30-34	94.7	101.3	81.7
	35-39	36.9	40.7	30.2
	40-44	12.7	14.8	9.1
	45-49	4.4	5.5	2.4
Age specific marital fertility rates	15-19	322.7	332.4	289.7
	20-24	299.8	309.0	273.6
	25-29	190.9	199.0	173.2
	30-34	103.4	109.2	92.6
	35-39	39.5	43.2	32.7
	40-44	13.7	15.9	9.9
	45-49	4.9	6.1	2.7
Crude birth rate		20.0	21.6	16.7
General fertility rate		70.4	77.4	56.7
Total fertility rate		2.2	2.4	1.7
Gross reproduction rate		1.0	1.1	0.8
General marital fertility rate		109.2	119.1	89.3
Total marital fertility rate		4.9	5.1	4.4

Table 3
Fertility Indicators, 2018

Indicators	Age group	Total	Rural	Urban	Total	Rural	Urban
		Andhra Pradesh			Bihar		
Age specific fertility rates	15-19	10.2	12.9	4.6	11.9	12.2	9.6
	20-24	124.3	132.8	106.5	139.7	141.5	128.5
	25-29	110.5	113.8	103.8	219.7	222.8	199.2
	30-34	46.8	44.6	51.4	171.4	181.1	114.6
	35-39	16.1	16.1	16.0	59.9	64.4	32.0
	40-44	6.6	7.2	5.4	22.8	25.0	11.1
	45-49	2.8	2.8	2.7	6.6	7.3	1.8
Age specific marital fertility rates	15-19	204.3	275.9	80.6	380.5	376.6	421.8
	20-24	267.0	270.8	257.7	350.2	347.1	373.4
	25-29	138.1	138.4	137.5	260.1	257.7	279.7
	30-34	51.1	48.1	57.2	177.9	186.4	124.7
	35-39	17.3	17.3	17.2	61.3	65.7	33.5
	40-44	7.3	7.9	6.0	23.6	25.8	11.6
	45-49	3.2	3.2	3.2	6.9	7.6	1.9
Crude birth rate		16.0	16.4	15.3	26.2	26.8	21.9
General fertility rate		53.5	55.5	49.4	99.8	102.5	82.8
Total fertility rate		1.6	1.7	1.5	3.2	3.3	2.5
Gross reproduction rate		0.8	0.8	0.7	1.5	1.6	1.2
General marital fertility rate		77.1	78.9	73.3	160.9	164.3	138.2
Total marital fertility rate		3.4	3.8	2.8	6.3	6.3	6.2
		Assam			Chhattisgarh		
Age specific fertility rates	15-19	22.0	23.1	13.8	15.1	16.7	10.0
	20-24	104.1	110.0	63.4	157.6	175.7	97.6
	25-29	136.6	145.7	85.8	163.2	169.5	144.3
	30-34	112.5	117.9	84.0	96.2	104.1	74.4
	35-39	51.1	53.0	42.2	36.1	40.2	24.3
	40-44	16.1	16.1	16.5	10.6	10.3	11.6
	45-49	6.2	6.6	4.5	2.3	2.0	3.2
Age specific marital fertility rates	15-19	612.9	620.5	532.9	390.9	427.4	266.0
	20-24	249.6	255.9	193.0	350.1	365.1	281.3
	25-29	183.3	188.9	143.5	205.9	206.9	202.6
	30-34	129.0	133.1	105.0	106.5	114.3	84.1
	35-39	57.0	58.6	48.8	39.6	43.8	27.2
	40-44	18.0	17.8	18.9	11.7	11.3	12.9
	45-49	7.1	7.6	5.2	2.6	2.3	3.7
Crude birth rate		21.1	22.2	14.6	22.5	24.0	17.8
General fertility rate		73.4	77.7	49.2	78.7	85.2	58.9
Total fertility rate		2.2	2.4	1.6	2.4	2.6	1.8
Gross reproduction rate		1.1	1.1	0.7	1.1	1.2	0.9
General marital fertility rate		117.5	123.7	81.1	121.4	130.1	94.0
Total marital fertility rate		6.3	6.4	5.2	5.5	5.9	4.4

Table 3
Fertility Indicators, 2018

Indicators	Age group	Total	Rural	Urban	Total	Rural	Urban
		Delhi			Haryana		
Age specific fertility rates	15-19	3.2	4.9	3.2	5.0	3.5	7.5
	20-24	74.1	99.1	73.5	118.3	123.9	108.5
	25-29	114.7	103.8	115.0	169.1	185.3	145.6
	30-34	65.7	69.5	65.6	91.4	105.6	70.2
	35-39	24.6	22.9	24.6	33.7	37.1	28.4
	40-44	8.0	9.6	7.9	10.6	14.0	5.5
	45-49	1.7	0.0	1.7	7.0	6.7	7.5
Age specific marital fertility rates	15-19	291.9	479.5	288.1	195.1	112.5	496.2
	20-24	277.0	289.5	276.6	261.7	260.1	264.8
	25-29	183.9	149.4	185.0	208.0	222.0	186.5
	30-34	76.5	79.5	76.4	95.6	109.3	74.6
	35-39	26.4	24.0	26.5	34.8	38.3	29.4
	40-44	8.4	10.1	8.4	11.1	14.6	5.8
	45-49	1.9	0.0	1.9	7.5	7.1	8.1
Crude birth rate		14.7	16.2	14.7	20.3	21.7	18.0
General fertility rate		50.3	57.1	50.1	72.7	78.7	63.2
Total fertility rate		1.5	1.5	1.5	2.2	2.4	1.9
Gross reproduction rate		0.6	0.8	0.6	1.0	1.1	0.9
General marital fertility rate		83.9	89.8	83.7	107.2	115.7	93.8
Total marital fertility rate		4.3	5.2	4.3	4.1	3.8	5.3
		Gujarat			Himachal Pradesh		
Age specific fertility rates	15-19	10.9	13.9	6.7	11.5	12.7	0.0
	20-24	135.5	165.2	96.0	80.9	84.0	41.2
	25-29	153.6	160.6	145.9	117.3	119.2	94.6
	30-34	82.5	89.3	75.8	79.3	81.2	60.2
	35-39	28.1	31.9	24.1	26.5	27.0	21.5
	40-44	8.8	10.0	7.4	4.5	4.6	3.7
	45-49	3.4	3.0	3.8	1.4	1.4	1.3
Age specific marital fertility rates	15-19	394.3	388.6	412.3	301.5	309.3	0.0
	20-24	330.2	349.4	293.3	215.9	216.0	212.3
	25-29	198.1	196.0	200.8	156.8	155.9	171.5
	30-34	89.1	94.9	83.2	86.2	87.6	71.5
	35-39	29.5	33.5	25.4	27.8	28.3	23.1
	40-44	9.4	10.7	7.8	4.7	4.8	3.9
	45-49	3.7	3.3	4.2	1.6	1.6	1.4
Crude birth rate		19.7	21.6	17.4	15.7	16.2	10.3
General fertility rate		70.1	78.5	60.2	53.7	55.4	34.7
Total fertility rate		2.1	2.4	1.8	1.6	1.7	1.1
Gross reproduction rate		1.0	1.1	0.8	0.8	0.8	0.5
General marital fertility rate		105.6	117.6	91.4	79.0	80.9	56.6
Total marital fertility rate		5.3	5.4	5.1	4.0	4.0	2.4

Table 3
Fertility Indicators, 2018

Indicators	Age group	Total	Rural	Urban	Total	Rural	Urban
		Jammu & Kashmir			Karnataka		
Age specific fertility rates	15-19	3.1	3.7	1.6	7.9	8.8	6.4
	20-24	39.8	42.1	33.8	102.2	122.5	70.5
	25-29	84.2	100.4	49.1	120.7	129.1	108.7
	30-34	104.2	118.4	76.1	76.7	71.7	83.8
	35-39	60.3	63.3	54.4	22.8	18.3	29.2
	40-44	19.8	21.7	16.2	5.9	5.7	6.2
	45-49	6.5	7.2	5.2	3.2	1.4	6.1
Age specific marital fertility rates	15-19	313.0	435.9	107.0	180.5	191.0	160.3
	20-24	280.3	276.0	294.9	207.3	221.8	176.3
	25-29	212.8	233.6	152.9	153.0	159.7	142.7
	30-34	150.7	165.3	118.3	85.0	79.4	92.7
	35-39	71.6	74.9	64.9	25.1	20.2	32.1
	40-44	21.5	23.4	17.8	6.7	6.5	6.9
	45-49	6.9	7.7	5.5	3.8	1.7	7.0
Crude birth rate		15.4	17.0	11.7	17.2	18.1	15.9
General fertility rate		50.4	56.3	37.6	57.8	61.4	52.4
Total fertility rate		1.6	1.8	1.2	1.7	1.8	1.6
Gross reproduction rate		0.8	0.9	0.6	0.8	0.9	0.7
General marital fertility rate		102.4	115.2	75.1	85.9	90.3	79.1
Total marital fertility rate		5.3	6.1	3.8	3.3	3.4	3.1
		Jharkhand			Kerala		
Age specific fertility rates	15-19	13.9	13.5	15.5	11.9	11.0	12.8
	20-24	139.2	148.9	107.5	88.2	88.4	87.9
	25-29	162.9	180.0	116.3	111.6	103.6	120.2
	30-34	108.4	115.2	89.7	83.5	86.5	80.5
	35-39	44.9	48.1	36.2	29.3	30.9	27.7
	40-44	23.5	26.4	15.9	6.2	8.6	3.8
	45-49	4.6	5.1	3.0	0.7	0.9	0.5
Age specific marital fertility rates	15-19	486.5	441.7	720.8	515.1	408.6	664.4
	20-24	329.8	329.0	333.7	235.2	232.2	238.3
	25-29	211.9	219.4	185.3	138.8	128.3	150.3
	30-34	119.8	124.7	105.3	89.3	92.6	86.0
	35-39	48.4	51.8	39.3	31.4	33.0	29.8
	40-44	25.0	27.9	17.0	6.8	9.4	4.1
	45-49	4.9	5.5	3.2	0.8	1.1	0.5
Crude birth rate		22.6	24.0	18.1	13.9	13.8	14.0
General fertility rate		80.8	86.7	63.4	48.6	48.7	48.4
Total fertility rate		2.5	2.7	1.9	1.7	1.7	1.7
Gross reproduction rate		1.2	1.3	0.9	0.9	0.8	0.9
General marital fertility rate		128.5	136.0	104.9	69.5	69.6	69.5
Total marital fertility rate		6.1	6.0	7.0	5.1	4.5	5.9

Table 3
Fertility Indicators, 2018

Indicators	Age group	Total	Rural	Urban	Total	Rural	Urban
		Madhya Pradesh			Odisha		
Age specific fertility rates	15-19	15.5	18.8	5.7	10.3	10.9	7.3
	20-24	165.6	187.0	104.9	112.8	119.1	83.0
	25-29	198.8	227.5	129.6	129.2	136.3	97.3
	30-34	102.7	99.3	110.8	78.5	84.5	52.7
	35-39	42.2	40.5	46.5	28.9	32.0	16.4
	40-44	13.0	14.0	10.6	11.8	13.5	5.0
	45-49	4.0	4.4	2.9	2.7	2.8	2.0
Age specific marital fertility rates	15-19	264.2	278.6	173.6	215.7	213.2	236.8
	20-24	322.7	334.1	275.2	246.1	249.6	224.6
	25-29	234.7	255.2	175.4	168.4	173.5	141.8
	30-34	108.9	103.3	123.3	87.4	93.5	60.0
	35-39	44.4	42.2	49.9	31.8	35.1	18.2
	40-44	13.9	14.9	11.6	13.1	14.9	5.6
	45-49	4.4	4.9	3.3	3.0	3.2	2.3
Crude birth rate		24.6	26.6	19.1	18.2	19.2	13.4
General fertility rate		91.2	100.5	67.3	63.4	67.6	44.6
Total fertility rate		2.7	3.0	2.1	1.9	2.0	1.3
Gross reproduction rate		1.3	1.4	1.0	0.9	1.0	0.7
General marital fertility rate		135.0	145.7	105.2	97.1	102.8	70.7
Total marital fertility rate		5.0	5.2	4.1	3.8	3.9	3.4
		Maharashtra			Punjab		
Age specific fertility rates	15-19	8.8	8.1	9.7	4.5	4.6	4.4
	20-24	119.1	138.2	95.6	78.7	86.2	68.4
	25-29	107.2	126.0	89.5	109.0	112.0	105.0
	30-34	69.0	60.3	77.2	76.8	81.3	71.2
	35-39	21.1	20.3	22.0	32.4	31.1	34.2
	40-44	6.1	6.0	6.3	9.9	10.1	9.6
	45-49	1.6	1.5	1.8	3.5	4.8	1.7
Age specific marital fertility rates	15-19	200.3	175.6	238.6	250.0	228.8	288.4
	20-24	272.9	279.4	262.1	291.9	322.0	251.4
	25-29	147.2	164.6	129.0	178.1	180.8	174.4
	30-34	78.6	67.8	88.8	90.5	93.7	86.3
	35-39	23.0	21.8	24.2	34.6	32.8	37.0
	40-44	6.7	6.4	6.9	10.6	10.7	10.3
	45-49	1.8	1.6	2.1	3.8	5.2	1.8
Crude birth rate		15.6	15.9	15.2	14.8	15.3	14.0
General fertility rate		55.1	59.4	50.4	52.3	54.7	49.1
Total fertility rate		1.7	1.8	1.5	1.6	1.7	1.5
Gross reproduction rate		0.8	0.8	0.7	0.7	0.8	0.7
General marital fertility rate		84.2	90.1	77.7	85.3	88.8	80.6
Total marital fertility rate		3.7	3.6	3.8	4.3	4.4	4.2

Table 3
Fertility Indicators, 2018

Indicators	Age group	Total	Rural	Urban	Total	Rural	Urban
		Rajasthan			Telangana		
Age specific fertility rates	15-19	9.0	9.4	8.0	7.0	7.3	6.5
	20-24	154.0	162.5	128.0	112.5	129.8	88.3
	25-29	187.6	197.6	162.0	117.5	119.7	114.4
	30-34	100.1	103.5	92.0	59.1	52.1	68.2
	35-39	39.0	40.9	33.9	16.6	16.9	16.1
	40-44	11.8	13.8	7.1	7.4	5.1	10.6
	45-49	6.0	7.8	1.5	2.5	3.4	1.3
Age specific marital fertility rates	15-19	229.7	233.2	217.4	192.4	187.4	201.5
	20-24	329.6	332.5	318.9	271.2	284.8	246.8
	25-29	219.0	220.9	213.4	156.4	149.7	166.9
	30-34	103.9	106.3	97.8	64.8	56.7	75.5
	35-39	40.4	42.3	35.5	18.0	18.5	17.4
	40-44	12.4	14.6	7.5	8.1	5.7	11.5
	45-49	6.4	8.3	1.6	2.9	4.0	1.4
Crude birth rate		24.0	24.9	21.3	16.9	17.2	16.5
General fertility rate		86.0	90.5	73.7	55.0	56.9	52.2
Total fertility rate		2.5	2.7	2.2	1.6	1.7	1.5
Gross reproduction rate		1.2	1.3	1.1	0.8	0.8	0.8
General marital fertility rate		127.8	133.9	110.9	84.0	85.6	81.8
Total marital fertility rate		4.7	4.8	4.5	3.6	3.5	3.6
		Tamil Nadu			Uttar Pradesh		
Age specific fertility rates	15-19	8.6	7.3	9.9	8.5	9.3	5.8
	20-24	95.6	102.6	88.6	124.9	138.3	85.1
	25-29	122.7	119.6	125.5	189.1	206.1	146.4
	30-34	64.3	61.2	66.7	147.8	150.2	141.6
	35-39	19.3	19.1	19.4	72.8	74.6	67.6
	40-44	3.1	3.0	3.2	28.7	29.2	27.1
	45-49	1.3	1.5	1.1	10.4	12.9	3.6
Age specific marital fertility rates	15-19	225.6	252.0	209.9	395.9	374.5	576.2
	20-24	253.7	259.6	247.1	424.3	426.0	416.2
	25-29	162.8	153.7	171.5	260.8	263.9	250.3
	30-34	70.8	67.4	73.4	159.4	157.5	164.9
	35-39	21.0	20.9	21.1	75.7	76.9	72.1
	40-44	3.4	3.3	3.5	30.0	30.5	28.6
	45-49	1.5	1.8	1.3	11.0	13.6	3.9
Crude birth rate		14.7	14.8	14.6	25.6	26.6	22.5
General fertility rate		51.2	52.0	50.6	91.4	96.7	76.4
Total fertility rate		1.6	1.6	1.6	2.9	3.1	2.4
Gross reproduction rate		0.8	0.8	0.8	1.4	1.4	1.2
General marital fertility rate		76.1	78.2	74.3	155.6	160.8	139.2
Total marital fertility rate		3.7	3.8	3.6	6.8	6.7	7.6

Table 3
Fertility Indicators, 2018

Indicators	Age group	Total	Rural	Urban	Total	Rural	Urban
		Uttarakhand			West Bengal		
Age specific fertility rates	15-19	5.5	5.3	6.0	33.4	38.2	19.6
	20-24	93.6	100.4	75.3	115.0	126.4	85.1
	25-29	133.7	138.5	121.9	69.9	70.9	67.7
	30-34	77.9	72.4	90.9	56.6	61.2	47.3
	35-39	34.9	31.4	43.2	18.5	19.6	16.2
	40-44	9.6	9.5	9.8	7.9	9.4	5.1
	45-49	3.5	3.6	3.1	3.5	4.7	1.0
Age specific marital fertility rates	15-19	33.3	24.8	342.8	584.7	625.8	428.9
	20-24	203.9	191.3	268.4	230.2	236.4	208.8
	25-29	184.8	183.9	187.3	87.8	84.8	96.1
	30-34	84.5	77.3	102.9	62.7	65.9	55.5
	35-39	36.7	33.0	46.0	20.0	20.8	18.0
	40-44	10.2	10.0	10.6	8.6	10.0	5.7
	45-49	3.8	4.0	3.4	3.9	5.3	1.1
Crude birth rate		16.7	16.8	16.4	15.0	16.5	11.5
General fertility rate		61.5	62.4	59.2	50.0	55.0	38.5
Total fertility rate		1.8	1.8	1.8	1.5	1.7	1.2
Gross reproduction rate		0.8	0.8	0.8	0.7	0.8	0.6
General marital fertility rate		93.4	91.3	99.4	73.5	79.8	58.4
Total marital fertility rate		2.8	2.6	4.8	5.0	5.2	4.1

Table 4
Fertility indicators by level of education of women, 2018

Indicators	Age group	India									
		Illiterate		Educational level							Graduate and above
		Total literate	Without any formal education	Below primary	Literate				Class X	Class XII	
					Primary	Middle	Class X	Class XII			
Total											
Age specific fertility rates	15-19	30.0	11.7	20.2	20.2	16.4	10.4	8.1	10.6	0.0	
	20-24	187.2	119.3	151.1	218.6	190.0	143.0	104.7	71.4	86.7	
	25-29	196.1	141.0	166.2	176.7	164.0	151.6	143.4	126.6	103.7	
	30-34	113.4	91.1	96.8	104.4	90.7	88.4	78.5	97.1	95.1	
	35-39	49.2	34.0	39.3	39.7	32.2	29.8	30.2	35.9	39.0	
	40-44	17.6	11.2	17.8	13.4	12.0	9.7	10.0	7.9	8.3	
	45-49	6.1	3.8	4.3	5.8	2.7	4.4	3.3	4.1	1.5	
General fertility rate		73.7	70.3	70.6	84.2	77.0	66.6	63.2	68.4	73.7	
Total fertility rate		3.0	2.1	2.5	2.9	2.5	2.2	1.9	1.8	1.7	
Rural											
Age specific fertility rates	15-19	32.9	13.1	21.6	22.2	18.7	11.7	8.6	11.5	0.0	
	20-24	198.3	132.8	157.1	228.3	194.9	149.0	111.6	84.1	100.4	
	25-29	205.5	154.3	171.3	182.9	175.0	159.7	150.8	135.3	115.9	
	30-34	119.8	97.2	104.3	110.3	97.8	94.6	83.4	103.3	99.2	
	35-39	52.2	36.9	40.0	40.4	35.0	33.9	34.6	40.2	43.4	
	40-44	18.7	13.0	16.0	13.6	13.3	12.6	11.7	8.5	12.7	
	45-49	7.1	4.7	5.2	6.5	3.0	6.1	3.2	3.7	2.1	
General fertility rate		78.4	77.6	73.8	89.0	83.9	73.2	69.6	78.4	89.3	
Total fertility rate		3.2	2.3	2.6	3.0	2.7	2.3	2.0	1.9	1.9	
Urban											
Age specific fertility rates	15-19	16.2	8.3	15.4	12.6	9.6	7.0	7.0	9.3	0.0	
	20-24	135.6	90.7	126.4	182.2	173.2	123.5	88.7	52.7	75.0	
	25-29	148.1	118.3	146.7	155.8	132.4	130.6	130.2	114.2	95.7	
	30-34	81.6	81.9	68.9	85.6	72.5	75.5	71.5	90.6	93.3	
	35-39	34.2	29.8	36.5	37.2	25.3	22.5	24.8	32.2	37.5	
	40-44	12.6	8.7	24.1	12.7	9.3	5.0	8.3	7.5	7.0	
	45-49	1.8	2.5	1.2	3.9	2.2	1.7	3.4	4.3	1.4	
General fertility rate		51.6	57.3	58.4	68.4	58.9	51.3	52.3	55.9	65.5	
Total fertility rate		2.2	1.7	2.1	2.4	2.1	1.8	1.7	1.6	1.5	

Table 4
Fertility indicators by level of education of women, 2018

Andhra Pradesh										
Indicators	Age group	Educational level								
		Illiterate	Literate							
			Total literate	Without any formal education	Below primary	Primary	Middle	Class X	Class XII	Graduate and above
Total										
Age specific fertility rates	15-19	26.2	10.0	34.9	23.8	14.6	7.3	9.1	8.8	0.0
	20-24	120.3	124.8	167.2	210.0	206.4	169.9	138.6	77.3	67.2
	25-29	89.8	112.9	74.8	126.4	109.6	107.1	126.8	119.2	96.0
	30-34	34.3	49.1	30.5	19.7	36.8	55.5	50.5	63.3	86.3
	35-39	24.5	14.0	8.4	12.8	13.7	12.5	11.6	24.7	23.4
	40-44	7.8	6.4	14.2	2.8	4.5	5.0	12.5	0.0	0.0
	45-49	1.1	3.5	0.0	1.3	0.9	7.1	9.5	11.9	0.0
General fertility rate		29.3	57.5	31.6	39.7	47.5	52.4	70.8	68.8	67.0
Total fertility rate		1.5	1.6	1.6	2.0	1.9	1.8	1.8	1.5	1.4
Rural										
Age specific fertility rates	15-19	36.1	12.6	52.1	22.5	16.3	9.2	12.5	12.3	0.0
	20-24	126.9	133.3	173.3	206.1	214.8	171.3	139.8	84.5	64.1
	25-29	102.6	115.4	74.6	115.7	121.0	111.8	127.4	112.9	101.1
	30-34	37.3	46.2	21.2	19.5	30.7	60.4	55.9	54.5	103.8
	35-39	20.7	14.8	7.1	13.0	14.8	17.6	10.7	29.8	28.6
	40-44	6.3	7.5	18.9	3.4	6.3	7.5	7.7	0.0	0.0
	45-49	1.4	3.5	0.0	1.6	1.3	11.0	10.2	0.0	0.0
General fertility rate		30.6	60.2	30.6	37.8	51.0	56.9	77.3	73.1	77.5
Total fertility rate		1.7	1.7	1.7	1.9	2.0	1.9	1.8	1.5	1.5
Urban										
Age specific fertility rates	15-19	0.0	4.7	0.0	29.0	10.3	2.2	2.8	4.6	0.0
	20-24	96.1	107.3	149.9	232.0	180.2	166.0	135.8	65.5	70.0
	25-29	49.6	107.9	75.0	159.8	75.8	94.5	125.4	130.2	91.6
	30-34	24.5	54.6	51.7	20.5	55.4	43.6	41.2	73.4	77.9
	35-39	37.5	12.5	11.9	11.8	11.0	2.1	12.7	19.3	21.8
	40-44	12.6	4.3	0.0	0.0	0.0	0.0	17.6	0.0	0.0
	45-49	0.0	3.5	0.0	0.0	0.0	0.0	8.8	20.8	0.0
General fertility rate		25.2	52.3	34.2	47.3	38.1	41.6	58.8	62.8	60.3
Total fertility rate		1.1	1.5	1.4	2.3	1.7	1.5	1.7	1.6	1.3

Table 4
Fertility indicators by level of education of women, 2018

Assam										
Indicators	Age group	Educational level								
		Illiterate	Literate							
			Total literate	Without any formal education	Below primary	Primary	Middle	Class X	Class XII	Graduate and above
Total										
Age specific fertility rates	15-19	8.0	22.4	7.5	32.0	31.9	19.8	12.7	78.6	0.0
	20-24	69.0	105.7	60.4	135.5	129.1	105.5	94.8	83.4	158.9
	25-29	95.6	140.7	83.9	164.3	169.7	145.6	128.5	143.1	76.7
	30-34	83.0	116.5	103.6	102.0	132.7	110.7	130.8	106.0	109.1
	35-39	46.0	52.0	65.4	66.8	51.7	43.4	39.6	32.3	85.0
	40-44	19.0	15.5	33.8	11.8	11.9	16.1	16.0	12.5	16.0
	45-49	6.5	6.1	14.3	6.5	1.0	4.9	6.8	13.1	0.0
General fertility rate		47.4	76.5	54.3	78.5	87.6	71.8	73.8	85.5	79.6
Total fertility rate		1.6	2.3	1.8	2.6	2.6	2.2	2.1	2.3	2.2
Rural										
Age specific fertility rates	15-19	8.7	23.5	8.5	30.9	34.3	20.6	13.3	83.2	0.0
	20-24	70.8	112.0	64.7	136.0	131.8	107.9	101.9	101.6	209.1
	25-29	98.6	150.7	89.0	168.9	175.2	151.9	132.8	168.0	98.2
	30-34	85.3	122.7	113.5	104.1	137.4	114.8	141.6	111.3	128.4
	35-39	49.0	53.9	68.5	69.7	50.5	48.4	37.3	20.2	121.3
	40-44	18.4	15.5	36.7	9.3	12.0	18.6	16.4	6.1	14.7
	45-49	7.2	6.4	16.0	5.7	0.0	5.2	8.1	19.6	0.0
General fertility rate		49.0	81.4	58.2	80.7	91.4	75.6	78.7	100.1	107.8
Total fertility rate		1.7	2.4	2.0	2.6	2.7	2.3	2.3	2.6	2.9
Urban										
Age specific fertility rates	15-19	0.0	14.0	0.0	42.7	10.9	13.9	9.4	60.4	0.0
	20-24	44.7	63.9	24.7	127.5	88.5	85.8	57.3	32.8	76.2
	25-29	64.2	87.3	47.3	105.7	107.9	102.0	107.5	80.1	52.0
	30-34	56.9	85.9	35.5	74.9	83.6	87.8	90.1	94.1	89.5
	35-39	12.6	44.5	39.7	37.5	63.4	21.6	45.8	51.4	60.8
	40-44	26.2	15.5	11.9	33.6	11.2	5.2	14.5	22.7	16.8
	45-49	0.0	5.0	0.0	13.0	6.8	3.9	4.2	6.2	0.0
General fertility rate		29.6	50.5	24.1	55.6	51.4	48.7	52.7	53.3	53.1
Total fertility rate		1.0	1.6	0.8	2.2	1.9	1.6	1.6	1.7	1.5

Table 4
Fertility indicators by level of education of women, 2018

Indicators	Age group	Bihar									
		Illiterate		Educational level							
		Total illiterate	Without any formal education	Literate					Class X	Class XII	Graduate and above
				Below primary	Primary	Middle					
Total											
Age specific fertility rates	15-19	36.7	10.7	20.2	16.7	8.6	10.5	9.2	10.3	0.0	
	20-24	210.4	130.7	212.1	239.9	184.1	122.2	98.3	68.3	101.6	
	25-29	264.0	206.3	248.1	241.7	237.6	228.5	190.0	146.6	133.2	
	30-34	186.1	164.5	185.4	201.6	161.8	172.4	137.1	145.8	115.9	
	35-39	70.5	53.5	53.1	70.8	52.8	56.2	43.6	41.1	50.9	
	40-44	28.8	18.2	21.8	33.5	15.6	18.8	5.6	9.4	20.4	
	45-49	5.5	7.6	7.9	6.6	8.4	11.2	6.2	0.0	7.0	
General fertility rate		121.3	93.5	126.8	128.6	89.8	78.2	80.2	83.6	94.6	
Total fertility rate		4.0	3.0	3.7	4.1	3.3	3.1	2.5	2.1	2.1	
Rural											
Age specific fertility rates	15-19	37.9	10.9	20.7	16.1	8.6	11.0	9.2	11.5	0.0	
	20-24	207.6	132.2	210.5	233.3	176.5	122.0	98.5	71.9	98.2	
	25-29	260.7	210.0	246.1	237.3	239.3	225.9	183.8	151.5	145.9	
	30-34	190.2	176.2	192.5	208.3	174.4	180.8	142.4	170.2	109.7	
	35-39	72.8	58.6	54.6	75.4	56.1	64.3	51.0	45.7	50.9	
	40-44	29.5	20.8	23.0	36.3	17.6	23.4	4.7	9.7	24.1	
	45-49	5.7	9.0	8.7	7.5	9.2	14.0	8.1	0.0	8.7	
General fertility rate		122.1	96.0	128.7	128.9	90.7	80.0	81.1	90.4	100.8	
Total fertility rate		4.0	3.1	3.8	4.1	3.4	3.2	2.5	2.3	2.2	
Urban											
Age specific fertility rates	15-19	19.5	9.3	14.4	22.0	9.2	7.0	9.5	4.6	0.0	
	20-24	261.1	122.3	230.0	307.8	260.5	124.2	96.9	57.4	107.8	
	25-29	324.5	186.2	274.3	291.1	221.9	248.7	221.6	130.4	112.7	
	30-34	119.7	114.6	107.4	146.8	74.7	128.3	120.2	97.0	121.9	
	35-39	34.0	31.6	36.7	30.6	30.7	20.9	20.7	34.6	50.9	
	40-44	19.0	9.3	11.8	14.5	5.7	0.0	7.8	9.0	17.8	
	45-49	1.9	1.8	0.0	0.0	4.2	0.0	1.9	0.0	5.0	
General fertility rate		107.7	80.1	106.2	125.6	82.1	66.4	76.4	65.3	86.5	
Total fertility rate		3.9	2.4	3.4	4.1	3.0	2.6	2.4	1.7	2.1	

Table 4
Fertility indicators by level of education of women, 2018

Chhattisgarh										
Indicators	Age group	Educational level								
		Illiterate	Literate							
			Total literate	Without any formal education	Below primary	Primary	Middle	Class X	Class XII	Graduate and above
Total										
Age specific fertility rates	15-19	162.4	13.1	0.0	106.8	14.9	7.8	10.2	30.4	0.0
	20-24	158.2	158.7	203.8	249.8	251.4	178.7	187.4	74.0	157.7
	25-29	107.9	173.7	181.4	216.5	206.4	172.0	197.1	128.7	155.2
	30-34	71.3	103.1	93.6	206.9	98.5	95.0	51.4	79.9	133.1
	35-39	38.4	36.6	10.2	76.0	41.3	52.3	35.1	41.3	7.5
	40-44	8.0	12.0	10.0	33.8	19.7	13.8	1.3	0.0	0.0
	45-49	1.6	2.8	2.5	0.0	0.0	13.2	0.0	0.0	0.0
General fertility rate		43.4	86.8	40.9	132.7	99.7	84.4	84.8	74.4	94.7
Total fertility rate		2.7	2.5	2.5	4.4	3.2	2.7	2.4	1.8	2.3
Rural										
Age specific fertility rates	15-19	169.5	14.1	0.0	125.4	14.2	8.9	12.6	28.1	0.0
	20-24	154.7	178.2	202.8	243.1	244.9	187.6	225.4	85.9	184.9
	25-29	105.2	184.0	173.2	227.3	208.3	186.0	214.1	141.4	138.5
	30-34	75.6	114.7	100.7	233.7	116.1	110.7	50.9	72.6	158.4
	35-39	40.8	41.8	10.6	49.0	51.6	66.7	41.7	59.2	0.0
	40-44	7.9	12.0	3.7	24.7	27.9	10.2	2.4	0.0	0.0
	45-49	1.8	2.2	3.1	0.0	0.0	8.7	0.0	0.0	0.0
General fertility rate		44.8	96.9	40.2	138.5	107.9	95.4	100.4	85.8	108.3
Total fertility rate		2.8	2.7	2.5	4.5	3.3	2.9	2.7	1.9	2.4
Urban										
Age specific fertility rates	15-19	45.2	9.9	0.0	23.5	19.2	4.3	4.0	35.6	0.0
	20-24	194.7	96.1	211.6	309.9	309.3	122.4	86.5	50.2	125.3
	25-29	147.0	146.8	234.6	162.8	197.6	112.1	159.4	100.3	169.5
	30-34	13.7	78.2	46.7	118.6	35.3	44.5	52.2	92.2	118.5
	35-39	9.2	25.5	6.6	150.2	3.9	19.8	23.6	19.7	11.9
	40-44	9.1	12.0	51.3	59.0	0.0	24.2	0.0	0.0	0.0
	45-49	0.0	3.9	0.0	0.0	0.0	20.2	0.0	0.0	0.0
General fertility rate		28.4	61.2	44.9	111.0	65.9	44.6	50.3	53.9	85.5
Total fertility rate		2.1	1.9	2.8	4.1	2.8	1.7	1.6	1.5	2.1

Table 4
Fertility indicators by level of education of women, 2018

Delhi										
Indicators	Age group	Educational level								
		Illiterate	Literate							
			Total literate	Without any formal education	Below primary	Primary	Middle	Class X	Class XII	Graduate and above
Total										
Age specific fertility rates	15-19	35.9	2.9	0.0	19.5	2.5	1.8	2.8	3.1	0.0
	20-24	192.2	70.2	58.3	293.2	143.2	92.7	68.5	37.1	68.4
	25-29	135.5	114.2	94.5	191.0	119.7	128.9	161.2	93.6	93.2
	30-34	53.8	67.4	44.4	71.6	74.6	67.1	66.0	65.9	68.0
	35-39	10.5	26.5	24.2	23.6	29.0	11.4	15.8	26.4	39.7
	40-44	8.3	7.9	8.1	29.8	7.9	9.6	0.7	16.5	3.5
	45-49	0.0	2.0	0.0	0.0	0.0	0.0	0.0	0.0	7.4
General fertility rate		47.7	50.8	33.0	94.6	51.3	42.8	49.4	45.3	57.5
Total fertility rate		2.2	1.5	1.1	3.1	1.9	1.6	1.6	1.2	1.4
Rural										
Age specific fertility rates	15-19	0.0	5.0	0.0	0.0	0.0	0.0	12.3	24.3	0.0
	20-24	57.5	101.2	0.0	190.9	260.7	147.7	79.9	45.7	135.5
	25-29	79.1	105.6	0.0	155.4	196.8	142.9	161.7	73.3	41.8
	30-34	0.0	78.4	604.6	125.1	0.0	56.1	181.4	115.4	17.7
	35-39	67.3	15.3	0.0	0.0	0.0	38.6	0.0	0.0	28.3
	40-44	0.0	11.3	0.0	0.0	44.0	0.0	25.6	0.0	0.0
	45-49	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
General fertility rate		32.3	59.5	65.4	109.4	75.7	55.9	75.2	49.7	32.9
Total fertility rate		1.0	1.6	3.0	2.4	2.5	1.9	2.3	1.3	1.1
Urban										
Age specific fertility rates	15-19	36.9	2.9	0.0	19.7	2.5	1.9	2.6	2.7	0.0
	20-24	197.3	69.5	59.8	299.8	139.9	91.2	68.1	36.9	67.6
	25-29	137.4	114.4	97.3	193.0	117.6	128.4	161.2	94.1	94.4
	30-34	55.6	67.1	38.9	70.3	76.7	67.4	63.0	64.6	69.1
	35-39	9.0	26.8	24.5	24.4	29.6	10.6	16.2	27.0	40.0
	40-44	8.5	7.8	8.2	30.4	7.1	9.9	0.0	16.9	3.5
	45-49	0.0	2.1	0.0	0.0	0.0	0.0	0.0	0.0	7.5
General fertility rate		48.1	50.6	32.5	94.1	50.7	42.4	48.7	45.1	58.0
Total fertility rate		2.2	1.5	1.1	3.2	1.9	1.5	1.6	1.2	1.4

Table 4
Fertility indicators by level of education of women, 2018

Gujarat										
Indicators	Age group	Educational level								
		Illiterate	Literate							
			Total literate	Without any formal education	Below primary	Primary	Middle	Class X	Class XII	Graduate and above
Total										
Age specific fertility rates	15-19	11.1	11.0	54.1	29.3	14.8	7.0	7.1	7.7	0.0
	20-24	177.9	134.3	139.2	271.5	204.6	162.5	101.7	50.5	85.6
	25-29	174.1	152.2	123.9	181.3	156.9	172.9	176.6	130.5	98.1
	30-34	91.7	81.2	72.4	105.1	85.9	70.7	76.9	82.8	77.6
	35-39	29.5	27.8	19.7	28.4	39.6	32.7	22.9	17.6	17.3
	40-44	12.2	7.8	8.0	16.3	8.6	3.7	13.3	2.9	0.6
	45-49	5.3	2.6	2.0	-7.4	5.8	10.2	0.0	0.0	5.0
General fertility rate		56.0	72.5	63.5	104.1	83.7	73.5	66.3	54.5	57.4
Total fertility rate		2.5	2.1	2.1	3.1	2.6	2.3	2.0	1.5	1.4
Rural										
Age specific fertility rates	15-19	15.3	14.0	82.6	43.6	22.9	9.0	8.1	2.4	0.0
	20-24	210.4	163.1	149.1	326.8	231.5	174.7	112.9	62.0	101.4
	25-29	183.4	158.0	143.6	201.1	157.4	164.4	194.5	123.0	76.6
	30-34	100.7	86.5	108.2	87.6	89.8	83.6	71.6	93.2	91.6
	35-39	30.6	32.8	6.4	26.7	39.7	46.4	27.4	23.5	26.4
	40-44	11.1	9.4	8.1	14.5	14.0	4.9	6.0	6.7	0.0
	45-49	4.1	2.3	3.2	4.6	1.5	4.6	0.0	0.0	0.0
General fertility rate		59.8	83.7	76.2	120.4	97.5	80.6	69.9	58.6	63.5
Total fertility rate		2.8	2.3	2.5	3.5	2.8	2.4	2.1	1.6	1.5
Urban										
Age specific fertility rates	15-19	0.0	6.7	0.0	2.6	4.0	4.2	5.5	14.3	0.0
	20-24	58.2	97.2	114.7	152.1	151.1	143.5	88.5	41.0	77.6
	25-29	134.4	146.5	81.4	146.5	156.1	182.7	162.6	136.7	106.1
	30-34	59.6	76.9	13.4	138.2	81.4	59.5	80.5	75.4	73.5
	35-39	25.1	24.1	41.0	31.4	39.6	21.9	20.0	14.1	15.2
	40-44	17.1	6.6	7.9	19.3	3.4	2.7	18.5	1.0	0.7
	45-49	10.2	2.9	0.0	-24.0	10.3	14.2	0.0	0.0	6.0
General fertility rate		40.4	61.5	38.9	75.1	66.2	65.5	63.0	51.4	55.5
Total fertility rate		1.5	1.8	1.3	2.3	2.2	2.1	1.9	1.4	1.4

Table 4
Fertility indicators by level of education of women, 2018

Haryana										
Indicators	Age group	Educational level								
		Illiterate	Literate							
			Total literate	Without any formal education	Below primary	Primary	Middle	Class X	Class XII	Graduate and above
Total										
Age specific fertility rates	15-19	12.8	5.0	0.9	29.6	4.5	1.9	4.0	7.5	0.0
	20-24	175.0	117.0	85.1	228.8	212.3	161.0	106.0	78.3	90.5
	25-29	156.7	171.3	150.1	213.3	188.0	172.0	189.6	168.2	125.9
	30-34	93.2	91.6	115.8	98.4	96.4	71.8	93.2	96.9	89.2
	35-39	52.8	30.2	68.5	31.1	25.9	27.7	26.5	21.7	37.6
	40-44	15.2	9.3	5.8	12.4	17.3	5.0	7.2	7.8	4.4
	45-49	7.4	6.9	0.0	10.2	8.2	6.8	4.5	5.0	8.3
General fertility rate		60.1	74.7	65.8	88.6	75.9	62.7	72.2	79.9	79.9
Total fertility rate		2.6	2.2	2.1	3.1	2.8	2.2	2.2	1.9	1.8
Rural										
Age specific fertility rates	15-19	21.8	3.4	1.1	15.3	3.2	2.0	2.6	7.5	0.0
	20-24	200.0	121.8	84.0	238.8	216.6	156.5	111.3	81.2	96.0
	25-29	178.5	186.8	146.2	236.8	202.1	181.1	188.7	189.6	140.4
	30-34	120.5	104.3	126.2	118.7	116.7	78.9	103.8	110.1	80.0
	35-39	56.3	33.2	72.7	31.5	30.6	28.7	29.6	26.3	48.7
	40-44	18.7	12.5	8.3	16.3	19.1	7.9	8.7	11.0	0.0
	45-49	8.9	5.7	0.0	11.4	2.7	7.1	4.2	0.0	0.0
General fertility rate		68.3	80.6	66.6	95.0	81.8	65.1	76.5	91.5	96.8
Total fertility rate		3.0	2.3	2.2	3.3	3.0	2.3	2.2	2.1	1.8
Urban										
Age specific fertility rates	15-19	0.0	7.7	0.0	56.7	6.5	1.9	6.6	7.5	0.0
	20-24	129.8	108.7	90.5	202.9	205.0	170.1	96.3	73.7	85.8
	25-29	122.7	149.1	161.3	158.2	166.2	157.3	191.2	135.4	116.7
	30-34	43.3	73.2	81.1	35.1	57.5	59.9	75.0	81.5	93.0
	35-39	45.2	25.9	57.9	29.5	17.6	25.7	21.9	17.4	34.1
	40-44	8.2	5.0	0.0	0.0	14.1	0.0	5.4	5.5	5.3
	45-49	3.8	8.4	0.0	6.8	17.9	6.4	4.7	7.9	9.3
General fertility rate		44.0	65.7	63.0	70.3	66.1	58.4	65.1	64.9	71.8
Total fertility rate		1.8	1.9	2.0	2.4	2.4	2.1	2.0	1.6	1.7

Table 4
Fertility indicators by level of education of women, 2018

Himachal Pradesh										
Indicators	Age group	Educational level								
		Illiterate	Literate							
			Total literate	Without any formal education	Below primary	Primary	Middle	Class X	Class XII	Graduate and above
Total										
Age specific fertility rates	15-19	50.9	11.5	0.0	0.0	16.5	10.3	9.2	11.9	0.0
	20-24	97.1	81.1	66.9	245.1	116.6	115.2	99.1	68.6	76.3
	25-29	50.3	118.1	58.2	51.2	122.0	112.3	109.0	122.0	123.4
	30-34	94.7	79.5	7.9	28.6	40.7	48.8	74.2	95.4	103.6
	35-39	29.3	26.8	6.4	15.3	11.0	23.2	27.5	23.0	48.8
	40-44	0.0	4.6	0.0	0.0	0.0	5.9	1.0	8.0	13.2
	45-49	17.6	0.8	0.0	0.0	0.0	0.0	2.8	0.0	0.0
General fertility rate		30.7	54.2	9.7	23.3	27.1	33.0	44.7	67.1	84.9
Total fertility rate		1.7	1.6	0.7	1.7	1.5	1.6	1.6	1.6	1.8
Rural										
Age specific fertility rates	15-19	53.7	12.7	0.0	0.0	17.4	11.3	10.2	13.1	0.0
	20-24	55.7	84.4	70.8	254.2	116.7	117.1	101.6	71.2	84.0
	25-29	0.0	120.3	61.5	50.7	126.6	112.6	108.0	123.0	130.2
	30-34	101.4	81.4	8.3	30.3	41.9	49.0	74.0	97.5	113.8
	35-39	29.9	27.3	6.8	15.9	11.4	24.3	28.4	22.5	55.3
	40-44	0.0	4.7	0.0	0.0	0.0	6.2	1.0	8.4	16.1
	45-49	17.8	0.8	0.0	0.0	0.0	0.0	2.6	0.0	0.0
General fertility rate		23.7	56.1	10.3	24.0	27.6	33.7	45.9	69.6	94.8
Total fertility rate		1.3	1.7	0.7	1.8	1.6	1.6	1.6	1.7	2.0
Urban										
Age specific fertility rates	15-19	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	20-24	768.1	38.6	0.0	0.0	114.9	86.9	59.4	31.2	22.4
	25-29	811.2	91.7	0.0	57.3	31.6	106.0	127.6	103.9	80.6
	30-34	0.0	61.3	0.0	0.0	18.0	44.9	77.8	70.2	61.2
	35-39	0.0	21.6	0.0	0.0	0.0	0.0	11.0	27.0	28.5
	40-44	0.0	3.7	0.0	0.0	0.0	0.0	0.0	5.6	6.2
	45-49	0.0	1.3	0.0	0.0	0.0	0.0	4.7	0.0	0.0
General fertility rate		316.9	34.0	0.0	9.7	15.4	20.9	29.6	37.0	41.8
Total fertility rate		7.9	1.1	0.0	0.3	0.8	1.2	1.4	1.2	1.0

Table 4
Fertility indicators by level of education of women, 2018

Jammu & Kashmir										
Indicators	Age group	Educational level								
		Illiterate	Literate							
			Total literate	Without any formal education	Below primary	Primary	Middle	Class X	Class XII	Graduate and above
Total										
Age specific fertility rates	15-19	22.2	2.9	0.0	23.8	2.9	1.2	3.2	0.3	0.0
	20-24	38.9	39.9	58.7	108.0	62.1	52.8	38.8	25.0	33.0
	25-29	117.5	81.3	105.3	173.0	127.3	96.8	79.9	72.5	47.8
	30-34	90.1	106.9	131.8	196.6	170.5	105.2	104.2	74.4	83.9
	35-39	58.8	60.8	47.8	71.5	91.7	62.2	59.0	42.7	61.9
	40-44	10.9	23.5	32.6	38.9	29.9	32.0	11.9	20.2	2.5
	45-49	3.6	8.2	17.7	17.8	9.4	0.4	4.8	7.0	0.0
General fertility rate		46.9	51.0	52.8	94.8	69.1	49.8	45.2	43.0	52.1
Total fertility rate		1.7	1.6	2.0	3.1	2.5	1.8	1.5	1.2	1.1
Rural										
Age specific fertility rates	15-19	23.4	3.3	0.0	31.4	0.0	1.7	4.2	0.4	0.0
	20-24	23.9	43.0	77.8	112.5	69.7	38.0	46.8	27.0	38.0
	25-29	116.5	98.8	152.4	192.3	115.9	97.0	104.6	93.5	58.9
	30-34	106.7	121.1	137.8	167.7	205.5	95.6	133.4	86.8	88.4
	35-39	64.8	62.8	69.7	94.6	83.7	55.6	69.7	26.8	52.1
	40-44	13.4	25.8	33.5	51.2	38.9	16.8	19.0	19.6	4.6
	45-49	4.9	8.9	11.3	26.9	13.6	0.7	2.6	12.2	0.0
General fertility rate		52.4	57.1	61.0	104.1	73.9	45.0	56.0	50.3	57.5
Total fertility rate		1.8	1.8	2.4	3.4	2.6	1.5	1.9	1.3	1.2
Urban										
Age specific fertility rates	15-19	0.0	1.6	0.0	0.0	13.8	0.0	0.3	0.0	0.0
	20-24	128.5	32.3	0.0	78.4	31.6	101.9	17.8	21.2	24.9
	25-29	122.7	45.8	42.3	94.7	185.0	96.1	29.4	33.1	34.8
	30-34	33.1	81.4	120.8	278.2	37.6	131.4	53.1	53.4	79.7
	35-39	39.7	57.5	22.5	18.7	122.1	78.6	41.7	71.1	69.0
	40-44	3.6	19.8	31.3	4.9	0.0	57.8	2.3	21.1	1.1
	45-49	0.0	7.2	29.2	0.0	0.0	0.0	7.1	0.0	0.0
General fertility rate		28.7	38.7	39.4	67.8	51.2	62.7	22.7	29.9	46.6
Total fertility rate		1.6	1.2	1.2	2.4	2.0	2.3	0.8	1.0	1.0

Table 4
Fertility indicators by level of education of women, 2018

Jharkhand										
Indicators	Age group	Educational level								
		Illiterate	Literate							
			Total literate	Without any formal education	Below primary	Primary	Middle	Class X	Class XII	Graduate and above
Total										
Age specific fertility rates	15-19	24.2	13.4	54.7	17.2	18.1	11.6	4.7	9.7	0.0
	20-24	214.0	131.7	201.3	414.6	284.0	143.2	81.4	30.9	44.8
	25-29	226.6	148.1	161.1	293.8	250.3	163.4	121.3	76.6	50.6
	30-34	127.4	100.4	90.7	271.0	130.5	86.4	58.9	74.5	55.4
	35-39	56.1	38.3	39.3	35.7	42.0	24.1	32.1	73.5	43.9
	40-44	26.3	21.5	19.2	9.0	15.3	12.7	48.7	17.4	32.1
	45-49	3.7	5.2	2.6	1.9	18.1	2.5	1.7	0.0	5.4
General fertility rate		91.2	77.9	89.0	159.5	111.1	66.4	59.7	47.2	44.3
Total fertility rate		3.4	2.3	2.8	5.2	3.8	2.2	1.7	1.4	1.2
Rural										
Age specific fertility rates	15-19	22.9	12.9	59.1	19.7	19.5	9.6	2.4	0.0	0.0
	20-24	218.7	140.4	201.7	437.3	303.3	143.3	70.1	18.1	13.4
	25-29	237.7	163.1	168.1	331.0	285.3	167.6	101.8	51.2	24.9
	30-34	126.7	108.8	93.4	289.3	145.0	87.4	44.5	47.8	8.5
	35-39	59.0	39.4	45.7	30.2	46.7	27.4	39.1	70.6	44.6
	40-44	29.3	23.4	5.9	10.8	20.3	17.4	93.8	26.9	33.6
	45-49	4.3	6.0	0.0	2.4	24.3	2.1	0.0	0.0	0.0
General fertility rate		95.1	83.8	92.1	172.9	125.1	68.2	53.6	31.7	20.7
Total fertility rate		3.5	2.5	2.9	5.6	4.2	2.3	1.8	1.1	0.6
Urban										
Age specific fertility rates	15-19	39.9	15.0	0.0	0.0	12.0	18.5	11.0	21.1	0.0
	20-24	165.1	105.7	197.3	269.0	182.3	143.0	117.2	50.8	63.6
	25-29	141.9	113.9	102.0	84.5	111.8	148.2	163.1	114.9	63.6
	30-34	133.2	83.6	67.7	189.7	70.6	83.4	75.5	99.8	72.6
	35-39	35.6	36.4	0.0	60.3	28.2	14.1	24.9	75.1	43.7
	40-44	7.3	18.3	96.2	0.0	0.0	0.0	10.6	12.7	31.7
	45-49	0.0	3.8	14.2	0.0	0.0	3.8	3.3	0.0	6.1
General fertility rate		62.4	63.5	66.5	87.9	55.5	60.2	72.3	65.4	53.4
Total fertility rate		2.6	1.9	2.4	3.0	2.0	2.1	2.0	1.9	1.4

Table 4
Fertility indicators by level of education of women, 2018

Karnataka										
Indicators	Age group	Educational level								
		Illiterate	Literate							
			Total literate	Without any formal education	Below primary	Primary	Middle	Class X	Class XII	Graduate and above
Total										
Age specific fertility rates	15-19	24.2	7.9	0.0	1.9	13.7	11.1	6.6	5.0	0.0
	20-24	121.7	102.7	80.3	189.2	205.9	152.1	105.2	52.6	54.1
	25-29	145.4	120.4	119.8	141.0	123.6	148.4	130.4	119.6	76.5
	30-34	56.7	78.0	106.9	65.3	50.0	94.0	62.4	79.5	113.6
	35-39	13.4	23.8	14.4	31.2	16.8	18.0	27.7	33.6	25.3
	40-44	6.4	6.1	4.9	7.4	7.6	4.6	6.5	9.4	0.4
	45-49	0.0	3.8	0.0	17.8	1.9	1.2	1.8	0.5	0.0
General fertility rate		31.7	59.5	33.4	51.5	58.4	70.7	57.8	55.0	61.7
Total fertility rate		1.8	1.7	1.6	2.3	2.1	2.1	1.7	1.5	1.3
Rural										
Age specific fertility rates	15-19	27.6	8.7	0.0	2.0	19.6	12.1	5.6	8.2	0.0
	20-24	120.5	123.6	70.9	166.8	207.0	168.2	115.6	67.7	86.3
	25-29	143.8	129.2	93.5	145.6	124.8	149.9	139.1	112.0	69.7
	30-34	69.0	72.4	97.2	51.6	56.3	75.5	74.6	93.7	101.8
	35-39	16.9	18.8	17.7	13.6	16.9	23.3	18.9	22.2	20.9
	40-44	8.8	5.3	4.9	8.4	5.1	4.3	5.0	2.2	4.4
	45-49	0.0	1.7	0.0	0.1	2.7	1.9	4.0	1.4	0.0
General fertility rate		37.0	63.5	29.3	41.5	60.3	75.3	66.7	60.5	71.6
Total fertility rate		1.9	1.8	1.4	1.9	2.2	2.2	1.8	1.5	1.4
Urban										
Age specific fertility rates	15-19	0.0	6.5	0.0	0.0	0.0	9.0	8.1	0.0	0.0
	20-24	131.7	70.7	114.5	275.1	202.8	109.6	83.1	36.4	40.6
	25-29	151.5	108.2	248.5	114.1	120.1	144.3	114.4	128.1	78.6
	30-34	4.4	85.5	0.0	117.7	34.6	142.1	45.7	67.6	115.8
	35-39	2.1	30.5	0.0	97.3	16.6	8.9	38.3	41.0	25.8
	40-44	0.0	7.2	4.7	3.2	13.5	5.2	7.9	13.0	0.0
	45-49	0.0	6.9	0.0	100.2	0.0	0.0	0.0	0.0	0.0
General fertility rate		15.5	53.7	52.2	94.8	53.4	60.4	44.6	49.6	59.3
Total fertility rate		1.4	1.6	1.8	3.5	1.9	2.1	1.5	1.4	1.3

Table 4
Fertility indicators by level of education of women, 2018

Kerala										
Indicators	Age group	Educational level								
		Illiterate	Literate							
			Total literate	Without any formal education	Below primary	Primary	Middle	Class X	Class XII	Graduate and above
Total										
Age specific fertility rates	15-19	0.0	12.2	0.0	0.0	0.0	0.0	11.2	21.3	0.0
	20-24	0.0	88.5	0.0	0.0	49.8	93.7	113.1	71.8	112.2
	25-29	256.6	111.8	0.0	134.3	175.8	83.4	115.0	97.7	124.8
	30-34	0.0	84.5	0.0	79.6	58.6	53.4	74.8	92.5	108.6
	35-39	64.1	29.2	0.0	43.0	5.6	13.5	29.4	31.1	51.4
	40-44	23.1	6.0	0.0	0.0	0.0	5.3	5.9	2.9	14.2
	45-49	8.8	0.6	0.0	0.0	0.0	0.6	1.7	0.0	0.0
General fertility rate		34.9	48.9	0.0	14.7	12.5	19.3	39.8	58.4	84.9
Total fertility rate		1.8	1.7	0.0	1.3	1.4	1.2	1.8	1.6	2.1
Rural										
Age specific fertility rates	15-19	0.0	11.2	0.0	0.0	0.0	0.0	6.8	26.9	0.0
	20-24	0.0	89.0	0.0	0.0	75.1	99.6	93.8	79.7	107.0
	25-29	507.2	103.0	0.0	158.4	156.0	70.4	91.8	97.0	119.3
	30-34	0.0	87.4	0.0	103.6	54.3	51.5	63.6	95.7	141.4
	35-39	89.7	30.6	0.0	0.0	9.8	17.7	28.1	34.1	65.0
	40-44	33.0	8.3	0.0	0.0	0.0	7.6	7.7	5.8	24.4
	45-49	12.5	0.7	0.0	0.0	0.0	1.3	1.2	0.0	0.0
General fertility rate		50.4	48.9	0.0	12.6	13.9	20.8	34.9	63.0	97.1
Total fertility rate		3.2	1.7	0.0	1.3	1.5	1.2	1.5	1.7	2.3
Urban										
Age specific fertility rates	15-19	0.0	13.3	0.0	0.0	0.0	0.0	15.1	15.9	0.0
	20-24	0.0	88.1	0.0	0.0	0.0	82.6	134.5	64.3	117.3
	25-29	0.0	121.4	0.0	0.0	222.2	101.6	148.4	98.4	129.6
	30-34	0.0	81.5	0.0	0.0	64.7	55.8	88.4	89.4	86.0
	35-39	0.0	27.8	0.0	131.9	0.0	8.9	30.9	27.9	43.3
	40-44	0.0	3.8	0.0	0.0	0.0	2.8	3.8	0.0	8.9
	45-49	0.0	0.5	0.0	0.0	0.0	0.0	2.1	0.0	0.0
General fertility rate		0.0	48.9	0.0	19.3	10.7	17.6	45.1	53.8	76.0
Total fertility rate		0.0	1.7	0.0	0.7	1.4	1.3	2.1	1.5	1.9

Table 4

Fertility indicators by level of education of women, 2018

Madhya Pradesh

Indicators	Age group	Educational level								
		Illiterate	Literate							
			Total literate	Without any formal education	Below primary	Primary	Middle	Class X	Class XII	Graduate and above
Total										
Age specific fertility rates	15-19	103.7	13.5	95.3	75.7	28.0	9.1	2.3	16.8	0.0
	20-24	328.5	157.4	370.7	287.0	268.7	160.1	86.4	79.5	103.5
	25-29	237.6	194.2	180.1	185.7	218.5	219.2	208.6	199.9	103.3
	30-34	97.3	104.7	89.7	86.6	93.1	94.1	69.5	195.9	155.3
	35-39	43.7	41.9	65.4	53.2	23.8	13.8	53.6	80.9	59.9
	40-44	11.0	14.1	5.7	19.1	26.8	11.7	0.0	0.0	15.6
	45-49	6.5	2.7	0.0	6.9	0.0	1.2	0.0	21.1	0.0
General fertility rate		82.5	93.5	82.6	113.1	118.0	87.4	64.2	100.7	91.2
Total fertility rate		4.1	2.6	4.0	3.6	3.3	2.5	2.1	3.0	2.2
Rural										
Age specific fertility rates	15-19	109.7	16.2	77.0	80.4	32.4	10.3	3.3	29.3	0.0
	20-24	333.0	177.9	396.8	293.6	283.9	166.8	90.5	91.4	135.0
	25-29	240.7	225.9	182.7	186.8	237.8	238.7	248.1	247.1	164.7
	30-34	100.6	99.6	100.7	95.4	93.9	98.6	60.9	190.8	147.5
	35-39	44.5	38.6	47.5	54.8	24.2	14.8	97.2	59.7	21.6
	40-44	12.4	15.4	7.3	11.0	27.5	19.5	0.0	0.0	0.0
	45-49	7.4	2.2	0.0	8.6	0.0	2.2	0.0	0.0	0.0
General fertility rate		85.3	105.1	85.1	117.8	130.6	96.9	72.8	120.6	125.1
Total fertility rate		4.2	2.9	4.1	3.7	3.5	2.8	2.5	3.1	2.3
Urban										
Age specific fertility rates	15-19	37.0	5.4	167.3	44.8	10.2	4.8	0.0	4.8	0.0
	20-24	289.2	101.9	234.4	247.5	183.9	127.5	76.7	65.3	84.1
	25-29	205.9	127.4	170.5	178.4	140.6	154.3	141.5	148.1	75.1
	30-34	61.9	114.3	43.6	38.3	90.3	82.6	79.9	200.2	157.3
	35-39	36.7	47.5	138.5	45.3	22.6	11.8	13.9	93.3	68.3
	40-44	0.0	12.3	0.0	49.5	24.8	0.0	0.0	0.0	18.1
	45-49	0.0	3.5	0.0	0.0	0.0	0.0	0.0	26.8	0.0
General fertility rate		57.4	68.3	73.3	88.7	72.2	57.6	49.0	82.4	79.7
Total fertility rate		3.2	2.1	3.8	3.0	2.4	1.9	1.6	2.7	2.0

Table 4
Fertility indicators by level of education of women, 2018

Maharashtra										
Indicators	Age group	Educational level								
		Illiterate	Literate							
			Total literate	Without any formal education	Below primary	Primary	Middle	Class X	Class XII	Graduate and above
Total										
Age specific fertility rates	15-19	19.3	8.8	11.4	9.0	9.2	7.0	8.6	12.2	0.0
	20-24	126.0	119.5	96.9	118.3	205.3	163.1	132.4	86.5	70.8
	25-29	144.9	106.9	128.9	83.5	141.6	117.7	104.7	118.0	77.5
	30-34	58.4	69.7	25.5	94.2	63.9	59.6	67.0	77.8	79.3
	35-39	25.9	20.9	19.5	17.4	21.7	25.6	16.0	19.5	26.1
	40-44	12.3	5.6	12.8	1.0	7.1	3.5	5.3	4.3	10.0
	45-49	0.5	1.8	0.6	0.8	0.0	0.9	1.2	12.4	0.2
General fertility rate		40.4	56.0	41.8	38.1	55.5	52.5	57.7	66.6	55.8
Total fertility rate		1.9	1.7	1.5	1.6	2.2	1.9	1.7	1.7	1.3
Rural										
Age specific fertility rates	15-19	14.8	8.1	8.0	4.4	8.8	5.7	8.7	11.5	0.0
	20-24	148.0	139.0	90.3	69.9	199.1	172.7	147.0	112.0	98.1
	25-29	178.8	125.9	98.2	85.9	147.7	141.7	116.9	150.3	83.2
	30-34	18.7	61.9	29.8	95.3	60.8	56.3	56.1	77.6	56.2
	35-39	19.8	20.4	24.4	15.9	21.0	27.7	14.9	19.3	21.5
	40-44	5.9	6.0	4.2	1.5	9.5	5.0	5.4	5.1	17.7
	45-49	1.1	1.5	0.9	1.1	0.0	1.5	2.2	5.7	1.3
General fertility rate		33.9	60.6	36.8	31.1	52.4	57.0	64.2	85.1	61.9
Total fertility rate		1.9	1.8	1.3	1.4	2.2	2.1	1.8	1.9	1.4
Urban										
Age specific fertility rates	15-19	23.8	9.7	19.4	17.8	10.0	9.1	8.5	12.6	0.0
	20-24	107.6	95.5	116.3	180.1	214.5	146.7	105.0	59.1	61.5
	25-29	126.6	88.8	215.6	80.5	134.9	89.1	88.8	82.7	75.5
	30-34	80.6	77.0	13.3	92.8	67.2	63.6	80.8	78.1	85.7
	35-39	30.0	21.6	4.6	20.3	22.6	22.6	17.3	19.7	27.2
	40-44	17.0	5.2	33.8	0.0	3.7	1.7	5.2	3.8	8.3
	45-49	0.0	2.1	0.0	0.0	0.0	0.0	0.0	17.7	0.0
General fertility rate		45.2	50.8	55.1	50.0	59.8	46.2	48.8	49.2	54.0
Total fertility rate		1.9	1.5	2.0	2.0	2.3	1.7	1.5	1.4	1.3

Table 4
Fertility indicators by level of education of women, 2018

Odisha										
Indicators	Age group	Educational level								
		Illiterate	Literate							
			Total literate	Without any formal education	Below primary	Primary	Middle	Class X	Class XII	Graduate and above
Total										
Age specific fertility rates	15-19	37.2	10.3	40.6	43.4	22.1	8.1	7.3	7.7	0.0
	20-24	166.9	111.8	141.1	180.1	182.5	146.4	83.4	61.1	52.7
	25-29	114.5	131.1	121.2	169.6	134.7	136.3	134.2	116.9	93.8
	30-34	67.7	81.5	83.4	104.3	88.4	69.1	71.1	83.9	86.4
	35-39	24.3	30.4	34.6	28.8	24.8	23.0	35.1	46.7	36.2
	40-44	8.0	12.7	15.6	16.9	12.1	7.6	7.3	14.4	19.3
	45-49	0.0	3.6	8.6	5.8	2.2	0.0	4.8	0.0	0.0
General fertility rate		45.5	66.2	54.7	82.0	79.7	68.3	54.8	56.2	61.1
Total fertility rate		2.1	1.9	2.2	2.7	2.3	2.0	1.7	1.7	1.4
Rural										
Age specific fertility rates	15-19	38.9	11.0	47.0	42.1	23.7	8.6	7.8	7.8	0.0
	20-24	179.3	117.8	151.5	194.8	183.5	148.4	84.6	65.1	57.9
	25-29	117.7	138.7	131.3	174.1	140.5	141.4	139.5	123.4	98.9
	30-34	69.6	88.3	87.8	114.5	97.4	72.7	72.6	91.5	109.0
	35-39	26.6	34.0	37.1	31.4	27.5	25.4	40.7	55.8	55.5
	40-44	9.0	14.8	15.0	19.1	14.1	9.6	7.6	23.8	25.5
	45-49	0.0	3.9	9.6	6.5	0.0	0.0	7.6	0.0	0.0
General fertility rate		47.0	71.1	58.6	87.0	84.0	72.2	57.4	60.6	73.0
Total fertility rate		2.2	2.0	2.4	2.9	2.4	2.0	1.8	1.8	1.7
Urban										
Age specific fertility rates	15-19	28.8	7.0	0.0	50.0	11.2	5.4	4.8	7.5	0.0
	20-24	103.3	83.3	62.8	97.4	175.2	132.3	77.3	47.7	42.6
	25-29	90.5	97.9	0.0	132.2	90.5	102.6	112.9	98.7	87.3
	30-34	51.9	53.9	48.5	29.4	27.6	47.9	65.9	67.2	65.5
	35-39	2.9	17.5	12.9	10.5	8.2	11.4	20.2	30.5	21.1
	40-44	0.0	5.6	21.2	0.0	0.0	0.0	6.5	0.0	14.3
	45-49	0.0	2.3	0.0	0.0	14.7	0.0	0.0	0.0	0.0
General fertility rate		33.5	45.7	20.8	45.6	51.0	46.6	44.5	44.0	48.0
Total fertility rate		1.4	1.3	0.7	1.6	1.6	1.5	1.4	1.3	1.2

Table 4
Fertility indicators by level of education of women, 2018

Indicators	Age group	Punjab								
		Illiterate		Educational level						
		Total literate	Without any formal education	Below primary	Primary	Middle	Class X	Class XII	Graduate and above	
Total										
Age specific fertility rates	15-19	38.1	4.8	2.4	11.4	7.8	2.6	4.6	6.2	0.0
	20-24	131.2	77.8	34.7	74.6	180.5	151.2	78.3	50.8	41.6
	25-29	106.0	109.4	49.4	95.4	146.7	158.4	142.3	91.0	61.7
	30-34	49.9	79.3	20.3	72.8	76.5	83.6	84.6	77.0	93.0
	35-39	23.9	33.5	33.8	22.1	42.1	29.5	30.2	35.3	43.3
	40-44	8.7	10.1	15.0	4.7	13.3	9.4	13.0	2.1	14.0
	45-49	3.2	3.6	2.4	8.4	1.4	1.4	4.0	8.5	0.0
General fertility rate		35.3	54.0	25.0	40.4	64.0	61.0	55.2	53.2	53.9
Total fertility rate		1.8	1.6	0.8	1.4	2.3	2.2	1.8	1.4	1.3
Rural										
Age specific fertility rates	15-19	16.1	5.5	7.5	18.2	9.5	3.1	4.0	8.8	0.0
	20-24	104.5	86.2	56.1	104.7	188.0	144.7	89.4	53.7	44.3
	25-29	121.1	111.6	70.5	94.2	134.6	152.5	135.5	93.1	62.1
	30-34	66.1	82.6	33.7	79.9	79.1	87.4	87.7	82.3	89.1
	35-39	31.1	31.1	42.9	23.8	39.2	28.6	24.2	27.9	57.0
	40-44	12.2	9.7	0.0	7.6	14.9	12.4	9.9	0.0	15.6
	45-49	5.0	4.8	3.8	9.7	2.1	2.2	2.7	20.2	0.0
General fertility rate		37.3	56.5	33.1	45.0	63.2	61.0	56.2	56.9	57.7
Total fertility rate		1.8	1.7	1.1	1.7	2.3	2.2	1.8	1.4	1.3
Urban										
Age specific fertility rates	15-19	55.5	3.7	0.0	5.5	5.8	1.8	5.7	2.6	0.0
	20-24	160.4	66.2	22.4	41.3	168.3	161.7	59.5	46.5	39.3
	25-29	88.6	106.5	33.3	97.0	168.8	168.5	154.0	87.8	61.3
	30-34	32.2	75.1	7.6	61.4	71.9	77.0	79.2	70.2	94.9
	35-39	12.9	36.7	22.2	19.6	48.6	30.9	40.3	43.5	38.3
	40-44	3.5	10.7	39.1	0.0	10.0	4.0	17.3	3.9	13.5
	45-49	0.0	2.0	0.0	5.8	0.0	0.0	5.4	0.0	0.0
General fertility rate		32.4	50.8	18.0	33.8	65.5	61.0	53.4	48.3	51.6
Total fertility rate		1.8	1.5	0.6	1.2	2.4	2.2	1.8	1.3	1.2

Table 4
Fertility indicators by level of education of women, 2018

Rajasthan										
Indicators	Age group	Educational level								
		Illiterate	Literate							
			Total literate	Without any formal education	Below primary	Primary	Middle	Class X	Class XII	Graduate and above
Total										
Age specific fertility rates	15-19	33.5	8.2	62.4	38.7	30.1	10.3	2.8	2.9	0.0
	20-24	251.8	147.6	301.8	509.4	244.2	184.5	94.7	56.8	31.6
	25-29	281.7	170.8	291.1	264.4	203.1	157.7	130.2	153.9	77.3
	30-34	144.4	86.2	99.2	120.7	88.1	75.3	65.5	163.1	43.2
	35-39	57.7	29.7	36.4	36.4	19.5	24.6	22.0	76.8	23.7
	40-44	15.5	9.3	12.7	14.5	6.4	4.3	2.9	36.8	0.9
	45-49	10.7	2.5	1.6	3.8	1.6	5.4	5.1	0.0	0.0
General fertility rate		100.5	83.0	96.8	180.2	119.0	84.5	43.4	54.7	40.7
Total fertility rate		4.0	2.3	4.0	4.9	3.0	2.3	1.6	2.5	0.9
Rural										
Age specific fertility rates	15-19	31.2	8.5	54.8	33.9	28.8	11.6	2.9	3.1	0.0
	20-24	255.2	155.3	308.2	479.1	239.0	194.8	89.5	61.3	34.3
	25-29	289.2	176.6	267.5	217.6	208.4	172.8	124.0	121.3	106.1
	30-34	143.2	86.4	93.0	111.0	83.6	93.1	53.8	95.0	52.5
	35-39	61.4	27.5	37.2	27.4	21.8	21.4	30.5	32.7	17.2
	40-44	17.5	10.4	15.5	15.1	7.3	5.1	2.2	0.0	5.1
	45-49	12.2	3.2	2.0	5.6	2.4	3.6	13.7	0.0	0.0
General fertility rate		104.5	86.8	94.7	169.5	121.2	94.1	41.7	46.3	53.3
Total fertility rate		4.0	2.3	3.9	4.4	3.0	2.5	1.6	1.6	1.1
Urban										
Age specific fertility rates	15-19	50.6	7.3	87.8	54.8	34.8	5.4	2.3	2.2	0.0
	20-24	227.8	125.4	271.1	666.5	263.3	152.2	115.6	44.7	27.4
	25-29	229.9	157.9	404.3	445.5	188.0	114.4	143.7	216.3	51.0
	30-34	152.3	85.8	125.5	150.4	102.1	39.6	84.0	237.1	38.8
	35-39	35.3	33.9	32.1	69.9	12.8	30.0	12.3	112.2	25.9
	40-44	5.7	7.5	2.6	13.1	4.4	3.3	3.4	56.8	0.0
	45-49	2.6	1.2	0.0	0.0	0.0	8.0	0.0	0.0	0.0
General fertility rate		77.1	74.0	106.0	216.0	112.2	59.7	47.8	72.7	30.5
Total fertility rate		3.5	2.1	4.6	7.0	3.0	1.8	1.8	3.3	0.7

Table 4
Fertility indicators by level of education of women, 2018

Tamil Nadu										
Indicators	Age group	Educational level								
		Illiterate	Literate							
			Total literate	Without any formal education	Below primary	Primary	Middle	Class X	Class XII	Graduate and above
Total										
Age specific fertility rates	15-19	48.2	8.6	0.0	11.5	5.0	3.2	8.2	11.5	0.0
	20-24	101.5	96.2	136.2	111.9	133.0	148.5	134.9	61.2	91.6
	25-29	110.2	123.3	77.2	91.9	101.5	108.4	139.5	130.3	123.2
	30-34	14.8	65.7	23.2	35.6	44.2	50.5	52.1	92.7	99.2
	35-39	0.0	20.2	18.8	10.6	12.7	14.7	28.7	16.0	33.4
	40-44	0.0	3.4	2.1	2.8	6.3	2.5	1.0	5.3	2.9
	45-49	5.5	0.9	3.8	0.0	0.0	0.0	3.9	0.0	0.0
General fertility rate		11.9	52.8	21.5	20.4	28.7	36.4	57.6	59.4	86.1
Total fertility rate		1.4	1.6	1.3	1.3	1.5	1.6	1.8	1.6	1.8
Rural										
Age specific fertility rates	15-19	80.5	7.4	0.0	9.0	2.8	3.4	8.9	10.0	0.0
	20-24	175.2	103.0	105.1	132.9	164.9	136.1	141.0	72.7	80.7
	25-29	123.2	120.1	45.5	109.2	109.3	110.7	144.6	127.1	104.8
	30-34	0.0	63.2	17.0	39.6	48.4	49.5	57.1	101.2	105.3
	35-39	0.0	20.3	19.0	8.8	13.1	18.5	35.2	15.8	33.0
	40-44	0.0	3.3	3.9	0.0	6.0	2.5	2.6	8.0	0.0
	45-49	9.1	0.4	6.9	0.0	0.0	0.0	0.0	0.0	0.0
General fertility rate		12.3	53.9	18.6	22.1	33.2	39.3	68.0	67.4	84.4
Total fertility rate		1.9	1.6	1.0	1.5	1.7	1.6	1.9	1.7	1.6
Urban										
Age specific fertility rates	15-19	0.0	9.9	0.0	15.9	9.2	3.1	7.6	12.7	0.0
	20-24	42.8	89.4	188.0	81.9	88.2	165.9	126.5	50.0	99.0
	25-29	97.4	126.1	133.2	60.9	89.0	104.9	133.6	133.3	132.4
	30-34	30.2	67.6	30.5	29.4	38.8	51.6	47.9	87.1	97.3
	35-39	0.0	20.2	18.4	13.7	12.4	10.8	23.8	16.1	33.5
	40-44	0.0	3.4	0.0	7.3	6.7	2.5	0.0	4.2	3.4
	45-49	0.0	1.2	0.0	0.0	0.0	0.0	6.0	0.0	0.0
General fertility rate		11.4	51.8	25.2	17.7	23.1	33.3	48.3	53.2	86.7
Total fertility rate		0.9	1.6	1.9	1.0	1.2	1.7	1.7	1.5	1.8

Table 4
Fertility indicators by level of education of women, 2018

Telangana										
Indicators	Age group	Educational level								
		Illiterate	Literate							
			Total literate	Without any formal education	Below primary	Primary	Middle	Class X	Class XII	Graduate and above
Total										
Age specific fertility rates	15-19	0.0	7.1	15.9	6.7	5.9	5.2	9.3	6.5	13.5
	20-24	174.3	110.6	88.8	256.9	214.3	139.7	124.2	77.5	87.7
	25-29	133.1	116.3	113.1	130.6	133.3	125.6	138.0	99.2	95.6
	30-34	52.6	60.5	37.3	82.6	77.2	57.6	43.1	65.5	76.1
	35-39	12.9	17.8	18.0	16.9	7.3	19.8	20.5	19.4	21.8
	40-44	6.7	7.7	8.0	6.2	0.0	11.2	18.1	3.0	0.0
	45-49	2.0	2.8	6.3	0.0	3.6	0.0	4.0	0.0	0.0
General fertility rate		35.2	58.6	41.1	59.6	54.4	48.8	67.0	60.3	68.5
Total fertility rate		1.9	1.6	1.4	2.5	2.2	1.8	1.8	1.4	1.5
Rural										
Age specific fertility rates	15-19	0.0	7.4	20.6	10.4	2.9	6.2	7.6	11.7	27.1
	20-24	201.6	126.7	84.9	275.7	222.2	146.0	140.0	97.1	112.3
	25-29	118.3	120.2	105.1	133.2	143.9	113.6	134.0	114.2	101.6
	30-34	51.6	52.3	42.1	60.1	52.3	39.3	42.6	68.1	89.0
	35-39	16.0	17.3	17.3	21.8	9.6	14.8	24.4	13.6	23.0
	40-44	4.2	5.8	11.0	9.1	0.0	3.0	3.3	11.2	0.0
	45-49	2.5	4.0	7.9	0.0	6.2	0.0	0.0	0.0	0.0
General fertility rate		35.3	62.5	41.8	57.5	52.9	45.5	75.1	76.5	91.2
Total fertility rate		2.0	1.7	1.4	2.6	2.2	1.6	1.8	1.6	1.8
Urban										
Age specific fertility rates	15-19	0.0	6.5	0.0	0.0	10.8	3.6	11.7	1.0	6.1
	20-24	81.9	88.4	106.8	230.8	203.2	130.1	96.4	54.1	70.6
	25-29	192.2	111.4	141.5	124.3	115.2	144.4	144.3	82.9	92.0
	30-34	56.6	69.2	21.4	136.9	116.1	82.4	43.5	63.3	71.5
	35-39	0.0	18.3	20.0	0.0	3.9	26.7	17.2	22.3	21.6
	40-44	15.2	9.6	0.0	0.0	0.0	20.1	27.8	0.0	0.0
	45-49	0.7	1.5	0.0	0.0	0.0	0.0	7.0	0.0	0.0
General fertility rate		34.7	53.8	38.7	64.3	56.8	53.7	56.9	44.7	58.5
Total fertility rate		1.7	1.5	1.4	2.5	2.2	2.0	1.7	1.1	1.3

Table 4
Fertility indicators by level of education of women, 2018

Uttar Pradesh										
Indicators	Age group	Educational level								
		Illiterate	Literate							
			Total literate	Without any formal education	Below primary	Primary	Middle	Class X	Class XII	Graduate and above
Total										
Age specific fertility rates	15-19	9.6	8.4	14.9	6.0	8.6	6.9	9.3	15.7	0.0
	20-24	175.6	121.4	138.8	165.9	143.8	129.8	93.5	99.8	162.8
	25-29	203.7	187.1	215.5	243.3	208.7	189.0	206.2	167.3	147.4
	30-34	141.7	150.8	138.1	180.5	157.7	158.0	143.9	148.7	134.0
	35-39	73.3	73.2	79.2	97.6	71.1	69.2	64.2	73.3	70.5
	40-44	28.6	28.8	52.6	36.0	29.1	24.8	36.3	12.4	10.5
	45-49	11.5	9.5	6.6	21.5	8.1	18.0	8.3	0.0	0.7
General fertility rate		87.4	92.8	97.0	101.4	86.3	83.5	84.7	101.7	116.1
Total fertility rate		3.2	2.9	3.2	3.8	3.1	3.0	2.8	2.6	2.6
Rural										
Age specific fertility rates	15-19	12.2	9.2	17.9	7.6	10.5	6.2	11.0	14.3	0.0
	20-24	193.3	134.4	134.9	188.9	146.6	143.3	104.6	114.5	191.2
	25-29	214.4	205.0	235.1	266.8	228.1	193.1	224.8	176.6	167.8
	30-34	142.8	154.3	138.2	187.9	163.3	162.9	146.7	152.7	114.3
	35-39	73.7	76.4	79.9	93.8	72.5	66.7	76.5	97.5	61.9
	40-44	29.3	29.2	38.5	31.7	22.8	29.5	47.5	13.9	10.6
	45-49	12.8	13.0	8.1	28.2	9.1	26.1	0.0	0.0	3.5
General fertility rate		89.7	99.1	96.8	109.1	91.6	88.4	92.4	113.4	137.1
Total fertility rate		3.4	3.1	3.3	4.0	3.3	3.1	3.1	2.8	2.7
Urban										
Age specific fertility rates	15-19	0.0	6.0	6.2	0.0	2.4	9.3	3.8	20.3	0.0
	20-24	115.4	83.4	152.1	84.6	132.5	79.0	62.9	63.3	113.9
	25-29	152.5	146.5	155.1	165.3	136.6	174.6	161.6	147.5	125.8
	30-34	135.4	143.2	137.8	152.0	137.1	141.7	137.9	141.4	148.6
	35-39	70.4	66.9	76.4	116.1	66.0	76.1	45.6	40.4	75.0
	40-44	24.8	27.8	102.5	53.4	53.4	12.3	21.7	10.7	10.4
	45-49	3.9	3.6	0.0	0.0	5.3	0.0	18.6	0.0	0.0
General fertility rate		74.9	76.8	97.5	72.4	67.1	67.3	66.0	77.6	98.0
Total fertility rate		2.5	2.4	3.2	2.9	2.7	2.5	2.3	2.1	2.4

Table 4
Fertility indicators by level of education of women, 2018

Uttarakhand										
Indicators	Age group	Educational level								
		Illiterate	Literate							
			Total literate	Without any formal education	Below primary	Primary	Middle	Class X	Class XII	Graduate and above
Total										
Age specific fertility rates	15-19	25.9	5.4	21.9	31.3	13.8	3.4	2.3	6.9	0.0
	20-24	163.8	92.2	130.7	127.7	132.1	107.4	92.6	63.5	110.7
	25-29	156.6	133.0	167.6	146.5	160.3	150.1	137.5	124.3	112.2
	30-34	82.1	78.4	116.2	86.2	78.1	68.7	64.3	71.2	88.2
	35-39	41.4	33.9	28.7	61.3	45.0	25.1	23.4	26.9	40.7
	40-44	5.1	10.8	17.5	8.7	12.1	9.0	8.6	2.1	14.7
	45-49	3.4	3.5	9.4	0.0	1.8	5.5	3.8	1.6	0.0
General fertility rate		54.9	62.7	60.5	72.2	71.5	54.6	51.5	60.9	80.6
Total fertility rate		2.4	1.8	2.5	2.3	2.2	1.8	1.7	1.5	1.8
Rural										
Age specific fertility rates	15-19	10.3	5.3	38.1	34.7	11.7	3.6	2.3	7.4	0.0
	20-24	178.4	98.8	130.6	105.4	144.8	109.1	101.4	71.3	124.3
	25-29	156.4	138.1	167.1	142.2	157.4	148.0	141.1	132.1	122.2
	30-34	75.4	73.4	123.1	82.3	76.2	65.2	60.4	65.6	80.0
	35-39	41.9	29.7	23.8	43.0	45.4	17.7	17.7	22.9	42.8
	40-44	3.4	11.4	18.0	3.2	13.7	11.0	11.2	1.8	14.8
	45-49	3.7	3.6	11.8	0.0	0.0	6.0	1.7	0.0	0.0
General fertility rate		51.6	64.2	57.4	61.8	70.9	54.1	54.3	66.9	89.8
Total fertility rate		2.3	1.8	2.6	2.1	2.2	1.8	1.7	1.5	1.9
Urban										
Age specific fertility rates	15-19	48.4	5.5	0.0	22.3	20.0	2.9	2.5	5.8	0.0
	20-24	133.6	74.1	130.8	174.0	99.8	101.5	62.6	40.6	89.4
	25-29	157.2	120.4	168.7	155.0	168.7	158.1	126.2	100.8	96.5
	30-34	103.2	90.2	100.4	98.8	85.5	83.9	75.0	82.9	98.8
	35-39	39.8	43.6	45.2	122.4	43.6	54.9	37.6	33.7	38.6
	40-44	11.7	9.6	16.0	28.0	6.5	2.8	3.0	2.5	14.5
	45-49	2.5	3.2	0.0	0.0	9.8	4.1	7.2	3.3	0.0
General fertility rate		66.0	59.1	69.0	101.2	73.3	56.4	43.4	46.0	69.2
Total fertility rate		2.5	1.7	2.3	3.0	2.2	2.0	1.6	1.3	1.7

Table 4
Fertility indicators by level of education of women, 2018

West Bengal										
Indicators	Age group	Educational level								
		Illiterate	Literate							
			Total literate	Without any formal education	Below primary	Primary	Middle	Class X	Class XII	Graduate and above
Total										
Age specific fertility rates	15-19	44.3	33.3	14.4	59.0	49.3	31.2	19.2	16.6	0.0
	20-24	66.9	117.6	83.1	129.6	175.1	135.8	103.2	68.3	62.6
	25-29	66.1	70.7	46.3	73.2	69.0	80.3	82.1	69.0	51.9
	30-34	41.5	58.8	43.1	43.4	56.4	67.7	72.0	68.1	54.3
	35-39	13.7	19.4	11.6	19.2	24.7	16.1	20.9	24.4	20.4
	40-44	8.7	7.8	4.8	8.7	7.1	10.2	7.0	10.7	5.2
	45-49	3.5	3.4	5.0	7.3	0.9	0.8	2.4	7.7	2.4
General fertility rate		25.1	53.1	25.3	46.2	61.1	59.1	57.6	52.9	38.1
Total fertility rate		1.2	1.6	1.0	1.7	1.9	1.7	1.5	1.3	1.0
Rural										
Age specific fertility rates	15-19	46.0	38.1	4.0	77.2	54.7	36.7	20.6	25.1	0.0
	20-24	73.4	129.5	90.4	135.8	178.8	145.3	117.5	82.4	56.5
	25-29	68.4	71.5	46.0	65.6	66.4	80.6	88.1	64.5	66.5
	30-34	45.8	64.1	44.8	47.5	59.0	69.5	86.0	84.7	82.0
	35-39	11.6	21.4	12.2	23.2	27.4	17.1	23.1	33.9	17.6
	40-44	8.0	9.8	5.3	11.1	8.8	13.6	10.8	10.3	3.8
	45-49	4.0	5.1	5.9	8.9	0.9	1.0	5.6	23.6	9.8
General fertility rate		25.8	59.3	25.8	49.7	64.0	65.2	67.7	64.1	52.8
Total fertility rate		1.3	1.7	1.0	1.8	2.0	1.8	1.8	1.6	1.2
Urban										
Age specific fertility rates	15-19	39.2	19.4	58.1	17.5	34.6	14.6	15.1	0.0	0.0
	20-24	39.9	87.0	55.6	108.1	163.3	105.0	68.1	43.8	70.1
	25-29	55.9	68.9	47.4	96.9	78.3	79.5	70.7	75.1	41.4
	30-34	23.6	49.0	36.6	30.8	48.1	63.4	52.6	53.8	42.8
	35-39	24.3	15.7	9.2	7.1	16.1	14.1	18.4	17.2	21.4
	40-44	12.3	4.3	2.7	2.1	2.8	3.6	3.6	10.9	5.6
	45-49	1.3	0.9	1.6	3.0	1.0	0.4	0.0	0.0	0.7
General fertility rate		21.7	39.8	22.9	36.0	52.6	43.0	39.2	39.4	30.6
Total fertility rate		1.0	1.2	1.1	1.3	1.7	1.4	1.1	1.0	0.9

Table 5**Percentage distribution of live births by order of birth, 2018**

Birth order	Total			Rural			Urban		
	Total	Males	Females	Total	Males	Females	Total	Males	Females
India									
1	49.5	49.6	49.3	47.3	47.3	47.3	55.2	55.8	54.5
2	29.9	29.6	30.2	29.5	29.5	29.6	30.7	30.0	31.6
3	12.6	12.7	12.5	13.7	13.8	13.5	9.8	9.8	9.9
4	4.9	5.0	4.8	5.7	5.8	5.6	2.8	2.9	2.8
5+	3.2	3.1	3.2	3.8	3.7	3.9	1.4	1.6	1.3
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0

Note : Total may not add up to 100 due to rounding off.

Table 5**Percentage distribution of live births by order of birth, 2018**

Birth order	Total			Rural			Urban		
	Total	Males	Females	Total	Males	Females	Total	Males	Females
Andhra Pradesh									
1	57.7	57.3	58.2	58.3	57.1	59.6	56.3	57.7	54.9
2	35.7	35.9	35.6	34.7	35.3	34.0	38.2	37.3	39.2
3	5.5	5.6	5.4	5.9	6.2	5.6	4.5	4.2	4.9
4	0.9	1.0	0.8	1.0	1.2	0.8	0.8	0.6	1.1
5+	0.1	0.2	0.0	0.2	0.2	0.0	0.1	0.2	0.0
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
Assam									
1	53.9	53.8	54.0	52.9	52.7	53.1	62.8	63.1	62.4
2	27.8	28.2	27.5	27.8	28.3	27.3	28.1	27.7	28.5
3	12.7	11.6	13.9	13.3	12.0	14.6	7.7	7.6	7.8
4	4.2	5.0	3.5	4.6	5.4	3.7	1.2	1.2	1.1
5+	1.3	1.4	1.2	1.4	1.5	1.3	0.3	0.3	0.3
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
Bihar									
1	34.1	34.3	34.0	33.5	33.7	33.3	39.4	39.2	39.7
2	28.9	29.4	28.2	28.6	29.1	28.0	31.2	31.9	30.3
3	19.6	19.3	20.0	19.9	19.6	20.2	17.6	17.1	18.1
4	9.8	9.6	10.0	10.1	9.8	10.3	7.8	7.9	7.7
5+	7.5	7.3	7.8	8.0	7.8	8.2	4.0	3.9	4.2
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
Chhattisgarh									
1	41.3	40.9	41.7	39.7	39.3	40.2	48.0	48.1	48.0
2	36.0	36.5	35.4	35.3	36.0	34.4	39.1	39.1	39.2
3	15.5	14.9	16.2	16.6	15.7	17.5	10.9	11.1	10.7
4	5.1	5.3	4.8	5.9	6.1	5.6	1.6	1.7	1.5
5+	2.1	2.3	1.9	2.6	2.8	2.3	0.3	0.1	0.5
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0

Note : Total may not add up to 100 due to rounding off.

Table 5**Percentage distribution of live births by order of birth, 2018**

Birth order	Total			Rural			Urban		
	Total	Males	Females	Total	Males	Females	Total	Males	Females
Delhi									
1	54.9	57.2	52.3	61.4	60.3	62.5	54.7	57.1	52.0
2	29.5	27.8	31.3	23.2	25.4	20.8	29.7	27.9	31.7
3	10.6	10.1	11.2	12.6	11.9	13.3	10.5	10.0	11.1
4	3.5	3.8	3.1	1.2	1.6	0.8	3.6	3.9	3.2
5+	1.5	1.1	2.0	1.6	0.8	2.5	1.5	1.1	2.0
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
Gujarat									
1	61.3	62.0	60.5	58.3	58.8	57.6	66.0	67.0	64.9
2	26.5	25.4	27.8	27.3	26.8	27.8	25.4	23.1	27.8
3	8.0	7.9	8.2	9.1	8.8	9.6	6.3	6.6	6.1
4	2.4	3.1	1.6	3.0	3.4	2.5	1.3	2.4	0.1
5+	1.8	1.6	1.9	2.3	2.1	2.5	0.9	0.9	1.0
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
Haryana									
1	47.3	47.7	46.8	45.5	45.8	45.1	51.0	51.7	50.3
2	31.4	31.5	31.3	31.6	31.3	31.9	31.1	31.8	30.3
3	13.7	13.5	14.0	13.6	13.7	13.4	14.0	13.0	15.1
4	3.9	3.5	4.3	4.2	3.9	4.7	3.1	2.6	3.6
5+	3.7	3.9	3.6	5.2	5.3	5.0	0.8	0.9	0.7
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
Himachal Pradesh									
1	52.9	52.4	53.4	52.8	52.6	53.0	54.5	48.3	60.3
2	37.3	38.5	36.1	37.3	38.4	36.2	37.2	40.9	33.7
3	7.3	6.6	8.1	7.4	6.5	8.3	7.2	9.2	5.2
4	1.9	2.0	1.7	1.9	2.1	1.7	1.1	1.6	0.7
5+	0.6	0.5	0.7	0.6	0.5	0.7	0.0	0.0	0.0
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0

Note : Total may not add up to 100 due to rounding off.

Table 5**Percentage distribution of live births by order of birth, 2018**

Birth order	Total			Rural			Urban		
	Total	Males	Females	Total	Males	Females	Total	Males	Females
Jammu & Kashmir									
1	68.8	68.6	68.9	67.0	66.5	67.5	74.8	75.9	73.6
2	18.8	19.7	17.9	19.9	20.7	19.1	15.3	16.3	14.3
3	8.1	7.2	9.0	8.1	7.3	8.9	8.3	7.1	9.4
4	2.5	2.7	2.3	2.8	3.3	2.4	1.3	0.6	1.9
5+	1.8	1.8	1.9	2.2	2.3	2.2	0.4	0.0	0.8
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
Jharkhand									
1	42.7	44.4	40.8	41.7	43.4	39.9	46.8	48.2	45.0
2	31.2	27.2	35.7	31.0	26.6	35.8	32.2	29.8	35.1
3	16.7	17.8	15.5	17.2	18.6	15.8	14.7	14.9	14.4
4	6.2	7.3	5.0	6.8	8.2	5.2	3.7	3.7	3.7
5+	3.1	3.2	3.0	3.2	3.2	3.3	2.7	3.3	1.8
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
Karnataka									
1	49.6	48.9	50.4	48.1	46.9	49.5	52.2	52.4	52.0
2	36.5	36.6	36.3	35.7	36.2	35.1	37.8	37.3	38.3
3	10.5	11.4	9.5	12.0	13.3	10.5	8.0	8.2	7.8
4	2.7	2.3	3.1	3.4	3.0	3.9	1.4	1.1	1.7
5+	0.7	0.8	0.7	0.8	0.6	1.0	0.6	1.1	0.1
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
Kerala									
1	46.1	46.5	45.7	45.9	45.8	46.1	46.2	47.1	45.2
2	39.1	38.4	39.9	38.5	38.0	38.9	39.7	38.7	40.9
3	11.2	11.1	11.4	12.5	12.6	12.3	10.0	9.6	10.4
4	2.9	3.3	2.4	2.6	3.0	2.1	3.2	3.6	2.7
5+	0.7	0.8	0.7	0.5	0.6	0.5	0.9	1.0	0.8
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0

Note : Total may not add up to 100 due to rounding off.

Table 5**Percentage distribution of live births by order of birth, 2018**

Birth order	Total			Rural			Urban		
	Total	Males	Females	Total	Males	Females	Total	Males	Females
Madhya Pradesh									
1	42.2	43.0	41.3	41.1	41.6	40.5	46.4	48.5	44.2
2	34.2	33.5	34.9	33.3	32.8	33.7	37.7	36.0	39.4
3	14.4	14.0	14.8	15.6	15.2	16.0	9.9	9.4	10.4
4	5.8	6.0	5.6	6.2	6.4	5.9	4.5	4.5	4.4
5+	3.4	3.4	3.4	3.9	3.9	3.9	1.6	1.6	1.6
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
Maharashtra									
1	59.6	59.2	60.0	59.5	58.8	60.3	59.7	59.7	59.7
2	29.4	29.5	29.3	29.8	30.1	29.5	28.8	28.6	29.1
3	8.7	9.0	8.3	8.3	8.4	8.1	9.1	9.6	8.6
4	1.7	1.7	1.7	1.7	1.8	1.5	1.7	1.6	1.8
5+	0.7	0.7	0.7	0.7	0.9	0.6	0.6	0.5	0.8
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
Odisha									
1	48.8	49.1	48.5	48.0	48.3	47.6	54.4	54.2	54.6
2	34.0	33.8	34.1	33.8	33.5	34.2	34.8	36.1	33.3
3	12.1	11.9	12.3	12.5	12.4	12.7	9.3	9.0	9.7
4	3.6	3.5	3.7	3.9	4.0	3.9	1.4	0.6	2.2
5+	1.6	1.6	1.5	1.8	1.8	1.7	0.2	0.2	0.2
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
Punjab									
1	67.6	67.1	68.3	67.4	66.3	68.6	68.1	68.2	67.9
2	22.2	22.4	22.0	23.0	23.8	22.2	21.0	20.3	21.7
3	7.7	7.9	7.5	7.5	7.5	7.5	8.2	8.6	7.6
4	2.1	2.3	1.9	1.7	2.1	1.4	2.7	2.6	2.8
5+	0.3	0.3	0.2	0.4	0.4	0.3	0.1	0.2	0.0
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0

Note : Total may not add up to 100 due to rounding off.

Table 5**Percentage distribution of live births by order of birth, 2018**

Birth order	Total			Rural			Urban		
	Total	Males	Females	Total	Males	Females	Total	Males	Females
Rajasthan									
1	45.9	47.2	44.5	44.0	45.5	42.3	52.3	52.8	51.8
2	30.5	29.5	31.5	30.5	30.1	31.0	30.3	27.5	33.3
3	14.0	13.8	14.2	14.8	14.4	15.2	11.4	11.8	11.0
4	5.9	5.6	6.2	6.6	6.1	7.1	3.5	3.9	3.1
5+	3.7	3.9	3.5	4.1	3.8	4.4	2.5	4.0	0.9
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
Tamil Nadu									
1	58.6	57.2	60.1	58.1	56.3	60.2	59.0	58.1	60.0
2	34.9	35.4	34.3	33.5	34.5	32.3	36.2	36.3	36.1
3	5.9	6.7	5.1	7.3	7.8	6.7	4.6	5.6	3.6
4	0.5	0.6	0.4	0.9	1.2	0.6	0.1	0.0	0.3
5+	0.1	0.1	0.1	0.1	0.1	0.2	0.1	0.1	0.1
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
Telangana									
1	56.8	55.9	57.8	56.8	55.9	57.8	56.8	55.9	57.8
2	32.6	32.0	33.3	32.6	32.0	33.3	32.6	32.0	33.3
3	9.1	10.1	7.9	9.1	10.1	7.9	9.1	10.1	7.9
4	0.7	0.5	0.9	0.7	0.5	0.9	0.7	0.5	0.9
5+	0.8	1.5	0.0	0.8	1.5	0.0	0.8	1.5	0.0
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
Uttar Pradesh									
1	45.9	45.8	46.0	44.2	44.0	44.4	52.1	53.0	51.2
2	26.3	26.3	26.4	26.3	26.3	26.3	26.4	26.1	26.8
3	15.0	15.4	14.6	15.5	16.2	14.7	13.3	12.4	14.2
4	7.4	7.4	7.4	8.1	8.1	8.2	4.9	5.0	4.9
5+	5.3	5.0	5.6	5.9	5.4	6.4	3.2	3.5	2.9
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0

Table 5**Percentage distribution of live births by order of birth, 2018**

Birth order	Total			Rural			Urban		
	Total	Males	Females	Total	Males	Females	Total	Males	Females
Uttarakhand									
1	43.6	42.8	44.7	43.8	42.9	44.8	43.3	42.5	44.3
2	33.3	34.1	32.4	32.5	33.5	31.5	35.5	35.7	35.1
3	14.9	15.3	14.4	14.9	15.3	14.3	14.9	15.3	14.4
4	5.2	5.2	5.2	5.7	5.6	5.7	4.0	4.2	3.7
5+	3.0	2.6	3.4	3.2	2.7	3.7	2.4	2.4	2.4
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
West Bengal									
1	66.4	66.9	65.8	66.1	66.1	66.0	67.5	69.4	65.3
2	24.1	23.2	25.2	24.9	24.5	25.5	21.5	19.3	24.1
3	7.1	7.2	7.1	6.9	6.9	6.9	7.7	7.9	7.5
4	1.7	2.0	1.4	1.5	1.8	1.1	2.6	2.7	2.4
5+	0.6	0.7	0.6	0.6	0.7	0.5	0.7	0.7	0.7
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0

Note : Total may not add up to 100 due to rounding off.

Table 6

Percentage distribution of current live births by birth interval, 2018

Birth interval in months	India			Andhra Pradesh			Assam		
	Total	Rural	Urban	Total	Rural	Urban	Total	Rural	Urban
10-12	1.6	1.6	1.7	1.6	1.6	1.4	1.2	1.3	1.0
12-18	7.8	8.2	6.4	10.4	11.0	9.1	2.6	2.7	1.8
18-24	13.8	14.7	11.3	17.9	17.1	19.9	6.8	7.0	4.1
24-30	14.3	15.4	10.9	16.0	18.2	10.7	10.5	10.6	9.5
30-36	12.9	13.5	11.1	15.4	16.4	13.3	8.8	8.7	9.1
36+	49.6	46.7	58.6	38.7	35.7	45.7	70.1	69.7	74.3
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0

Birth interval in months	Bihar			Chhattisgarh			Delhi		
	Total	Rural	Urban	Total	Rural	Urban	Total	Rural	Urban
10-12	1.6	1.6	1.7	1.3	0.8	3.5	0.5	1.6	0.5
12-18	12.4	12.6	10.9	2.9	3.0	2.3	4.4	3.3	4.4
18-24	17.5	17.5	17.3	13.0	13.8	9.0	6.2	4.7	6.3
24-30	17.5	17.5	17.6	14.1	15.2	8.5	8.5	13.0	8.4
30-36	13.8	13.8	13.6	16.3	16.7	14.3	11.1	14.5	11.0
36+	37.1	36.9	38.9	52.5	50.5	62.4	69.3	60.7	69.5
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0

Birth interval in months	Gujarat			Haryana			Himachal Pradesh		
	Total	Rural	Urban	Total	Rural	Urban	Total	Rural	Urban
10-12	1.7	1.6	1.9	2.6	3.2	1.1	1.3	1.3	1.7
12-18	7.5	7.4	7.5	8.7	8.9	8.4	6.7	6.6	9.9
18-24	13.9	15.6	10.7	16.1	17.2	13.6	12.3	12.8	4.7
24-30	13.5	15.4	10.1	12.1	13.7	8.6	11.1	11.3	7.3
30-36	13.4	14.9	10.5	12.6	13.5	10.5	14.0	14.2	9.7
36+	50.0	45.1	59.4	47.9	43.5	57.8	54.6	53.9	66.8
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0

Birth interval in months	Jammu & Kashmir			Jharkhand			Karnataka		
	Total	Rural	Urban	Total	Rural	Urban	Total	Rural	Urban
10-12	3.2	3.3	2.6	0.8	0.8	0.9	0.9	0.9	1.1
12-18	5.8	5.8	5.7	6.1	6.4	5.1	7.1	8.6	4.3
18-24	14.8	13.6	19.9	13.5	13.9	11.8	16.3	19.3	10.7
24-30	12.9	12.2	16.1	19.1	19.3	18.0	15.6	18.3	10.5
30-36	11.4	12.4	7.1	17.3	17.6	16.1	11.8	12.4	10.6
36+	52.0	52.7	48.6	43.1	42.1	47.9	48.3	40.5	62.8
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0

Note : Total may not add up to 100 due to rounding off.

Table 6

Percentage distribution of current live births by birth interval, 2018

Birth interval in months	Kerala			Madhya Pradesh			Maharashtra		
	Total	Rural	Urban	Total	Rural	Urban	Total	Rural	Urban
10-12	0.4	0.5	0.3	2.1	2.1	2.2	1.3	1.6	0.9
12-18	3.2	3.4	3.0	9.6	10.3	6.8	5.6	5.9	5.3
18-24	6.6	6.5	6.6	18.8	20.7	10.9	14.2	15.6	12.4
24-30	8.2	7.7	8.8	18.4	19.5	13.4	14.9	16.7	12.5
30-36	9.5	10.4	8.7	13.6	14.2	11.0	11.3	13.4	8.6
36+	72.0	71.5	72.5	37.6	33.3	55.7	52.7	46.9	60.3
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0

Birth interval in months	Odisha			Punjab			Rajasthan		
	Total	Rural	Urban	Total	Rural	Urban	Total	Rural	Urban
10-12	0.8	0.7	1.4	2.3	1.3	3.8	2.6	2.5	2.9
12-18	3.0	3.3	1.3	7.4	9.4	4.2	9.4	9.7	8.2
18-24	5.6	5.6	5.7	11.1	13.6	7.2	15.9	17.1	11.2
24-30	9.2	9.2	9.4	10.8	11.4	10.0	15.6	16.8	11.1
30-36	11.5	12.2	5.4	12.7	14.1	10.4	15.3	15.2	15.3
36+	69.9	69.0	76.8	55.0	49.2	64.1	41.2	38.6	51.3
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0

Birth interval in months	Tamil Nadu			Telangana			Uttar Pradesh		
	Total	Rural	Urban	Total	Rural	Urban	Total	Rural	Urban
10-12	1.1	1.0	1.1	1.8	2.0	1.5	1.4	1.2	2.5
12-18	6.7	7.6	5.9	10.9	11.3	10.5	7.8	7.8	7.7
18-24	14.3	16.8	12.0	16.3	18.9	13.7	12.7	12.9	11.8
24-30	14.2	16.8	11.8	15.0	15.9	14.2	13.1	14.3	7.9
30-36	13.9	14.1	13.6	12.2	11.8	12.7	12.5	13.0	10.3
36+	49.8	43.6	55.6	43.5	39.9	47.1	52.6	50.8	59.8
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0

Birth interval in months	Uttarakhand			West Bengal		
	Total	Rural	Urban	Total	Rural	Urban
10-12	2.4	2.8	1.2	2.3	2.7	0.8
12-18	7.8	8.5	5.8	2.2	2.2	1.9
18-24	10.0	11.1	6.9	5.6	5.6	5.7
24-30	14.0	14.9	11.5	7.5	7.4	7.9
30-36	12.5	12.9	11.3	8.9	9.1	8.4
36+	53.4	49.8	63.3	73.7	72.9	76.5
Total	100.0	100.0	100.0	100.0	100.0	100.0

Table 7**Percentage distribution of current live births by birth interval and birth order, 2018**

Birth interval in months	Birth order														
	Total					Rural					Urban				
	2	3	4	5+	Total	2	3	4	5+	Total	2	3	4	5+	Total
India															
10-12	0.9	0.4	0.2	0.1	1.6	0.9	0.4	0.2	0.1	1.6	1.2	0.2	0.1	0.1	1.7
12-18	4.6	1.9	0.7	0.5	7.8	4.6	2.1	0.9	0.6	8.2	4.4	1.4	0.3	0.2	6.4
18-24	8.0	3.4	1.5	1.0	13.8	8.0	3.7	1.8	1.2	14.7	7.7	2.4	0.8	0.4	11.3
24-30	8.5	3.4	1.4	1.0	14.3	8.9	3.8	1.6	1.1	15.4	7.4	2.3	0.7	0.4	10.9
30-36	7.6	3.3	1.2	0.8	12.9	7.6	3.5	1.4	0.9	13.5	7.6	2.7	0.5	0.3	11.1
36+	29.5	12.6	4.7	2.8	49.6	26.0	12.5	4.9	3.2	46.7	40.2	12.8	3.9	1.7	58.6
Total	59.1	25.0	9.7	6.2	100.0	56.1	25.9	10.8	7.2	100.0	68.6	21.9	6.3	3.2	100.0

Note : Total may not add up to 100 due to rounding off.

Table 7**Percentage distribution of current live births by birth interval and birth order, 2018**

Birth interval in months	Birth order														
	Total					Rural					Urban				
	2	3	4	5+	Total	2	3	4	5+	Total	2	3	4	5+	Total
Andhra Pradesh															
10-12	1.2	0.3	0.0	0.0	1.6	1.3	0.4	0.0	0.0	1.6	1.1	0.3	0.0	0.0	1.4
12-18	8.9	1.4	0.1	0.0	10.4	9.5	1.4	0.1	0.0	11.0	7.7	1.4	0.0	0.0	9.1
18-24	14.9	2.1	0.7	0.1	17.9	13.6	2.4	0.9	0.2	17.1	18.0	1.5	0.3	0.0	19.9
24-30	13.8	2.0	0.1	0.0	16.0	15.7	2.4	0.1	0.1	18.2	9.3	1.1	0.3	0.0	10.7
30-36	12.9	2.0	0.5	0.1	15.4	13.6	2.1	0.6	0.0	16.4	11.3	1.6	0.2	0.2	13.3
36+	32.7	5.2	0.8	0.1	38.7	29.5	5.4	0.7	0.1	35.7	40.1	4.5	1.1	0.0	45.7
Total	84.4	13.0	2.2	0.3	100.0	83.1	14.1	2.4	0.4	100.0	87.4	10.4	1.9	0.2	100.0
Assam															
10-12	0.7	0.3	0.2	0.0	1.2	0.7	0.3	0.3	0.0	1.3	0.9	0.1	0.0	0.0	1.0
12-18	1.3	1.1	0.2	0.0	2.6	1.3	1.1	0.2	0.0	2.7	1.0	0.7	0.0	0.1	1.8
18-24	4.1	1.6	0.6	0.4	6.8	4.2	1.7	0.7	0.4	7.0	2.8	1.1	0.2	0.0	4.1
24-30	5.9	3.1	1.1	0.4	10.5	5.8	3.2	1.2	0.5	10.6	7.6	1.6	0.3	0.0	9.5
30-36	5.3	2.2	0.9	0.4	8.8	5.3	2.2	0.9	0.4	8.7	5.9	2.2	0.7	0.3	9.1
36+	43.1	19.4	6.1	1.5	70.1	41.8	19.8	6.5	1.6	69.7	57.3	14.9	1.9	0.2	74.3
Total	60.4	27.6	9.2	2.7	100.0	59.1	28.3	9.7	2.9	100.0	75.4	20.7	3.1	0.8	100.0
Bihar															
10-12	0.6	0.5	0.3	0.2	1.6	0.6	0.6	0.3	0.2	1.6	0.9	0.2	0.5	0.0	1.7
12-18	5.1	3.8	1.8	1.8	12.4	5.0	3.9	1.8	1.8	12.6	6.0	2.9	1.0	1.0	10.9
18-24	7.2	5.3	2.9	2.1	17.5	6.9	5.4	2.9	2.2	17.5	9.8	4.2	2.2	1.0	17.3
24-30	8.4	4.8	2.5	1.8	17.5	8.3	4.8	2.6	1.9	17.5	9.3	4.9	2.4	0.9	17.6
30-36	6.5	4.0	2.0	1.3	13.8	6.4	4.0	2.0	1.4	13.8	7.0	4.7	1.2	0.8	13.6
36+	16.0	11.3	5.5	4.3	37.1	15.8	11.2	5.5	4.4	36.9	18.4	12.1	5.6	2.8	38.9
Total	43.8	29.8	14.9	11.5	100.0	43.0	29.9	15.1	12.0	100.0	51.5	29.0	12.9	6.7	100.0
Chhattisgarh															
10-12	0.8	0.2	0.2	0.0	1.3	0.3	0.3	0.2	0.0	0.8	3.5	0.0	0.0	0.0	3.5
12-18	2.0	0.4	0.5	0.0	2.9	2.1	0.3	0.6	0.0	3.0	1.5	0.5	0.3	0.0	2.3
18-24	8.2	2.8	1.4	0.6	13.0	8.3	3.1	1.7	0.7	13.8	7.4	1.4	0.2	0.0	9.0
24-30	8.5	3.9	1.4	0.3	14.1	9.0	4.3	1.6	0.2	15.2	6.0	1.5	0.4	0.5	8.5
30-36	10.0	4.1	1.2	1.0	16.3	10.0	4.0	1.5	1.2	16.7	10.0	4.2	0.0	0.0	14.3
36+	31.8	15.0	3.9	1.7	52.5	28.8	15.3	4.3	2.1	50.5	46.9	13.3	2.2	0.0	62.4
Total	61.3	26.4	8.7	3.6	100.0	58.5	27.5	9.8	4.3	100.0	75.3	21.0	3.1	0.6	100.0

Note : Total may not add up to 100 due to rounding off.

Table 7

Percentage distribution of current live births by birth interval and birth order, 2018

Birth interval in months	Birth order														
	Total					Rural					Urban				
	2	3	4	5+	Total	2	3	4	5+	Total	2	3	4	5+	Total
Delhi															
10-12	0.0	0.3	0.1	0.0	0.5	1.6	0.0	0.0	0.0	1.6	0.0	0.4	0.1	0.0	0.5
12-18	3.8	0.4	0.2	0.0	4.4	1.6	1.7	0.0	0.0	3.3	3.9	0.4	0.2	0.0	4.4
18-24	4.2	1.5	0.3	0.3	6.2	4.7	0.0	0.0	0.0	4.7	4.2	1.5	0.3	0.3	6.3
24-30	5.1	1.8	1.1	0.5	8.5	7.9	5.2	0.0	0.0	13.0	5.0	1.8	1.1	0.5	8.4
30-36	7.7	2.3	0.8	0.2	11.1	11.1	3.4	0.0	0.0	14.5	7.7	2.3	0.9	0.2	11.0
36+	44.6	17.1	5.2	2.4	69.3	33.2	22.3	3.2	2.1	60.7	44.8	17.0	5.3	2.4	69.5
Total	65.4	23.5	7.7	3.4	100.0	60.0	32.6	3.2	4.2	100.0	65.5	23.2	7.9	3.4	100.0
Gujarat															
10-12	1.1	0.4	0.1	0.1	1.7	1.1	0.4	0.1	0.1	1.6	1.3	0.5	0.1	0.0	1.9
12-18	6.2	1.0	0.1	0.1	7.5	6.1	1.1	0.2	0.0	7.4	6.4	0.8	0.0	0.2	7.5
18-24	9.5	3.0	0.8	0.6	13.9	10.2	3.6	1.0	0.8	15.6	8.3	1.8	0.3	0.3	10.7
24-30	8.9	3.0	0.8	0.8	13.5	9.8	3.4	1.1	1.1	15.4	7.3	2.2	0.3	0.3	10.1
30-36	9.1	2.7	0.6	0.9	13.4	9.7	3.3	0.9	1.0	14.9	8.1	1.4	0.2	0.7	10.5
36+	33.6	10.7	3.7	2.0	50.0	28.6	10.1	4.0	2.5	45.1	43.2	12.0	3.0	1.2	59.4
Total	68.6	20.8	6.1	4.5	100.0	65.4	21.9	7.3	5.5	100.0	74.6	18.7	3.9	2.8	100.0
Haryana															
10-12	1.7	0.4	0.3	0.2	2.6	2.3	0.3	0.3	0.2	3.2	0.3	0.6	0.2	0.0	1.1
12-18	4.8	2.4	0.6	0.9	8.7	4.5	2.5	0.8	1.1	8.9	5.6	2.3	0.2	0.3	8.4
18-24	9.9	3.9	1.1	1.2	16.1	9.8	4.5	1.3	1.7	17.2	10.0	2.6	0.8	0.2	13.6
24-30	7.1	2.8	1.1	1.1	12.1	7.9	2.8	1.5	1.6	13.7	5.6	2.7	0.3	0.0	8.6
30-36	7.6	3.3	0.8	0.9	12.6	8.2	3.2	0.8	1.2	13.5	6.0	3.4	0.8	0.2	10.5
36+	28.5	13.1	3.5	2.8	47.9	25.2	11.5	3.2	3.6	43.5	36.0	16.8	4.2	1.0	57.8
Total	59.6	26.0	7.3	7.1	100.0	57.8	24.9	7.8	9.5	100.0	63.5	28.5	6.3	1.6	100.0
Himachal Pradesh															
10-12	1.0	0.3	0.0	0.0	1.3	1.0	0.3	0.0	0.0	1.3	1.2	0.5	0.0	0.0	1.7
12-18	5.7	0.9	0.0	0.2	6.7	5.5	0.9	0.0	0.2	6.6	9.4	0.5	0.0	0.0	9.9
18-24	10.0	1.5	0.4	0.3	12.3	10.3	1.6	0.4	0.4	12.8	4.7	0.0	0.0	0.0	4.7
24-30	8.1	2.2	0.8	0.0	11.1	8.3	2.2	0.8	0.0	11.3	4.7	2.1	0.5	0.0	7.3
30-36	10.7	2.7	0.5	0.0	14.0	10.9	2.8	0.5	0.0	14.2	8.2	1.5	0.0	0.0	9.7
36+	43.7	8.0	2.3	0.6	54.6	43.2	7.8	2.3	0.7	53.9	53.7	11.1	2.0	0.0	66.8
Total	79.3	15.6	4.0	1.2	100.0	79.1	15.6	4.0	1.2	100.0	81.7	15.8	2.5	0.0	100.0

Note : Total may not add up to 100 due to rounding off.

Table 7

Percentage distribution of current live births by birth interval and birth order, 2018

Birth interval in months	Birth order														
	Total					Rural					Urban				
	2	3	4	5+	Total	2	3	4	5+	Total	2	3	4	5+	Total
Jammu & Kashmir															
10-12	1.6	1.2	0.1	0.3	3.2	2.0	0.9	0.1	0.3	3.3	0.2	2.4	0.0	0.0	2.6
12-18	3.4	2.3	0.1	0.0	5.8	3.8	1.9	0.1	0.0	5.8	1.8	4.0	0.0	0.0	5.7
18-24	9.4	3.9	0.4	1.1	14.8	8.7	3.1	0.5	1.3	13.6	12.6	7.3	0.0	0.0	19.9
24-30	8.2	3.2	0.9	0.6	12.9	8.4	2.2	0.8	0.8	12.2	7.5	7.4	1.3	0.0	16.1
30-36	8.2	2.1	0.7	0.3	11.4	8.5	2.6	0.9	0.4	12.4	7.1	0.0	0.0	0.0	7.1
36+	29.3	13.4	5.7	3.6	52.0	28.8	13.8	6.1	4.1	52.7	31.5	11.7	3.8	1.5	48.6
Total	60.2	26.0	8.0	5.8	100.0	60.1	24.4	8.6	6.8	100.0	60.6	32.8	5.1	1.5	100.0
Jharkhand															
10-12	0.4	0.3	0.1	0.0	0.8	0.5	0.2	0.1	0.0	0.8	0.0	0.8	0.2	0.0	0.9
12-18	2.9	2.1	0.8	0.4	6.1	3.3	2.1	0.8	0.2	6.4	1.3	1.8	0.8	1.2	5.1
18-24	7.9	3.7	1.4	0.5	13.5	8.3	3.6	1.4	0.6	13.9	6.2	3.9	1.4	0.3	11.8
24-30	11.2	4.1	2.6	1.1	19.1	11.2	4.1	2.9	1.1	19.3	11.0	4.3	1.5	1.2	18.0
30-36	9.7	5.4	1.4	0.9	17.3	9.8	5.4	1.5	0.9	17.6	9.4	5.4	0.6	0.7	16.1
36+	22.4	13.8	4.5	2.5	43.1	20.1	14.3	4.9	2.8	42.1	32.6	11.3	2.6	1.5	47.9
Total	54.5	29.2	10.8	5.5	100.0	53.2	29.6	11.7	5.6	100.0	60.5	27.6	7.0	5.0	100.0
Karnataka															
10-12	0.8	0.1	0.0	0.0	0.9	0.7	0.2	0.0	0.0	0.9	1.1	0.0	0.0	0.0	1.1
12-18	5.0	1.5	0.5	0.2	7.1	6.6	1.4	0.4	0.2	8.6	1.9	1.6	0.6	0.1	4.3
18-24	11.2	3.8	1.1	0.2	16.3	12.9	4.8	1.4	0.2	19.3	8.0	2.1	0.5	0.1	10.7
24-30	10.3	3.8	1.2	0.3	15.6	11.7	4.6	1.6	0.4	18.3	7.7	2.3	0.3	0.2	10.5
30-36	8.1	2.7	0.9	0.1	11.8	8.2	3.1	1.0	0.2	12.4	7.9	2.0	0.8	0.0	10.6
36+	37.0	8.9	1.7	0.6	48.3	28.7	9.1	2.2	0.5	40.5	52.5	8.7	0.8	0.9	62.8
Total	72.4	20.9	5.3	1.4	100.0	68.8	23.1	6.6	1.5	100.0	79.0	16.8	2.9	1.3	100.0
Kerala															
10-12	0.2	0.0	0.0	0.1	0.4	0.4	0.1	0.0	0.0	0.5	0.0	0.0	0.0	0.3	0.3
12-18	2.8	0.4	0.1	0.0	3.2	2.8	0.5	0.1	0.1	3.4	2.8	0.3	0.0	0.0	3.0
18-24	4.8	1.2	0.4	0.3	6.6	5.0	1.3	0.2	0.0	6.5	4.6	1.0	0.6	0.5	6.6
24-30	6.3	1.6	0.4	0.0	8.2	5.1	2.1	0.4	0.1	7.7	7.5	1.0	0.3	0.0	8.8
30-36	7.3	1.7	0.2	0.3	9.5	7.8	2.2	0.2	0.2	10.4	6.8	1.3	0.3	0.3	8.7
36+	51.2	16.0	4.3	0.6	72.0	50.1	16.9	3.8	0.7	71.5	52.2	15.0	4.8	0.6	72.5
Total	72.5	20.8	5.3	1.4	100.0	71.2	23.1	4.8	1.0	100.0	73.9	18.5	5.9	1.7	100.0

Note : Total may not add up to 100 due to rounding off.

Table 7

Percentage distribution of current live births by birth interval and birth order, 2018

Birth interval in months	Birth order														
	Total					Rural					Urban				
	2	3	4	5+	Total	2	3	4	5+	Total	2	3	4	5+	Total
Madhya Pradesh															
10-12	1.4	0.3	0.2	0.1	2.1	1.3	0.4	0.2	0.1	2.1	1.7	0.1	0.1	0.2	2.2
12-18	6.4	2.0	0.8	0.4	9.6	6.7	2.2	0.9	0.5	10.3	4.9	1.2	0.5	0.2	6.8
18-24	10.5	4.5	2.5	1.2	18.8	11.1	5.4	2.9	1.3	20.7	8.1	1.2	1.1	0.5	10.9
24-30	10.6	5.0	1.6	1.2	18.4	11.1	5.3	1.7	1.4	19.5	8.6	3.4	1.0	0.3	13.4
30-36	7.5	3.9	1.4	0.7	13.6	7.5	4.4	1.5	0.8	14.2	7.5	2.2	1.1	0.3	11.0
36+	22.7	9.2	3.5	2.3	37.6	18.7	8.9	3.2	2.5	33.3	39.4	10.4	4.5	1.4	55.7
Total	59.1	24.9	10.1	5.9	100.0	56.4	26.5	10.5	6.6	100.0	70.3	18.5	8.3	2.9	100.0
Maharashtra															
10-12	0.8	0.3	0.1	0.1	1.3	0.9	0.4	0.2	0.1	1.6	0.6	0.2	0.1	0.0	0.9
12-18	4.2	1.1	0.2	0.1	5.6	4.6	0.9	0.2	0.1	5.9	3.6	1.4	0.1	0.1	5.3
18-24	10.4	3.2	0.6	0.0	14.2	11.5	3.5	0.5	0.1	15.6	8.9	2.7	0.7	0.0	12.4
24-30	11.4	2.6	0.8	0.1	14.9	12.3	3.1	1.0	0.2	16.7	10.3	1.8	0.4	0.0	12.5
30-36	8.0	2.6	0.4	0.3	11.3	9.6	3.2	0.4	0.1	13.4	5.9	1.8	0.4	0.6	8.6
36+	37.9	11.6	2.1	1.0	52.7	34.6	9.3	1.8	1.2	46.9	42.2	14.7	2.4	0.9	60.3
Total	72.7	21.4	4.1	1.7	100.0	73.6	20.5	4.1	1.8	100.0	71.6	22.7	4.1	1.6	100.0
Odisha															
10-12	0.5	0.2	0.0	0.0	0.8	0.4	0.3	0.0	0.0	0.7	1.4	0.0	0.0	0.0	1.4
12-18	2.0	0.6	0.4	0.1	3.0	2.0	0.7	0.5	0.1	3.3	1.3	0.0	0.0	0.0	1.3
18-24	3.7	1.1	0.6	0.2	5.6	3.7	1.1	0.6	0.2	5.6	3.6	1.4	0.3	0.3	5.7
24-30	6.6	1.7	0.7	0.2	9.2	6.5	1.8	0.8	0.2	9.2	7.8	1.4	0.1	0.0	9.4
30-36	7.4	2.9	0.8	0.4	11.5	8.0	3.1	0.8	0.4	12.2	3.1	1.6	0.8	0.0	5.4
36+	46.1	17.1	4.5	2.2	69.9	44.4	17.2	4.9	2.5	69.0	58.9	16.0	1.7	0.1	76.8
Total	66.3	23.6	7.0	3.1	100.0	65.0	24.0	7.5	3.4	100.0	76.2	20.4	3.0	0.4	100.0
Punjab															
10-12	2.0	0.3	0.0	0.0	2.3	1.3	0.0	0.0	0.0	1.3	3.1	0.7	0.0	0.0	3.8
12-18	5.3	1.7	0.4	0.0	7.4	6.7	2.4	0.4	0.0	9.4	3.1	0.7	0.4	0.0	4.2
18-24	7.9	2.1	1.1	0.0	11.1	10.4	1.9	1.3	0.0	13.6	4.1	2.4	0.7	0.0	7.2
24-30	8.5	1.6	0.7	0.0	10.8	8.7	1.7	1.0	0.0	11.4	8.1	1.4	0.4	0.0	10.0
30-36	8.3	4.0	0.4	0.0	12.7	9.7	4.1	0.3	0.0	14.1	6.1	3.9	0.4	0.0	10.4
36+	36.7	14.2	4.0	0.1	55.0	33.9	12.9	2.3	0.1	49.2	41.1	16.4	6.6	0.0	64.1
Total	68.7	23.9	6.6	0.9	100.0	70.6	22.9	5.3	1.2	100.0	65.6	25.5	8.5	0.3	100.0

Note : Total may not add up to 100 due to rounding off.

Table 7**Percentage distribution of current live births by birth interval and birth order, 2018**

Birth interval in months	Birth order														
	Total					Rural					Urban				
	2	3	4	5+	Total	2	3	4	5+	Total	2	3	4	5+	Total
Rajasthan															
10-12	1.3	0.6	0.4	0.2	2.6	1.3	0.6	0.5	0.2	2.5	1.6	0.8	0.0	0.5	2.9
12-18	5.3	2.8	0.8	0.5	9.4	5.4	2.8	1.0	0.6	9.7	4.8	2.9	0.3	0.2	8.2
18-24	9.4	3.8	1.6	1.1	15.9	9.8	4.3	1.7	1.3	17.1	7.9	1.7	0.9	0.6	11.2
24-30	8.6	3.9	1.8	1.3	15.6	9.1	4.4	2.0	1.3	16.8	6.8	2.1	1.0	1.3	11.1
30-36	8.7	3.9	1.5	1.2	15.3	8.4	3.8	1.8	1.3	15.2	9.8	4.4	0.6	0.6	15.3
36+	23.0	10.9	4.8	2.5	41.2	20.6	10.5	4.8	2.6	38.6	32.6	12.1	4.5	2.1	51.3
Total	56.3	25.9	10.9	6.9	100.0	54.5	26.4	11.8	7.3	100.0	63.5	23.9	7.3	5.3	100.0
Tamil Nadu															
10-12	0.9	0.1	0.0	0.0	1.1	0.9	0.1	0.0	0.0	1.0	1.0	0.1	0.0	0.0	1.1
12-18	5.9	0.8	0.1	0.0	6.7	6.5	1.1	0.1	0.0	7.6	5.3	0.5	0.0	0.0	5.9
18-24	11.6	2.3	0.3	0.1	14.3	13.0	3.1	0.6	0.1	16.8	10.2	1.7	0.0	0.1	12.0
24-30	12.1	1.8	0.2	0.0	14.2	13.7	2.6	0.4	0.0	16.8	10.6	1.1	0.0	0.0	11.8
30-36	11.5	2.2	0.1	0.0	13.9	11.7	2.2	0.2	0.0	14.1	11.3	2.2	0.1	0.0	13.6
36+	42.3	6.9	0.5	0.1	49.8	34.2	8.3	0.9	0.1	43.6	49.7	5.7	0.1	0.1	55.6
Total	84.3	14.2	1.2	0.2	100.0	80.0	17.5	2.2	0.3	100.0	88.2	11.3	0.4	0.2	100.0
Telangana															
10-12	1.5	0.1	0.1	0.0	1.8	1.8	0.0	0.1	0.0	2.0	1.2	0.3	0.1	0.0	1.5
12-18	8.7	2.1	0.1	0.0	10.9	9.1	2.1	0.1	0.0	11.3	8.4	2.0	0.1	0.0	10.5
18-24	12.1	2.6	0.4	1.2	16.3	13.9	2.6	0.7	1.6	18.9	10.3	2.5	0.1	0.8	13.7
24-30	10.9	3.6	0.1	0.4	15.0	11.7	4.1	0.1	0.0	15.9	10.2	3.0	0.2	0.8	14.2
30-36	8.6	3.4	0.2	0.0	12.2	9.0	2.8	0.0	0.0	11.8	8.3	4.0	0.4	0.0	12.7
36+	33.4	9.4	0.7	0.0	43.5	29.8	9.5	0.5	0.0	39.9	37.0	9.3	0.8	0.0	47.1
Total	75.3	21.2	1.6	1.9	100.0	75.3	21.2	1.6	1.9	100.0	75.3	21.2	1.6	1.9	100.0
Uttar Pradesh															
10-12	0.8	0.4	0.1	0.2	1.4	0.5	0.4	0.1	0.2	1.2	1.9	0.1	0.2	0.3	2.5
12-18	4.2	2.0	1.0	0.7	7.8	4.0	2.0	1.1	0.7	7.8	5.0	2.0	0.4	0.4	7.7
18-24	6.2	3.2	1.9	1.4	12.7	6.1	3.1	2.1	1.6	12.9	6.3	3.3	1.2	0.9	11.8
24-30	6.6	3.3	1.7	1.4	13.1	7.4	3.5	1.8	1.5	14.3	3.3	2.6	1.2	0.8	7.9
30-36	6.3	3.6	1.5	1.1	12.5	6.2	3.7	1.8	1.3	13.0	6.4	3.4	0.2	0.2	10.3
36+	24.6	15.3	7.5	5.0	52.6	22.8	15.1	7.7	5.3	50.8	32.3	16.4	7.1	4.0	59.8
Total	48.6	27.8	13.7	9.8	100.0	47.1	27.8	14.6	10.6	100.0	55.2	27.8	10.3	6.7	100.0

Table 7**Percentage distribution of current live births by birth interval and birth order, 2018**

Birth interval in months	Birth order														
	Total					Rural					Urban				
	2	3	4	5+	Total	2	3	4	5+	Total	2	3	4	5+	Total
Uttarakhand															
10-12	1.5	0.7	0.2	0.0	2.4	1.8	0.8	0.2	0.1	2.8	0.6	0.4	0.2	0.0	1.2
12-18	5.3	1.7	0.5	0.3	7.8	5.8	1.8	0.6	0.3	8.5	4.1	1.4	0.2	0.1	5.8
18-24	6.0	2.6	0.8	0.7	10.0	6.5	2.9	0.9	0.8	11.1	4.6	1.5	0.4	0.4	6.9
24-30	8.4	3.8	1.1	0.7	14.0	8.7	4.3	1.1	0.7	14.9	7.6	2.5	0.8	0.6	11.5
30-36	7.1	3.6	1.2	0.5	12.5	7.3	3.7	1.4	0.5	12.9	6.6	3.3	0.8	0.6	11.3
36+	30.7	14.0	5.5	3.0	53.4	27.8	13.0	5.9	3.2	49.8	38.9	17.0	4.7	2.6	63.3
Total	59.1	26.4	9.3	5.3	100.0	57.8	26.4	10.1	5.7	100.0	62.5	26.2	7.0	4.2	100.0
West Bengal															
10-12	1.7	0.4	0.1	0.0	2.3	2.0	0.6	0.2	0.0	2.7	0.8	0.0	0.0	0.0	0.8
12-18	1.5	0.5	0.1	0.0	2.2	1.6	0.5	0.1	0.0	2.2	1.2	0.6	0.0	0.0	1.9
18-24	3.7	1.5	0.4	0.1	5.6	4.0	1.3	0.3	0.1	5.6	2.9	1.9	0.8	0.1	5.7
24-30	5.8	1.4	0.2	0.0	7.5	5.7	1.4	0.2	0.0	7.4	6.0	1.7	0.2	0.0	7.9
30-36	6.3	1.8	0.5	0.3	8.9	6.4	1.8	0.5	0.4	9.1	6.0	1.7	0.6	0.2	8.4
36+	52.8	15.5	3.8	1.5	73.7	53.9	14.8	3.1	1.1	72.9	49.4	17.9	6.3	2.9	76.5
Total	71.8	21.2	5.1	1.8	100.0	73.5	20.4	4.3	1.8	100.0	66.2	23.9	7.9	2.1	100.0

Note : Total may not add up to 100 due to rounding off.

Table 8**Age-specific death rate by sex and residence, 2018**

Age-group	India								
	Total			Rural			Urban		
	Total	Male	Female	Total	Male	Female	Total	Male	Female
Below 1	37.5	36.9	38.1	42.3	41.9	42.6	25.3	23.9	26.8
1-4	1.1	1.0	1.1	1.2	1.1	1.2	0.8	0.7	0.9
0-4	8.9	8.7	9.0	9.9	9.8	10.0	6.1	5.8	6.6
5-9	0.5	0.4	0.6	0.5	0.5	0.6	0.4	0.4	0.5
10-14	0.5	0.5	0.5	0.6	0.6	0.5	0.3	0.3	0.4
15-19	0.8	0.8	0.7	0.9	0.9	0.8	0.6	0.6	0.5
20-24	1.1	1.2	0.9	1.2	1.3	1.1	0.8	1.0	0.6
25-29	1.3	1.6	1.0	1.5	1.8	1.2	0.9	1.3	0.6
30-34	1.8	2.1	1.3	2.0	2.4	1.5	1.3	1.6	1.0
35-39	2.3	2.9	1.6	2.5	3.3	1.8	1.7	2.3	1.1
40-44	3.5	4.3	2.7	4.2	5.1	3.2	2.4	2.9	1.8
45-49	4.9	6.0	3.7	5.5	6.8	4.2	3.7	4.6	2.8
50-54	7.8	8.7	6.7	8.5	9.4	7.6	6.5	7.6	5.3
55-59	13.5	15.4	11.5	15.1	17.9	12.4	10.7	11.5	9.9
60-64	19.5	22.2	16.7	20.4	23.7	17.1	17.7	19.5	15.8
65-69	31.3	35.1	27.4	32.7	37.1	28.3	28.5	31.3	25.5
70-74	47.5	52.6	42.7	52.2	58.4	46.5	37.7	41.2	34.3
75-79	66.0	70.6	61.7	69.8	74.9	65.1	57.8	61.6	53.9
80-84	106.5	111.9	101.5	118.3	124.6	112.3	83.5	86.9	80.4
85+	174.7	189.4	163.3	183.3	189.5	177.9	155.5	189.0	135.6
All ages (Crude death rate)	6.2	6.6	5.7	6.7	7.2	6.2	5.1	5.5	4.7

Table 9**Child (Aged 0-4 years) and infant mortality indicators, 2018**

Indicators	India		
	Total	Rural	Urban
Child mortality rate	9	10	6
Under-five mortality rate	36	40	26
Infant mortality rate	32	36	23
Neo-natal mortality rate	23	27	14
Early neo-natal mortality rate	18	20	10
Late neo-natal mortality rate	6	6	3
Post neo-natal mortality rate	9	9	9
Peri-natal mortality rate	22	25	14
Still birth rate	4	4	4

Table 8**Age-specific death rate by sex and residence, 2018**

Age-group	Andhra Pradesh								
	Total			Rural			Urban		
	Total	Male	Female	Total	Male	Female	Total	Male	Female
Below 1	27.5	30.3	24.8	29.2	32.9	25.8	22.6	23.1	22.1
1-4	1.1	1.2	0.9	1.2	1.3	1.0	0.8	0.8	0.8
0-4	9.0	9.6	8.5	10.1	10.9	9.3	6.5	6.3	6.7
5-9	0.4	0.4	0.4	0.3	0.3	0.2	0.7	0.5	0.9
10-14	0.5	0.6	0.5	0.6	0.7	0.5	0.4	0.4	0.4
15-19	0.6	0.6	0.6	0.6	0.6	0.6	0.7	0.7	0.6
20-24	1.0	1.0	0.9	1.2	1.2	1.2	0.4	0.6	0.3
25-29	1.1	1.3	0.9	1.3	1.5	1.2	0.5	0.8	0.3
30-34	2.2	2.4	2.0	2.3	2.5	2.0	2.1	2.4	1.8
35-39	2.4	3.2	1.7	2.9	3.8	2.0	1.6	2.1	1.0
40-44	3.9	5.0	2.7	4.7	6.2	3.1	2.1	2.6	1.6
45-49	7.4	8.6	6.1	8.3	9.5	6.9	5.6	6.8	4.2
50-54	9.3	11.2	7.4	10.4	12.4	8.6	6.9	8.9	5.0
55-59	13.1	14.9	11.2	13.8	15.9	11.6	11.4	12.4	10.3
60-64	21.1	23.0	19.2	21.0	23.1	18.8	21.5	22.8	20.1
65-69	30.3	30.1	30.5	30.0	29.9	30.1	31.1	30.6	31.6
70-74	42.2	41.6	42.8	43.0	42.0	44.1	39.6	40.3	38.9
75-79	65.3	67.0	63.3	72.3	73.3	71.1	46.4	50.9	40.6
80-84	93.2	104.7	82.6	95.0	111.3	80.2	86.8	82.3	90.8
85+	115.5	121.2	110.0	106.3	112.5	99.7	154.0	165.5	145.8
All ages (Crude death rate)	6.7	7.4	5.9	7.4	8.2	6.6	5.0	5.5	4.5

Table 9**Child (Aged 0-4 years) and infant mortality indicators, 2018**

Indicators	Andhra Pradesh		
	Total	Rural	Urban
Child mortality rate	9	10	7
Under-five mortality rate	33	37	24
Infant mortality rate	29	33	21
Neo-natal mortality rate	21	25	10
Early neo-natal mortality rate	15	19	7
Late neo-natal mortality rate	6	7	3
Post neo-natal mortality rate	9	7	11
Peri-natal mortality rate	18	21	11
Still birth rate	3	2	5

Table 8**Age-specific death rate by sex and residence, 2018**

Age-group	Assam								
	Total			Rural			Urban		
	Total	Male	Female	Total	Male	Female	Total	Male	Female
Below 1	39.2	36.3	42.7	45.9	42.7	49.6	10.4	9.5	11.5
1-4	1.5	1.1	1.9	1.6	1.2	2.1	0.6	0.8	0.3
0-4	11.1	10.2	12.1	11.9	10.9	13.0	4.6	4.6	4.7
5-9	0.3	0.2	0.3	0.3	0.2	0.3	0.2	0.3	0.2
10-14	0.2	0.3	0.1	0.2	0.2	0.1	0.4	0.6	0.2
15-19	1.9	1.7	2.0	2.0	1.8	2.1	1.1	0.9	1.2
20-24	1.3	1.5	1.0	1.3	1.6	1.1	0.7	1.0	0.4
25-29	1.6	1.2	2.0	1.7	1.2	2.3	0.6	1.0	0.2
30-34	1.8	2.4	1.3	1.8	2.4	1.2	1.9	2.2	1.6
35-39	3.1	2.9	3.4	3.4	3.0	3.8	2.1	2.6	1.7
40-44	3.8	4.7	2.8	4.1	5.0	3.0	2.4	3.0	1.7
45-49	7.6	8.8	6.1	8.2	9.3	6.7	4.9	6.5	3.2
50-54	9.3	9.5	9.1	10.1	9.8	10.6	6.3	8.5	4.1
55-59	14.3	15.3	13.3	15.7	16.8	14.6	9.3	10.5	7.8
60-64	18.7	20.3	16.9	20.0	22.0	17.8	13.4	14.0	12.5
65-69	35.6	33.3	38.3	38.7	36.1	41.8	22.8	22.4	23.2
70-74	51.2	58.0	42.3	53.3	61.4	42.4	41.6	41.4	41.8
75-79	65.7	77.3	52.8	65.5	80.0	49.5	66.7	62.9	71.0
80-84	144.1	152.8	133.7	154.9	168.1	139.8	94.2	87.9	102.8
85+	182.1	203.4	159.8	197.2	227.4	166.0	121.0	109.0	134.1
All ages (Crude death rate)	6.4	6.9	5.8	6.6	7.1	6.1	5.1	5.7	4.4

Table 9**Child (Aged 0-4 years) and infant mortality indicators, 2018**

Indicators	Assam		
	Total	Rural	Urban
Child mortality rate	11	12	5
Under-five mortality rate	47	50	23
Infant mortality rate	41	44	20
Neo-natal mortality rate	21	22	12
Early neo-natal mortality rate	15	16	8
Late neo-natal mortality rate	6	6	5
Post neo-natal mortality rate	20	22	8
Peri-natal mortality rate	17	18	10
Still birth rate	2	2	2

Table 8**Age-specific death rate by sex and residence, 2018**

Age-group	Bihar								
	Total			Rural			Urban		
	Total	Male	Female	Total	Male	Female	Total	Male	Female
Below 1	29.5	26.4	33.3	29.8	26.8	33.3	27.5	23.1	32.6
1-4	1.2	1.2	1.2	1.2	1.2	1.3	0.7	1.0	0.4
0-4	8.2	7.5	8.9	8.2	7.6	8.9	7.6	6.7	8.8
5-9	0.6	0.6	0.6	0.6	0.6	0.6	0.4	0.2	0.5
10-14	0.8	0.7	0.9	0.8	0.7	0.9	0.7	0.5	1.0
15-19	0.6	0.6	0.7	0.7	0.6	0.7	0.3	0.4	0.2
20-24	1.1	0.8	1.3	1.1	0.9	1.4	0.6	0.6	0.5
25-29	1.2	1.4	0.9	1.3	1.6	1.0	0.4	0.2	0.5
30-34	1.7	1.9	1.6	1.8	2.0	1.6	1.1	0.9	1.4
35-39	1.8	2.0	1.4	1.9	2.1	1.6	1.0	1.6	0.4
40-44	1.9	2.3	1.5	1.9	2.3	1.4	2.1	2.1	2.0
45-49	3.1	3.7	2.4	3.3	4.1	2.5	1.6	1.3	1.8
50-54	4.0	4.3	3.7	3.6	3.9	3.3	6.3	6.3	6.2
55-59	12.0	11.2	12.8	12.8	11.3	14.3	8.5	10.8	6.0
60-64	21.7	18.9	25.0	23.3	19.4	28.1	13.9	16.4	11.1
65-69	33.3	34.6	32.0	34.6	35.7	33.3	27.1	29.1	24.7
70-74	75.9	66.7	86.4	81.1	72.0	91.0	50.3	42.7	60.6
75-79	97.1	97.0	97.2	102.0	106.7	98.0	70.2	55.1	92.0
80-84	194.8	200.0	189.1	200.4	208.3	191.5	165.3	157.1	175.2
85+	225.3	225.8	224.8	238.7	243.1	233.7	162.9	141.9	184.7
All ages (Crude death rate)	5.8	5.7	6.0	5.9	5.8	6.1	5.1	5.0	5.2

Table 9**Child (Aged 0-4 years) and infant mortality indicators, 2018**

Indicators	Bihar		
	Total	Rural	Urban
Child mortality rate	8	8	8
Under-five mortality rate	37	37	32
Infant mortality rate	32	32	30
Neo-natal mortality rate	25	26	20
Early neo-natal mortality rate	20	20	14
Late neo-natal mortality rate	5	5	6
Post neo-natal mortality rate	7	6	10
Peri-natal mortality rate	22	22	16
Still birth rate	2	2	2

Table 8**Age-specific death rate by sex and residence, 2018**

Age-group	Chhattisgarh								
	Total			Rural			Urban		
	Total	Male	Female	Total	Male	Female	Total	Male	Female
Below 1	47.7	50.1	45.1	50.0	53.5	46.3	38.2	36.6	39.9
1-4	1.1	0.9	1.4	1.2	1.0	1.4	0.8	0.2	1.5
0-4	11.1	11.6	10.6	11.6	12.5	10.8	8.9	8.1	9.6
5-9	0.9	0.9	0.8	0.8	0.8	0.7	1.2	1.1	1.3
10-14	0.5	0.9	0.1	0.6	1.1	0.1	0.2	0.2	0.2
15-19	1.4	1.5	1.4	1.8	1.9	1.7	0.1	0.2	0.1
20-24	1.4	1.8	0.9	1.6	2.3	1.0	0.5	0.1	0.8
25-29	2.3	2.8	1.7	2.4	2.9	1.9	1.8	2.5	1.1
30-34	2.2	2.0	2.5	1.9	1.4	2.5	3.1	4.0	2.3
35-39	4.2	5.7	2.7	4.7	5.8	3.6	2.8	5.2	0.3
40-44	5.1	4.0	6.1	5.8	4.4	7.1	3.1	2.9	3.3
45-49	8.0	9.3	6.7	9.3	10.3	8.4	4.1	6.5	1.9
50-54	9.8	8.0	11.7	9.9	8.0	12.0	9.5	8.3	10.9
55-59	20.6	23.6	17.7	22.9	27.9	18.3	13.4	11.2	15.6
60-64	25.0	27.5	22.4	25.5	25.8	25.2	23.4	34.4	13.1
65-69	39.4	47.0	32.6	41.5	48.2	35.3	31.6	42.1	22.6
70-74	70.3	91.9	56.8	72.5	102.0	56.2	62.1	64.8	59.4
75-79	125.3	144.6	110.8	122.8	146.2	105.2	137.5	137.0	137.8
80-84	207.3	168.1	237.4	207.3	180.6	227.1	207.4	133.5	269.9
85+	285.6	387.4	229.0	289.4	344.6	255.0	270.3	649.7	143.0
All ages (Crude death rate)	8.0	8.4	7.7	8.6	8.9	8.2	6.3	6.7	5.8

Table 9**Child (Aged 0-4 years) and infant mortality indicators, 2018**

Indicators	Chhattisgarh		
	Total	Rural	Urban
Child mortality rate	11	12	9
Under-five mortality rate	45	47	38
Infant mortality rate	41	42	35
Neo-natal mortality rate	29	30	22
Early neo-natal mortality rate	22	23	19
Late neo-natal mortality rate	6	7	3
Post neo-natal mortality rate	12	12	13
Peri-natal mortality rate	32	33	27
Still birth rate	9	10	8

Table 8**Age-specific death rate by sex and residence, 2018**

Age-group	Delhi								
	Total			Rural			Urban		
	Total	Male	Female	Total	Male	Female	Total	Male	Female
Below 1	13.1	14.3	11.7	11.0	31.2	0.0	13.2	14.1	12.1
1-4	1.5	1.5	1.4	2.4	2.2	2.6	1.4	1.5	1.4
0-4	4.1	4.4	3.7	3.9	5.8	2.0	4.1	4.3	3.7
5-9	0.4	0.4	0.4	0.8	1.4	0.0	0.4	0.4	0.4
10-14	0.4	0.5	0.2	0.8	0.0	1.8	0.4	0.5	0.2
15-19	0.8	0.7	0.9	1.4	1.2	1.6	0.8	0.6	0.9
20-24	0.6	0.5	0.6	0.5	0.0	1.2	0.6	0.6	0.6
25-29	0.7	1.0	0.5	0.9	0.8	1.0	0.7	1.0	0.4
30-34	0.9	0.9	0.9	0.6	0.0	1.4	0.9	0.9	0.8
35-39	1.5	2.0	0.9	2.4	1.4	3.8	1.5	2.0	0.9
40-44	2.0	2.3	1.8	4.4	6.2	2.4	2.0	2.2	1.8
45-49	2.8	3.4	2.1	2.8	2.6	2.9	2.8	3.4	2.1
50-54	5.5	6.4	4.4	9.8	13.7	4.6	5.4	6.2	4.4
55-59	7.4	8.0	6.6	6.2	7.3	4.7	7.4	8.0	6.6
60-64	13.6	15.5	11.5	20.9	35.4	5.4	13.4	15.1	11.6
65-69	22.1	22.0	22.2	16.9	24.3	8.9	22.2	21.9	22.5
70-74	31.8	36.2	27.6	19.8	24.4	14.4	32.1	36.6	27.9
75-79	51.0	60.1	42.1	42.7	25.9	54.6	51.2	60.8	41.7
80-84	61.0	64.8	58.1	66.1	33.1	99.2	60.8	65.9	57.1
85+	163.9	402.1	105.9	141.8	117.8	157.8	164.9	430.2	104.2
All ages (Crude death rate)	3.3	3.6	3.1	3.7	3.8	3.6	3.3	3.6	3.0

Table 9**Child (Aged 0-4 years) and infant mortality indicators, 2018**

Indicators	Delhi		
	Total	Rural	Urban
Child mortality rate	4	4	4
Under-five mortality rate	19	17	19
Infant mortality rate	13	8	13
Neo-natal mortality rate	10	8	10
Early neo-natal mortality rate	9	4	9
Late neo-natal mortality rate	1	4	1
Post neo-natal mortality rate	3	0	3
Peri-natal mortality rate	13	4	13
Still birth rate	5	0	5

Table 8**Age-specific death rate by sex and residence, 2018**

Age-group	Gujarat								
	Total			Rural			Urban		
	Total	Male	Female	Total	Male	Female	Total	Male	Female
Below 1	41.3	43.8	38.5	52.0	56.4	47.3	27.3	28.2	26.2
1-4	0.8	0.9	0.7	1.1	1.2	0.9	0.4	0.4	0.5
0-4	8.0	8.3	7.5	9.8	10.4	9.2	5.3	5.5	5.2
5-9	0.5	0.5	0.5	0.5	0.5	0.6	0.4	0.5	0.3
10-14	0.3	0.2	0.3	0.4	0.4	0.4	0.1	0.0	0.2
15-19	0.7	0.9	0.4	0.9	1.2	0.6	0.3	0.5	0.1
20-24	1.2	1.7	0.8	1.3	1.8	0.8	1.1	1.4	0.7
25-29	1.1	1.5	0.7	1.6	2.4	0.9	0.5	0.5	0.5
30-34	1.7	2.1	1.3	2.1	2.7	1.4	1.4	1.5	1.2
35-39	2.1	2.5	1.6	3.0	4.0	1.9	1.1	1.0	1.2
40-44	3.4	4.2	2.6	4.5	6.1	2.8	2.2	2.1	2.3
45-49	4.1	5.1	3.1	4.4	5.9	2.9	3.8	4.1	3.4
50-54	7.5	8.9	6.0	7.8	9.4	6.1	7.2	8.4	5.9
55-59	15.0	18.5	11.6	15.7	21.0	11.1	14.1	15.9	12.2
60-64	20.7	25.1	16.5	20.0	25.8	14.6	21.6	24.2	19.1
65-69	28.9	36.3	22.5	24.7	31.7	18.6	35.4	43.1	28.4
70-74	43.6	54.5	34.2	46.0	63.7	31.9	40.5	43.7	37.4
75-79	53.4	63.3	45.2	45.9	58.6	36.3	63.0	68.9	57.6
80-84	97.6	116.8	82.7	106.8	130.9	90.2	87.2	102.9	73.3
85+	156.0	230.3	118.4	165.4	222.7	131.5	143.3	243.3	103.0
All ages (Crude death rate)	5.9	6.6	5.1	6.3	7.4	5.2	5.3	5.6	5.0

Table 9**Child (Aged 0-4 years) and infant mortality indicators, 2018**

Indicators	Gujarat		
	Total	Rural	Urban
Child mortality rate	8	10	5
Under-five mortality rate	31	37	21
Infant mortality rate	28	33	20
Neo-natal mortality rate	19	24	11
Early neo-natal mortality rate	15	18	9
Late neo-natal mortality rate	5	6	2
Post neo-natal mortality rate	9	8	9
Peri-natal mortality rate	19	23	11
Still birth rate	4	5	2

Table 8**Age-specific death rate by sex and residence, 2018**

Age-group	Haryana								
	Total			Rural			Urban		
	Total	Male	Female	Total	Male	Female	Total	Male	Female
Below 1	37.6	37.2	38.1	41.3	40.1	42.8	30.6	30.9	30.2
1-4	1.5	1.2	2.0	1.7	1.4	2.0	1.3	0.9	1.8
0-4	8.7	8.3	9.1	9.6	9.3	10.0	6.9	6.4	7.6
5-9	0.5	0.6	0.5	0.6	0.7	0.5	0.4	0.4	0.5
10-14	0.4	0.4	0.5	0.3	0.4	0.2	0.6	0.4	1.0
15-19	1.0	1.0	0.9	1.1	1.3	0.9	0.7	0.6	0.9
20-24	1.4	1.5	1.3	1.7	1.8	1.7	0.8	1.1	0.6
25-29	1.6	2.1	1.1	1.6	1.9	1.2	1.7	2.4	1.0
30-34	2.3	3.5	0.9	2.8	4.1	1.3	1.5	2.4	0.4
35-39	2.7	4.0	1.3	3.1	4.3	1.9	2.0	3.5	0.5
40-44	3.7	5.1	2.1	3.5	4.9	2.1	3.8	5.5	2.1
45-49	5.8	8.1	3.2	6.1	8.5	3.3	5.4	7.5	3.0
50-54	9.1	11.7	6.2	10.7	15.2	5.7	6.9	7.0	6.8
55-59	12.8	17.1	8.5	15.9	22.2	10.1	9.0	11.4	6.3
60-64	22.3	28.5	15.9	23.6	31.5	15.6	20.4	24.1	16.4
65-69	31.8	43.1	20.8	32.6	39.5	25.9	30.5	49.6	11.9
70-74	46.9	57.8	36.8	51.6	62.7	40.8	37.8	47.6	29.7
75-79	59.1	56.0	62.1	57.9	55.3	60.5	61.4	57.4	65.3
80-84	90.9	92.9	88.9	107.7	109.5	105.8	59.4	60.3	58.6
85+	143.2	187.5	107.5	147.0	189.3	107.5	132.0	180.0	107.3
All ages (Crude death rate)	5.9	6.9	4.8	6.6	7.6	5.4	4.9	5.6	4.0

Table 9**Child (Aged 0-4 years) and infant mortality indicators, 2018**

Indicators	Haryana		
	Total	Rural	Urban
Child mortality rate	9	10	7
Under-five mortality rate	36	39	30
Infant mortality rate	30	33	25
Neo-natal mortality rate	22	24	16
Early neo-natal mortality rate	15	17	11
Late neo-natal mortality rate	7	7	5
Post neo-natal mortality rate	8	8	8
Peri-natal mortality rate	21	23	18
Still birth rate	6	6	7

Table 8**Age-specific death rate by sex and residence, 2018**

Age-group	Himachal Pradesh								
	Total			Rural			Urban		
	Total	Male	Female	Total	Male	Female	Total	Male	Female
Below 1	21.6	25.5	17.4	21.8	25.7	17.6	18.1	22.2	14.3
1-4	1.8	1.9	1.7	1.8	1.9	1.8	0.9	1.7	0.0
0-4	5.8	6.8	4.8	5.9	6.9	5.0	4.2	5.5	2.8
5-9	0.3	0.2	0.4	0.2	0.1	0.4	1.1	1.1	1.1
10-14	0.3	0.3	0.4	0.3	0.3	0.3	0.5	0.0	1.0
15-19	1.0	1.0	1.0	1.0	1.0	1.1	0.4	0.9	0.0
20-24	1.0	2.0	0.2	1.1	2.1	0.3	0.4	0.8	0.0
25-29	0.9	1.7	0.3	0.9	1.7	0.3	1.2	1.6	0.8
30-34	0.9	1.1	0.6	0.9	1.2	0.6	0.4	0.0	0.8
35-39	1.8	2.6	1.0	1.9	2.8	1.0	0.4	0.9	0.0
40-44	2.3	2.6	2.1	2.5	2.8	2.2	0.9	0.9	0.9
45-49	3.6	4.8	2.4	3.6	4.9	2.4	3.3	3.9	2.5
50-54	5.9	6.9	4.8	5.9	7.2	4.7	4.9	4.4	5.6
55-59	10.6	13.3	7.9	10.7	13.4	8.1	9.6	12.9	5.4
60-64	14.4	16.3	12.6	14.1	15.8	12.3	19.6	22.9	15.9
65-69	27.6	36.5	19.4	27.7	36.7	19.3	27.1	33.8	19.9
70-74	49.5	50.1	48.9	50.9	52.1	49.8	28.8	24.2	34.2
75-79	71.9	109.6	41.3	73.7	115.2	40.9	48.7	49.3	47.9
80-84	81.1	129.5	44.8	81.8	131.3	44.2	70.1	97.6	52.5
85+	158.2	170.7	149.3	158.2	167.5	151.5	158.8	239.4	111.0
All ages (Crude death rate)	6.9	8.3	5.5	7.1	8.5	5.7	4.8	5.6	4.0

Table 9**Child (Aged 0-4 years) and infant mortality indicators, 2018**

Indicators	Himachal Pradesh		
	Total	Rural	Urban
Child mortality rate	6	6	4
Under-five mortality rate	23	23	17
Infant mortality rate	19	20	14
Neo-natal mortality rate	13	13	9
Early neo-natal mortality rate	10	10	6
Late neo-natal mortality rate	3	3	3
Post neo-natal mortality rate	6	6	5
Peri-natal mortality rate	16	17	11
Still birth rate	7	7	5

Table 8**Age-specific death rate by sex and residence, 2018**

Age-group	Jammu & Kashmir								
	Total			Rural			Urban		
	Total	Male	Female	Total	Male	Female	Total	Male	Female
Below 1	29.4	29.5	29.3	32.0	31.9	32.2	22.3	22.7	21.9
1-4	0.2	0.3	0.1	0.3	0.4	0.1	0.1	0.1	0.1
0-4	5.5	5.2	5.8	6.0	5.7	6.2	4.2	3.7	4.7
5-9	0.5	0.4	0.5	0.5	0.4	0.5	0.4	0.4	0.3
10-14	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.3	0.4
15-19	0.4	0.4	0.4	0.5	0.6	0.4	0.1	0.0	0.2
20-24	0.4	0.5	0.3	0.5	0.6	0.4	0.1	0.3	0.0
25-29	0.6	0.8	0.5	0.8	1.1	0.6	0.2	0.2	0.1
30-34	1.2	1.7	0.8	1.2	1.3	1.1	1.3	2.5	0.2
35-39	1.5	2.0	1.0	2.0	2.6	1.5	0.6	0.9	0.2
40-44	3.5	4.7	2.2	4.1	5.1	3.0	2.3	4.0	0.6
45-49	5.0	6.0	4.0	6.2	7.3	5.0	2.9	3.6	2.2
50-54	7.7	8.4	6.8	9.3	10.3	8.2	4.7	4.8	4.6
55-59	11.6	12.4	10.7	13.4	15.2	11.3	8.3	7.4	9.4
60-64	17.4	21.6	13.3	18.3	23.1	13.7	15.6	18.7	12.5
65-69	22.3	24.5	19.7	23.6	26.7	20.0	19.7	20.3	19.0
70-74	31.3	35.7	26.6	33.0	37.8	27.5	28.3	31.7	24.9
75-79	42.3	49.2	35.1	42.4	48.7	35.9	42.3	50.2	33.5
80-84	78.2	85.4	70.0	89.2	97.1	80.4	60.5	66.9	53.0
85+	76.4	83.4	69.2	76.7	77.1	76.4	75.5	101.2	54.2
All ages (Crude death rate)	4.9	5.6	4.1	5.1	5.9	4.3	4.2	5.0	3.5

Table 9**Child (Aged 0-4 years) and infant mortality indicators, 2018**

Indicators	Jammu & Kashmir		
	Total	Rural	Urban
Child mortality rate	5	6	4
Under-five mortality rate	23	24	20
Infant mortality rate	22	23	20
Neo-natal mortality rate	17	18	14
Early neo-natal mortality rate	12	13	9
Late neo-natal mortality rate	5	5	5
Post neo-natal mortality rate	5	5	6
Peri-natal mortality rate	13	14	10
Still birth rate	1	1	1

Table 8**Age-specific death rate by sex and residence, 2018**

Age-group	Jharkhand								
	Total			Rural			Urban		
	Total	Male	Female	Total	Male	Female	Total	Male	Female
Below 1	33.8	30.5	37.3	34.0	30.5	37.7	32.8	30.6	35.0
1-4	1.1	0.8	1.4	1.2	0.9	1.5	0.8	0.5	1.3
0-4	8.4	7.3	9.6	8.6	7.4	9.8	7.5	6.5	8.6
5-9	0.4	0.2	0.6	0.4	0.2	0.5	0.6	0.3	1.0
10-14	0.4	0.4	0.4	0.4	0.4	0.5	0.3	0.3	0.3
15-19	0.7	0.6	0.9	0.7	0.5	0.9	0.7	0.8	0.7
20-24	1.1	1.2	1.0	1.2	1.3	1.2	0.7	0.8	0.6
25-29	1.4	1.6	1.1	1.5	1.8	1.2	1.0	1.1	0.9
30-34	1.8	2.3	1.4	1.9	2.2	1.6	1.7	2.4	0.8
35-39	1.9	1.9	1.9	1.9	2.0	1.9	1.8	1.6	1.9
40-44	3.7	3.4	4.0	4.4	4.3	4.4	2.0	1.3	2.8
45-49	4.8	5.7	3.9	5.8	6.8	4.6	2.4	2.9	1.8
50-54	7.6	7.4	7.8	8.6	7.9	9.5	5.1	6.3	3.6
55-59	13.4	12.9	13.9	14.0	14.3	13.7	12.1	10.0	14.7
60-64	19.4	15.2	23.8	21.1	14.7	27.6	15.1	16.4	13.9
65-69	31.9	30.2	33.7	34.0	30.8	37.1	26.6	28.5	24.7
70-74	45.7	46.7	44.8	45.8	46.4	45.4	45.0	47.5	42.4
75-79	97.9	88.4	106.7	110.7	101.4	119.1	72.4	63.7	81.0
80-84	134.6	110.5	158.5	142.3	103.1	184.5	111.3	136.8	91.3
85+	273.7	256.0	290.1	336.4	293.2	380.2	130.4	156.0	111.2
All ages (Crude death rate)	5.4	4.9	6.0	5.7	5.1	6.4	4.5	4.5	4.6

Table 9**Child (Aged 0-4 years) and infant mortality indicators, 2018**

Indicators	Jharkhand		
	Total	Rural	Urban
Child mortality rate	8	9	7
Under-five mortality rate	34	36	29
Infant mortality rate	30	31	26
Neo-natal mortality rate	21	22	14
Early neo-natal mortality rate	17	19	10
Late neo-natal mortality rate	3	3	3
Post neo-natal mortality rate	10	9	12
Peri-natal mortality rate	18	20	11
Still birth rate	1	1	1

Table 8**Age-specific death rate by sex and residence, 2018**

Age-group	Karnataka								
	Total			Rural			Urban		
	Total	Male	Female	Total	Male	Female	Total	Male	Female
Below 1	26.9	25.3	28.7	29.6	26.8	32.8	22.4	22.8	22.1
1-4	1.3	1.2	1.4	1.5	1.6	1.3	1.0	0.6	1.5
0-4	6.5	6.2	6.9	7.2	6.9	7.6	5.3	5.0	5.7
5-9	0.5	0.6	0.4	0.6	0.6	0.6	0.3	0.5	0.1
10-14	0.4	0.3	0.6	0.5	0.4	0.6	0.3	0.1	0.5
15-19	0.7	0.8	0.7	0.9	1.0	0.8	0.5	0.4	0.5
20-24	1.1	1.1	1.1	1.5	1.6	1.5	0.3	0.1	0.4
25-29	2.0	2.8	1.3	1.6	2.4	0.8	2.8	3.5	2.0
30-34	1.7	2.1	1.3	2.4	3.3	1.5	0.7	0.5	0.9
35-39	2.4	3.2	1.6	2.8	4.3	1.3	1.8	1.6	2.0
40-44	3.4	4.4	2.3	4.0	6.0	2.1	2.5	2.4	2.6
45-49	4.7	5.8	3.6	6.3	8.6	4.1	2.2	1.8	2.8
50-54	7.4	8.7	6.0	9.7	11.4	7.6	4.2	4.6	3.7
55-59	14.2	14.1	14.3	14.3	13.5	15.2	14.0	15.1	12.8
60-64	21.3	26.8	15.8	22.7	29.6	16.4	18.9	22.6	14.8
65-69	31.4	36.6	26.3	34.7	39.4	30.3	25.8	32.1	19.0
70-74	60.7	74.8	49.3	63.2	77.4	52.3	55.5	69.8	42.6
75-79	64.9	71.8	58.9	62.8	66.9	59.4	69.7	81.3	57.7
80-84	105.8	103.4	107.7	118.3	122.7	115.0	82.1	67.9	93.4
85+	222.3	199.2	241.2	276.0	191.0	388.1	144.9	223.2	114.3
All ages (Crude death rate)	6.3	6.8	5.8	7.2	7.8	6.6	4.8	5.2	4.4

Table 9**Child (Aged 0-4 years) and infant mortality indicators, 2018**

Indicators	Karnataka		
	Total	Rural	Urban
Child mortality rate	7	7	5
Under-five mortality rate	28	30	24
Infant mortality rate	23	25	20
Neo-natal mortality rate	16	20	10
Early neo-natal mortality rate	12	16	7
Late neo-natal mortality rate	4	4	3
Post neo-natal mortality rate	7	5	10
Peri-natal mortality rate	18	22	10
Still birth rate	5	7	3

Table 8**Age-specific death rate by sex and residence, 2018**

Age-group	Kerala								
	Total			Rural			Urban		
	Total	Male	Female	Total	Male	Female	Total	Male	Female
Below 1	8.1	10.2	6.0	10.1	9.0	11.2	6.0	11.4	0.0
1-4	0.7	0.4	1.1	0.4	0.8	0.1	1.1	0.0	2.3
0-4	2.1	2.2	2.0	2.1	2.2	2.1	2.0	2.1	1.8
5-9	0.3	0.2	0.4	0.3	0.3	0.2	0.3	0.0	0.6
10-14	0.2	0.4	0.1	0.2	0.3	0.1	0.2	0.5	0.0
15-19	0.5	0.6	0.4	0.3	0.3	0.3	0.7	0.9	0.5
20-24	0.5	0.5	0.6	0.4	0.4	0.3	0.7	0.5	0.9
25-29	0.8	1.2	0.4	0.7	1.0	0.4	0.9	1.5	0.4
30-34	0.8	0.9	0.7	0.9	1.2	0.5	0.7	0.5	0.9
35-39	1.0	1.7	0.5	1.1	1.7	0.6	1.0	1.6	0.4
40-44	2.3	3.3	1.5	1.5	2.0	1.0	3.1	4.6	1.9
45-49	2.5	3.1	1.9	2.4	3.4	1.5	2.6	2.8	2.4
50-54	4.7	6.3	3.2	5.1	7.2	3.1	4.3	5.4	3.3
55-59	7.9	11.5	4.8	7.9	11.1	4.9	8.0	11.9	4.6
60-64	13.4	16.8	10.2	13.2	16.4	10.3	13.7	17.2	10.2
65-69	28.0	38.5	18.7	26.1	35.0	17.8	30.0	42.5	19.8
70-74	35.1	46.4	26.0	45.2	57.6	35.6	25.0	35.7	16.1
75-79	58.0	73.6	47.6	51.8	67.7	40.3	65.1	80.9	55.4
80-84	98.6	122.9	83.3	91.5	113.6	77.4	107.3	134.5	90.5
85+	236.2	301.4	204.2	227.0	250.3	213.9	249.8	395.7	191.5
All ages (Crude death rate)	6.9	7.9	5.9	7.1	8.0	6.1	6.7	7.8	5.7

Table 9**Child (Aged 0-4 years) and infant mortality indicators, 2018**

Indicators	Kerala		
	Total	Rural	Urban
Child mortality rate	2	2	2
Under-five mortality rate	10	11	9
Infant mortality rate	7	9	5
Neo-natal mortality rate	5	6	4
Early neo-natal mortality rate	5	5	4
Late neo-natal mortality rate	1	1	0
Post neo-natal mortality rate	2	3	1
Peri-natal mortality rate	10	9	11
Still birth rate	5	4	7

Table 8**Age-specific death rate by sex and residence, 2018**

Age-group	Madhya Pradesh								
	Total			Rural			Urban		
	Total	Male	Female	Total	Male	Female	Total	Male	Female
Below 1	56.2	58.5	53.6	61.5	65.2	57.6	37.9	36.3	39.7
1-4	2.0	2.0	2.0	2.3	2.4	2.3	0.9	0.7	1.0
0-4	14.2	14.8	13.6	15.7	16.7	14.7	9.2	8.7	9.7
5-9	0.8	0.7	0.9	0.8	0.8	0.8	0.8	0.5	1.3
10-14	0.7	1.0	0.3	0.8	1.2	0.4	0.1	0.1	0.1
15-19	1.1	1.3	0.8	1.2	1.3	1.0	0.8	1.1	0.5
20-24	1.0	1.4	0.7	1.1	1.5	0.8	0.8	1.1	0.6
25-29	1.6	2.2	1.1	1.7	2.1	1.2	1.5	2.3	0.7
30-34	1.9	2.5	1.2	2.1	2.9	1.2	1.3	1.5	1.1
35-39	2.8	3.6	1.9	2.6	3.3	1.9	3.1	4.2	1.9
40-44	3.3	4.2	2.3	3.7	4.9	2.4	2.3	2.7	1.9
45-49	5.0	6.2	3.8	5.4	6.9	3.8	4.0	4.4	3.5
50-54	7.2	7.7	6.7	7.2	8.2	6.3	7.2	6.6	7.8
55-59	15.8	19.2	12.4	18.3	23.3	13.6	10.1	10.6	9.4
60-64	19.7	25.2	14.5	18.9	25.4	12.6	21.9	24.5	19.3
65-69	32.2	35.3	29.1	32.6	35.7	29.7	31.0	34.4	27.3
70-74	48.0	54.2	42.2	50.8	57.2	44.8	40.3	46.1	34.5
75-79	69.4	62.2	78.2	70.5	60.4	83.7	65.6	68.8	62.2
80-84	113.8	113.2	114.4	124.7	124.6	124.7	88.0	87.3	88.7
85+	252.5	275.2	235.9	270.3	284.2	259.2	204.4	245.5	181.0
All ages (Crude death rate)	6.7	7.2	6.1	7.1	7.7	6.4	5.5	5.8	5.2

Table 9**Child (Aged 0-4 years) and infant mortality indicators, 2018**

Indicators	Madhya Pradesh		
	Total	Rural	Urban
Child mortality rate	14	16	9
Under-five mortality rate	56	60	39
Infant mortality rate	48	52	36
Neo-natal mortality rate	35	38	23
Early neo-natal mortality rate	26	27	19
Late neo-natal mortality rate	9	11	4
Post neo-natal mortality rate	14	14	13
Peri-natal mortality rate	30	32	24
Still birth rate	5	5	5

Table 8**Age-specific death rate by sex and residence, 2018**

Age-group	Maharashtra								
	Total			Rural			Urban		
	Total	Male	Female	Total	Male	Female	Total	Male	Female
Below 1	18.5	18.1	19.1	24.5	23.9	25.2	12.2	11.7	12.7
1-4	0.6	0.6	0.7	0.9	0.9	1.0	0.1	0.2	0.1
0-4	4.5	4.3	4.6	5.3	5.1	5.5	3.2	3.1	3.3
5-9	0.4	0.3	0.4	0.3	0.2	0.5	0.4	0.4	0.4
10-14	0.3	0.4	0.3	0.2	0.2	0.3	0.5	0.6	0.3
15-19	0.4	0.6	0.2	0.6	0.8	0.3	0.2	0.3	0.2
20-24	0.9	1.2	0.6	0.8	1.1	0.6	1.0	1.3	0.7
25-29	1.1	1.4	0.9	1.5	1.5	1.5	0.8	1.3	0.3
30-34	1.8	2.2	1.3	2.2	3.1	1.2	1.4	1.4	1.4
35-39	2.0	2.9	1.1	2.5	3.4	1.5	1.6	2.4	0.7
40-44	3.2	3.9	2.6	4.1	4.6	3.5	2.4	3.1	1.6
45-49	4.6	5.7	3.4	4.9	5.8	3.8	4.3	5.6	2.8
50-54	6.9	8.8	4.8	7.9	9.6	6.1	5.8	8.0	3.4
55-59	11.0	13.0	9.1	12.6	15.9	9.5	9.2	9.9	8.5
60-64	18.0	21.9	14.0	18.1	23.4	13.2	17.7	20.0	15.2
65-69	27.2	28.1	26.3	25.5	29.3	22.2	29.8	26.3	34.1
70-74	36.7	41.8	32.2	38.6	45.3	32.9	33.1	35.4	31.0
75-79	58.2	63.6	52.1	61.0	66.5	55.0	52.7	58.2	46.1
80-84	98.8	97.1	100.6	106.6	108.6	104.6	86.1	79.3	93.9
85+	151.6	160.9	144.4	139.8	137.8	141.5	176.6	228.4	149.3
All ages (Crude death rate)	5.5	6.0	4.9	6.3	6.9	5.7	4.5	5.0	4.0

Table 9**Child (Aged 0-4 years) and infant mortality indicators, 2018**

Indicators	Maharashtra		
	Total	Rural	Urban
Child mortality rate	4	5	3
Under-five mortality rate	22	27	15
Infant mortality rate	19	24	14
Neo-natal mortality rate	13	18	8
Early neo-natal mortality rate	10	14	6
Late neo-natal mortality rate	3	4	2
Post neo-natal mortality rate	6	6	6
Peri-natal mortality rate	15	20	8
Still birth rate	5	6	3

Table 8**Age-specific death rate by sex and residence, 2018**

Age-group	Odisha								
	Total			Rural			Urban		
	Total	Male	Female	Total	Male	Female	Total	Male	Female
Below 1	37.8	39.0	36.7	41.5	43.1	39.9	21.1	20.5	21.7
1-4	1.1	1.1	1.0	1.1	1.1	1.1	1.0	1.5	0.6
0-4	10.7	10.8	10.6	11.5	11.6	11.4	6.7	6.9	6.6
5-9	0.7	0.7	0.7	0.8	0.8	0.7	0.3	0.4	0.3
10-14	0.8	1.1	0.5	0.8	1.2	0.4	0.8	0.6	1.0
15-19	0.8	0.6	1.0	0.8	0.5	1.1	0.8	1.1	0.6
20-24	1.0	1.0	1.1	1.1	1.0	1.2	0.8	1.3	0.3
25-29	1.4	2.1	0.7	1.5	2.3	0.8	0.8	1.3	0.2
30-34	2.3	2.9	1.6	2.4	3.1	1.8	1.5	2.2	0.8
35-39	2.7	3.2	2.2	2.7	3.2	2.2	2.5	3.1	1.9
40-44	5.0	5.9	4.0	5.6	6.6	4.5	2.9	3.4	2.2
45-49	4.9	5.9	3.7	4.8	5.9	3.5	5.4	6.3	4.3
50-54	7.5	8.1	6.8	7.7	8.2	7.2	6.8	7.9	5.5
55-59	13.5	14.5	12.5	14.3	15.2	13.3	9.9	11.2	8.5
60-64	19.3	20.1	18.4	19.5	20.5	18.5	18.2	18.4	18.0
65-69	34.5	35.9	32.8	34.0	35.8	32.0	37.4	36.7	38.3
70-74	44.2	48.9	39.7	44.1	50.9	37.6	44.7	37.5	52.0
75-79	65.2	64.6	65.8	62.3	64.8	59.8	84.6	63.2	111.3
80-84	76.6	70.3	83.2	75.8	65.1	87.4	81.6	104.8	62.7
85+	116.7	121.2	112.2	120.4	122.2	118.5	92.4	113.7	76.8
All ages (Crude death rate)	7.3	7.8	6.7	7.6	8.2	7.0	5.9	6.4	5.5

Table 9**Child (Aged 0-4 years) and infant mortality indicators, 2018**

Indicators	Odisha		
	Total	Rural	Urban
Child mortality rate	11	12	7
Under-five mortality rate	44	45	35
Infant mortality rate	40	41	31
Neo-natal mortality rate	31	33	22
Early neo-natal mortality rate	24	25	16
Late neo-natal mortality rate	8	8	6
Post neo-natal mortality rate	8	8	8
Peri-natal mortality rate	34	35	25
Still birth rate	10	11	9

Table 8**Age-specific death rate by sex and residence, 2018**

Age-group	Punjab								
	Total			Rural			Urban		
	Total	Male	Female	Total	Male	Female	Total	Male	Female
Below 1	22.1	21.1	23.3	23.6	23.5	23.8	19.9	18.1	22.5
1-4	0.5	0.6	0.4	0.4	0.6	0.2	0.7	0.7	0.8
0-4	5.4	5.4	5.4	5.6	5.6	5.5	5.1	5.0	5.3
5-9	0.4	0.2	0.7	0.4	0.1	0.8	0.4	0.4	0.5
10-14	0.4	0.5	0.4	0.5	0.6	0.3	0.4	0.4	0.5
15-19	0.8	0.9	0.6	0.8	1.1	0.4	0.7	0.7	0.8
20-24	1.7	1.7	1.7	1.8	1.7	2.0	1.4	1.6	1.2
25-29	1.5	1.8	1.0	1.9	2.6	1.1	0.8	0.8	0.9
30-34	2.3	3.0	1.5	2.9	4.4	1.2	1.4	1.2	1.7
35-39	3.1	4.5	1.4	3.5	4.9	1.9	2.6	4.0	0.8
40-44	3.5	4.6	2.2	4.0	5.9	2.1	2.8	3.1	2.4
45-49	6.3	9.4	3.1	7.4	10.9	3.7	4.9	7.4	2.2
50-54	8.4	10.4	6.4	10.5	12.2	8.6	6.0	8.2	4.0
55-59	14.0	16.9	10.6	15.4	19.8	10.1	12.3	13.3	11.1
60-64	16.9	20.5	13.0	17.5	21.5	13.5	15.9	19.2	12.3
65-69	28.3	30.0	26.5	31.7	33.5	29.7	23.0	24.7	21.1
70-74	37.2	43.3	31.1	43.6	48.7	38.4	25.8	33.4	18.6
75-79	52.0	50.6	53.5	53.7	48.6	59.6	48.8	54.6	42.9
80-84	57.9	65.5	49.3	57.7	58.1	57.2	58.4	81.8	34.3
85+	150.2	157.7	144.1	143.2	145.3	141.3	174.1	204.7	152.7
All ages (Crude death rate)	6.6	7.4	5.7	7.7	8.5	6.7	5.1	5.8	4.3

Table 9**Child (Aged 0-4 years) and infant mortality indicators, 2018**

Indicators	Punjab		
	Total	Rural	Urban
Child mortality rate	5	6	5
Under-five mortality rate	23	23	22
Infant mortality rate	20	21	19
Neo-natal mortality rate	13	13	11
Early neo-natal mortality rate	9	9	9
Late neo-natal mortality rate	4	5	2
Post neo-natal mortality rate	8	8	8
Peri-natal mortality rate	14	13	14
Still birth rate	5	4	5

Table 8**Age-specific death rate by sex and residence, 2018**

Age-group	Rajasthan								
	Total			Rural			Urban		
	Total	Male	Female	Total	Male	Female	Total	Male	Female
Below 1	49.9	46.0	54.8	52.5	48.3	57.9	39.8	36.1	43.6
1-4	0.8	0.9	0.7	0.6	0.7	0.5	1.3	1.5	1.2
0-4	10.3	9.9	10.8	10.9	10.5	11.3	8.3	7.7	9.0
5-9	0.5	0.5	0.6	0.5	0.4	0.6	0.6	0.5	0.6
10-14	0.6	0.6	0.7	0.7	0.7	0.7	0.4	0.3	0.6
15-19	0.9	0.8	0.9	0.9	0.7	1.1	0.7	1.1	0.3
20-24	1.3	1.4	1.1	1.2	1.2	1.2	1.6	2.1	1.1
25-29	1.2	1.7	0.7	1.4	1.9	0.9	0.7	1.1	0.2
30-34	1.6	1.7	1.3	1.7	2.0	1.4	1.1	1.1	1.1
35-39	2.2	3.0	1.3	2.3	3.3	1.1	1.9	2.1	1.7
40-44	3.5	5.1	1.9	4.5	6.4	2.5	1.3	1.9	0.7
45-49	5.1	6.0	4.2	5.9	7.5	4.3	3.2	2.3	4.1
50-54	9.2	10.9	7.3	9.7	11.5	7.6	8.1	9.7	6.5
55-59	15.4	19.8	11.5	16.7	22.5	11.5	12.8	14.3	11.3
60-64	19.5	23.1	16.0	19.8	24.7	15.3	18.6	18.9	18.3
65-69	31.5	42.9	22.4	33.1	48.8	21.4	26.7	27.5	25.8
70-74	39.8	51.8	31.0	39.2	55.1	27.7	41.6	42.8	40.7
75-79	53.4	68.1	41.7	56.0	73.0	42.9	46.5	55.7	38.2
80-84	106.1	113.8	100.2	125.8	146.2	111.4	68.7	60.3	76.4
85+	207.2	252.5	182.3	201.3	223.2	188.3	229.3	396.2	162.4
All ages (Crude death rate)	5.9	6.4	5.3	6.1	6.8	5.4	5.0	5.1	5.0

Table 9**Child (Aged 0-4 years) and infant mortality indicators, 2018**

Indicators	Rajasthan		
	Total	Rural	Urban
Child mortality rate	10	11	8
Under-five mortality rate	40	43	31
Infant mortality rate	37	41	26
Neo-natal mortality rate	26	29	15
Early neo-natal mortality rate	20	23	12
Late neo-natal mortality rate	6	7	3
Post neo-natal mortality rate	11	11	11
Peri-natal mortality rate	26	28	21
Still birth rate	6	6	9

Table 8**Age-specific death rate by sex and residence, 2018**

Age-group	Tamil Nadu								
	Total			Rural			Urban		
	Total	Male	Female	Total	Male	Female	Total	Male	Female
Below 1	18.5	19.4	17.5	20.5	21.5	19.4	16.4	17.2	15.6
1-4	0.6	0.6	0.7	0.9	0.9	0.9	0.3	0.2	0.4
0-4	4.0	4.1	3.9	4.7	4.8	4.5	3.3	3.4	3.3
5-9	0.4	0.5	0.3	0.5	0.6	0.4	0.2	0.3	0.2
10-14	0.2	0.3	0.2	0.2	0.3	0.2	0.2	0.3	0.2
15-19	0.8	1.1	0.5	0.8	1.0	0.5	0.9	1.2	0.6
20-24	1.3	1.7	0.9	1.6	2.0	1.3	0.9	1.4	0.6
25-29	1.2	1.5	0.9	1.6	2.1	1.1	0.9	1.0	0.8
30-34	1.5	1.8	1.1	2.2	2.5	1.9	0.9	1.2	0.5
35-39	2.0	2.8	1.2	2.3	3.2	1.3	1.8	2.4	1.1
40-44	3.4	4.8	1.9	4.6	6.4	2.8	2.4	3.5	1.3
45-49	4.4	6.4	2.2	4.9	7.4	2.3	4.0	5.7	2.1
50-54	8.3	11.2	5.5	11.5	14.6	8.2	6.0	8.6	3.6
55-59	11.8	14.7	9.1	13.9	19.8	8.8	10.1	10.7	9.4
60-64	15.9	17.8	14.0	19.4	22.4	16.3	13.2	14.2	12.2
65-69	29.0	33.9	24.3	35.1	43.2	27.8	23.7	26.3	20.9
70-74	42.7	44.5	40.9	57.3	57.5	57.1	31.9	35.0	28.9
75-79	62.8	66.6	59.0	74.7	74.1	75.2	51.2	59.6	43.0
80-84	76.4	90.0	63.4	100.1	110.9	89.1	58.8	73.6	45.4
85+	126.6	110.8	140.3	162.9	145.6	177.6	97.9	83.4	110.4
All ages (Crude death rate)	6.5	7.4	5.5	7.8	8.8	6.7	5.3	6.1	4.4

Table 9**Child (Aged 0-4 years) and infant mortality indicators, 2018**

Indicators	Tamil Nadu		
	Total	Rural	Urban
Child mortality rate	4	5	3
Under-five mortality rate	17	22	14
Infant mortality rate	15	18	12
Neo-natal mortality rate	10	14	6
Early neo-natal mortality rate	7	10	4
Late neo-natal mortality rate	3	3	2
Post neo-natal mortality rate	5	4	6
Peri-natal mortality rate	11	15	8
Still birth rate	4	5	3

Table 8**Age-specific death rate by sex and residence, 2018**

Age-group	Telangana								
	Total			Rural			Urban		
	Total	Male	Female	Total	Male	Female	Total	Male	Female
Below 1	29.8	29.0	30.8	37.5	39.7	35.2	20.6	16.7	25.3
1-4	0.8	0.7	1.0	1.2	1.3	1.0	0.4	0.0	0.9
0-4	8.2	8.0	8.5	10.7	11.6	9.8	5.4	4.1	6.8
5-9	0.6	0.4	0.7	0.7	0.7	0.8	0.3	0.0	0.6
10-14	0.6	0.6	0.6	0.9	1.0	0.9	0.1	0.0	0.3
15-19	0.9	1.1	0.7	1.2	1.6	0.8	0.4	0.4	0.5
20-24	1.1	1.4	0.9	1.3	1.6	1.0	0.9	1.0	0.8
25-29	1.1	1.2	1.0	1.7	1.8	1.6	0.3	0.4	0.2
30-34	1.9	2.0	1.9	3.1	3.3	2.9	0.4	0.4	0.5
35-39	2.3	3.2	1.5	3.3	4.3	2.3	1.1	1.8	0.5
40-44	4.7	5.3	4.1	5.7	6.4	5.0	3.4	3.9	2.7
45-49	7.1	8.8	5.0	9.5	12.2	6.4	3.5	4.1	2.8
50-54	9.0	11.7	6.6	8.9	12.0	6.3	9.1	11.2	7.1
55-59	11.6	14.1	9.0	13.6	17.5	10.1	8.0	9.0	6.6
60-64	22.0	24.0	20.0	20.6	23.3	18.1	25.0	25.5	24.5
65-69	28.7	29.9	27.4	26.2	28.4	24.1	34.3	32.9	36.2
70-74	45.6	45.8	45.4	43.0	43.3	42.6	53.1	53.0	53.2
75-79	79.2	81.1	77.2	80.5	90.9	69.4	75.9	55.4	97.2
80-84	106.7	112.6	100.8	107.7	117.1	97.9	104.2	100.8	107.2
85+	184.9	232.3	154.3	175.5	206.2	149.6	211.1	388.1	163.3
All ages (Crude death rate)	6.3	6.9	5.6	7.5	8.5	6.4	4.5	4.5	4.4

Table 9**Child (Aged 0-4 years) and infant mortality indicators, 2018**

Indicators	Telangana		
	Total	Rural	Urban
Child mortality rate	8	11	5
Under-five mortality rate	30	35	23
Infant mortality rate	27	30	21
Neo-natal mortality rate	19	21	14
Early neo-natal mortality rate	13	16	9
Late neo-natal mortality rate	5	5	6
Post neo-natal mortality rate	8	9	7
Peri-natal mortality rate	15	18	10
Still birth rate	2	2	1

Table 8**Age-specific death rate by sex and residence, 2018**

Age-group	Uttar Pradesh								
	Total			Rural			Urban		
	Total	Male	Female	Total	Male	Female	Total	Male	Female
Below 1	68.3	66.5	70.3	70.2	69.5	71.1	60.4	54.2	67.3
1-4	0.9	0.8	1.1	1.0	0.7	1.3	0.9	1.0	0.7
0-4	13.8	13.5	14.2	14.2	14.1	14.4	12.1	10.9	13.5
5-9	0.6	0.4	0.8	0.7	0.5	0.9	0.4	0.3	0.6
10-14	0.6	0.6	0.7	0.7	0.6	0.8	0.4	0.4	0.4
15-19	0.8	0.8	0.7	0.9	1.0	0.7	0.4	0.2	0.7
20-24	1.0	0.9	1.1	1.1	1.0	1.3	0.5	0.6	0.4
25-29	1.4	1.6	1.2	1.6	1.8	1.5	0.8	1.1	0.5
30-34	2.0	2.4	1.5	2.0	2.2	1.7	2.1	3.1	0.9
35-39	2.5	2.9	2.1	2.7	3.2	2.3	1.9	2.4	1.4
40-44	4.6	5.2	3.9	5.3	6.0	4.5	2.6	3.1	2.1
45-49	5.2	5.2	5.2	6.1	6.1	6.2	2.6	2.8	2.4
50-54	9.8	8.5	11.2	10.4	9.2	11.8	8.3	6.9	9.8
55-59	19.0	21.6	16.6	20.9	25.0	17.6	14.4	14.7	14.2
60-64	23.2	27.3	19.2	23.6	28.5	18.8	22.3	23.9	20.6
65-69	37.1	42.5	31.8	38.0	42.8	33.4	34.3	41.7	26.7
70-74	59.4	65.6	53.4	63.8	71.7	56.5	46.2	49.1	42.8
75-79	64.2	68.4	60.4	67.1	70.4	64.1	54.6	61.8	47.8
80-84	131.5	132.9	130.0	145.4	155.3	135.8	86.8	64.8	110.6
85+	198.2	223.7	179.5	193.0	204.8	183.3	219.2	337.2	167.1
All ages (Crude death rate)	6.6	6.8	6.4	7.0	7.2	6.8	5.3	5.4	5.1

Table 9**Child (Aged 0-4 years) and infant mortality indicators, 2018**

Indicators	Uttar Pradesh		
	Total	Rural	Urban
Child mortality rate	14	14	12
Under-five mortality rate	47	49	38
Infant mortality rate	43	46	35
Neo-natal mortality rate	32	34	21
Early neo-natal mortality rate	24	27	15
Late neo-natal mortality rate	7	8	6
Post neo-natal mortality rate	12	11	14
Peri-natal mortality rate	28	30	18
Still birth rate	3	3	3

Table 8**Age-specific death rate by sex and residence, 2018**

Age-group	Uttarakhand								
	Total			Rural			Urban		
	Total	Male	Female	Total	Male	Female	Total	Male	Female
Below 1	24.6	27.4	21.6	25.7	29.4	21.7	22.0	22.4	21.5
1-4	0.6	0.3	0.8	0.4	0.2	0.7	0.9	0.6	1.1
0-4	5.3	5.6	5.0	5.3	5.8	4.8	5.2	5.1	5.3
5-9	0.4	0.4	0.5	0.4	0.4	0.4	0.6	0.4	0.7
10-14	0.5	0.5	0.4	0.4	0.6	0.3	0.7	0.4	0.9
15-19	0.7	0.9	0.4	0.6	0.8	0.3	0.9	0.9	0.8
20-24	1.5	1.8	1.3	1.7	2.0	1.5	1.1	1.3	0.7
25-29	1.6	2.2	1.1	1.8	2.4	1.2	1.2	1.6	0.7
30-34	1.7	2.2	1.3	1.8	2.3	1.3	1.6	1.8	1.3
35-39	3.2	3.5	2.8	3.3	3.4	3.3	2.7	3.8	1.6
40-44	3.8	5.3	2.2	4.2	5.9	2.3	3.0	4.0	2.0
45-49	5.6	7.2	3.9	5.8	7.8	3.9	5.0	5.9	4.1
50-54	7.9	9.8	6.2	8.5	10.4	6.9	6.4	8.6	4.4
55-59	14.0	17.7	10.5	13.9	18.5	9.6	14.4	15.6	13.2
60-64	16.0	17.9	14.5	15.5	16.9	14.3	17.8	20.6	15.0
65-69	39.8	51.4	30.0	40.4	54.8	29.0	37.8	41.3	34.1
70-74	44.3	43.8	44.8	44.0	41.1	46.9	45.3	54.0	36.7
75-79	89.1	98.8	79.6	92.5	103.5	82.7	76.1	83.9	66.4
80-84	79.1	96.2	65.9	76.8	88.4	68.0	88.9	128.1	57.3
85+	140.1	187.8	100.0	131.6	181.7	88.1	175.8	215.9	146.3
All ages (Crude death rate)	6.2	6.9	5.4	6.5	7.3	5.6	5.3	6.0	4.6

Table 9**Child (Aged 0-4 years) and infant mortality indicators, 2018**

Indicators	Uttarakhand		
	Total	Rural	Urban
Child mortality rate	5	5	5
Under-five mortality rate	33	33	33
Infant mortality rate	31	31	29
Neo-natal mortality rate	22	23	21
Early neo-natal mortality rate	17	17	18
Late neo-natal mortality rate	5	6	3
Post neo-natal mortality rate	8	8	8
Peri-natal mortality rate	24	24	25
Still birth rate	8	8	7

Table 8**Age-specific death rate by sex and residence, 2018**

Age-group	West Bengal								
	Total			Rural			Urban		
	Total	Male	Female	Total	Male	Female	Total	Male	Female
Below 1	24.0	23.3	24.7	28.1	28.2	27.9	15.7	13.7	18.0
1-4	1.1	1.2	1.1	1.1	1.1	1.1	1.3	1.4	1.2
0-4	5.6	5.5	5.6	5.8	5.8	5.7	5.0	4.7	5.3
5-9	0.3	0.2	0.3	0.2	0.2	0.3	0.3	0.2	0.4
10-14	0.4	0.4	0.3	0.4	0.5	0.3	0.2	0.2	0.3
15-19	0.8	0.7	0.9	0.8	0.5	1.0	0.9	1.1	0.8
20-24	0.8	0.9	0.6	0.7	1.0	0.6	0.8	0.8	0.9
25-29	1.1	1.3	0.9	1.2	1.4	1.0	1.0	1.3	0.7
30-34	1.2	1.7	0.8	1.4	1.6	1.1	1.0	1.9	0.2
35-39	1.7	2.5	0.9	1.8	2.8	0.9	1.4	2.0	0.9
40-44	2.4	2.9	1.8	2.9	3.3	2.4	1.3	2.0	0.6
45-49	3.9	5.3	2.5	3.6	4.8	2.4	4.6	6.4	2.8
50-54	6.9	7.5	6.2	7.5	7.5	7.5	5.9	7.5	4.4
55-59	11.1	11.9	10.4	12.2	14.6	9.9	9.4	7.9	11.3
60-64	18.2	21.4	14.7	19.3	25.2	13.7	16.4	16.4	16.5
65-69	30.9	34.8	26.7	33.6	40.2	26.7	26.7	26.7	26.7
70-74	42.7	48.0	37.4	48.8	58.0	40.7	32.1	33.3	30.7
75-79	71.2	78.3	64.9	82.7	97.4	71.1	52.2	51.5	52.9
80-84	103.5	111.5	96.1	117.4	122.2	113.1	85.2	98.2	72.4
85+	170.4	182.2	161.3	213.1	242.3	190.7	120.1	111.8	126.5
All ages (Crude death rate)	5.6	6.3	5.0	5.6	6.3	4.9	5.7	6.2	5.2

Table 9**Child (Aged 0-4 years) and infant mortality indicators, 2018**

Indicators	West Bengal		
	Total	Rural	Urban
Child mortality rate	6	6	5
Under-five mortality rate	26	27	25
Infant mortality rate	22	22	20
Neo-natal mortality rate	16	17	12
Early neo-natal mortality rate	12	13	9
Late neo-natal mortality rate	4	5	3
Post neo-natal mortality rate	6	5	8
Peri-natal mortality rate	17	17	16
Still birth rate	5	5	7

Table 10**Percentage distribution of deaths to total deaths by residence, sex and age-group, 2018**

Age group	Total			Rural			Urban		
	Total	Male	Female	Total	Male	Female	Total	Male	Female
India									
Below 1	10.5	9.8	11.2	11.6	11.0	12.3	7.4	6.7	8.4
1-4	1.1	1.0	1.2	1.2	1.1	1.3	0.8	0.7	0.9
0-4	11.5	10.8	12.5	12.8	12.1	13.6	8.2	7.3	9.3
5-9	0.7	0.6	0.9	0.7	0.6	0.9	0.6	0.5	0.8
10-14	0.8	0.8	0.8	0.9	0.9	0.9	0.6	0.5	0.6
15-19	1.3	1.3	1.3	1.4	1.4	1.4	1.0	1.1	1.0
20-24	1.8	1.8	1.8	1.9	1.9	2.0	1.6	1.8	1.4
25-29	2.1	2.5	1.8	2.2	2.5	1.9	1.9	2.4	1.4
30-34	2.4	2.7	2.0	2.4	2.7	2.0	2.4	2.8	1.9
35-39	2.7	3.2	2.0	2.6	3.1	2.1	2.7	3.4	1.9
40-44	3.5	4.0	2.9	3.6	4.1	3.0	3.2	3.7	2.6
45-49	4.2	4.8	3.5	4.2	4.8	3.5	4.2	4.9	3.4
50-54	5.3	5.6	5.0	5.0	5.2	4.7	6.2	6.7	5.6
55-59	7.6	7.8	7.3	7.3	7.6	6.9	8.3	8.3	8.2
60-64	9.4	9.8	8.9	8.8	9.2	8.2	11.0	11.4	10.6
65-69	10.7	11.0	10.5	10.3	10.5	10.1	12.0	12.3	11.7
70-74	10.9	10.6	11.2	11.0	10.7	11.4	10.5	10.3	10.7
75-79	9.3	8.8	9.9	9.2	8.6	9.9	9.5	9.1	10.0
80-84	7.9	7.2	8.7	7.9	7.3	8.7	7.8	7.0	8.7
85+	7.8	6.7	9.2	7.8	6.7	9.0	8.0	6.5	9.9
All ages	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0

Table 10

Percentage distribution of deaths to total deaths by residence, sex and age-group, 2018

Age group	Total			Rural			Urban		
	Total	Male	Female	Total	Male	Female	Total	Male	Female
Andhra Pradesh									
Below 1	7.0	6.7	7.5	7.3	7.0	7.6	6.4	5.6	7.3
1-4	0.6	0.6	0.6	0.6	0.7	0.6	0.6	0.6	0.7
0-4	7.7	7.3	8.1	7.9	7.6	8.2	7.0	6.2	8.0
5-9	0.4	0.3	0.5	0.3	0.3	0.2	0.9	0.6	1.3
10-14	0.6	0.6	0.6	0.6	0.7	0.5	0.6	0.5	0.7
15-19	0.8	0.7	0.9	0.7	0.6	0.8	1.1	1.1	1.2
20-24	1.5	1.4	1.7	1.7	1.5	1.9	0.9	1.0	0.7
25-29	1.7	1.8	1.7	1.9	1.8	1.9	1.2	1.5	0.7
30-34	3.0	3.0	3.0	2.7	2.6	2.8	4.1	4.2	3.9
35-39	3.2	3.8	2.5	3.3	3.8	2.6	2.9	3.6	2.0
40-44	4.3	5.1	3.2	4.6	5.5	3.3	3.2	3.6	2.6
45-49	6.9	7.5	6.0	6.9	7.4	6.3	6.7	7.9	5.3
50-54	7.7	8.0	7.2	7.6	7.8	7.4	7.7	8.8	6.4
55-59	8.6	8.9	8.4	8.4	8.6	8.1	9.5	9.8	9.2
60-64	11.0	10.6	11.5	10.3	9.9	10.8	13.1	12.8	13.4
65-69	12.1	11.7	12.5	11.7	11.5	12.0	13.2	12.4	14.2
70-74	10.9	10.3	11.6	11.1	10.5	11.9	10.0	9.6	10.7
75-79	8.4	8.3	8.5	8.9	8.6	9.4	6.8	7.6	5.9
80-84	6.6	6.3	7.0	6.8	6.7	6.9	5.9	4.7	7.3
85+	4.8	4.4	5.3	4.6	4.4	4.9	5.2	4.2	6.4
All ages	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
Assam									
Below 1	13.7	12.1	15.7	14.7	13.1	16.8	5.8	5.1	6.9
1-4	1.6	1.1	2.1	1.7	1.2	2.4	0.5	0.6	0.3
0-4	15.3	13.2	17.8	16.5	14.3	19.2	6.3	5.7	7.2
5-9	0.4	0.3	0.5	0.4	0.3	0.5	0.3	0.3	0.3
10-14	0.3	0.4	0.2	0.3	0.3	0.2	0.6	0.8	0.3
15-19	2.9	2.4	3.5	3.0	2.5	3.7	1.8	1.4	2.3
20-24	2.1	2.3	1.9	2.2	2.4	2.1	1.3	1.6	0.9
25-29	2.4	1.6	3.5	2.6	1.6	3.9	1.3	1.8	0.6
30-34	2.5	3.0	1.9	2.4	2.9	1.7	3.6	3.7	3.4
35-39	3.6	3.1	4.3	3.6	3.0	4.4	3.7	4.0	3.4
40-44	3.8	4.5	2.9	3.8	4.6	2.9	3.5	4.0	2.7
45-49	6.2	7.1	5.1	6.2	7.0	5.1	6.2	7.3	4.6
50-54	5.8	5.9	5.8	5.6	5.5	5.8	7.4	8.7	5.7
55-59	7.6	7.3	8.0	7.4	7.0	8.0	8.9	9.7	8.0
60-64	7.0	7.3	6.7	6.8	7.1	6.5	8.5	9.1	7.8
65-69	9.4	8.5	10.5	9.3	8.4	10.5	10.2	9.7	10.8
70-74	8.5	9.9	6.9	8.3	9.8	6.3	10.7	10.0	11.7
75-79	7.3	8.1	6.3	7.0	8.0	5.6	10.1	8.7	11.9
80-84	7.8	8.0	7.5	7.8	8.1	7.3	7.8	7.3	8.5
85+	6.9	7.1	6.7	6.8	7.2	6.3	7.8	6.4	9.9
All ages	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0

Table 10**Percentage distribution of deaths to total deaths by residence, sex and age-group, 2018**

Age group	Total			Rural			Urban		
	Total	Male	Female	Total	Male	Female	Total	Male	Female
Bihar									
Below 1	14.4	13.7	15.0	14.6	14.1	15.0	12.7	11.1	14.5
1-4	1.8	1.8	1.7	1.9	1.9	1.9	1.0	1.4	0.6
0-4	16.1	15.6	16.7	16.4	16.0	16.9	13.7	12.4	15.0
5-9	1.1	1.1	1.1	1.2	1.2	1.2	0.7	0.5	1.0
10-14	1.6	1.4	1.8	1.6	1.4	1.7	1.5	1.0	2.1
15-19	1.3	1.3	1.3	1.4	1.3	1.4	0.7	0.9	0.5
20-24	2.0	1.6	2.4	2.1	1.6	2.5	1.3	1.4	1.0
25-29	1.9	2.3	1.5	2.0	2.6	1.5	0.7	0.5	1.0
30-34	2.1	2.3	1.9	2.1	2.4	1.8	1.7	1.4	2.1
35-39	1.8	2.2	1.4	1.9	2.2	1.5	1.2	2.0	0.5
40-44	1.5	1.8	1.2	1.4	1.7	1.0	2.2	2.3	2.1
45-49	2.1	2.5	1.7	2.3	2.7	1.8	1.3	1.0	1.5
50-54	2.1	2.3	2.0	1.8	2.0	1.6	4.6	4.6	4.5
55-59	5.1	4.8	5.3	5.0	4.5	5.4	6.0	7.6	4.2
60-64	8.7	8.2	9.3	8.7	7.9	9.6	8.6	10.3	6.7
65-69	9.8	10.4	9.1	9.5	10.1	9.0	11.5	12.7	10.1
70-74	13.4	12.3	14.6	13.5	12.4	14.7	13.0	12.3	13.7
75-79	10.9	10.3	11.5	10.9	10.4	11.5	10.4	9.4	11.6
80-84	10.8	11.6	10.0	10.6	11.5	9.7	12.5	12.5	12.5
85+	7.7	8.0	7.4	7.6	8.1	7.1	8.5	7.3	9.8
All ages	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
Chhattisgarh									
Below 1	11.5	11.9	11.0	11.8	12.5	11.1	9.9	9.2	10.8
1-4	1.0	0.7	1.3	1.1	0.9	1.2	0.8	0.2	1.5
0-4	12.5	12.6	12.3	12.9	13.4	12.3	10.7	9.4	12.3
5-9	1.0	1.0	1.0	0.9	0.9	0.8	1.6	1.5	1.8
10-14	0.6	1.1	0.2	0.7	1.2	0.2	0.3	0.3	0.3
15-19	1.8	1.9	1.8	2.2	2.2	2.1	0.2	0.2	0.2
20-24	1.8	2.3	1.3	2.0	2.8	1.3	0.8	0.2	1.6
25-29	2.7	3.2	2.1	2.7	3.1	2.2	3.0	3.9	2.0
30-34	2.2	2.0	2.5	1.8	1.3	2.3	4.4	5.1	3.5
35-39	3.9	5.0	2.6	3.9	4.7	3.1	3.6	6.3	0.4
40-44	3.9	2.9	5.0	4.0	2.8	5.2	3.5	3.1	3.9
45-49	5.6	6.2	5.0	6.0	6.3	5.7	4.1	5.8	2.0
50-54	4.9	4.1	5.9	4.4	3.6	5.4	7.2	6.1	8.4
55-59	8.1	8.6	7.5	8.3	9.4	7.2	7.0	5.6	8.7
60-64	8.1	8.7	7.3	7.9	8.0	7.7	8.9	11.7	5.5
65-69	10.3	11.1	9.3	10.5	11.3	9.7	9.2	10.5	7.7
70-74	10.7	10.3	11.1	10.7	10.3	11.2	10.7	10.5	10.9
75-79	10.1	9.6	10.6	10.0	9.8	10.2	10.6	8.6	12.9
80-84	6.1	4.1	8.3	5.6	4.0	7.4	8.4	4.6	12.9
85+	5.6	5.2	6.1	5.6	4.9	6.3	5.8	6.5	5.0
All ages	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0

Table 10

Percentage distribution of deaths to total deaths by residence, sex and age-group, 2018

Age group	Total			Rural			Urban		
	Total	Male	Female	Total	Male	Female	Total	Male	Female
Delhi									
Below 1	5.7	5.9	5.4	3.4	6.1	0.0	5.8	5.9	5.6
1-4	2.2	2.1	2.4	3.4	3.0	4.0	2.2	2.1	2.3
0-4	7.9	8.0	7.8	6.9	9.1	4.0	8.0	8.0	7.9
5-9	1.0	0.9	1.1	1.7	3.0	0.0	1.0	0.9	1.2
10-14	1.0	1.3	0.7	1.7	0.0	4.0	1.0	1.3	0.6
15-19	2.3	1.8	2.9	3.4	3.0	4.0	2.2	1.7	2.9
20-24	2.0	1.7	2.4	1.7	0.0	4.0	2.0	1.7	2.3
25-29	2.5	3.0	1.7	3.4	3.0	4.0	2.4	3.0	1.7
30-34	2.7	2.5	2.9	1.7	0.0	4.0	2.7	2.6	2.8
35-39	3.6	4.5	2.5	5.2	3.0	8.0	3.6	4.6	2.3
40-44	4.1	4.3	3.8	6.9	9.1	4.0	4.0	4.2	3.8
45-49	4.3	5.1	3.4	3.4	3.0	4.0	4.4	5.1	3.4
50-54	6.6	7.3	5.6	8.6	12.1	4.0	6.5	7.1	5.7
55-59	7.2	7.5	6.7	5.2	6.1	4.0	7.2	7.5	6.8
60-64	10.7	11.2	10.0	13.8	21.2	4.0	10.6	10.9	10.2
65-69	11.5	10.9	12.2	6.9	9.1	4.0	11.6	11.0	12.5
70-74	9.5	9.2	9.9	5.2	6.1	4.0	9.6	9.3	10.0
75-79	9.3	9.5	9.1	6.9	3.0	12.0	9.4	9.7	9.1
80-84	6.3	5.0	8.0	6.9	3.0	12.0	6.3	5.1	7.9
85+	7.6	6.4	9.2	10.3	6.1	16.0	7.5	6.4	9.0
All ages	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
Gujarat									
Below 1	9.3	8.9	9.8	11.2	10.3	12.5	6.5	6.6	6.4
1-4	0.8	0.8	0.8	1.1	1.1	1.0	0.4	0.4	0.5
0-4	10.1	9.7	10.7	12.2	11.4	13.5	6.9	6.9	7.0
5-9	0.7	0.6	0.8	0.7	0.5	1.0	0.6	0.7	0.5
10-14	0.4	0.3	0.6	0.6	0.5	0.8	0.1	0.0	0.3
15-19	1.1	1.4	0.7	1.5	1.8	1.1	0.6	0.9	0.2
20-24	2.2	2.6	1.6	2.2	2.5	1.6	2.1	2.6	1.5
25-29	1.9	2.2	1.4	2.5	3.0	1.6	1.1	1.0	1.2
30-34	2.7	3.0	2.3	2.7	3.1	2.2	2.6	2.8	2.4
35-39	2.6	2.8	2.3	3.2	3.7	2.5	1.7	1.5	2.0
40-44	3.8	4.2	3.3	4.5	5.2	3.4	2.9	2.6	3.2
45-49	3.9	4.2	3.4	3.8	4.3	3.0	4.0	4.0	4.0
50-54	5.7	6.1	5.3	5.3	5.5	5.1	6.3	7.0	5.5
55-59	9.0	9.4	8.5	8.7	9.0	8.1	9.6	10.0	9.1
60-64	10.9	11.2	10.6	10.1	10.5	9.4	12.2	12.3	12.2
65-69	10.6	10.6	10.4	9.1	9.0	9.2	12.7	13.2	12.0
70-74	10.9	10.8	11.0	10.9	11.2	10.6	10.9	10.3	11.6
75-79	8.2	7.6	9.2	6.7	6.2	7.6	10.5	9.9	11.2
80-84	7.4	6.6	8.5	7.2	6.0	9.1	7.6	7.6	7.7
85+	7.8	6.6	9.4	8.0	6.6	10.0	7.6	6.7	8.7
All ages	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0

Table 10

Percentage distribution of deaths to total deaths by residence, sex and age-group, 2018

Age group	Total			Rural			Urban		
	Total	Male	Female	Total	Male	Female	Total	Male	Female
Haryana									
Below 1	10.3	9.0	12.3	10.7	9.6	12.6	9.2	7.7	11.5
1-4	1.7	1.2	2.6	1.7	1.3	2.5	1.6	1.0	2.7
0-4	12.0	10.2	14.8	12.5	10.9	15.1	10.8	8.7	14.2
5-9	0.8	0.7	0.8	0.8	0.8	0.7	0.8	0.6	1.0
10-14	0.7	0.6	0.9	0.5	0.5	0.4	1.1	0.6	2.0
15-19	1.7	1.6	1.8	1.8	1.8	1.8	1.4	1.0	2.0
20-24	2.7	2.4	3.2	3.1	2.6	3.9	1.9	2.1	1.6
25-29	2.9	3.2	2.4	2.5	2.6	2.2	3.9	4.6	2.8
30-34	3.3	4.3	1.6	3.5	4.5	1.9	2.7	3.8	0.9
35-39	3.3	4.1	2.1	3.4	3.9	2.6	3.1	4.4	0.9
40-44	3.9	4.6	2.8	3.3	3.9	2.4	5.1	6.0	3.7
45-49	5.1	6.1	3.5	4.6	5.5	3.2	6.3	7.5	4.3
50-54	6.4	7.0	5.4	6.3	7.6	4.1	6.7	5.7	8.4
55-59	6.6	7.1	5.8	6.6	7.1	5.8	6.7	7.2	5.9
60-64	9.6	10.1	8.9	8.9	9.6	7.7	11.4	11.3	11.5
65-69	10.0	10.8	8.7	9.5	9.1	10.1	11.1	14.4	5.7
70-74	9.9	9.4	10.5	10.3	10.0	10.9	8.8	8.1	9.7
75-79	7.5	5.7	10.3	7.1	5.5	9.7	8.2	6.1	11.6
80-84	7.2	5.8	9.3	8.0	6.6	10.4	5.2	4.1	7.0
85+	6.5	6.2	7.1	7.3	7.3	7.2	4.9	3.7	6.8
All ages	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
Himachal Pradesh									
Below 1	4.0	4.1	3.8	4.0	4.1	3.8	3.9	3.9	3.9
1-4	1.3	1.1	1.4	1.3	1.1	1.5	0.8	1.3	0.0
0-4	5.2	5.3	5.2	5.3	5.3	5.3	4.7	5.2	3.9
5-9	0.3	0.1	0.6	0.2	0.1	0.5	1.6	1.3	1.9
10-14	0.4	0.3	0.6	0.4	0.3	0.5	0.8	0.0	1.9
15-19	1.2	1.1	1.3	1.2	1.1	1.4	0.8	1.3	0.0
20-24	1.5	2.1	0.5	1.5	2.2	0.5	0.8	1.3	0.0
25-29	1.4	1.9	0.6	1.3	1.9	0.5	2.3	2.6	1.9
30-34	1.1	1.1	1.0	1.1	1.2	1.0	0.8	0.0	1.9
35-39	2.0	2.4	1.3	2.0	2.4	1.4	0.8	1.3	0.0
40-44	2.3	2.1	2.6	2.4	2.2	2.6	1.6	1.3	1.9
45-49	3.0	3.4	2.4	2.9	3.3	2.3	4.7	5.3	3.9
50-54	4.7	4.7	4.8	4.6	4.6	4.6	6.2	5.2	7.6
55-59	7.4	7.8	6.8	7.3	7.5	6.9	9.4	11.9	5.8
60-64	7.8	7.5	8.3	7.5	7.2	8.1	12.5	13.2	11.5
65-69	10.7	11.5	9.5	10.5	11.3	9.4	13.3	14.4	11.5
70-74	13.6	11.3	16.9	13.9	11.6	17.2	8.6	6.6	11.5
75-79	12.4	14.3	9.7	12.6	14.7	9.6	10.2	9.3	11.5
80-84	10.2	11.8	7.9	10.3	12.1	7.8	8.6	7.9	9.6
85+	14.7	11.2	20.0	14.9	11.1	20.4	12.5	11.9	13.5
All ages	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0

Table 10

Percentage distribution of deaths to total deaths by residence, sex and age-group, 2018

Age group	Total			Rural			Urban		
	Total	Male	Female	Total	Male	Female	Total	Male	Female
Jammu & Kashmir									
Below 1	7.0	5.8	8.8	7.6	6.4	9.4	5.4	4.4	7.0
1-4	0.2	0.3	0.1	0.3	0.4	0.1	0.1	0.1	0.1
0-4	7.3	6.1	8.9	7.9	6.8	9.5	5.5	4.4	7.1
5-9	0.7	0.6	0.8	0.7	0.6	0.9	0.5	0.5	0.5
10-14	0.6	0.5	0.7	0.6	0.6	0.7	0.5	0.5	0.7
15-19	0.8	0.8	0.9	1.0	1.0	1.0	0.3	0.1	0.5
20-24	0.9	1.0	0.8	1.1	1.2	1.0	0.4	0.5	0.1
25-29	1.5	1.6	1.4	1.9	2.1	1.8	0.4	0.4	0.5
30-34	2.3	2.8	1.7	2.1	2.0	2.2	3.1	4.9	0.5
35-39	2.4	2.7	2.0	2.9	3.2	2.5	1.1	1.5	0.5
40-44	4.6	5.4	3.4	4.9	5.3	4.2	3.9	5.7	1.2
45-49	5.5	5.6	5.3	5.9	6.0	5.8	4.2	4.3	4.0
50-54	7.2	7.0	7.4	7.6	7.6	7.6	6.0	5.3	7.1
55-59	8.6	8.4	8.7	8.7	9.1	8.2	8.2	6.7	10.3
60-64	11.1	11.5	10.5	10.7	11.2	9.9	12.4	12.5	12.2
65-69	10.6	10.6	10.6	10.1	10.4	9.8	11.8	11.1	12.9
70-74	9.6	9.6	9.5	8.8	9.1	8.4	11.5	10.8	12.5
75-79	9.3	9.4	9.2	8.6	8.5	8.7	11.4	11.9	10.6
80-84	9.1	8.9	9.3	8.7	8.5	9.0	10.1	10.1	10.1
85+	7.9	7.4	8.7	7.7	6.9	8.8	8.6	8.8	8.4
All ages	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
Jharkhand									
Below 1	12.6	12.4	12.7	13.1	13.3	13.0	10.4	9.6	11.2
1-4	1.4	1.2	1.7	1.5	1.3	1.7	1.0	0.6	1.5
0-4	14.0	13.6	14.3	14.6	14.6	14.7	11.4	10.2	12.8
5-9	0.7	0.4	1.0	0.6	0.4	0.8	1.2	0.5	1.9
10-14	0.8	0.8	0.8	0.8	0.9	0.8	0.6	0.5	0.6
15-19	1.5	1.3	1.6	1.4	1.2	1.6	1.6	1.7	1.5
20-24	2.2	2.5	1.9	2.3	2.7	2.0	1.7	1.9	1.5
25-29	2.5	3.2	1.8	2.5	3.4	1.8	2.3	2.5	2.1
30-34	2.7	3.7	1.9	2.6	3.3	1.9	3.4	5.1	1.5
35-39	2.4	2.6	2.3	2.3	2.6	2.0	3.0	2.7	3.4
40-44	3.8	3.9	3.8	4.1	4.5	3.7	2.8	1.9	3.9
45-49	4.3	5.6	3.1	4.7	6.2	3.4	2.8	3.5	2.1
50-54	4.8	5.4	4.3	4.9	5.3	4.6	4.6	5.9	3.2
55-59	7.0	6.8	7.1	6.6	6.6	6.6	8.5	7.4	9.7
60-64	8.9	7.5	10.1	8.8	6.8	10.4	9.4	9.9	8.9
65-69	10.9	11.1	10.8	10.5	10.5	10.6	12.5	13.1	11.8
70-74	9.6	9.7	9.5	9.3	9.2	9.4	10.5	11.1	10.0
75-79	9.0	8.3	9.6	8.5	8.1	8.9	10.9	9.1	12.8
80-84	7.4	6.4	8.2	7.4	6.1	8.5	7.4	7.7	7.2
85+	7.4	7.1	7.7	8.0	7.7	8.2	5.3	5.1	5.4
All ages	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0

Table 10**Percentage distribution of deaths to total deaths by residence, sex and age-group, 2018**

Age group	Total			Rural			Urban		
	Total	Male	Female	Total	Male	Female	Total	Male	Female
Karnataka									
Below 1	6.3	5.6	7.1	6.2	5.3	7.2	6.6	6.3	7.0
1-4	1.2	1.1	1.3	1.2	1.2	1.1	1.2	0.7	1.8
0-4	7.5	6.7	8.5	7.4	6.6	8.3	7.8	7.0	8.8
5-9	0.6	0.7	0.5	0.7	0.7	0.7	0.5	0.8	0.1
10-14	0.6	0.4	0.8	0.6	0.4	0.7	0.5	0.2	0.9
15-19	1.0	1.0	1.0	1.1	1.2	1.1	0.8	0.7	0.9
20-24	1.9	1.7	2.1	2.4	2.3	2.6	0.6	0.2	1.1
25-29	3.6	4.5	2.4	2.3	3.3	1.2	6.4	7.3	5.2
30-34	2.5	2.9	2.0	2.9	3.7	2.0	1.5	1.1	2.0
35-39	2.9	3.6	2.1	2.8	4.0	1.4	3.1	2.7	3.6
40-44	3.7	4.5	2.7	3.7	5.0	2.1	3.7	3.3	4.1
45-49	4.3	4.9	3.6	5.0	6.1	3.6	2.7	2.0	3.6
50-54	5.5	6.3	4.7	6.1	7.0	4.9	4.3	4.5	4.0
55-59	8.3	7.6	9.1	7.4	6.4	8.6	10.3	10.4	10.2
60-64	10.4	11.8	8.7	9.9	11.2	8.4	11.6	13.3	9.4
65-69	11.3	11.8	10.7	11.3	11.2	11.4	11.3	13.2	8.9
70-74	11.8	11.8	11.8	11.9	11.5	12.4	11.7	12.8	10.5
75-79	9.2	8.6	9.9	8.8	7.6	10.2	10.1	10.9	9.2
80-84	7.1	5.5	9.1	7.5	6.0	9.3	6.3	4.2	8.9
85+	7.7	5.7	10.3	8.1	5.8	11.0	6.8	5.4	8.6
All ages	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
Kerala									
Below 1	1.4	1.6	1.1	1.8	1.4	2.2	1.1	1.9	0.0
1-4	0.6	0.3	1.0	0.3	0.6	0.1	0.9	0.0	1.9
0-4	2.0	1.9	2.1	2.1	2.0	2.3	1.9	1.9	1.9
5-9	0.3	0.2	0.4	0.3	0.3	0.2	0.3	0.0	0.6
10-14	0.3	0.4	0.1	0.2	0.3	0.1	0.3	0.5	0.0
15-19	0.6	0.7	0.5	0.3	0.3	0.3	0.8	1.0	0.6
20-24	0.6	0.5	0.8	0.4	0.4	0.4	0.8	0.5	1.3
25-29	0.9	1.2	0.6	0.8	0.9	0.5	1.1	1.5	0.6
30-34	0.9	0.8	1.0	0.9	1.1	0.7	0.9	0.5	1.3
35-39	1.2	1.5	0.7	1.2	1.6	0.8	1.1	1.5	0.6
40-44	2.5	3.0	1.9	1.5	1.7	1.3	3.5	4.3	2.6
45-49	2.6	2.8	2.4	2.5	3.0	1.8	2.8	2.6	3.2
50-54	4.2	5.0	3.3	4.4	5.6	3.0	4.1	4.4	3.6
55-59	6.1	7.6	4.3	5.8	7.2	4.1	6.4	8.0	4.5
60-64	9.0	9.9	7.9	8.6	9.3	7.8	9.4	10.5	8.0
65-69	12.9	15.0	10.3	12.0	14.2	9.4	13.9	15.9	11.4
70-74	11.4	12.2	10.4	14.0	14.3	13.7	8.5	9.9	6.7
75-79	13.0	12.0	14.2	11.8	11.8	11.8	14.3	12.1	17.0
80-84	12.5	10.9	14.5	12.3	10.8	14.1	12.8	11.0	15.1
85+	19.0	14.5	24.6	20.8	15.1	27.7	17.0	13.8	21.1
All ages	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0

Table 10

Percentage distribution of deaths to total deaths by residence, sex and age-group, 2018

Age group	Total			Rural			Urban		
	Total	Male	Female	Total	Male	Female	Total	Male	Female
Madhya Pradesh									
Below 1	17.9	17.3	18.6	19.4	18.9	20.1	12.4	11.6	13.4
1-4	2.2	2.0	2.4	2.5	2.3	2.8	1.0	0.8	1.2
0-4	20.0	19.3	21.0	21.9	21.2	22.9	13.4	12.3	14.7
5-9	1.2	0.9	1.4	1.1	1.0	1.2	1.3	0.7	2.1
10-14	1.0	1.5	0.5	1.3	1.8	0.6	0.2	0.2	0.2
15-19	1.7	2.0	1.4	1.8	1.9	1.6	1.5	2.0	0.9
20-24	1.7	2.1	1.3	1.8	2.1	1.3	1.6	2.0	1.2
25-29	2.4	2.9	1.7	2.2	2.6	1.7	2.9	4.0	1.5
30-34	2.3	2.8	1.6	2.3	2.9	1.5	2.1	2.3	1.8
35-39	2.7	3.2	2.1	2.3	2.7	1.9	4.1	5.3	2.7
40-44	2.9	3.5	2.2	3.0	3.6	2.1	2.7	2.9	2.4
45-49	3.5	4.0	2.9	3.4	4.0	2.7	3.8	4.0	3.7
50-54	4.2	4.1	4.3	3.8	4.0	3.7	5.5	4.8	6.4
55-59	7.3	7.9	6.6	7.6	8.3	6.7	6.4	6.5	6.3
60-64	7.9	8.8	6.8	7.1	8.2	5.6	11.0	11.1	10.8
65-69	8.6	8.3	9.0	8.1	7.5	8.8	10.6	11.1	9.9
70-74	9.2	8.9	9.4	9.1	8.7	9.6	9.2	9.6	8.8
75-79	8.4	7.4	9.6	8.4	7.2	9.9	8.4	8.3	8.5
80-84	6.8	5.7	8.2	6.7	5.6	8.2	7.1	6.3	8.0
85+	8.1	6.7	10.0	8.1	6.7	9.9	8.1	6.4	10.0
All ages	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
Maharashtra									
Below 1	5.5	5.0	6.1	6.0	5.5	6.5	4.7	4.2	5.4
1-4	0.7	0.6	0.8	1.0	0.9	1.2	0.1	0.2	0.1
0-4	6.2	5.6	6.9	7.0	6.4	7.7	4.8	4.3	5.5
5-9	0.5	0.4	0.7	0.4	0.3	0.6	0.6	0.6	0.7
10-14	0.5	0.5	0.5	0.4	0.3	0.5	0.8	1.0	0.6
15-19	0.7	0.9	0.4	0.9	1.2	0.5	0.4	0.5	0.4
20-24	1.7	2.0	1.3	1.4	1.6	1.1	2.3	2.7	1.7
25-29	2.1	2.3	1.8	2.2	2.0	2.4	1.9	2.7	0.9
30-34	2.9	3.3	2.4	2.7	3.5	1.7	3.2	2.9	3.6
35-39	2.9	3.7	1.7	2.7	3.4	1.9	3.1	4.3	1.5
40-44	3.9	4.3	3.5	4.0	4.1	3.7	3.8	4.5	3.0
45-49	4.7	5.3	3.8	4.3	4.7	3.8	5.4	6.4	4.0
50-54	5.7	6.7	4.5	5.4	5.9	4.8	6.3	8.0	4.0
55-59	7.5	7.7	7.2	7.4	7.8	6.8	7.8	7.7	8.0
60-64	10.3	11.1	9.4	9.4	10.3	8.1	12.0	12.4	11.5
65-69	11.5	10.4	13.0	10.7	10.0	11.5	12.9	11.0	15.5
70-74	11.1	10.3	12.1	12.0	11.4	12.8	9.5	8.5	11.0
75-79	10.3	10.4	10.2	11.4	11.3	11.6	8.5	9.0	7.8
80-84	9.1	8.2	10.3	9.6	8.8	10.7	8.2	7.1	9.7
85+	8.3	6.7	10.3	8.2	6.8	10.1	8.4	6.6	10.7
All ages	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0

Table 10**Percentage distribution of deaths to total deaths by residence, sex and age-group, 2018**

Age group	Total			Rural			Urban		
	Total	Male	Female	Total	Male	Female	Total	Male	Female
Odisha									
Below 1	9.9	9.4	10.5	10.4	9.9	10.9	7.0	6.4	7.7
1-4	0.8	0.8	0.8	0.8	0.7	0.8	0.9	1.2	0.5
0-4	10.7	10.2	11.3	11.1	10.6	11.8	7.8	7.5	8.2
5-9	0.7	0.7	0.8	0.8	0.8	0.8	0.4	0.4	0.4
10-14	0.9	1.2	0.6	0.9	1.2	0.5	1.1	0.8	1.4
15-19	1.1	0.8	1.5	1.0	0.6	1.5	1.3	1.6	0.9
20-24	1.5	1.3	1.7	1.5	1.2	1.9	1.4	2.1	0.5
25-29	1.9	2.6	1.1	2.0	2.7	1.2	1.3	2.0	0.4
30-34	2.7	3.2	2.2	2.8	3.2	2.3	2.4	3.2	1.4
35-39	2.8	3.1	2.4	2.6	2.9	2.3	3.5	4.0	2.9
40-44	4.2	4.8	3.5	4.4	5.0	3.6	3.5	4.0	2.8
45-49	3.6	4.3	2.8	3.3	4.0	2.5	5.4	6.4	4.2
50-54	4.7	5.0	4.3	4.5	4.7	4.2	5.8	6.5	4.9
55-59	7.5	7.6	7.4	7.7	7.7	7.7	6.5	7.1	5.7
60-64	9.3	9.6	9.0	9.3	9.6	8.9	9.7	9.8	9.5
65-69	10.8	10.8	10.8	10.8	10.8	10.7	11.1	10.8	11.5
70-74	10.9	10.9	11.0	10.8	11.2	10.4	11.6	8.9	14.9
75-79	9.3	8.4	10.3	9.0	8.4	9.7	11.1	8.5	14.4
80-84	9.3	7.9	10.9	9.1	7.4	11.1	10.4	10.9	9.7
85+	8.1	7.7	8.5	8.5	8.1	8.9	5.9	5.6	6.2
All ages	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
Punjab									
Below 1	4.6	4.1	5.3	4.3	3.8	4.9	5.3	4.6	6.3
1-4	0.4	0.4	0.4	0.3	0.3	0.2	0.6	0.5	0.8
0-4	5.0	4.5	5.7	4.5	4.2	5.0	5.9	5.1	7.1
5-9	0.5	0.2	0.8	0.4	0.1	0.8	0.6	0.5	0.8
10-14	0.5	0.6	0.5	0.5	0.6	0.3	0.7	0.5	0.8
15-19	1.1	1.2	0.8	1.0	1.3	0.5	1.2	1.0	1.6
20-24	2.8	2.5	3.2	2.6	2.2	3.2	3.0	3.0	3.1
25-29	2.4	2.7	2.1	2.7	3.3	1.9	1.8	1.5	2.4
30-34	3.2	3.7	2.4	3.4	4.6	1.7	2.8	2.0	3.9
35-39	3.5	4.6	1.9	3.3	4.1	2.1	4.0	5.7	1.5
40-44	3.5	4.0	2.7	3.3	4.2	2.1	3.7	3.6	3.9
45-49	5.7	7.3	3.3	5.6	7.1	3.4	5.8	7.6	3.1
50-54	6.5	6.8	6.1	6.5	6.7	6.3	6.5	7.1	5.5
55-59	8.6	9.3	7.4	7.7	9.1	5.7	10.3	9.8	10.9
60-64	8.1	8.5	7.5	7.3	7.7	6.7	9.9	10.3	9.3
65-69	10.6	9.8	11.7	10.8	9.9	12.0	10.2	9.6	11.0
70-74	10.9	10.6	11.4	12.2	11.6	13.0	8.3	8.7	7.8
75-79	9.8	8.3	11.9	9.8	8.0	12.4	9.9	9.1	11.0
80-84	6.5	6.5	6.4	6.4	5.9	7.2	6.5	7.7	4.8
85+	11.0	8.7	14.3	12.0	9.5	15.5	8.9	7.1	11.6
All ages	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0

Table 10**Percentage distribution of deaths to total deaths by residence, sex and age-group, 2018**

Age group	Total			Rural			Urban		
	Total	Male	Female	Total	Male	Female	Total	Male	Female
Rajasthan									
Below 1	15.2	13.8	17.1	16.4	14.8	18.6	11.0	9.9	12.3
1-4	1.0	1.0	0.9	0.8	0.8	0.8	1.7	1.9	1.4
0-4	16.2	14.8	18.0	17.2	15.6	19.4	12.7	11.8	13.8
5-9	0.9	0.7	1.1	0.9	0.7	1.1	1.0	0.9	1.0
10-14	1.1	1.0	1.3	1.2	1.1	1.3	0.8	0.5	1.0
15-19	1.6	1.4	1.7	1.6	1.2	2.1	1.4	2.2	0.5
20-24	2.5	2.5	2.5	2.2	2.0	2.5	3.4	4.2	2.5
25-29	2.1	2.7	1.3	2.3	2.8	1.6	1.4	2.3	0.5
30-34	2.2	2.3	2.0	2.2	2.4	2.0	1.9	1.9	2.0
35-39	2.6	3.3	1.7	2.5	3.3	1.4	2.9	3.3	2.5
40-44	3.3	4.3	2.1	3.8	4.9	2.4	1.6	2.2	0.9
45-49	4.1	4.3	3.8	4.3	4.8	3.7	3.3	2.4	4.3
50-54	5.4	6.0	4.6	4.9	5.5	4.1	6.9	7.8	5.8
55-59	7.5	8.2	6.6	7.1	7.8	6.1	8.9	9.5	8.2
60-64	8.6	8.9	8.2	8.2	8.6	7.6	9.9	9.8	10.0
65-69	9.7	10.5	8.7	9.9	10.9	8.5	9.1	9.0	9.3
70-74	8.8	8.7	9.0	8.3	8.5	8.0	10.8	9.4	12.2
75-79	7.6	7.7	7.5	7.5	7.4	7.6	7.9	8.6	7.2
80-84	7.7	6.5	9.4	7.7	6.5	9.4	7.8	6.3	9.4
85+	8.2	6.3	10.6	8.1	5.9	11.1	8.5	8.1	9.0
All ages	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
Tamil Nadu									
Below 1	3.4	3.2	3.7	3.4	3.2	3.7	3.4	3.1	3.8
1-4	0.5	0.4	0.6	0.7	0.6	0.7	0.3	0.2	0.5
0-4	3.9	3.6	4.4	4.1	3.8	4.4	3.7	3.3	4.3
5-9	0.4	0.4	0.3	0.4	0.5	0.4	0.3	0.3	0.3
10-14	0.3	0.3	0.2	0.2	0.2	0.2	0.3	0.4	0.3
15-19	1.1	1.3	0.8	0.9	1.0	0.6	1.3	1.6	1.0
20-24	1.9	2.0	1.6	2.1	2.2	1.9	1.6	1.9	1.2
25-29	1.8	1.9	1.7	2.0	2.3	1.6	1.5	1.4	1.7
30-34	2.1	2.3	1.8	2.5	2.5	2.4	1.5	1.9	1.0
35-39	2.5	3.0	1.8	2.2	2.8	1.5	2.8	3.3	2.2
40-44	3.9	4.8	2.6	4.1	4.9	2.9	3.6	4.6	2.2
45-49	4.4	5.7	2.5	3.9	5.2	2.2	5.0	6.5	2.9
50-54	7.5	8.7	5.9	7.7	8.9	6.2	7.2	8.5	5.4
55-59	8.8	9.2	8.2	8.4	9.7	6.7	9.2	8.5	10.1
60-64	9.8	9.7	10.0	9.3	9.5	9.1	10.5	9.9	11.3
65-69	13.4	13.4	13.4	13.4	13.6	13.2	13.4	13.2	13.8
70-74	12.7	11.4	14.5	12.8	11.1	15.1	12.6	11.9	13.7
75-79	11.2	10.1	12.8	11.6	9.7	14.2	10.8	10.6	11.0
80-84	7.1	7.0	7.1	7.0	6.8	7.2	7.3	7.4	7.1
85+	7.3	5.1	10.4	7.4	5.3	10.2	7.3	5.0	10.7
All ages	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0

Table 10**Percentage distribution of deaths to total deaths by residence, sex and age-group, 2018**

Age group	Total			Rural			Urban		
	Total	Male	Female	Total	Male	Female	Total	Male	Female
Telangana									
Below 1	7.2	6.6	7.9	6.9	6.6	7.3	7.8	6.6	9.1
1-4	0.6	0.4	0.7	0.6	0.6	0.6	0.5	0.0	1.0
0-4	7.7	7.1	8.6	7.5	7.2	8.0	8.3	6.6	10.1
5-9	0.6	0.4	0.9	0.7	0.6	0.8	0.5	0.0	1.0
10-14	0.7	0.6	0.9	0.9	0.9	1.0	0.2	0.0	0.5
15-19	1.4	1.6	1.2	1.6	1.9	1.2	1.0	0.9	1.0
20-24	2.1	2.3	1.9	2.1	2.3	1.8	2.2	2.4	2.0
25-29	1.9	1.9	2.0	2.4	2.2	2.7	0.7	0.9	0.5
30-34	2.8	2.6	3.0	3.6	3.3	4.0	1.0	0.9	1.0
35-39	3.1	3.6	2.3	3.4	3.8	3.0	2.2	3.2	1.0
40-44	5.4	5.6	5.1	5.3	5.3	5.3	5.6	6.6	4.6
45-49	6.5	7.8	4.8	7.3	8.7	5.5	4.5	5.6	3.4
50-54	6.8	7.5	5.9	6.0	6.4	5.4	8.8	10.4	7.1
55-59	6.9	7.5	6.1	7.3	7.7	6.8	5.8	7.0	4.6
60-64	10.5	10.2	10.8	9.5	9.1	10.0	12.8	13.1	12.4
65-69	10.7	10.4	11.2	9.5	8.9	10.4	13.7	14.3	12.9
70-74	10.7	10.3	11.1	10.5	10.0	11.2	11.1	11.2	11.0
75-79	9.2	8.6	9.8	9.5	9.6	9.3	8.4	6.1	11.0
80-84	6.6	6.2	7.1	6.7	6.4	6.9	6.5	5.6	7.5
85+	6.4	5.7	7.3	6.3	5.9	6.8	6.7	5.0	8.4
All ages	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
Uttar Pradesh									
Below 1	16.7	16.5	17.0	17.2	17.4	17.1	14.8	13.2	16.7
1-4	1.0	0.8	1.2	1.0	0.7	1.3	0.9	1.1	0.7
0-4	17.7	17.3	18.2	18.2	18.1	18.4	15.7	14.2	17.5
5-9	0.9	0.6	1.3	1.0	0.7	1.3	0.7	0.5	0.9
10-14	1.0	0.9	1.2	1.1	0.9	1.3	0.7	0.7	0.7
15-19	1.4	1.4	1.4	1.5	1.7	1.3	0.9	0.4	1.5
20-24	1.7	1.5	2.0	1.9	1.6	2.2	1.1	1.2	0.9
25-29	2.2	2.4	1.9	2.3	2.5	2.1	1.7	2.1	1.1
30-34	2.4	2.9	1.8	2.1	2.3	1.8	3.4	5.0	1.5
35-39	2.5	2.8	2.2	2.5	2.7	2.2	2.7	3.2	2.0
40-44	3.7	4.1	3.3	3.9	4.3	3.6	2.9	3.5	2.3
45-49	3.6	3.4	3.7	3.8	3.7	4.1	2.4	2.4	2.4
50-54	5.0	4.3	5.8	4.7	4.1	5.3	6.2	4.9	7.6
55-59	7.7	7.8	7.7	7.4	7.6	7.3	8.9	8.6	9.2
60-64	8.9	9.7	8.0	8.4	9.3	7.2	11.1	11.3	10.9
65-69	10.2	10.9	9.4	9.9	10.3	9.3	11.5	13.2	9.6
70-74	10.6	10.8	10.2	10.6	10.8	10.4	10.4	11.1	9.5
75-79	7.7	7.4	8.1	7.7	7.3	8.2	7.6	7.9	7.4
80-84	6.6	6.3	7.0	7.0	6.9	7.1	5.3	3.8	7.0
85+	6.2	5.5	6.9	6.0	5.4	6.7	6.8	6.0	7.8
All ages	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0

Table 10

Percentage distribution of deaths to total deaths by residence, sex and age-group, 2018

Age group	Total			Rural			Urban		
	Total	Male	Female	Total	Male	Female	Total	Male	Female
Uttarakhand									
Below 1	8.3	8.5	8.1	8.1	8.5	7.6	9.0	8.3	10.0
1-4	0.8	0.4	1.3	0.6	0.2	1.0	1.4	0.9	2.1
0-4	9.1	8.8	9.4	8.7	8.7	8.6	10.4	9.2	12.1
5-9	0.6	0.5	0.8	0.6	0.5	0.7	0.9	0.6	1.3
10-14	0.7	0.7	0.7	0.7	0.8	0.5	1.0	0.6	1.6
15-19	1.1	1.3	0.8	0.9	1.2	0.6	1.6	1.5	1.7
20-24	3.0	3.2	2.6	3.2	3.3	2.9	2.4	2.9	1.7
25-29	2.5	3.0	2.0	2.6	3.0	2.1	2.3	2.7	1.7
30-34	2.2	2.4	2.0	2.1	2.4	1.8	2.6	2.7	2.5
35-39	3.3	3.2	3.4	3.2	2.8	3.7	3.7	4.5	2.5
40-44	3.3	4.2	2.1	3.3	4.3	2.0	3.5	4.1	2.5
45-49	3.5	3.9	2.9	3.4	3.9	2.7	4.0	4.1	3.8
50-54	4.8	4.8	4.7	4.7	4.6	4.8	4.8	5.3	4.2
55-59	7.3	7.8	6.5	6.9	7.8	5.7	8.5	7.9	9.2
60-64	8.8	7.9	10.0	8.4	7.3	9.8	10.1	9.8	10.5
65-69	12.4	12.7	11.9	12.7	13.4	11.8	11.2	10.6	12.1
70-74	11.3	9.8	13.4	11.7	9.6	14.4	10.2	10.3	10.0
75-79	10.0	9.5	10.6	10.7	10.0	11.7	7.6	8.0	7.1
80-84	8.0	7.4	8.7	8.2	7.2	9.5	7.2	7.9	6.2
85+	8.1	8.7	7.3	8.0	9.1	6.7	8.2	7.3	9.5
All ages	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
West Bengal									
Below 1	5.8	5.2	6.5	6.6	6.0	7.3	4.1	3.5	4.9
1-4	1.1	1.1	1.2	1.2	1.1	1.3	1.0	1.0	1.0
0-4	6.9	6.3	7.8	7.8	7.1	8.6	5.1	4.4	5.9
5-9	0.3	0.2	0.5	0.3	0.2	0.4	0.4	0.2	0.5
10-14	0.5	0.5	0.5	0.6	0.7	0.6	0.3	0.2	0.4
15-19	1.4	1.1	1.8	1.4	0.9	2.1	1.4	1.5	1.2
20-24	1.5	1.5	1.4	1.5	1.6	1.3	1.4	1.2	1.7
25-29	2.0	2.1	1.8	2.1	2.2	2.0	1.7	1.9	1.4
30-34	1.9	2.3	1.4	2.0	2.1	1.9	1.6	2.7	0.3
35-39	2.4	3.1	1.4	2.5	3.4	1.4	2.1	2.6	1.5
40-44	2.9	3.2	2.5	3.4	3.6	3.1	1.8	2.5	0.9
45-49	4.4	5.4	3.1	3.8	4.6	2.8	5.6	7.1	3.7
50-54	5.7	6.0	5.3	5.5	5.6	5.3	6.1	6.9	5.1
55-59	7.8	7.6	8.0	7.6	7.9	7.2	8.2	7.0	9.8
60-64	10.7	11.5	9.6	10.0	11.1	8.5	12.3	12.6	12.0
65-69	11.6	12.2	10.9	11.3	12.1	10.1	12.5	12.3	12.8
70-74	11.3	11.2	11.3	11.8	11.6	12.0	10.1	10.4	9.9
75-79	11.1	10.2	12.2	11.6	10.6	12.8	10.0	9.3	10.8
80-84	8.8	8.0	9.7	8.2	7.0	9.7	10.1	10.4	9.7
85+	8.9	7.4	10.9	8.7	7.6	10.1	9.4	6.9	12.4
All ages	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0

Table 11
Birth rate, death rate and infant mortality rate by NSSO natural Division, 2018

Bigger States	Name of the natural Division	Number of ND	No. of Sample Units			Estimated vital rates		
			Total	Rural	Urban	Birth rate	Death rate	Infant mortality rate
Jammu & Kashmir	Mountainous	1	133	70	63	13.7	5.1	17
	Outer Hills	2	73	66	7	17.6	4.5	24
	Jhelam Valley	3	73	41	32	15.1	4.9	23
	Ladakh	4	71	49	22	15.3	5.1	22
	Total		350	226	124	15.4	4.9	22
Punjab	Northern	1	118	62	56	14.4	6.3	20
	Southern	2	131	68	63	15.1	6.8	21
	Total		249	130	119	14.8	6.6	20
Haryana	Eastern	1	155	75	80	20.1	5.8	30
	Western	2	101	69	32	20.7	6.2	30
	Total		256	144	112	20.3	5.9	30
Rajasthan	Western	1	73	51	22	23.4	5.3	37
	North Eastern	2	81	49	32	24.0	5.8	36
	Southern	3	49	39	10	26.2	6.3	44
	South Eastern	4	65	41	24	25.4	6.4	38
	Northern	5	82	56	26	22.2	6.0	33
	Total		350	236	114	24.0	5.9	37
Uttar Pradesh	Northern Upper G	1	119	61	58	21.9	5.8	30
	Central	2	101	64	37	23.0	6.0	46
	Eastern	3	98	81	17	29.3	7.1	45
	Southern	4	96	66	30	24.0	6.9	41
	Southern Upper G	5	86	56	30	22.1	6.3	45
	Total		500	328	172	25.6	6.6	43
Bihar	Northern	1	158	96	62	26.3	5.8	33
	Central	2	172	104	68	25.8	5.9	30
	Total		330	200	130	26.2	5.8	32
Assam	Plains Eastern	1	70	21	49	21.0	6.9	31
	Plains Western	2	87	26	61	21.2	5.8	40
	Cachar Plain	3	73	22	51	21.6	6.9	47
	Central Brahmapu	4	70	21	49	20.7	6.4	50
	Total		300	90	210	21.1	6.4	41
West Bengal	Himalayan	1	93	62	31	15.0	5.3	20
	Eastern Plains	2	62	46	16	17.6	5.5	29
	Southern Plains	3	150	81	69	14.2	5.4	17
	Central Plains	4	155	54	101	12.4	5.9	16
	Western Plains	5	95	61	34	14.8	6.0	22
	Total		555	304	251	15.0	5.6	22

Table 11

Birth rate, death rate and infant mortality rate by NSSO natural Division, 2018

Bigger States	Name of the natural Division	Number of ND	No. of Sample Units			Estimated vital rates		
			Total	Rural	Urban	Birth rate	Death rate	Infant mortality rate
Jharkhand	Ranchi Plateau	1	118	51	67	22.1	5.7	31
	Hazaribagh Plateau	2	92	40	52	22.9	5.3	30
	Total		210	91	119	22.6	5.4	30
Orissa	Coastal	1	193	138	55	17.7	6.2	31
	Southern	2	137	98	39	19.0	8.0	43
	Northern	3	75	54	21	17.9	7.9	47
	Total		405	290	115	18.2	7.3	40
Chattisgarh	Northern Chhattisgarh	1	53	24	29	22.9	7.6	42
	Mahanadi Basin	2	71	33	38	22.2	8.0	41
	Southern Chhattisgarh	3	34	16	18	23.9	8.9	40
	Total		158	73	85	22.5	8.0	41
Madhya Pradesh	Vindhya	1	65	35	30	26.6	7.2	51
	Central	2	79	45	34	22.0	5.8	47
	Malwa	3	67	41	26	24.4	6.1	46
	South	4	90	59	31	22.7	7.7	44
	South Western	5	94	66	28	23.4	6.6	47
	Northern	6	53	39	14	27.4	6.4	54
	Total		448	285	163	24.6	6.7	48
Gujarat	South Eastern	1	78	53	25	21.4	5.9	27
	Plains Northern	2	115	53	62	18.7	6.3	30
	Dry areas	3	123	51	72	20.8	5.3	32
	Saurashtra	4	162	74	88	17.7	5.4	25
	Total		478	231	247	19.7	5.9	28
Maharashtra	Coastal	1	179	28	151	15.3	4.7	14
	Inland Western	2	95	65	30	14.6	5.6	17
	Inland Northern	3	83	46	37	18.1	5.9	21
	Inland Central	4	79	40	39	17.3	5.3	24
	Inland Eastern	5	142	73	69	14.4	6.0	24
	Eastern	6	84	54	30	14.0	7.3	27
	Total		662	306	356	15.6	5.5	19
Telangana	Inland North Western	1	111	46	65	16.8	5.8	26
	Inland North Eastern	2	113	75	38	17.1	6.9	27
	Total		224	121	103	16.9	6.3	27
Andhra Pradesh	Coastal Northern	1	115	73	42	15.1	7.5	29
	Coastal Southern	2	114	67	47	16.4	6.7	31
	Inland Southern	3	96	58	38	16.7	5.7	28
	Total		325	198	127	16.0	6.7	29

Table 11**Birth rate, death rate and infant mortality rate by NSSO natural Division, 2018**

Bigger States	Name of the natural Division	Number of ND	No. of Sample Units			Estimated vital rates		
			Total	Rural	Urban	Birth rate	Death rate	Infant mortality rate
Karnataka	Coastal & Ghats	1	227	160	67	13.7	6.3	12
	Inland Eastern	2	119	84	35	14.2	8.1	20
	Inland Southern	3	58	41	17	15.8	5.9	22
	Inland Northern	4	107	76	31	19.3	6.3	25
	Total		511	361	150	17.2	6.3	23
Kerala	Northern	1	110	66	44	16.3	5.5	7
	Southern	2	170	109	61	11.9	8.0	7
	Total		280	175	105	13.9	6.9	7
Tamil Nadu	Coastal Northern	1	197	80	117	15.3	5.9	15
	Coastal	2	87	54	33	14.6	7.1	18
	Southern	3	138	57	81	14.9	6.8	14
	Inland	4	123	44	79	13.8	6.5	14
	Total		545	235	310	14.7	6.5	15

Table on Trend

Table 12: Annual estimates of Birth rate by residence, India and bigger States/UTs, 2013-18

India & bigger States/UTs	Total						Rural						Urban					
	2013	2014	2015	2016	2017	2018	2013	2014	2015	2016	2017	2018	2013	2014	2015	2016	2017	2018
India	21.4	21.0	20.8	20.4	20.2	20.0	22.9	22.7	22.4	22.1	21.8	21.6	17.3	17.4	17.3	17.0	16.8	16.7
Andhra Pradesh	17.4	17.0	16.8	16.4	16.2	16.0	17.7	17.3	17.1	16.7	16.5	16.4	16.7	16.3	16.1	15.8	15.5	15.3
Assam	22.4	22.4	22.0	21.7	21.2	21.1	23.5	23.6	23.2	22.8	22.4	22.2	15.4	15.5	15.3	15.0	14.7	14.6
Bihar	27.6	25.9	26.3	26.8	26.4	26.2	28.3	26.9	27.1	27.7	27.2	26.8	21.5	19.9	20.6	21.1	20.9	21.9
Chhatisgarh	24.4	23.4	23.2	22.8	22.7	22.5	25.8	25.0	24.8	24.3	24.1	24.0	17.9	18.4	18.3	18.1	18.0	17.8
Delhi	17.2	16.8	16.4	15.5	15.2	14.7	18.9	18.1	17.9	17.0	16.5	16.2	16.9	16.7	16.4	15.5	15.2	14.7
Gujarat	20.8	20.6	20.4	20.1	19.9	19.7	22.2	22.6	22.4	22.0	21.8	21.6	18.5	18.2	18.0	17.7	17.6	17.4
Haryana	21.3	21.2	20.9	20.7	20.5	20.3	22.4	22.6	22.3	22.0	21.9	21.7	19.0	18.7	18.4	18.3	18.2	18.0
Himachal Pradesh	16.0	16.4	16.3	16.0	15.8	15.7	16.5	16.9	16.8	16.5	16.3	16.2	10.9	10.8	10.6	10.5	10.3	10.3
Jammu & Kashmir	17.5	16.8	16.2	15.7	15.4	15.4	18.7	18.7	18.0	17.4	17.1	17.0	12.6	12.5	10.7	11.9	11.6	11.7
Jharkhand	24.6	23.8	23.5	22.9	22.7	22.6	25.9	25.2	25.0	24.5	24.2	24.0	18.5	19.3	19.2	18.4	18.2	18.1
Karnataka	18.3	18.1	17.9	17.6	17.4	17.2	19.1	19.0	18.8	18.5	18.2	18.1	16.7	16.6	16.5	16.2	16.1	15.9
Kerala	14.7	14.8	14.8	14.3	14.2	13.9	15.0	14.9	14.8	14.3	14.1	13.8	14.0	14.8	14.8	14.4	14.2	14.0
Madhya Pradesh	26.3	25.7	25.5	25.1	24.8	24.6	28.2	27.9	27.6	27.1	26.8	26.6	19.6	19.9	19.7	19.5	19.4	19.1
Maharashtra	16.5	16.5	16.3	15.9	15.7	15.6	17.2	16.8	16.6	16.3	16.0	15.9	15.4	16.0	15.9	15.5	15.4	15.2
Odisha	19.6	19.4	19.2	18.6	18.3	18.2	20.5	20.5	20.3	19.6	19.3	19.2	14.4	14.2	14.1	13.7	13.5	13.4
Punjab	15.7	15.5	15.2	14.9	14.9	14.8	16.3	16.2	15.9	15.6	15.5	15.3	14.7	14.5	14.2	14.1	14.1	14.0
Rajasthan	25.6	25.0	24.8	24.3	24.1	24.0	26.7	26.0	25.7	25.2	25.0	24.9	22.0	22.1	22.0	21.6	21.5	21.3
Tamil Nadu	15.6	15.4	15.2	15.0	14.9	14.7	15.7	15.5	15.3	15.1	15.0	14.8	15.5	15.4	15.2	15.0	14.9	14.6
Telangana	*	18.0	17.8	17.5	17.2	16.9	*	18.4	18.2	17.8	17.5	17.2	*	17.4	17.2	17.0	16.8	16.5
Uttar Pradesh	27.2	27.0	26.7	26.2	25.9	25.6	28.1	28.3	27.9	27.3	27.0	26.6	23.3	23.3	23.0	22.8	22.6	22.5
Uttarakhand	18.2	18.2	17.8	16.6	17.3	16.7	18.9	18.5	18.0	16.8	17.6	16.8	15.7	17.3	17.1	16.0	16.4	16.4
West Bengal	16.0	15.6	15.5	15.4	15.2	15.0	17.7	17.6	17.3	16.9	16.7	16.5	11.4	11.1	11.6	11.8	11.7	11.5

* : Included in Andhra Pradesh

Table 13: Annual estimates of Death rate by sex, India and bigger States/UTs, 2013-18

India & bigger States/UTs	Total						Male						Female					
	2013	2014	2015	2016	2017	2018	2013	2014	2015	2016	2017	2018	2013	2014	2015	2016	2017	2018
India	7.0	6.7	6.5	6.4	6.3	6.2	7.5	7.1	7.1	6.8	6.7	6.6	6.4	6.2	5.4	5.9	5.9	5.7
Andhra Pradesh	7.3	7.3	7.1	6.8	7.2	6.7	8.1	8.0	7.9	7.5	8.1	7.4	6.6	6.5	5	6.1	6.4	5.9
Assam	7.8	7.2	7.1	6.7	6.5	6.4	8.5	7.8	7.4	7.4	7.1	6.9	7.1	6.6	5.1	6.0	5.9	5.8
Bihar	6.6	6.2	6.2	6.0	5.8	5.8	6.7	6.3	6.3	6.0	5.7	5.7	6.5	6.1	5.1	6.0	5.9	6.0
Chhattisgarh	7.9	7.7	7.5	7.4	7.5	8.0	8.2	8.1	8.1	7.8	8.2	8.4	7.6	7.3	5.6	7.0	6.9	7.7
Delhi	4.1	3.8	3.6	4.0	3.7	3.3	4.4	4.3	4.3	4.5	4.0	3.6	3.8	3.4	3.5	3.5	3.3	3.1
Gujarat	6.5	6.2	6.1	6.1	6.2	5.9	7.2	6.7	6.5	6.6	6.8	6.6	5.8	5.6	5.6	5.5	5.6	5.1
Haryana	6.3	6.1	6.1	5.9	5.8	5.9	7.0	6.7	6.3	6.5	6.5	6.9	5.5	5.5	5.7	5.2	5.0	4.8
Himachal Pradesh	6.7	6.7	6.6	6.8	6.6	6.9	7.5	8.2	6.8	8.0	7.7	8.3	5.9	5.1	4.2	5.6	5.5	5.5
Jammu & Kashmir	5.3	5.1	4.9	5.0	4.8	4.9	6.2	6.0	5.1	5.8	5.4	5.6	4.4	4.2	4.4	4.1	4.2	4.1
Jharkhand	6.8	5.9	5.8	5.5	5.5	5.4	7.0	5.8	6.1	5.1	5.0	4.9	6.5	6.0	4.9	6.0	6.1	6.0
Karnataka	7.0	6.8	6.6	6.7	6.5	6.3	7.5	7.1	7.7	7.2	7.1	6.8	6.5	6.4	5	6.2	6.0	5.8
Kerala	6.9	6.6	6.6	7.6	6.8	6.9	7.9	7.6	6.7	8.5	7.7	7.9	6.0	5.8	6.4	6.7	6.0	5.9
Madhya Pradesh	8.0	7.8	7.5	7.1	6.8	6.7	8.7	8.3	8.1	7.8	7.5	7.2	7.2	7.2	5.9	6.4	6.1	6.1
Maharashtra	6.2	6.0	5.8	5.9	5.7	5.5	6.8	6.6	6.6	6.2	5.9	6.0	5.5	5.3	4.7	5.5	5.4	4.9
Odisha	8.4	7.9	7.6	7.8	7.4	7.3	8.9	8.8	7.9	8.5	8.1	7.8	7.9	7.0	6.3	7.1	6.8	6.7
Punjab	6.7	6.4	6.2	6.0	7.0	6.6	7.1	6.8	6.9	6.4	7.7	7.4	6.2	5.8	5.1	5.4	6.2	5.7
Rajasthan	6.5	6.4	6.3	6.1	6.0	5.9	7.0	7.0	6.7	6.7	6.6	6.4	5.9	5.8	5.2	5.4	5.3	5.3
Tamil Nadu	7.3	7.0	6.7	6.4	6.7	6.5	8.2	7.9	7.6	7.2	7.5	7.4	6.4	6.2	6	5.5	5.8	5.5
Telangana	*	6.7	6.5	6.1	6.6	6.3	*	7.3	7.5	6.7	7.2	6.9	*	6.1	4.9	5.4	6.0	5.6
Uttar Pradesh	7.7	7.4	7.2	6.9	6.7	6.6	8.1	7.5	7.7	7.0	6.9	6.8	7.1	7.3	5.7	6.7	6.5	6.4
Uttarakhand	6.1	6.0	6.4	6.7	6.7	6.2	6.9	6.8	6.8	7.9	7.8	6.9	5.2	5.1	5.6	5.5	5.5	5.4
West Bengal	6.4	6.1	5.9	5.8	5.8	5.6	6.9	6.5	5.8	6.1	6.0	6.3	5.9	5.6	6.2	5.5	5.5	5.0

* : Included in Andhra Pradesh

Table 14: Annual estimates of Infant mortality rate by sex, India and bigger States/UTs, 2013-18

India & bigger States/UTs	Total						Male						Female					
	2013	2014	2015	2016	2017	2018	2013	2014	2015	2016	2017	2018	2013	2014	2015	2016	2017	2018
India	40	39	37	34	33	32	39	37	35	33	32	32	42	40	39	36	34	33
Andhra Pradesh	39	39	37	34	32	29	39	38	36	33	31	30	40	39	38	35	33	29
Assam	54	49	47	44	44	41	53	49	47	43	41	40	55	49	47	45	46	44
Bihar	42	42	42	38	35	32	40	39	36	31	34	30	43	46	50	46	37	35
Chhatisgarh	46	43	41	39	38	41	45	41	40	39	39	42	47	44	41	38	37	39
Delhi	24	20	18	18	16	13	23	18	18	18	17	14	25	22	19	17	16	12
Gujarat	36	35	33	30	30	28	35	34	33	31	30	29	37	37	34	30	30	27
Haryana	41	36	36	33	30	30	40	35	36	31	28	31	42	38	37	35	31	29
Himachal Pradesh	35	32	28	25	23	19	33	31	28	23	22	19	36	33	27	26	23	20
Jammu & Kashmir	37	34	26	24	23	22	36	33	25	24	22	22	38	36	27	25	23	23
Jharkhand	37	34	32	29	29	30	35	32	30	27	25	27	38	36	35	31	33	34
Karnataka	31	29	28	24	25	23	30	27	26	22	24	21	32	30	30	27	26	25
Kerala	12	12	12	10	10	7	10	10	10	9	9	9	13	13	13	11	10	5
Madhya Pradesh	54	52	50	47	47	48	52	51	51	49	48	51	55	53	48	44	45	46
Maharashtra	24	22	21	19	19	19	23	21	19	18	18	19	25	22	22	19	19	19
Odisha	51	49	46	44	41	40	50	48	45	44	40	40	52	51	47	44	41	39
Punjab	26	24	23	21	21	20	25	23	22	20	20	21	27	25	24	21	22	20
Rajasthan	47	46	43	41	38	37	45	44	40	39	37	37	49	49	47	44	40	38
Tamil Nadu	21	20	19	17	16	15	20	20	19	18	17	16	21	20	19	17	16	14
Telangana	*	35	34	31	29	27	*	34	33	31	28	27	*	35	34	30	29	26
Uttar Pradesh	50	48	46	43	41	43	49	47	44	41	39	43	52	50	48	45	43	44
Uttarakhand	33	33	34	38	32	31	30	31	31	36	35	33	35	35	38	41	29	28
West Bengal	31	28	26	25	24	22	30	26	25	24	23	22	32	31	28	26	24	22

* : Included in Andhra Pradesh

Table 15: Annual estimates of Total Fertility rate by residence, India and bigger States/UTs, 2013-18

India & bigger States/UTs	Total						Rural						Urban					
	2013	2014	2015	2016	2017	2018	2013	2014	2015	2016	2017	2018	2013	2014	2015	2016	2017	2018
India	2.3	2.3	2.3	2.3	2.2	2.2	2.5	2.5	2.5	2.5	2.4	2.4	1.8	1.8	1.8	1.8	1.7	1.7
Andhra Pradesh	1.8	1.8	1.7	1.7	1.6	1.6	1.9	1.8	1.8	1.7	1.7	1.7	1.7	1.6	1.6	1.5	1.5	1.5
Assam	2.3	2.3	2.3	2.3	2.3	2.2	2.4	2.5	2.4	2.4	2.4	2.4	1.5	1.6	1.6	1.6	1.6	1.6
Bihar	3.4	3.2	3.2	3.3	3.2	3.2	3.5	3.3	3.3	3.4	3.3	3.3	2.5	2.4	2.5	2.5	2.4	2.5
Chhatisgarh	2.6	2.6	2.5	2.5	2.4	2.4	2.8	2.8	2.7	2.7	2.6	2.6	1.8	1.9	1.9	1.9	1.8	1.8
Delhi	1.7	1.7	1.7	1.6	1.5	1.5	1.8	1.8	1.8	1.8	1.6	1.5	1.7	1.7	1.7	1.6	1.5	1.5
Gujarat	2.3	2.3	2.2	2.2	2.2	2.1	2.5	2.5	2.5	2.5	2.4	2.4	2.0	2.0	1.9	1.9	1.8	1.8
Haryana	2.2	2.3	2.2	2.3	2.2	2.2	2.3	2.4	2.4	2.4	2.4	2.4	2.0	2.0	2.0	2.0	1.9	1.9
Himachal Pradesh	1.7	1.7	1.7	1.7	1.6	1.6	1.7	1.7	1.7	1.7	1.7	1.7	1.2	1.2	1.2	1.2	1.1	1.1
Jammu & Kashmir	1.9	1.7	1.6	1.7	1.6	1.6	2.0	1.9	1.9	1.9	1.8	1.8	1.3	1.2	1.0	1.2	1.2	1.2
Jharkhand	2.7	2.8	2.7	2.6	2.5	2.5	2.9	3.0	2.9	2.9	2.7	2.7	2.0	2.1	2.1	2.0	1.9	1.9
Karnataka	1.9	1.8	1.8	1.8	1.7	1.7	2.0	1.9	1.9	1.9	1.8	1.8	1.6	1.7	1.7	1.6	1.6	1.6
Kerala	1.8	1.9	1.8	1.8	1.7	1.7	1.9	1.9	1.8	1.8	1.7	1.7	1.8	1.8	1.8	1.8	1.7	1.7
Madhya Pradesh	2.9	2.8	2.8	2.8	2.7	2.7	3.1	3.1	3.0	3.1	3.0	3.0	2.0	2.1	2.1	2.1	2.1	2.1
Maharashtra	1.8	1.8	1.8	1.8	1.7	1.7	1.9	1.9	2.0	1.9	1.8	1.8	1.6	1.7	1.6	1.6	1.5	1.5
Odisha	2.1	2.1	2.0	2.0	1.9	1.9	2.2	2.2	2.1	2.1	2.0	2.0	1.5	1.5	1.4	1.4	1.3	1.3
Punjab	1.7	1.7	1.7	1.7	1.6	1.6	1.7	1.7	1.7	1.7	1.7	1.7	1.6	1.6	1.5	1.6	1.5	1.5
Rajasthan	2.8	2.8	2.7	2.7	2.6	2.5	3.0	2.9	2.8	2.8	2.7	2.7	2.3	2.3	2.3	2.3	2.2	2.2
Tamil Nadu	1.7	1.7	1.6	1.6	1.6	1.6	1.7	1.7	1.7	1.7	1.6	1.6	1.7	1.7	1.6	1.6	1.6	1.6
Telangana	*	1.8	1.8	1.7	1.7	1.6	*	1.9	1.9	1.8	1.7	1.7	*	1.7	1.6	1.6	1.6	1.5
Uttar Pradesh	3.1	3.2	3.1	3.1	3.0	2.9	3.3	3.4	3.4	3.4	3.2	3.1	2.5	2.5	2.4	2.4	2.4	2.4
Uttarakhand	*	2.0	2.0	1.9	1.9	1.8	*	2.1	2.0	1.9	1.9	1.8	*	1.9	1.8	1.7	1.8	1.8
West Bengal	1.6	1.6	1.6	1.6	1.6	1.5	1.8	1.7	1.7	1.7	1.7	1.7	1.2	1.2	1.2	1.3	1.3	1.2

* : Telangana and Uttarakhand included in Andhra Pradesh and Uttar Pradesh respectively

Table 16: Sex ratio at birth (female per 1000 male) by residence, India and bigger States/UTs, 2012-14 to 2016-18

India & bigger States/UTs	Total					Rural					Urban				
	2012-14	2013-15	2014-16	2015-17	2016-18	2012-14	2013-15	2014-16	2015-17	2016-18	2012-14	2013-15	2014-16	2015-17	2016-18
India	906	900	898	896	899	907	903	902	898	900	905	890	888	890	897
Andhra Pradesh	919	918	913	916	920	917	933	923	928	930	925	885	888	885	898
Assam	918	900	896	915	925	919	902	898	918	927	908	876	880	891	905
Bihar	907	916	908	900	895	909	921	912	904	896	889	870	871	865	883
Chhattisgarh	973	961	963	961	958	982	987	995	985	976	921	839	833	862	881
Delhi	876	869	857	850	844	899	909	917	926	960	873	866	856	848	841
Gujarat	907	854	848	855	866	917	871	867	865	866	890	826	820	838	865
Haryana	866	831	832	833	843	869	836	835	828	840	859	821	824	844	847
Himachal Pradesh	938	924	917	918	930	940	929	921	920	932	901	844	852	878	891
Jammu & Kashmir	899	899	906	917	927	899	895	903	919	930	897	915	919	910	917
Jharkhand	910	902	918	916	923	918	914	927	927	932	867	852	882	876	888
Karnataka	950	939	935	929	924	957	967	965	958	949	936	887	883	879	881
Kerala	974	967	959	948	957	970	978	972	965	967	985	950	946	931	947
Madhya Pradesh	927	919	922	916	925	925	911	913	908	914	934	954	957	950	968
Maharashtra	896	878	876	881	880	888	871	872	886	878	908	890	882	875	881
Odisha	953	950	948	938	933	957	961	959	946	940	922	869	871	881	891
Punjab	870	889	893	886	890	863	869	876	874	878	881	924	921	905	908
Rajasthan	893	861	857	856	871	896	867	862	858	874	880	840	838	851	860
Tamil Nadu	921	911	915	907	908	923	920	926	919	913	918	901	903	896	903
Telangana	Included in A.P.		901	897	901	Included in A.P.		940	922	918	Included in A.P.		841	859	875
Uttar Pradesh	869	879	882	878	880	866	869	871	862	865	882	923	923	938	934
Uttarakhand	871	844	850	841	840	879	850	857	849	851	848	828	832	816	810
West Bengal	952	951	937	939	941	949	953	938	943	947	964	944	932	925	923

Table 17: Percent of live births where the mothers received medical attention at delivery either at Government hospitals or at Private hospitals, India and bigger States/UTs, 2013-18

India & bigger States/UTs	Total						Rural						Urban					
	2013	2014	2015	2016	2017	2018	2013	2014	2015	2016	2017	2018	2013	2014	2015	2016	2017	2018
India	74.4	78.5	79.3	80.8	81.9	82.5	69.7	73.2	74.2	80.8	77.4	78.1	92.1	93.2	93.5	94.2	94.4	94.7
Andhra Pradesh	93.6	94.9	95.5	96.6	97.3	97.4	91.3	92.6	93.6	96.6	96.5	96.6	99.7	99.8	99.8	99.8	99.6	99.8
Assam	73.7	77.7	79.3	81.1	82.3	82.8	71.6	75.8	77.6	81.1	80.7	81.2	93.2	94.3	94.7	95.4	96.0	96.4
Bihar	60.3	64.0	66.1	68.0	68.9	70.3	58.1	61.1	63.4	68.0	66.5	67.9	86.6	88.1	89.3	90.0	91.0	91.5
Chhattisgarh	66.5	71.8	73.6	75.5	76.1	77.0	64.0	68.2	70.2	75.5	72.8	73.7	83.3	85.2	86.1	88.6	89.1	90.1
Delhi	91.1	92.3	93.5	94.8	95.3	95.8	89.6	91.8	92.4	94.8	94.9	96.5	91.3	92.3	93.6	94.9	95.4	95.8
Gujarat	88.6	91.1	92.2	93.4	93.9	94.6	83.3	85.7	87.0	93.4	90.5	91.6	98.7	99.7	99.4	99.5	99.5	99.6
Haryana	77.3	80.4	81.8	83.6	84.7	85.6	74.8	77.8	79.4	83.6	82.9	83.8	84.1	86.0	86.5	87.3	88.2	89.0
Himachal Pradesh	70.8	74.2	75.4	76.8	78.5	78.9	69.2	72.9	74.3	76.8	77.5	77.9	94.1	94.9	95.2	95.8	96.2	96.5
Jammu & Kashmir	81.6	85.2	84.8	86.9	87.7	89.0	79.0	81.1	82.0	86.9	84.7	86.4	96.4	96.3	96.6	97.0	97.0	97.1
Jharkhand	51.2	56.7	58.3	59.3	60.9	61.7	45.3	52.1	54.2	59.3	56.6	57.4	86.6	87.2	88.0	90.3	91.3	91.8
Karnataka	92.9	95.7	96.5	97.1	97.3	97.6	90.7	93.7	94.7	97.1	95.9	96.3	97.3	98.9	99.4	99.6	99.6	99.7
Kerala	99.5	99.7	99.7	99.7	99.7	99.8	99.6	99.6	99.7	99.7	99.8	99.8	99.3	99.7	99.8	99.7	99.7	99.7
Madhya Pradesh	75.5	79.3	80.4	81.7	82.1	83.1	71.9	75.0	76.1	81.7	77.9	79.1	94.2	95.9	96.3	96.9	97.2	97.6
Maharashtra	94.5	95.2	96.0	96.2	96.8	97.0	91.6	92.3	93.6	96.2	94.8	95.2	99.0	99.3	99.5	99.4	99.6	99.6
Odisha	72.3	77.2	78.3	79.8	80.5	81.0	70.3	74.8	75.9	79.8	78.6	79.0	91.0	92.5	93.1	93.3	93.6	93.9
Punjab	84.3	86.2	87.5	88.3	89.3	89.7	80.1	81.9	82.9	88.3	85.6	86.0	92.1	92.8	93.7	94.2	94.7	95.0
Rajasthan	83.0	85.8	86.7	87.6	88.2	88.5	81.1	83.8	84.9	87.6	86.6	86.9	90.6	92.2	93.0	93.4	93.7	94.0
Tamil Nadu	93.4	95.0	95.2	95.5	95.8	96.0	89.3	90.4	90.7	95.5	91.9	92.2	99.0	99.5	99.6	99.6	99.7	99.8
Telangana	*	90.6	92.0	93.4	93.9	94.2	*	88.3	89.5	93.4	92.0	92.4	*	94.4	95.6	96.6	97.0	97.2
Uttar Pradesh	58.1	62.2	63.2	66.0	67.2	67.6	54.7	58.2	59.0	66.0	63.1	63.5	76.0	79.2	80.0	80.9	82.0	82.3
Uttarakhand	N.A.	68.0	69.5	71.8	72.5	73.1	N.A.	65.9	67.1	71.8	70.0	70.6	N.A.	74.4	76.2	78.5	79.4	79.9
West Bengal	77.2	81.8	83.4	84.7	85.6	86.1	73.9	78.0	80.0	84.7	82.4	82.9	90.9	92.6	93.3	94.1	94.5	94.9

* : Included in Andhra Pradesh

Table 18: Percent of deaths where medical attention received before death was either at Government hospitals or at Private hospitals, India and bigger States/UTs, 2013-18

India & bigger States/UTs	Total						Rural						Urban					
	2013	2014	2015	2016	2017	2018	2013	2014	2015	2016	2017	2018	2013	2014	2015	2016	2017	2018
India	39.2	42.6	44.4	46.2	47.0	47.8	35.3	38.0	39.6	41.5	42.4	43.2	53.5	56.7	57.2	58.7	59.5	60.4
Andhra Pradesh	38.7	43.2	45.4	45.2	46.2	47.2	35.3	40.3	41.2	42.0	43.0	43.9	51.9	55.2	56.6	57.9	58.7	60.0
Assam	28.9	31.8	32.8	33.7	34.7	35.6	28.6	30.4	31.3	32.0	33.0	33.9	38.7	40.9	41.9	44.9	45.8	46.6
Bihar	26.1	28.2	29.0	30.6	31.3	32.1	24.7	25.9	26.7	28.1	28.8	29.6	42.3	45.6	46.5	49.1	49.7	50.6
Chhattisgarh	32.1	35.9	36.7	38.6	39.5	40.1	28.8	31.5	32.3	33.4	34.4	35.0	53.7	56.8	58.8	59.9	60.5	61.2
Delhi	57.1	63.5	64.1	64.9	65.7	66.7	35.6	38.6	39.3	39.9	40.6	41.5	61.3	63.9	64.6	65.5	66.3	67.4
Gujarat	38.6	40.7	42.8	43.1	44.1	44.8	32.4	33.3	34.6	36.3	37.4	38.2	51.4	56.1	56.9	57.7	58.4	59.0
Haryana	30.0	32.8	34.2	35.9	36.6	37.3	29.2	31.5	32.9	34.8	35.5	36.3	32.2	35.8	36.8	38.8	39.5	40.1
Himachal Pradesh	62.1	64.4	65.3	65.7	66.3	66.8	62.0	64.4	65.2	65.6	66.1	66.7	62.5	65.4	66.7	67.8	68.6	69.3
Jammu & Kashmir	48.8	56.4	54.3	55.1	56.0	56.8	44.0	46.4	46.6	47.2	48.2	49.1	71.7	72.8	73.3	74.7	75.2	75.8
Jharkhand	28.0	30.8	31.4	32.8	33.8	34.8	23.8	26.7	27.4	28.8	29.8	30.7	54.4	56.7	57.5	58.4	59.3	60.2
Karnataka	44.1	44.5	46.9	48.9	49.8	50.8	37.7	40.4	41.7	42.8	43.7	44.7	61.9	62.4	63.1	64.9	65.7	66.8
Kerala	76.8	75.1	76.5	77.4	78.5	79.6	80.3	83.1	83.5	83.9	85.1	86.2	65.7	69.1	69.7	71.0	72.0	73.0
Madhya Pradesh	48.4	52.4	53.6	54.4	55.1	55.9	44.9	47.9	48.4	49.7	50.3	51.1	66.0	69.2	70.4	71.2	72.1	73.0
Maharashtra	44.2	46.3	46.9	48.2	49.1	49.9	37.5	40.5	41.0	42.6	43.4	44.2	57.3	58.7	59.6	60.9	61.9	63.0
Odisha	29.1	43.4	44.6	46.1	47.0	47.7	27.9	42.2	43.3	44.9	45.8	46.4	39.1	52.0	54.1	54.5	55.4	56.2
Punjab	49.8	50.7	52.9	55.1	55.7	56.4	45.1	47.3	47.9	50.6	51.1	51.7	60.8	61.1	62.6	63.5	64.2	65.1
Rajasthan	38.5	42.2	42.6	47.3	48.1	49.1	36.1	39.4	40.0	45.2	46.0	47.0	48.4	50.6	51.5	53.7	54.6	55.6
Tamil Nadu	38.7	41.6	43.0	45.2	46.2	46.9	31.1	32.8	34.1	36.3	37.2	38.0	51.5	53.2	54.1	55.3	56.3	57.0
Telangana	*	39.9	41.4	43.4	44.1	44.9	*	37.3	37.9	38.4	39.1	39.8	*	53.2	54.1	55.5	56.1	57.0
Uttar Pradesh	39.2	44.9	45.6	48.1	49.0	49.8	37.5	43.2	43.8	46.3	47.2	48.0	49.2	51.5	53.3	54.3	55.3	56.3
Uttarakhand	N.A.	50.1	51.3	53.1	54.1	55.0	N.A.	49.4	50.4	52.5	53.4	54.4	N.A.	52.5	54.3	55.0	56.1	57.1
West Bengal	36.0	40.4	41.9	44.1	44.9	45.6	29.1	32.8	33.5	37.2	37.9	38.8	53.6	56.3	57.1	58.0	58.9	59.3

* : Included in Andhra Pradesh

INDIA NATURAL DIVISIONS 2018



The State boundary between Andhra Pradesh and Telangana have not been verified by the Government Concerned.

SAMPLE REGISTRATION SYSTEM
List of Natural Division

State code	State Name	ND Code	Region	Sl. No. of Distt.	Distt. Code	Name of District				
01	Jammu & Kashmir	1	Mountainous	007	07	Kathua				
				021	21	Jammu				
				022	22	Samba				
		2	Outer Hills			005	05	Punch		
						006	06	Rajouri		
						016	16	Doda		
						017	17	Ramban		
						018	18	Kishtwar		
						019	19	Udhampur		
						020	20	Reasi		
						3	Jhelam Valley			001
		002	02	Badgam						
		008	08	Baramula						
		009	09	Bandipore						
		010	10	Srinagar						
		011	11	Ganderbal						
		012	12	Pulwama						
		013	13	Shupiyan						
		014	14	Anantnag						
		015	15	Kulgam						
4	Ladakh			003	03	Leh(Ladakh)				
				004	04	Kargil				
02	Himachal Pradesh	1	Himachal Pradesh	023	01	Chamba				
				024	02	Kangra				
				025	03	Lahul & Spiti				
				026	04	Kullu				
				027	05	Mandi				
				028	06	Hamirpur				
				029	07	Una				
				030	08	Bilaspur				
				031	09	Solan				
				032	10	Sirmaur				
				033	11	Shimla				
				034	12	Kinnaur				
				03	Punjab	1	Northern	035	01	Gurdaspur
								036	02	Kapurthala
037	03	Jalandhar								
038	04	Hoshiarpur								
039	05	Shahid Bhagat Singh Nagar								
049	15	Amritsar								
050	16	Tarn Taran								
051	17	Rupnagar								
052	18	Sahibzada Ajit Singh Nagar								

SAMPLE REGISTRATION SYSTEM
List of Natural Division

State code	State Name	ND Code	Region	Sl. No. of Distt.	Distt. Code	Name of District
		2	Southern	040	06	Fatehgarh Sahib
				041	07	Ludhiana
				042	08	Moga
				043	09	Firozpur
				044	10	Muktsar
				045	11	Faridkot
				046	12	Bathinda
				047	13	Mansa
				048	14	Patiala
				053	19	Sangrur
				054	20	Barnala
04	Chandigarh	1	Chandigarh	055	01	Chandigarh
05	Uttarakhand	1	Uttarakhand	056	01	Uttarkashi
				057	02	Chamoli
				058	03	Rudraprayag
				059	04	Tehri Garhwal
				060	05	Dehradun
				061	06	Garhwal
				062	07	Pithoragarh
				063	08	Bageshwar
				064	09	Almora
				065	10	Champawat
				066	11	Nainital
				067	12	Udham Singh Nagar
				068	13	Hardwar
06	Haryana	1	Eastern	069	01	Panchkula
				070	02	Ambala
				071	03	Yamunanagar
				072	04	Kurukshetra
				073	05	Kaithal
				074	06	Karnal
				075	07	Panipat
				076	08	Sonipat
				082	14	Rohtak
				083	15	Jhajjar
				086	18	Gurgaon
				087	19	Mewat
				088	20	Faridabad
				089	21	Palwal
		2	Western	077	09	Jind
				078	10	Fatehabad
				079	11	Sirsa
				080	12	Hisar
				081	13	Bhiwani
				084	16	Mahendragarh
				085	17	Rewari

SAMPLE REGISTRATION SYSTEM
List of Natural Division

State code	State Name	ND Code	Region	Sl. No. of Distt.	Distt. Code	Name of District
07	Delhi	1	Delhi	090	01	North West
				091	02	North
				092	03	North East
				093	04	East
				094	05	New Delhi
				095	06	Central
				096	07	West
				097	08	South West
				098	09	South
08	Rajasthan	1	Western	101	03	Bikaner
				113	15	Jodhpur
				114	16	Jaisalmer
				115	17	Barmer
				116	18	Jalor
				117	19	Sirohi
				118	20	Pali
				2	North Eastern	104
		105	07			Bharatpur
		106	08			Dhaulpur
		107	09			Karauli
		108	10			Sawai Madhopur
		109	11			Dausa
		110	12			Jaipur
		119	21			Ajmer
		120	22			Tonk
		122	24			Bhilwara
		3	Southern	123	25	Rajsamand
				124	26	Dungarpur
				125	27	Banswara
				130	32	Udaipur
		4	South Eastern	121	23	Bundi
				126	28	Chittaurgarh
				127	29	Kota
				128	30	Baran
129	31			Jhalawar		
131	33			Pratapgarh		
5	Northern	99	01	Ganganagar		
		100	02	Hanumangarh		
		102	04	Churu		
		103	05	Jhunjhunun		
		111	13	Sikar		
		112	14	Nagaur		

SAMPLE REGISTRATION SYSTEM
List of Natural Division

State code	State Name	ND Code	Region	Sl. No. of Distt.	Distt. Code	Name of District		
09	Uttar Pradesh	1	Northern Upper Ganga Plain	132	01	Saharanpur		
				133	02	Muzaffarnagar		
				134	03	Bijnor		
				135	04	Moradabad		
				136	05	Rampur		
				137	06	Jyotiba Phule Nagar		
				138	07	Meerut		
				139	08	Baghpat		
				140	09	Ghaziabad		
				141	10	Gautam Buddha Nagar		
		2	Central			154	23	Sitapur
						155	24	Hardoi
						156	25	Unnao
						157	26	Lucknow
						158	27	Rae Bareli
						163	32	Kanpur Dehat
						164	33	Kanpur Nagar
						172	41	Fatehpur
		3	Eastern			176	45	Bara Banki
						173	42	Pratapgarh
174	43					Kaushambi		
175	44					Allahabad		
177	46					Faizabad		
178	47					Ambedkar Nagar		
179	48					Sultanpur		
180	49					Bahraich		
181	50					Shrawasti		
182	51					Balrampur		
183	52					Gonda		
184	53					Siddharthnagar		
185	54	Basti						
186	55	Sant Kabir Nagar						
187	56	Mahrajganj						
188	57	Gorakhpur						
189	58	Kushinagar						
190	59	Deoria						
191	60	Azamgarh						
192	61	Mau						
193	62	Ballia						
194	63	Jaunpur						
195	64	Ghazipur						
196	65	Chandauli						
197	66	Varanasi						
198	67	Sant Ravidas Nagar (Bhadohi)						
199	68	Mirzapur						
200	69	Sonbhadra						

SAMPLE REGISTRATION SYSTEM
List of Natural Division

State code	State Name	ND Code	Region	Sl. No. of Distt.	Distt. Code	Name of District
		4	Southern	165	34	Jalaun
				166	35	Jhansi
				167	36	Lalitpur
				168	37	Hamirpur
				169	38	Mahoba
				170	39	Banda
				171	40	Chitrakoot
		5	Southern Upper Ganga Plain	142	11	Bulandshahr
				143	12	Aligarh
				144	13	Mahamaya Nagar (Hathras)
				145	14	Mathura
				146	15	Agra
				147	16	Firozabad
				148	17	Mainpuri
				149	18	Budaun
				150	19	Bareilly
				151	20	Pilibhit
				152	21	Shahjahanpur
				153	22	Kheri
				159	28	Farrukhabad
				160	29	Kannauj
				161	30	Etawah
				162	31	Auraiya
				201	70	Etah
				202	71	Kanshiram Nagar
10	Bihar	1	Northern	203	01	Pashchim Champaran
				204	02	Purba Champaran
				205	03	Sheohar
				206	04	Sitamarhi
				207	05	Madhubani
				208	06	Supaul
				209	07	Araria
				210	08	Kishanganj
				211	09	Purnia
				212	10	Katihar
				213	11	Madhepura
				214	12	Saharsa
				215	13	Darbhanga
				216	14	Muzaffarpur
				217	15	Gopalganj
				218	16	Siwan
				219	17	Saran
				220	18	Vaishali
				221	19	Samastipur
				222	20	Begusarai
				223	21	Khagaria

SAMPLE REGISTRATION SYSTEM
List of Natural Division

State code	State Name	ND Code	Region	Sl. No. of Distt.	Distt. Code	Name of District
		2	Central	224	22	Bhagalpur
				225	23	Banka
				226	24	Munger
				227	25	Lakhisarai
				228	26	Sheikhpura
				229	27	Nalanda
				230	28	Patna
				231	29	Bhojpur
				232	30	Buxar
				233	31	Kaimur (Bhabua)
				234	32	Rohtas
				235	33	Aurangabad
				236	34	Gaya
				237	35	Nawada
				238	36	Jamui
				239	37	Jehanabad
				240	38	Arwal
11	Sikkim	1	Sikkim	241	01	North District
				242	02	West District
				243	03	South District
				244	04	East District
12	Arnachal Pradesh	1	Arnachal Pradesh	245	01	Tawang
				246	02	West Kameng
				247	03	East Kameng
				248	04	Papum Pare
				249	05	Upper Subansiri
				250	06	West Siang
				251	07	East Siang
				252	08	Upper Siang
				253	09	Changlang
				254	10	Tirap
				255	11	Lower Subansiri
				256	12	Kurung Kumey
				257	13	Dibang Valley
				258	14	Lower Dibang Valley
				259	15	Lohit
				260	16	Anjaw
13	Nagaland	1	Nagaland	261	01	Mon
				262	02	Mokokchung
				263	03	Zunheboto
				264	04	Wokha
				265	05	Dimapur
				266	06	Phek
				267	07	Tuensang
				268	08	Longleng
				269	09	Kiphire
				270	10	Kohima
				271	11	Peren

SAMPLE REGISTRATION SYSTEM
List of Natural Division

State code	State Name	ND Code	Region	Sl. No. of Distt.	Distt. Code	Name of District
14	Manipur	1	Manipur	272	01	Senapati
				273	02	Tamenglong
				274	03	Churachandpur
				275	04	Bishnupur
				276	05	Thoubal
				277	06	Imphal West
				278	07	Imphal East
				279	08	Ukhrul
				280	09	Chandel
15	Mizoram	1	Mizoram	281	01	Mamit
				282	02	Kolasib
				283	03	Aizawl
				284	04	Champhai
				285	05	Serchhip
				286	06	Lunglei
				287	07	Lawngtlai
				288	08	Saiha
16	Tripura	1	Tripura	289	01	West Tripura
				290	02	South Tripura
				291	03	Dhalai
				292	04	North Tripura
17	Meghalaya	1	Meghalaya	293	01	West Garo Hills
				294	02	East Garo Hills
				295	03	South Garo Hills
				296	04	West Khasi Hills
				297	05	Ribhoi
				298	06	East Khasi Hills
				299	07	Jaintia Hills
18	Assam	1	Plains Eastern	307	08	Lakhimpur
				308	09	Dhemaji
				309	10	Tinsukia
				310	11	Dibrugarh
				311	12	Sivasagar
				312	13	Jorhat
				313	14	Golaghat
		2	Plains Western	300	01	Kokrajhar
				301	02	Dhubri
				302	03	Goalpara
				303	04	Barpeta
				319	20	Bongaigaon
				320	21	Chirang
				321	22	Kamrup
				322	23	Kamrup Metropolitan
323	24	Nalbari				
324	25	Baksa				

SAMPLE REGISTRATION SYSTEM
List of Natural Division

State code	State Name	ND Code	Region	Sl. No. of Distt.	Distt. Code	Name of District
		3	Cachar Plain	314	15	Karbi Anglong
				315	16	Dima Hasao*
				316	17	Cachar
				317	18	Karimganj
				318	19	Hailakandi
		4	Central Brahmaputra plains	304	05	Morigaon
				305	06	Nagaon
				306	07	Sonitpur
				325	26	Darrang
				326	27	Udalguri
19	West Bengal	1	Himalayan	327	01	Darjiling
				328	02	Jalpaiguri
				329	03	Koch Bihar
		2	Eastern Plains	330	04	Uttar Dinajpur
				331	05	Dakshin Dinajpur
				332	06	Maldah
				333	07	Murshidabad
				334	08	Birbhum
				336	10	Nadia
		3	Southern Plains	337	11	North Twenty Four Parganas
				343	17	Kolkata
				344	18	South Twenty Four Parganas
		4	Central Plains	335	09	Barddhaman
				338	12	Hugli
				342	16	Howrah
		5	Western Plains	339	13	Bankura
				340	14	Puruliya
				341	15	Paschim Medinipur
				345	19	Purba Medinipur
20	Jharkhand	1	Ranchi Plateau	346	01	Garhwa
				356	11	Lohardaga
				357	12	Purbi Singhbhum
				358	13	Palamu
				359	14	Latehar
				364	19	Ranchi
				365	20	Khunti
				366	21	Gumla
				367	22	Simdega
				368	23	Pashchimi Singhbhum
				369	24	Saraikela-Kharsawan

SAMPLE REGISTRATION SYSTEM
List of Natural Division

State code	State Name	ND Code	Region	Sl. No. of Distt.	Distt. Code	Name of District
		2	Hazaribagh Plateau	347	02	Chatra
				349	04	Giridih
				350	05	Deoghar
				351	06	Godda
				352	07	Sahibganj
				353	08	Pakur
				354	09	Dhanbad
				355	10	Bokaro
				360	15	Hazaribagh
				361	16	Ramgarh
				362	17	Dumka
				363	18	Jamtara
				348	03	Kodarma
21	Odisha	1	Coastal	377	08	Baleshwar
				378	09	Bhadrak
				379	10	Kendrapara
				380	11	Jagatsinghapur
				381	12	Cuttack
				382	13	Jajapur
				385	16	Nayagarh
				386	17	Khordha
				387	18	Puri
		2	Southern	388	19	Ganjam
				389	20	Gajapati
				390	21	Kandhamal
				391	22	Baudh
				392	23	Subarnapur
				393	24	Balangir
				394	25	Nuapada
				395	26	Kalahandi
				396	27	Rayagada
				397	28	Nabarangapur
				398	29	Koraput
				399	30	Malkangiri
		3	Northern	370	01	Bargarh
				371	02	Jharsuguda
				372	03	Sambalpur
				373	04	Debagarh
				374	05	Sundargarh
				375	06	Kendujhar
				376	07	Mayurbhanj
				383	14	Dhenkanal
				384	15	Anugul

SAMPLE REGISTRATION SYSTEM
List of Natural Division

State code	State Name	ND Code	Region	Sl. No. of Distt.	Distt. Code	Name of District				
22	Chhatisgarh	1	Northern Chhattisgarh	400	01	Koriya				
				401	02	Surguja				
		2	Mahanadi Basin			402	03	Jashpur		
						403	04	Raigarh		
						404	05	Korba		
						405	06	Janjgir - Champa		
						406	07	Bilaspur		
						407	08	Kabeerdham		
						408	09	Rajnandgaon		
						409	10	Durg		
						410	11	Raipur		
						411	12	Mahasamund		
						412	13	Dhamtari		
						3	Southern Chhattisgarh			413
		414	15	Bastar						
		415	16	Narayanpur						
		416	17	Dakshin Bastar Dantewada						
		417	18	Bijapur						
		23	Madhya Pradesh	1	Vindhya	424	07	Tikamgarh		
425	08					Chhatarpur				
426	09					Panna				
429	12					Satna				
430	13					Rewa				
431	14					Umaria				
460	43					Shahdol				
461	44					Anuppur				
462	45					Sidhi				
463	46					Singrauli				
2	Central							427	10	Sagar
								428	11	Damoh
								443	26	Vidisha
								444	27	Bhopal
				445	28			Sehore		
				446	29			Raisen		
3	Malwa					432	15	Neemuch		
						433	16	Mandsaur		
						434	17	Ratlam		
						435	18	Ujjain		
						436	19	Shajapur		
						437	20	Dewas		
						438	21	Dhar		
						439	22	Indore		
						442	25	Rajgarh		
						464	47	Jhabua		
						465	48	Alirajpur		

SAMPLE REGISTRATION SYSTEM
List of Natural Division

State code	State Name	ND Code	Region	Sl. No. of Distt.	Distt. Code	Name of District
		4	South	450	33	Katni
				451	34	Jabalpur
				452	35	Narsimhapur
				453	36	Dindori
				454	37	Mandla
				455	38	Chhindwara
				456	39	Seoni
				457	40	Balaghat
		5	South Western	440	23	Khargone (West Nimar)
				441	24	Barwani
				447	30	Betul
				448	31	Harda
				449	32	Hoshangabad
				466	49	Khandwa (East Nimar)
				467	50	Burhanpur
		6	Northern	418	01	Sheopur
				419	02	Morena
				420	03	Bhind
				421	04	Gwalior
				422	05	Datia
				423	06	Shivpuri
				458	41	Guna
				459	42	Ashoknagar
24	Gujarat	1	South Eastern	484	17	Panch Mahals
				485	18	Dohad
				486	19	Vadodara
				487	20	Narmada
				488	21	Bharuch
				489	22	The Dangs
				490	23	Navsari
				491	24	Valsad
				492	25	Surat
				493	26	Tapi
		2	Plains Northern	471	04	Mahesana
				472	05	Sabar Kantha
				473	06	Gandhinagar
				474	07	Ahmadabad
				482	15	Anand
				483	16	Kheda
		3	Dry areas	469	02	Banas Kantha
				470	03	Patan
				468	01	Kachchh

SAMPLE REGISTRATION SYSTEM
List of Natural Division

State code	State Name	ND Code	Region	Sl. No. of Distt.	Distt. Code	Name of District
		4	Saurashtra	475	08	Surendranagar
				476	09	Rajkot
				477	10	Jamnagar
				478	11	Porbandar
				479	12	Junagadh
				480	13	Amreli
				481	14	Bhavnagar
25	Daman & Diu	1	Daman & Diu	494	01	Diu
				495	02	Daman
26	Dadra & Nagar Haveli	1	Dadra & Nagar Haveli	496	01	Dadra & Nagar Haveli
27	Maharashtra	1	Coastal	517	21	Thane
				518	22	Mumbai Suburban
				519	23	Mumbai
				520	24	Raigarh
				528	32	Ratnagiri
				529	33	Sindhudurg
		2	Inland Western	521	25	Pune
				522	26	Ahmadnagar
				526	30	Solapur
				527	31	Satara
				530	34	Kolhapur
				531	35	Sangli
		3	Inland Northern	497	01	Nandurbar
				498	02	Dhule
				499	03	Jalgaon
				516	20	Nashik
		4	Inland Central	511	15	Nanded
				512	16	Hingoli
				513	17	Parbhani
				514	18	Jalna
				515	19	Aurangabad
				523	27	Bid
				524	28	Latur
				525	29	Osmanabad
		5	Inland Eastern	500	04	Buldana
				501	05	Akola
				502	06	Washim
				503	07	Amravati
				504	08	Wardha
				505	09	Nagpur
				510	14	Yavatmal

SAMPLE REGISTRATION SYSTEM
List of Natural Division

State code	State Name	ND Code	Region	Sl. No. of Distt.	Distt. Code	Name of District
		6	Eastern	506	10	Bhandara
				507	11	Gondiya
				508	12	Gadchiroli
				509	13	Chandrapur
36	Telangana	3	Inland North Western	532	01	Adilabad
				533	02	Nizamabad
				535	04	Medak
				536	05	Hyderabad
				537	06	Rangareddy
				538	07	Mahbubnagar
		4	Inland North Eastern	534	03	Karimnagar
				539	08	Nalgonda
				540	09	Warangal
				541	10	Khammam
37	Andhra Pradesh	1	Coastal Northern	542	11	Srikakulam
				543	12	Vizianagaram
				544	13	Visakhapatnam
				545	14	East Godavari
				546	15	West Godavari
		2	Coastal Southern	547	16	Krishna
				548	17	Guntur
				549	18	Prakasam
				550	19	Sri Potti Sriramulu Nellore
		5	Inland Southern	551	20	Y.S.R.
				552	21	Kurnool
				553	22	Anantapur
				554	23	Chittoor
29	Karnataka	1	Coastal & Ghats	563	09	Uttara Kannada
				569	15	Udupi
				575	21	Dakshina Kannada
		2	Inland Eastern	568	14	Shimoga
				570	16	Chikmagalur
				574	20	Hassan
				576	22	Kodagu
		3	Inland Southern	571	17	Tumkur
				572	18	Bangalore
				573	19	Mandya
				577	23	Mysore
				578	24	Chamarajanagar
				581	27	Kolar
				582	28	Chikkaballapura
				583	29	Bangalore Rural
				584	30	Ramanagara

SAMPLE REGISTRATION SYSTEM
List of Natural Division

State code	State Name	ND Code	Region	Sl. No. of Distt.	Distt. Code	Name of District
		4	Inland Northern	555	01	Belgaum
				556	02	Bagalkot
				557	03	Bijapur
				558	04	Bidar
				559	05	Raichur
				560	06	Koppal
				561	07	Gadag
				562	08	Dharwad
				564	10	Haveri
				565	11	Bellary
				566	12	Chitradurga
				567	13	Davanagere
				579	25	Gulbarga
				580	26	Yadgir
30	Goa	1	Goa	585	01	North Goa
				586	02	South Goa
31	Lakshadweep	1	Lakshadweep	587	01	Lakshadweep
32	Kerala	1	Northern	588	01	Kasaragod
				589	02	Kannur
				590	03	Wayanad
				591	04	Kozhikode
				592	05	Malappuram
				593	06	Palakkad
		2	Southern	594	07	Thrissur
				595	08	Ernakulam
				596	09	Idukki
				597	10	Kottayam
				598	11	Alappuzha
				599	12	Pathanamthitta
				600	13	Kollam
				601	14	Thiruvananthapuram
33	Tamil Nadu	1	Coastal Northern	602	01	Thiruvallur
				603	02	Chennai
				604	03	Kancheepuram
				605	04	Vellore
				606	05	Tiruvannamalai
				607	06	Viluppuram
				617	16	Cuddalore
		2	Coastal	613	12	Karur
				614	13	Tiruchirappalli
				615	14	Perambalur
				616	15	Ariyalur
				618	17	Nagapattinam
				619	18	Thiruvarur
				620	19	Thanjavur
				621	20	Pudukkottai

SAMPLE REGISTRATION SYSTEM
List of Natural Division

State code	State Name	ND Code	Region	Sl. No. of Distt.	Distt. Code	Name of District
		3	Southern	612	11	Dindigul
				622	21	Sivaganga
				623	22	Madurai
				624	23	Theni
				625	24	Virudhunagar
				626	25	Ramanathapuram
				627	26	Thoothukkudi
				628	27	Tirunelveli
				629	28	Kanniyakumari
		4	Inland	608	07	Salem
				609	08	Namakkal
				610	09	Erode
				611	10	The Nilgiris
				630	29	Dharmapuri
				631	30	Krishnagiri
				632	31	Coimbatore
				633	32	Tiruppur
34	Puducherry	1	Puducherry	634	01	Yanam
				635	02	Puducherry
				636	03	Mahe
				637	04	Karaikal
35	Andaman & Nicobar Island	1	Andaman & Nicobar Island	638	01	Nicobars
				639	02	North & Middle Andaman
				640	03	South Andaman

LIST OF OFFICERS ASSOCIATED WITH THE REPORT SRS UNIT

Shri Sanjeev Kumar	Deputy Director General
Smt. Sandhya Singh	Deputy Registrar General
Shri Ram Kesh	Senior Research Officer
Smt. Jasleen Kaur Rekhi	Research Officer

Data Processing: **Shri Ravi Kant**, Statistical Investigator Grade-II
 Shri Rakesh Kumar Sharma, Statistical Investigator Grade-II
 Smt. Charu Ghansela, Compiler
 Shri Nand Lal, Sr. Supervisor